

Rx 463
879 E

no 4
R. E. Lopez - M.D.
Caudon
N.Y.



YALE UNIVERSITY
LIBRARY

—◆—
Gift of the
School of Medecine
Yale University

TRANSFERRED TO
YALE MEDICAL LIBRARY

THE
HOMŒOPATHIC THERAPEUTICS
OF
UTERINE AND VAGINAL
DISCHARGES.

BY W. EGGERT, M.D.

BOERICKE & TAFEL:

NEW YORK:
145 GRAND STREET.

PHILADELPHIA:
635 ARCH STREET.

1879.

Entered according to Act of Congress, in the year 1878,
By BOERICKE & TAFEL,
In the Office of the Librarian of Congress, at Washington, D. C.

o - School of medicine

RX463
879 E



SHERMAN & CO.,
PRINTERS AND STEREOTYPERS,
PHILADELPHIA.


400

PREFACE.

THE present work is my private repertory. It was originally not intended for the press, had not my friends insisted upon its publication. I have revised, remodelled, added to, and expunged from it, in order to make it practical, to the best of my ability. The synthetic arrangement of works of this kind had to be in part omitted, in order to insure brevity and avoid repetitions. Hence the remedies and their symptoms have been left out, and the *symptoms and their remedies* have received sole attention. I have gathered from all attainable sources, and introduced the verifications from my own experience during the period of twenty-five years and more. I have gleaned from Hahnemann's *Materia Medica Pura* and his *Chronic Diseases*; Allen's *Materia Medica*, including the first eight volumes; Hering and Lippe's *Materia Medica*; Guernsey's *Obstetrics*; Raue's *Pathology and Therapeutics*; Bæhr's and Kafka's *Therapeutics*; Hale's *New Remedies*, etc.; in fact, the whole homœopathic literature of this country and Europe has been diligently searched in order to secure, if possible, the utmost perfection with regard to everything that is reliable and worthy of trust. For omissions and shortcomings, which, in the face of the utmost care, may be detected here and there, I crave the indulgence of the profession.

W. EGGERT.

INDIANAPOLIS, October, 1878.



INTRODUCTION.

THE *apparent* want of success in the treatment of female disorders, in comparison with other diseases, *may be* only accounted for, first, by the insufficiency of our provings upon the female; and, second, by the *difficulty of getting at those symptoms which have been obtained, either from the proving or from clinical experience, in an easy and practical way.* And yet our Materia Medica is not quite as barren as some try to make us believe, nor have our clinics to hide their results on account of inferior successes than those obtained from any other mode in the practice of medicine. To be frank, it often seemed to us as if the complaint of the insufficiency of our provings is frequently only called for to atone in reality the ignorance of our practitioners in the knowledge of homœopathic Materia Medica. And it is to a great extent this ignorance and its *apparent* justification that has led many of our practitioners astray, and induced them to seek in other modes and manners of treatment the satisfaction which the *apparent* adherence to the homœopathic principle refused them to yield. We hear and read it so frequently that such and such remedy, seemingly indicated, has failed to cure, and that homœopathy has often been a failure after faithful trial. We confess to look with skepticism upon all such assertions, because we used to talk in a similar manner until we became gradually but fully convinced that our failures were almost always the result of our ignorance of the Materia Medica, and the want of understanding to apply our law of cure properly. Strict adherence to the teachings of Hahnemann would make us more successful and liberal at the same time; liberal, because we would feel convinced that homœopathic knowledge and art have been truly exhausted before we would resort to any other mode of treatment. But in order to arrive at such conviction, we must first of all become experts of homœopathic Materia Medica. Why cannot we master Materia Medica just as well as anatomy,

physiology, surgery, etc.? There is no excuse whatsoever for our ignorance. But instead of training experts, we see occasionally mongrelism encouraged and defended by a sham and would-be liberality. A flag with the inscription "Freedom of Thought and Liberty of Action" has been unfurled, and now almost every fool can find protection in its folds.

The lamentable outcry, "I have tried homœopathy, but it failed," will find most instances thus exemplified. Dr. A. has a case of gonorrhœa to attend. He does perhaps not even understand how to examine such a case in its minutiae in order to prescribe properly, but he has heard and read that *Cannabis sativa* is a good remedy for such a disorder; he gives it to his patient, but it failed to cure. Perhaps he tried another remedy with only the same result, and now he complains that homœopathy cannot cure gonorrhœa, although hundreds of practitioners testify to the contrary. He now orders injections, etc. Should a stricture of the urethra be the result of it, that flag of "Liberty of Action" will protect him, for he had tried homœopathy (?), but, alas, how? Thus "liberty of action" (with "freedom of thought" we have nothing to do; let every one think as he pleases, that hurts nobody) will embrace and pet all practitioners if they only try homœopathy to the best of *their* ability, no matter if in their ignorance they produce diseases of the heart, or secondary and tertiary syphilis, when treating rheumatism and syphilis with external applications, or by producing quinine cachexia when abusing quinine in fevers, or by producing various forms of diseases by suppressing skin diseases, etc. If those who introduced this liberal innovation deny any intention of such kind, they should have given to the profession a better definition of their ideas, for without such a definition the sweeping phrase "liberty of action" becomes almost identical with "licentiousness." Hahnemann and his disciples never denied the use of mechanical means necessary for traumatic causes, nor the antidotes required in cases of poisoning, nor hygienic measures of any kind.

If the masters of our school would complain of the insufficiency of our remedies we might listen to them; but when the ignoramus hurts our ears with such lamentation, we have only scorn to offer. And who has perhaps more to suffer from indolent and ignorant practitioners than our poor women? and how often has an innocent uterus been made the battlefield of medical stupidity? Far be it from us to decry and denounce the modern innovations in therapeutics; but we can conscientiously only then allow ourselves to go

outside of the "restricted views" of homœopathic teachings, when these views or principles have been strictly complied with and have been found wanting. That there are powers in nature and art assigned to cure diseases besides those taught by Hahnemann, none of us will deny, but no one will also assert that those powers are better understood now than those which Hahnemann disclosed to us. He wanted all restrictions removed from those who are "endowed with the *necessary power and knowledge* to preserve human life, and with that *delicate consciousness* which every one whom God has appointed a guardian of human life should possess." Thus spoke Hahnemann, a master and genius in medicine, a man of the highest culture and learning; and when he penned these lines he thought he addressed his equals in learning and experience, like Hufeland and others. But he certainly did not entertain the idea to allow the ignorant to experiment upon the sick. He never would have granted "liberty of action" to the majority of our practitioners. Such independence he would have willingly accorded to masters like Hering, Dunham, etc., but as to the majority of our doctors-it would be like putting razors in the hands of young children. What would an experienced surgeon say of a practitioner of surgery, who in spite of his title could not attend properly to a common fracture, if he would see him going outside of the accepted rules to accomplish the reunion of bones, and thereby risk the patient's health and life? Would he accord him "liberty of action?" Just so with homœopathic practitioners. First, let us become homœopathists in the truest sense of the word, and if we fail, then it will be time enough to go outside of our "restricted views." And we feel justified to say, the more we endeavor to become the former the less we will need the latter.

The whole soul of the homœopathic healing art centres in the thorough understanding of its *Materia Medica* and in the art to examine a patient properly; this latter must naturally include a knowledge of anatomy, physiology, chemistry, microscopy, etc. If thus equipped the practitioner finds himself at a loss, then to him and him only we grant "liberty of action." It is all in vain to say that those who entertain our views ignore progress; on the contrary, we hail it with the same pleasure and earnestness that any candid seeker after truth would do, to benefit the human race and alleviate its sufferings. But at the same time we try to guard and protest against anything that could be abused by ignorant persons, to drag medicine into licentiousness under the mantle and name of homœopathy.

The aim of this work is to make female symptomatology more easy of access, and impart if possible to our practitioners more and more confidence in the power of our remedies to control female disorders. The symptoms have been carefully selected and arranged. Although we gave to our book only the title *Therapeutics of Uterine and Vaginal Discharges*, we have nevertheless endeavored to give the whole symptomatology of the female generative organs, as the reader will see by a comparison of these organs through the different parts of this work. But as there exists likely no female disorder without an abnormal discharge from the uterus or the vagina, or both, we considered the present arrangement more practical and convenient. Every part contains first the quantity, quality, and time of the discharge it has reference to, and is followed by a selection of concomitants, usually existing during a proving, or frequently observed at the bedside. Part VIII contains a selection of characteristic symptoms, the most of which the preceding parts do not embrace; this was added in order to facilitate the treatment of more complicated and inveterate chronic cases. Of course we only gave the characteristics of such remedies as have a more or less special affinity to the female organism.

With regard to the dose we have but little to say. If we give preference to high attenuations, we do so from convictions forced upon us after an experience of many years; but we are not a partisan of any potency. We employ the *smallest dose that will cure*, and the *single remedy*. This we consider both liberal and rational, bearing in mind that the true and essential point in curing the sick is the selection of the *right* remedy, or the remedy strictly homœopathic. We discard the theory of giving high or low attenuations, according to a doubtful formula of primary and secondary symptoms, since experience has taught us that we cured both kinds of symptoms with high attenuations, and with high attenuations *only*. Nor do we consider it an argument in favor of low attenuations, if a cure is reported by a remedy in said attenuations, after it had failed to accomplish anything in its higher form. Such cases have come under our notice, but instead of giving the remedy low, we found the similimum in quite a different remedy, and accomplished a cure.

What has given us a great deal of thought and trouble is the question of repetition in chronic cases. While it is true that many disorders of this kind yield to a single dose, and bring about a cure, or at least a change for the better, it is equally true that many cases demand a repetition; and here the question arises, how often

shall such repetition be made? To lay down a rule would be quite impossible, and only experience can be our teacher. We believe that as soon as a remedy produces a favorable change it must be suspended. If the patient gets worse, we must be careful to distinguish a medicinal aggravation from other causes, for the former will occasionally occur in spite of all opposition. A medicinal aggravation we consider a favorable sign, and suspend the remedy; only in very exceptional cases it might become necessary to give a remedy to antidote the action of the former. We know from experience that the truly homœopathic remedy will make its presence soon known in the diseased, and in highly nervous, sensitive, lean persons, usually sooner than in the robust, sluggish, and bilious. Hence we scarcely ever give to the former more than one, and to the latter usually from three to six doses, in the interval from twelve to forty-eight hours. Then time must be given to the remedy to develop its power. We usually allow a month to pass, giving the remedy right after the cessation of the menstrual flow. Following these directions, together with necessary hygienic measures, we will seldom meet with disappointment in all cases amenable to medicinal treatment.

CONTENTS.

PART I.

MENSTRUATION AND DYSMENORRHEA.

	PAGE
Quantity and Time of the Menstrual Discharge,	9
Character of the Menstrual Discharge,	14
Concomitants,	21

PART II.

MENORRHAGIA.

Quantity, Time, and Character of the Menstrual Discharge,	109
Concomitants,	113

PART III.

AMENORRHEA.

Remedies and Causes,	125
Concomitants,	126

PART IV.

ABORTION AND MISCARRIAGE.

Remedies, Causes, and Time of Occurrence,	150
Concomitants,	151

PART V.

METRRORRHAGIA.

Quantity and Quality of the Discharge,	161
Concomitants,	167

PART VI.

FLUOR ALBUS.

Character of the Discharge,	182
Concomitants,	194

PART VII.

LOCHIA.

	PAGE
Character of the Discharge,	207
Concomitants,	209

PART VIII.

GENERAL CONCOMITANTS.

Mind and Disposition,	214
Head—external,	234
Head—internal,	236
A. In general,	236
B. Forehead,	246
C. Occiput,	250
D. Cerebellum,	251
E. One side or the other,	251
F. Temples,	252
G. Vertex,	254
H. Causes,	255
I. Aggravations,	256
K. Ameliorations,	258
L. Vertigo, Dizziness, Giddiness,	259
Eyes,	262
A. Eyes in general,	262
B. Lids,	267
C. Sight,	268
Ears,	272
Nose,	275
Face,	281
Mouth,	288
A. Taste,	292
B. Tongue,	294
C. Teeth,	297
D. Gums,	300
Throat and Œsophagus,	301
Appetite and Thirst,	309
Stomach and Epigastrium,	315
Abdomen,	333
A. Abdomen in general,	333
B. Epigastrium (see Stomach),	333
C. Hypochondriac Region,	346
D. Liver Region,	346
E. Spleen Region,	347
F. Umbilical Region,	347
G. Hypogastric Region,	348
H. Ovarian Region and Groins,	352

	PAGE
Stool,	354
A. Constipation,	355
B. Diarrhœa,	358
Rectum, Anus, Perinæum,	364
A. Rectum,	364
B. Anus,	369
Urinary Organs,	371
A. Bladder,	371
B. Micturition,	373
C. Urethra,	378
D. Urine,	379
Sexual Organs,	382
A. Vulva,	382
B. Uterus,	392
C. Ovaries,	405
D. Vagina,	416
E. Sexual Desire,	421
F. Coitus,	423
G. Breast,	423
Larynx and Trachea,	426
Chest,	432
Heart,	445
Back,	449
A. Back in general,	449
B. Spine,	452
C. Scapulæ,	455
D. Between the Scapulæ,	456
E. Small of the Back; Lumbar Region,	457
F. Sacrum,	465
G. Renal Region,	467
H. Coccyx,	468
Neck,	470
Extremities (see Generalities),	533
Upper Extremities,	476
A. Arms in general,	476
B. Shoulders,	478
C. Axilla,	479
D. Elbow-joint,	479
E. Wrist,	479
F. Hands,	480
G. Fingers,	481
Lower Extremities,	482
A. Legs in general,	482
B. Hips,	485
C. Thighs,	486
D. Knees,	487
E. Calves,	488
F. Tibia,	489
G. Ankle,	489
H. Feet,	489

	PAGE
Sleep,	492
Skin,	500
Fever,	505
A. Chills, Chilliness, Coldness,	505
B. Heat,	507
C. Perspiration,	509
D. Pulse,	511
Generalities,	512
A. Affections of—from,	512
B. Aggravation,	514
C. Amelioration,	519
D. Constitutional peculiarities,	522
E. Convulsions,	526
F. Debility, Weakness, Prostration, Fatigue, Exhaustion, Languor,	527
G. Emaciation,	532
H. Extremities in general,	533
I. Pains,	536

UTERINE AND VAGINAL DISCHARGES.

PART I.

MENSTRUATION AND DYSMENORRHOEA.

Quantity and Time of the Menstrual Discharge.

Too profuse. (See Menorrhagia.) Acid. lact., Acon., Agar. m., Aloe, **Amm. c.**, **Amm. m.**, Antim. crud., Apis, Apocyn. andr., Argt. nitr., Arnica, Ars., Bell., **Bry.**, Calc. c., Camph., Cann. ind., Cann. sat., **Carbol. acid.**, Castor., Cauloph., **Caust.**, **Cham.**, Chelidon., **Chin.**, Cimicifuga, Coccul., Con., **Coff.**, Cubeba, **Cyclam.**, **Dictam.**, Eriger., Guarea., Ham., Hep. s., **Helon.**, **Hyos.**, Ignat., Ipec., Iris, Kreosot., Lac can. (In gushes), Lach., Lachnan., Lobel., Lycopod., Merc. corr., Merc. sol., **Merc. v.**, Millefol., Murex purp., Natr. chlor., Natr. m., **Natr. s.**, Nux jugl., **Nux m.**, Nux v., Opi., Phos., **Flat.**, Plumb., **Ratanhia**, **Rhus tox.**, Sabina, Sanguin., **Secal. c.**, Selen., Silic., **Stram.**, Tarantula, **Trill.**, Vibur. pr., Vinca m., Xanthox.

———— during the climaxis. Bell., Lach., Puls., Sepia.

———— **and too early.** (Often.) (See Menorrhagia.) Aletr. f., Aloe., Ambra. gr., Amm. c., Amm. m., Arnica. (From concussion, shock, or any other accident.) Argt. nitr., **Ars.**, Arundo m., Bapt., Baryt. c., **Bell.**, **Bry.**, **Porax**, **Bovista**, Brom., Bufo, **Calc. c.**, Cann. ind., **Canth.**, **Carb. veg.**, Cast., **Caust.**, **Cham.**, China, Chin. sulph., Chloral, **Cimicifuga**, Cina, Cinnab., **Cinnamon**, Coccul., Cocc. cact., **Croc. sat.**, **Cyclam.**, Diad., Erechthi., Eriger., **Ferr.**, Fluor. acid., Gratiola, Gumm. gutt., Helon., Ignat., **Iod.**, **Ipec.**, Kali ferrocy., Kreosot., Lac can., Laura., Ledum, Lobel., **Magn. c.**, **Magn. m.**, **Magn. s.**, Merc. corr., Mezer., **Mosch.**, Muriat. acid., **Murex purp.**,

Natr. m., **Nitr. acid.**, Nitrum, Nux jugl., Nux m., **Nux v.**, Petrol., Phos., Phos. acid., Phyto., **Flat.**, Prun. spi., Puls., Rhododen., **Rhus tox.**, **Ruta**, **Sabina**, Sanguin., Senec., **Sep.**, Silic., Spong., **Stan.**, Stram., **Sulph. acid.**, Trill., Ustilago, Verat. alb., **Zinc.**, Zingiber.

Too profuse, too early, and too long. Aloe, Argt. nitr., Borax, **Calc. c.**, Carb. an., Diad., Ferr., Ignat., Ipec., **Kali c.**, **Kreosot.**, Lycopod., Natr. c., Nux jugl., Mezer., **Phos.**, **Plat.**, Ratanhia, Rhus tox., Senec., Stram., Sulph., Trill. (Every fourteen days, lasting eight days.) Ustilago.

_____ from overexertion.

Trill.

_____ with sterility. Sulphur.

_____ commences at an early period in girls, and ceases afterwards; subsequently chlorosis. Antim. crud.

_____ in gushes. Lac can.

_____ like a stream, when rising up on the feet. Coccul.

_____ waking her up from a sound sleep. Coca.

_____ *too short.* Kali nitr., Lac can. (In gushes.) Plat.

_____ *too late.* Carbol. acid., **Caust.**, Coca. (In gushes), Curare, Dulc., Kali c., Kali hydro., Nitr. ac., **Phos.**, **Plat.**, **Silic.**, Staphis.

_____ *too long.* Chelidon., Ferr.

_____ *too long.* **Acon.**, Apocyn. andr., Apocyn. can., Carlsbad, Chelidon., Coff., Crocus sat., Gels., Ignat., Ipec., **Lycopod.**, Mezer., Millefol., Plat., Ratanhia, **Sabina.**, **Secal. cor.**, **Sulph.**

_____ *too short.* Granatum.

Too scanty. **Acon.**, Alum., Amm. c., Amylum nitr., Apis, Ars., Asclep. syr., Baryt. c., Berber., **Bovista**, **Cact. gr.**, Canth., **Caust.**, **Cauloph.**, Cimicifuga, **Coccul.** (only a few drops), **Conium**, Croton tig., Cubeb. (little at a time), Cyclam., Erigeron, Ferr., Gossypium, **Graph.**, Helon., Ignat., Kali brom., Kali c., **Lach.**, Lilium, Lobelia, Lycopod., Mangan., Magn. c., Mezer., Natr. m., Natr. s., Niccol., Nitr. acid., Ol. an., Petrol., **Phos.**, Phyto., **Puls.**, Puls. nuta, Ruta, Sabina, Sarsaparilla, **Sanguin.**, Sepia, Sulph., Thuja, Ustilago, Verat. vir., Viburnum opul., Xanthox.

_____ from debility; cold; overexertion; in hysteria. Nux. m.

Too scanty; too early. (Often.) **Asafoet.**, Berber., Carb. veg., Cauloph., **Coccul.**, **Conium**, Cubeb., Kali c., Kalmia, Lac can., Lamium alb., Lycopod., **Mangan.**, Natr. m., Niccol., Nitr. acid., Ol. an., Petrol., **Phos.**, Prunus spin., **Sepia**, **Silic.**

————— *too long.* Nux v.

————— *too short.* Alum., **Amm. c.**, Asafoet., Coccul., Curare, Ignat., L. V. Deflor., Mangan., **Nux. v.**, Tarantula, Tart. emet.

————— *too late.* Alum., Aurum, Bovista, Caust., **Conium**, Drosera, **Ferr.**, Graph., Hep. s., **Kali c.**, Kalmia, L. V. Deflor., Lach., Lithium c., Magn. c., Natr. c., Natr. m., Nat. s., Niccol., Petrol., Phos., Puls., Puls. nuta, **Sarsaparilla**, **Sepia**, Terebinthina, Tilia, Valerian, Xanthox.

————— *too long.* Acon.

————— *too short.* **Amm. c.**, Bovista, Euphrasia, **Graph.**, Lach., Magn. c., **Natr. m.**, Puls., Sulph.

————— *too short.* Alum., **Amm. c.**, Baryta c., Ipec., **Lach.**, Niccol., Phos., Ruta.

————— lasting only one day. Baryta c.

————— *too long.* Berber.

Too early. (Often.) Allium sat., Alum., Ambr. gr., **Amm. c.**, **Amm. m.**, Arnica, Ars., Asafoet., Bell., Borax, Bovista (with girls), Bry., Bufo, Cact. gr., Calc. c., Calc. caust., **Calc. phos.**, Canth., **Carb. an.**, Carb. v., Carboneum sulph., Castor., Cauloph., **Cham.**, Cimicifuga, Clematis, **Coccul.**, Colch., Colocynth., Copaiba, Cubeb., Cyclam., Hippo., Hydrocotyle asiatica, Ignat., Indigo, Ipec., Kali bich., Kali c., Lac can., Lachnan., **Lamium alb.**, Lilium, Mangan., Magn. s., Mezer., Nitr. acid., Niccol., **Nux m.**, **Nux v.**, Ol. an., **Petrol.**, **Prunus spi.**, Puls., Ratanhia, Sanguin., Silic., Strontiana, Sulph., Sulph. acid., Tellurium, Ustilago, Xanthox.

————— after overexertion; too long ride, etc., etc. Trillium.

————— every two weeks. Bovista, Calc. phos., Ipec., Magn. c., Nux jugl., Trillium.

————— or three weeks. Kalmia.

————— six or eight days. Lycopod.

————— *too long.* Asarum europ., **Calc. c.**, Carb. an., Coccul., Kali c., Mezer., Natr. c., **Nux v.**, Phos. acid., Secal. cor.

————— every fourteen days lasting seven or eight days. Trillium.

————— *too short.* Magn. sulph., Strontiana, Thuja.

Too late; retarded; delayed. (See Scanty, too late.) **Acon.**, **Amm.**

c., Angust., Ars., Aurum mur., Bell., Bovista, Calc. c., Calc. phos. (with women and widows), **Camph.**, Carb. veg., Caust., Chelidon, **Cicuta vir.**, Cimicifuga, Cinnab., **Coccul.**, Conium, Croton tig., Dros., **Dulc.**, Ferr., **Gels.**, Gossyp., Hep. s., Hyos., Hyper., **Iod.**, **Lach.**, L. V. Deflor., Lilium, **Lycop.**, **Magn. c.**, Magn. m., Magn. s., Mezer., **Natr. m.**, Natr. s., Nitr. acid., **Nux m.**, Petrol., Phos., Pod., **Puls.**, Puls. nuta, Sabad., Sarsaparilla, **Sepia**, Strontiana, Sulph., Valerian, Xanthox., Zinc., Zizia.

Too late ; delay of the first menstruation in young girls. Aurum, Caust., Cubeba, Dros., **Graph.**, Kali c., Lycopod., **Natr. m.**, Phos., **Puls.**, Sulph.

————— every two or three months, and then too profuse. Lach.

————— **and too long.** Cupr. m., Lycopod.

————— **and too short.** Dulc., Sulph.

————— in damp cold weather. Dulc.

Too long. Aloe, Arundo m., Kreosot., Lycopod., Mezer., Plat., Puls., **Sabina**, Secal. cor.

Too short. Canth., Granatum, Lach., Magn. s., Niccol., Puls., Strontiana.

————— only one hour. Euphrasia.

————— day. Mercurial. per.

————— **too profuse.** Granatum.

Appears at every stool. Iod.

————— **new moon** (after suppression). Calc. c.

Between the menstrual periods, not depending on tumors, etc., etc. Arnica, Bell., Bovista, Bry., Bufo., Cham., Cimicifuga, Elaps., Ham., Hell., Hep. s., Magn. s., Merc., Phos., Prunus spi. (almost daily), Silic.

————— after every little accident; after a very hard stool ; after walking a little longer than usual ; after the least exertion. **Ambra. gr.**

————— with pressing in the genitals. Mangan.

By fits and starts. Coccul., Puls., Sabadilla.

Ceases and reappears. Lycopod.

————— at full moon. Nux v.

————— at the proper time, but three days after appear discharges of lumps of tenacious black blood, followed by violent leucorrhœa. Carlsbad.

Ceases immediately on its appearance, when it appears again sooner or later, and so on. *Sabadilla*.

———— in the afternoon. *Magn. c.*

———— on the appearance of pain, may reappear after the paroxysm, or not again till the next period. *Phos.*

———— suddenly, and headache follows. *Lithium c.*

———— when lying down. **Cact. gr.**, **Caust.**, *Lilium*.

———— moving about, reappears when sitting down quietly in the evening. *Cyclam.*

———— worse when lying down. *Kreosot.*

Constant for months, becoming more watery the longer it continues. *Prunus spi.*

During nursing. *Borax*, *Pallad.*, *Silic.*

———— **pregnancy.** *Coccul.*, *Nux v.*

———— at the third month. *Kreosot.*

Increase or reappearance of menses. **Castor.**

Intermittent. *Cham.*, **Lach.**

———— after getting the feet wet. *Puls.*

———— in chlorosis; from nervous debility. *Puls.*

———— inclined to be. **Kreosote**, *Puls.*

———— intervals of hours. *Ferr.*

———— days. *Ferr.*, *Magn. s.*

———— one day. *Apis.*

———— two or three months. *Silic.*

———— and very scanty. *Berberis.*

In the daytime only, never at night. **Caust.**, *Hamm.*, **Puls.**

———— **evening** only. *Coff.*

———— after lying down. *Crocus sat.*

———— **morning** only. *Bovista*, *Carb. an.*, *Sepia.*

———— and in the evening. *Phell.*

———— **night** only. *Bovista.*

———— when sleeping. *Magn. c.*

———— **absence of pain.** *Magn. c.*, *Plumb.*

Irregular, sometimes too early, sometimes too late. *Apis*, *Argt. nitr.*, *Caps.*, *Carboneum sulph.*, *Coccul.*, *Curare*, **Ferr.**, **Graph.**, *Ham.*, **Iod.**, *Lilium*, *Nitr. acid.*, **Nux m.**, **Nux v.**, *Plumb.*, *Ruta*, *Sabad.*, *Sepia*, *Silic.*, *Staph.*, *Sulph.*

Little blood for many days after the cessation of menses. *Caustic.*

Occurring repeatedly for hours and days after severe uterine pains. *Lach.*

Only when moving about, never when sitting or lying down. *Lilium*.

Painless. *Bovista*.

———— but steady and profuse. *Ham*.

Returns after having ceased several times. (Climaxis.)
Lach., *Nux v*.

———— overexertion; too long ride, etc. *Trill*.

———— the least excitement. *Ambr. gr.*, *Calc. c*.

———— and ceases at full moon. *Nux v*.

———— every evening after dinner (for six days); a slight discharge of clear blood, increased by pressure, followed by normal menstruation. *Lac can*.

———— two to four months. *Cyclam.*, *Silic*.

———— weeks. *Calc. ph.*, *Ipec.*, *Magn. sulph.*, *Trill*.
(Climaxis.)

———— next day after an embrace, which later causes burning in the parts. *Kreosote*.

Sudden appearance of menses at any time. *Bell*.

Suppression of menses. (See Part III, Amenorrhœa.)

Vicarious menstruation. *Bry.*, *Chin.*, *Digital.*, *Ham.*,
Phos., *Ustilago*.

Worse after a ride in the cold air. *Amm. c*.

———— at night. *Amm. c.*, *Amm. m.*, *Bovista*, *Coca*, *Magn. c.*, *Magn. m.*, *Zinc*.

———— between the uterine pains. *Magn. c*.

———— during a thunderstorm. *Natr. c*.

———— every passage of a hard and sometimes even of a soft stool. *Lycopod*.

———— from motion. *Crocus sat.*, *Erigeron*, *Magn. c*.

———— in the morning, early. *Bovista*.

———— when first rising. *Magn. c*.

———— on the first two days. *Natr. s*.

———— second day. *Natr. s*.

———— when riding. *Amm. c*.

———— sitting. *Amm. c*.

———— standing. *Amm. c.*, *Magn. c*.

———— walking in the afternoon. *Natr.*, *s*.

Character of the Menstrual Discharge.

Acrid—excoriating even the thighs. *Allium sat.*, *Amm. c.*, *Ars.*,
Aurum, *Carb. veg.*, *Caust.*, *Graph.*, *Kali c.*, *Magn. c.*, *Natr. s.*,
Petrol., *Rhus tox.*, *Sarsaparilla*, *Silic.*, *Sulph*

Black. Amm. c., Amm. m., Canth., Chin., **Croc. sat.**, Cyclam., Elaps., Graph., Ignat., **Kali nitr.**, Kreosot., Lach., Magn. m., Magn. s., Natr. m., Nitr., Nux jugl., Nux m., Nux v., **Ol. an.**, Plat., **Puls.**, Sac lac., Sanguin., Sarsaparilla, Secal. cor., Stram., **Sulph.**, Zingiber.

——— clotted. (See Clotted.) Amm. c., Amm. m., Bell., **Calc. phos.**, Chin., Coccul., **Croc. cacti**, Cyclam., Ferr., Graph., Kreosot., Magn. m., Nux jugl., Plat., **Puls.**, Sanguin., **Secal. cor.**, Stram., Zingiber.

——— clots—discharge of—while sitting. Magn. m.

——— drops; scanty. Berberis.

——— liquid flow between the clots. Trillium.

——— pitch-like. Cact. gr.

Bloody ichor at the end of the menses. Kreosot.

——— mucus. Apis, Canth.

Bright-red. Amm. c., **Arnica**, Bell., Brom., Calc. phos., Caust., Diadema, Erechthites, Erigeron, **Hyos.**, **Ipec.** (Coagulates easily.) Lachnanth., **Lac can.**, Ledum, Millefol., **Sabina**, Sanguin., Trill., Ustilago.

——— at first, then dark. Calc. phos.

——— clotted. **Arnica**, **Hyos.**, Plat., **Sabina**.

——— which when put in water forms itself into a long string but soon dissolves. Lac can.

Brown. Berberis, Bry., **Conium**, **Secal. cor.**

Changeable. Puls.

Clotted. (See Black.) Amm. c., Argt. nitr., Bovista, Bufo, Caust., Cham., China, **Cimicifuga**, Coccul., Cocc. cact., **Croc. sat.**, Cyclam., Ferr., Fluoric acid., Graph., Helon., Ignat., Kreosot., Magn. c., Magn. m., Natr. s., Nux jugl., **Nux v.**, Plat., **Puls.**, **Rhus tox.**, **Sabina**, **Sanguin.**, Secal. cor., Stram. Stron., Trill., Ustilago, **Zinc.**, Zingiber.

———; colored water-like. Alum.

——— lumps in the last days. Natr. s.

——— like lumps of flesh. Sanguin.

——— passing away mostly when walking. **Zincum.**

Coagulated. (See Clotted.)

Corrosive. (See Acrid.)

Dark-red. (See Black.) Apis, Bovista, Bry., Calc. phos., Carb. an., Carlsbad, Carbol. ac., Cham., Chin., **Cimicifuga**, Coccul., **Croc. sat.**, Graph., Ham., Helon., **Kreosot.**, Lilium, **Magn. c.**, Nitr. acid., **Nux m.**, Nux v., Phos. acid., Plat., Puls., **Sabina**, Secal. cor., Selen., **Sulph.**, Ustilago, Zingiber.

Dark-red; pitchy. Bismuth.

Discharge of small pieces of thin, white, transparent substance, having a distinctly organized structure, but extremely delicate. Lac can.

Flaky. Canth.

Grayish-colored serum or grayish slimy mucus. Berberis.

Green, grass-like while wet, dark-green when dry. Lac can.

Hot. Bell.

Like muddy water. Nitr. acid.

Membranous. Borax, Brom., Bry., Calc. c., Canth., Cham., Collinson., Graph., Lac can., Phytol., Rhus tox., Sabina, Ustilago.

Mixed—partly black-clotted, partly bright-red, partly serum. Lycopod.

Mucus. Apis.

———— bloody, white on the first day. Natr. s.

———— gray. Berberis.

Pale. Alum., Amm. c., Ars., Bell., Bufo, Carb. veg., Chin., Ferr., Graph., Hippom., Hyos., Kali c., Phos., Prunus spi., Puls., Rhus tox., Sulph., Tilia, Ustilago.

———— first, then dark and clotted. Staph.

———— flesh—water like—passing off in the shape of coagula. Stront.

———— fluid blood with clots. Alum., Bufo.

Partly fluid, partly clotted. Plat.

Serous blood. Graph.

———— first, then clotted. Strontiana.

Serum-like. Natr. c.

Slimy. Puls.

———— like leucorrhœa. Cubeb.

Staining the napkin dark olive-green. Lac can.

Stringy. Canth., Croc. sat., Lac can., Plat., Phyto.

Thick. Carb. veg., Croc. cact., Croc. sat., Fluor. acid., Graph., Lilium, Magn. c., Magn. s., Nit. acid., Nux m., Nux v., Plat., Puls., Sulph.

———— like tar. Plat.

Thin. Dulc., Graph., Kali nitr., Lauroc., Puls., Sabina, Secal. cor.

Viscid blood mixed with mucus. Lachnanth.

Washed out with difficulty. Magn. c.

———— *ease*, at the close becomes grass-green when wet, dark-green when dry, and smells horribly, the ammonia odor still being present. Lac can.

Watery. Alum., Berber., Bovista, Chin., Dulc., Ferr., Gossyp., Kreosot., Natr. c., **Phos.**, Puls., Prunus spi., Sabina, Stram.
 ——— thin, mixed with black clots. Sabina.

Odor of the Menstrual Discharge.

Acrid. Amm. c., Carbol. acid., Carb. veg., Silic.
 ——— at the end of the flow. Kreosot.

Ammoniacal. Lac can.

Like lochia. Lilium.

Offensive. Bell., Bry., Carlsbad, Caust., **Cham.** (sometimes), **Crocus sat.**, Graph., Helon., Ignat., Kali c., Kreosot., Lilium, **Sanguin.**, **Secal. cor.**, Trill.

———, horrible, in which ammonia predominates. Lac can.

Putrid. Bell., Ignat.

Sour. Sulph.

Strong. Carb. veg., Silic.

——— as of semen. Stram.

Types of Dysmenorrhœa Amenable to Medicinal Treatment.

Congestive. Acon., Aescul. hipp., Apis, Bell., Brom., Bry., Cact. gr., Canth., Caulophyl., Caust., Cimicifuga, Conium, Collin., Croc. sat., Gels., Ham., Helon., Lilium, Nux v., Phyto., Rhus tox., Sanguin., Ustilago, Verat. alb., Verat. ver.

Membranous. Bell., **Borax**, Brom., Bry., Calc. c., Canth., Caulophyl., Cham., Cimicifuga, Collin., Graph., Kali bich., Kali nitr., Lac can., Phos., Phyto., Sabina, Ustilago.

Neuralgic, spasmodic. Alum., Amm. c., Amyl nitr., Apis, Asarum europ., Asclep. syr., Baryt. c., Bell., Berber., Calc. c., Cannab. ind., Carb. an., Castor., Caulophyl., Caust., Cham., Cimicifuga, Cinnab., Coccul., Coff., Colocynth., Cupr., Gels., Glon., Graph., Ham., Helon., Hyosey., Ignat., Indigo, Kali c., Lach., Lilium, Lobelia, Magn. c., Magn. s., Moschus, Natr. m., Nux m., Petrol., Phos., Puls., Sabina, Sarsaparilla, Sepia, Sulph., Thuja, Vibur. opul., Xanthoxyl., Zincum.

Ovarian. Apis, Bell., Canth., Graph., Ham., Lac can., Lach., Ustilago.

Remedies adapted to Certain Constitutions, Temperaments, and Other Conditions.

Affectionate; lively. Murex purp.

Anæmic. Acid. lact., Ars., Calc. c., Carbo veg., Chin., Ferr., Ham., Helon., Kali c., Natr. m., Phos., Puls., Sepia.

————; abdomen bloated; narrow chest; flabby, poorly developed muscles; the bones containing too little phosphate of lime. Calc. c.

———— from loss of vital fluid. China.

————, pale, delicate, feeling cold all the time. Ledum.

Cachectic. Ars., Iod., Secal. cor.

Chlorotic. Calc. c., Cupr., Cyclam., Ferr., Helon., Natr. m., Phos., Phos. acid., Silicea.

Climacteric period. Bell., Calc. c., **Crocus sat.** (during), Graph., Kreosot., **Lach.**, **Nux v.** (beginning of), Puls., Sanguin., Sarra-cenia, **Sepia**, Sulph.

———— near the. Psorin.

Corpulency. Amm. c., Calc. c., Graph., Kali bich.

———— in young persons. Calc. c.

———— inclination to. Graph.

————, light-haired. Kali bich.

————, sluggish, indolent. Amm. m.

Delicate woman of lax fibre. Aletr. f., Aloe., Helon., Iod.

———— chlorotic diathesis. Helon.

Dwarfish woman. Baryta c.

Gouty woman. Colch.

Hair black, and eyes. Nitr. ac.

—— dark. Acon., Bry., Iod., Kali c., Nitr. acid., Sepia.

——, and eyes blue. Iod.

——, firm, rigid muscles. Bry., Kali c.

——, lean woman. Nitr. acid.

—— and tall woman. Phos.

—— light. Bell., Brom., Coccul., Cyclam., Kali bich., Puls.

—— and eyes blue. Bell., Brom., **Puls.**

——, full habit, firm, rigid muscles. Bell., Kali bich.

Hysterical woman. Alum., Ars. f., Aurum, Caust., Cimicifuga, Cham., Coccul., Conium., Gels., Guarea, Hyos., Ignat., Lilium, Magn. c., Nux m., Plat.

———— during the climacteric period, if they were never

married, nor had children, formerly suffering from profuse and perhaps too early menstruation. **Calc. c.**

Jealous disposition. **Lach.**

Lean woman. **Ambr. gr., Iod., Nitr. acid., Phos., Secal. cor., Sulph., Ustilago, Xanthoxyl.**

—————; delicate. **Iod.**

—————; scrawny, feeble, cachectic. **Argt. nitr., Secal. cor.**

—————; tall. **Canth., Phos., Ustilago.**

————— with dark hair. **Phos.**

————— who walk stooping. **Sulph.**

————— with dark hair. **Nitr. acid.**

Leucophlegmatic temperament. **Calc. c., Cyclam.**

Lymphatic, clear, white skin. **Ustilago.**

Mild, tearful, yielding disposition. **Puls.**

Miserly, stingy, close woman. **Cyclam., Puls.**

Nervous, irritable disposition. **Aloe., Senecio, Xanthoxyl.**

—————, relaxed, phlegmatic. **Aloe.**

—————, sanguine temperament. (See Sanguin.) **Amm. c., Arnica, Coff., Ignat., Murex purp.**

Old maids. **Conium.**

—— woman. **Ars., Mercur.**

Phlegmatic, slow. **Aloe., Puls.**

Phthisical woman. **Caustic., Phos., Sanguin.**

Plethoric constitution. **Acon., Arnica, Bell., Bry., Nux v., Sabina, Verat. vir.**

Rheumatic woman. **Bry., Calc. phos., Cimicifuga, Phyto., Rhododen., Rhus tox.**

Sanguine temperament. (See Nervous-sanguin.) **Acon., Bell.**

Scrofulous diathesis. **Asa. f., Aurum, Baryt. c., Brom., Calc. c., Carb. an., Caust., Conium, Ferr. iod., Hep. s., Iod., Natr. m., Silic., Sulph.**

Sedentary life. **Acon., Nux v., Ranuncul. bulb.**

Sensitive temperament. **Arnica, Borax.**

Sterile (apparently) woman, with rheumatic affections. **Phytol.**

Weakly females, with tendency to congestion of lungs, liver, or head. **Sanguin.**

Widowhood before the climacteric period. **Apis.**

Young girls. **Calc. phos., Puls.**

—————; lively, falling in love easily. **Ignat.**

—————, of sedentary habits. **Acon.**

Young girls of full habit. **Bell.**

———— with tardy development. **Baryta c.**

Time and Conditions of Aggravation of Symptoms accompanying the Menstrual Discharge.

After a meal. **Ignat.**

—— dinner. **Nux v., Valerian., Zinc.**

—— sleep. **Lach.**

At 3 A.M. **Kali c., Nux v., Thuja.**

— 4 A.M. **Ignat., Nux v.**

— 3 P.M. **Bell.**

— 4 P.M. Lasting till evening. **Ignat.**

— 9 P.M. **Bry.**

— new full moon. **Silic.**

— night. **Acon., Ignat., Merc., Puls., Rhus tox., Sulph.**

During rest. **Rhus tox., Sabad.**

From 12 to 1 A.M. **Ars.**

—— 4 to 6 P.M., indescribable anguish. **Carb. veg.**

—— 4 to 9 P.M. **Lycopod.**

—— riding. **Lac can.**

—— the heat of the bed at night. **Ledum., Merc., Sulph.**

—— least movement. **Bry.**

In the evening. **Puls., Valerian., Zinc.**

———— after lying down. **Ignat.**

———— morning on rising. **Ignat., Nux v.**

When lying down. **Bell., Kreosot., Lachnanth.**

—— rising. **Magn. c.**

———— after being long seated. **Puls.**

—— seated. **Natr. c., Tart. emet.**

———— after long exercise. **Puls.**

—— standing a long while. **Sulph.**

Amelioration.

From leaning back; removal of clothing; rest. **Lac can.**

—— movement. **Lachnanth. Rhus tox.**

————; pressure; rubbing. **Natr. c.**

—— sitting. **Acon.**

—— standing. **Kreosote.**

CONCOMITANTS.

Mind and Disposition.

Before Menses.

Anxiety. Carb. an., Coccul., **Natr. m.**, Nitr. acid., **Nux v.**, Stan., Sulph., Tarantula.

———, agitation, occurring incident to or after a fright with sick headache; hysteria. Gels.

——— with heat and headache. Carbo an.

Apprehensiveness—anxious—with restlessness. Conium.

Aversion to work. **Agaric. m.**, **Nux v.**

Biting or tearing things, or disposition to do so. Bell.

Cheerfulness. Fluor. acid.

Delirium. Bell., Hyos., Lycopod., Verat. alb.

——— with weeping. Lycopod.

Dread of any downward motion; of going down stairs. Borax.

——— fresh air. **Nux v.**

Excitement. (See Nervousness.) Kreosot., Magn. m., **Nux v.**

Fancied to be surrounded by snakes. Lac can.

Fear. Sulph.

—— of death. **Acon.**, Plat., Tarantula.

—— going out of the house. Acon.

Frenzy. **Acon.**, Bell., Hyos.

Frightened easily. Bell., Calc. c.

Ill-humor. Caust., **Cham.**, Kreosot., Lycopod., Magn. m.

Irritable. **Nux v.**

Laughing—excessive—tendency to. **Nux m.**

—— uninterrupted, loud, hysterical. Hyos.

Low-spirited, melancholic. Amm. c., Calc. c., Caust., Conium, Cyclam., Ferr., Lac can., L. V. Deflor., **Lycopod.**, **Natr. m.**, Nitr. acid., Phos., Plat., **Puls.**, **Stan.**

—— from retarded menses. Cimicifuga.

Nervousness. Calc. c.

Nervous excitement. (See Excitement.) Crocus sat., Kreosot., Magn. m., **Nux v.**

—— with anguish and restlessness of the limbs. Magn. c.

Nymphomania. Verat. alb.

Restlessness. Acon., Colocynth., Conium, Kreosot., Magn. c., **Nux v.**, Sulph.

———— and moaning. Colocynth.

Screaming. Cact. gr.

Self-confidence—want of. Baryt. c.

Sensitiveness—great. Sepia.

———— to external influences, as noise, talking, light, odor, etc. Nux v.

Sighing and sobbing, full of suppressed grief. Ignat.

———— as if she would lose her senses. Lycopod.

Thoughts—horrifying. Plat.

Visions—frightful. Bell.

Wants to kiss everybody that comes near her. Verat. alb.

Weeping. Cact. gr., Conium, Lycopod., Phos., Plat., **Puls.**

————, raving. Lycopod.

———— with a bruised, sore feeling all over the body. Conium.

During Menses.

Absence of mind. Elaps., Nux m.

Anguish—she feels as though she would lose her senses. Plat.

————, tremor and sweat during the pain. Natr. c.

Anxiety, anguish. Aloe., Bell., Calc. c., Canth., Chelid., Cimicifuga, Conium, Coff., Ignat., Kali c., Kali hydr., Magn. c., Merc., Mosch., Natr. m., Nitr. acid., Phos., Rhododendron (fits of), Secal. cor., Silic., Tarantula, Zinc.

————, heat. Carb. an.

————, heat of the head. Bell.

Anxious reveries. Kali c.

———— restlessness, followed by faintness. Calc. c.

Apprehensiveness. Acon., Lobelia.

Aversion to labor. Aloe., Rhododendron.

———— of any kind, especially mental. Agaric. m.

Capriciously cheerful and melancholic. Carb. an.

Changeable moods, laughs and weeps alternately. Plat.

Confounds the present with the past. Cicuta vir.

Confused, cannot collect her thoughts in the morning. Calc. c.

Cross, uncivil, especially at the appearance of menses. **Cham.**

Delirium. Acon., Bell., Hyos., Lycopod.

———— and rage. Acon., Hyos.

————, wants to bite, tries to escape. **Bell.**

Desire to be alone. *Cicuta vir.*, *Elaps*, *Nux v.*

Despairing, weeping. *Graph.*

———— of her salvation. *Sulph.*, *Verat. alb.*

Disturbance of mind. *Acon.*, *Bell.*, *Cham.*, *Coff.*, *Verat. alb.*

Does not wish to talk or hear others talk. *Amm. c.*, *Elaps*.

———— think nor to do anything. *Senecio.*

———— rash and absurd things. *Cicuta vir.*

Dulness. *Phos.*, *Nux m.*

Fancied to be surrounded by snakes. *Lac can.*

Fault-finding. *Nux v.*

Fear. *Aloe.*

———— of being left alone. *Ars.*, *Elaps*.

———— death. *Acon.*, *Plat.*, *Tarantula*.

———— every person; staring wildly about. *Hyos.*

Fearfulness. *Magn. c.*, *Phos.*

————, expecting something to creep out of every corner.

Phos.

Grief—full of. *Graph.*

———— loud. *Puls.*

———— silent. *Ignat.*

Howling. (See Screaming.) *Cicuta vir.*

Hurried, everything she does appears to her as too slowly done.

Sulph. acid.

Improvement of temper. *Cyclam.*, *Stam.*

Inability to think consecutively. *Lac can.*

———— understand what is read, if any mental effort is required. *Lac can.*

Inclination to commit murder. *Merc.*

Indifference. *Rhododendron*.

————; even towards those she loved. *Sepia*.

Intolerance to noise and light. *Ignat.*, *Nux m.*

Irritable; impatient; out of humor; quarrelsome. *Amm. c.*, *Berb.*, *Bry.*, *Cact. gr.*, *Castor.*, *Caust.*, *Cham.*, *Cinnab.*, *Cimicifuga*, *Kali c.*, *Magn. s.*, *Natr. m.*, *Nux v.*, *Plat.*, *Senecio*, *Sulph.*, *Zingiber*.

Jealous. *Lach.*

Lamenting; moaning. *Colocynth*.

Lascivious excitement, wants to expose and uncover herself. *Hyos.*

Laughing—convulsive. *Cupr. m.*

———— excessive—tendency to. *Nux m.*

Loquacious. *Lach.*, *Stram.*

———— afterwards stupid and irritable. *Lachnanth.*

- Loquacious and bright—extremely. Glon.
 ———— devout and beseeching. Stram.
 ———— given to mirth. Crocus sat.
 Loss of consciousness. China.
 ———— memory. Amm. c., Lac can., Zinc.
 Low-spirited; melancholic. Amm. c., Berb., Brom., Cact. gr., Calc. c., Caust., Chelidon., **Cimicifuga**, Curare, Graph., **Ignat.**, Indigo, Lac can., L. V. Deflor., Lobelia, Mangan., Muriat. acid., Natr. c., **Natr. m.** (excessive), Petrol., Plat., Plumb., **Puls.**, Sepia, Silic., Zinc.
 ———— at the beginning of the menses. Plat.
 ————, believes she has an incurable disease. Lac can.
 ———— from suffering. Sarsaparilla.
 ———— in women with uterine diseases. Plat.
 ———— on account of an indescribable queer ill feeling all over the body. Brom.
 ———— terribly—with palpitation of heart and headache every morning on awaking. Natr. m.
 ———— with weeping. Ignat., Plat., **Puls.**
 Mania from profuse menses. **Sepia.**
 Moaning. Cicut. vir., Coccul., Colocynth.
 Nervous, can't bear any noise. Natr. c.
 ———— distress. Calc. c., Coccul.
 ————, excitable. Cimicifuga, Lach., Magn. m., Puls., Senecio.
 ———— sensibility—excessive. Asar. europ.
 Nymphomania. Stram.
 Offended easily, and disposed to weep. Alum.
 Peevish. Caust., Magn. c.
 Pride; haughtiness. Plat., Verat. alb.
 Rage—amorous. Canth.
 ———— when menses appear. Acon.
 Raving—anxiety, palpitation. Ignat.
 Restlessness. **Acon.**, Ars., Calc. c., Canth., Cham., Cimicifuga, Coff., Colocynth., Conium, Gels., Ipec., Kali hydro., Plat., Rhus tox., Secal. cor.
 ———— at the beginning of menses. Plat.
 ———— followed by fainting. Calc. c.
 ————, starts at the least noise. Hyos.
 Screaming (see Howling), anxiety, weeping. Plat.
 Sensitiveness of mind. Cimicifuga.
 ———— over—as to external influences, as to noise, talk, light, odor, etc. **Nux v.**

Sensitiveness—over—as to external influences, as to noise and light.
Asarum europ.

Sighing; sobbing. *Cimicifuga*, *Coccul.*, *Graph.*, *Ignat.*, *Plat.*

Talking. (See *Loquacious.*)

Thinks she is a child again. *Cicuta vir.*

———— going to die. *Mosch.*

Thoughts—horrifying. *Plat.*

Violence in all actions. *Cicuta vir.*

Weariness of life. *Aurum*, *Berber.*, *Merc.*, *Silic.*

Weeping. (See *Low-spirited.*) *Ars.*, *Conium*, *Graph.*, ***Ignat.***,
L. V. Deflor., *Lach.*, *Lycopod.*, *Plat.*, ***Puls.***, ***Sepia***, *Thuja*.

———— and raving the first day. *Lycopod.*

———— at the beginning of menses. *Lycopod.*, *Plat.*

————, inclined to. *Berb.*, *Petrol.*

————, easily offended. *Alum.*

———— spasmodically. *Thuja*.

After Menses.

Anxiety and great weakness. *Phos.*

———— with interrupted sleep at night. *Agaric. m.*

Exhaustion of mind and body, particularly after the least exertion. *Alum.*

Ill-humor. *Berberis*, *Bufo*.

Low-spirited. *Alum.*

Nervous irritability. *Carbol. acid.*

Weeping. *Alum.*

———— whining, sobbing. *Stram.*

Head.

Before Menses.

Buzzing and humming. ***Kreosot.***

Congestion. (See *Headache.*)

Eruption—itching—on the forehead, with burning and moisture after scratching. ***Sarsaparilla.***

Fulness (and abdomen). *Ham.*

———— (and chest). *Brom.*, *China.*

———— heaviness. *Calc. c.*

———— with chilliness. *Gels.*

Headache; pain in the head. *Acon.*, *Alum.*, *Bell.*, *Bufo*, ***Calc. c.***
 (a day before the menses appear), ***Calc. phos.***, *Carb. an.*, *Carbo veg.*,

Caust., Chin., Cimicifuga, Cinnab., Cupr. m., Curare, Ferr., Gels., Glon., Graph., Hep. s., Hippoman., Kali brom., Kreosot., Lac can., L. V. Deflor., Lach., Laurocer., **Natr. m.**, Nitr. acid, Nux m., Ol. an., Petrol., Plat., Sac lac., Sepia, Silic., Stan., **Sulph.**, Thuja.

Headache; aching. **Natr. m.**

————— extending to the back part. Bell., Sepia.

————— and palpitation. Alum.

————— and toothache. Sulph., Thuja.

—————; anxiety. Carb. an.

————— as if bursting, and heat (gastric disturbances), which may last even after menses. **Natr. m.**

————— at the beginning and at the end of menses. Puls.

————— burning—relieved by cold water. Ars.

————— congestive. **Acon.**, Alum., **Apis**, **Bell.**, Cact. gr., Cannab. sat., China (chest), Cupr. m., Hep. s., Hipp. m., Gels., Glon. (chest), Merc., Sanguin. (chest), Thuja, Verat. vir. (chest).

————— when waking, with heat in the face and palpitation of the heart. Alum.

————— contractive. Hep. s.

————— as if a tape were drawn around the forehead. Plat.

————— with heat. Merc.

————— gradually increasing to the highest point, and after remaining for a time, gradually declining. Stan.

————— in forehead, over the root of nose and left temple. Ars.

————— nervous. Cimicifuga, Gels., Graph., Sac lac.

————— especially over the eyes. Cimicifuga.

————— periodical—returning at the same time of day. Ars.

————— pressive and heavy (from retarded menses). Cimicifuga.

————— shooting. Ferr.

————— stinging. Ferr.

————— stitches—singing in the ears. Ferr.

————— stitching—in left side of the head. **Calc. phos.**

————— throbbing. **Bell.**, **Borax**, **Glon.**, Lach., Petrol., Sulph.

—————, better from external pressure; throbbing of the carotids. **Bell.**

—————, especially in the temples. Cham., Lach.

—————; pressing; heat. Petrol.

—————; tearing. Glon.

—————; throbbing of the carotids in weakly persons after loss of blood. **China.**

Headache, violent, ceasing when the flow commences; but appears again. Alum., Verat. alb.

_____, cannot raise her head from the pillow. Cinnab.

_____ through the whole head. Ham.

_____ with drawing pain in the nape of the neck. Natr. c.

_____ dulness. Cimicifuga.

_____ fainting in the morning. Graph.

_____ heat. Calc. c., Iod. (pulsating in the neck), Ipec.,

Kali hydro., Thuja.

_____ heat and heaviness. Ignat.

_____ nausea, vomiting (sick headache), disappearing as soon as menses appear. Gels.

_____ stiffness of the nape of the neck. Natr. c.

_____ in the forehead; cramping sensation at the root of the nose, with a feeling as if she would lose her senses. Acon.

_____, first on one side, then on the other, two days before menses. Lac can.

_____ pressing over the eyes. Bell., Cimicifuga, Silic.

_____ and tightness over the eyes. Silic.

_____, right side, the day before menses appear, when the pain left the place very cold. Sac. lac.

_____, sensation when stooping as if the eyes would fall out. Brom.

_____, tearing. Cinnab.

_____, wrenching over the eyes, relieved from motion. Hyperic.

_____ in the sides of the—left—shooting pains. Cinnab.

_____, and in the vertex from evening till morning. Ol. an.

_____ stitching pains. Calc. phos.

_____ and in the vertex. Ol. an.

_____ right—back of the orbit. Cimicifuga.

_____ semilateral. Puls.

_____ in the vertex—aching—slight. Nux m.

_____ burning. Calc. c., Sulph.

_____ throbbing. Lach., Sulph.

_____ tearing at night. Laurocer.

Heat in the. (See Headache.) Calc. c., Thuja.

Perspiration on the forehead—cold. Merc. corr., Verat. alb.

- Perspiration on the forehead hot and sticky. Cham.
 Vertigo. Acon., Borax, Calc. c., Conium, Graph., Lach., Nux m.,
 Phos., Tarantula, Thuja, Verat. alb.
 ——— after mental excitement. Nux m.
 ——— and eructation. Puls.
 ——— on assuming an upright position. Acon.
 ——— closing the eyes. Thuja.
 ——— going down stairs. Borax.
 ——— up stairs. Calc. c.
 ——— perspiration. Verat. alb.
 ——— unto falling in the morning. Graph.
 ——— when lying down, and especially when attempting to turn
 over. Conium.
 ——— with headache. Lach.

At the Beginning of Menses.

- Headache. Brom., Graph., Hyos., Plat., Puls., Rhododen.
 ——— and febrile excitement. Rhododen.
 ——— violent. Graph., Hyos.
 ——— with nausea and profuse perspiration. Hyos.

During Menses.

- Buzzing and roaring. Brom., Kreosot.
 Coldness—(see Headache) icy—in and about the. Calc. c.
 ——— at the vertex—sensation of. Sepia.
 Confused or clouded feeling. Coccul.
 Emptiness of the—with great anguish. Natr. m.
 Eruption of small red pimples on the forehead. Sepia.
 Flashes of heat. L. V. Deflor.
 Fulness. Bell., Calc. c.
 ——— with chilliness. Gels.
 Headache. Pain in the head. Acon., Agric. m., Aloe., Alum.,
 Amm. c., Apis, Argt. nitr., Asclep. syr., Bell., Berb., Borax, Bo-
 vista, Brom., Bry., Bufo, Calc. c., Carb. veg., Cast., Cham., Chin.,
 Cicut. vir., Cimicifuga, Cinnab., Coccul., Conium, Crot. tig., Cubeba,
 Cyclam., Diadema, Ferr., Gels., Glon., Graph., Hyos., Ignat., Kali
 bich., Kali c., Kreosot., Lach., Laurocer., Lac can., L. V. Deflor.,
 Lycopod., Magn. c., Magn. s., Natr. c., Natr. m., Nitr. acid., Nux
 m., Nux v., Phos., Plat., Rhododen., Sac. lac., Sanguin., Sepia,
 Silic., Stan., Sulph., Verat. alb., Zinc.

Headache, aching as if the brain were torn or dashed to pieces.
Coff.

————— head would split. Bry., Lycopod.,
Natr. m., Sepia.

————— when stooping.
Natr. m.

————— under the skull all over the head. Lach.

————— after breakfast—immediately—mostly in the right side,
worse from mental exertion, stooping or lying down, followed by
great weakness. Lycopod.

————— all over. Borax.

————— alternating with pain in back. Aloe.

————— boring-sticking pains, extorting cries. Sepia.

————— bruised pains above and back of the orbits. Gels.

————— congestion. (See Throbbing.) Acon. (chest), Apis,
Bell., **Bry.**, Cact. gr., **Calc. c.**, Cannab. sat., Chin. (chest), Elaps,
Glon. (chest), Mosch., Natr. m., **Nux v.**, Sanguin. (chest), **Sulph.**,
Verat. vir. (chest.)

—————; darkness before the eyes; loss of con-
sciousness. China.

—————; heat in the vertex. Calc. c., Sulph.

—————; throbbing pains relieved by pressure;
throbbing of the carotids. Bell.

—————; (throbbing of the caro-
tids in weakly persons after loss of blood). China.

—————, stupefying, in the middle of
the brain, from early morning until afternoon, worse from mental
exertion, stooping, or walking in the open air, better from closing
the eyes or lying down. Calc. c.

————— continual, after menses have been suppressed for a length
of time. Rhododen.

—————, contractive. Carb. veg.

—————, dragging with drowsiness. Laurocer.

—————, drawing in rays from the neck all over the head. San-
guinaria.

————— from the forehead to the occiput, and heavi-
ness in the brain all day. Magn. c.

————— dull, constant, stupefying, pressive. Gels.,

—————, with stupor and dizziness. Lycopod.

————— extending to the face, ear, and teeth. Puls.

————— extending to the occiput. Bell., Sepia.

Headache, extending from the occiput to the frontal region; as if bursting. **Sanguin.**

————— neck all over the head. Sanguinaria.

————— gradually increasing to its highest point, and after remaining for a time, gradually declining. Stan.

————— in spots. Sanguinaria.

————— nervous. Cimicifuga, Gels., Puls.

—————, especially over the eyes. Bell., Graph., Sanguin. (right.)

—————, worse by stooping, in the morning, from coffee, tobacco smoke, wine, reading, writing, sunlight, moving the eyes, with intolerance to light; relieved by changing the position, and lying on the painful side. Ignat.

————— pressing. Cimicifuga, Natr. m., Nux v.

————— pain from within outward, with roaring and buzzing. Kreosot.

————— sharp, plunging, stabbing pains (sometimes followed by convulsions). Apis.

————— shifting. Bufo.

————— sick—mostly right side, with sensation as if the eyes were being pushed out. **Sanguin.**

————— with obscuration of sight. Puls.

—————; soreness of the whole head, worse when touched. Mosch.

————— temples especially. Sanguinaria.

—————, stinging and tension, worse in the open air. Mangan.

—————, stitching—recovering at short intervals. Lycopod.

————— tearing and boring. Calc. c.

————— shooting. Berber.

————— throbbing, especially in the left side. Natr. c.

————— in the scalp. Lachnanth.

————— mostly in the morning, relieved in the evening.

Verat. alb.

————— throbbing. (See Congestive.) Bell., Borax, Cact. gr., Chin., Glon., Ignat., Lach., Magn. m., Natr. c., Natr. s., Puls., Sanguin. (in paroxysms), Sulph.

————— and burning at the vertex. Lach.

————— with rushing in the ears. Borax.

————— toothache. Lach.

————— worse above the eyes; worse in the morning, and by pressure, better when lying down. Lach.

————— tightness; prostration; drowsiness. Phos.

Headache; tightness of the brain, with nausea and giddiness. Gels.
 ——— violent, as if bursting (gastric derangements). Natr. m.
 ———, has to shut the eyes. Carb. veg.
 ——— (nausea). Lycopod.
 ———; eructation; especially towards night.

Graph.

——— on waking in the morning. Natr. m.
 ——— worse from motion, has to tie her head. Glon.
 ——— with buzzing and humming. Borax, Kreosot.
 ——— chattering of teeth, followed by intense heat and dryness of the lips. Nux v.
 ——— colicky pains. Carb. veg.
 ——— dulness. Chelidon., Cimicifuga, Lycopod., Natr. m.
 ——— fainting in the morning. Graph.
 ———, internal heat and cold cheeks. Natr. m.
 ——— feeling as from concussion of the brain when moving. Mangan.

——— of enlargement, as if split open with a wedge. Lachnanth.

——— heat in the head; cold cheeks; fainting; heat in the face in the evening. Natr. m.

——— heaviness. Kali c., Magn. c., Magn. s., Mangan., Mosch., Natr. m.

——— and heat. Ignat., Magn. c., Mangan.

——— at the vertex. Calc. c., Sulph.

——— great—only in the morning. Calc. c.,

Kali c.

——— hunger. Elaps.

——— nausea. Natr. m.

——— and vomiting. Sanguin.

——— toothache. Calc. c., Carb. veg., Graph., Hyos., Kali c., Lach., Phos., Zinc.

——— vertigo and nosebleed. Lach.

——— when the flow is checked. Acon., Alum.

——— from morning till evening. Kali c.

——— in the morning. Graph., Kali c., Natr. m., Nux v., Verat. alb.

——— when awaking (palpitation of the heart and terrible sadness). Natr. m.

——— afternoon; with great debility. Nux v.

——— evening. Graph., Magn. s.

A. *Forehead*—in the—especially :

————— aching in the—and over the root of the nose.

Ignat.

————— and temples especially. Gels.

Headache as if the eyes would be forced out, can hardly hold the head up. Nux v.

—————; dull aching over the orbits. Sepia.

—————, the pains may be likewise in the side (right) of the head. Sanguin.

————— (right) the pains arise from the nape of the neck, and settle finally in the forehead. Sanguin.

————— fall out when stooping. Brom.

————— everything would be pressed out. Bry.

————— it would burst, with pains in the temples, as if they were screwed together. Lycopod.

—————, worse from motion, opening the eyes, stooping; relieved by pressure or closing the eyes. Bry.

————— constant. Amm. c., Elaps, L. V. Deflor.

————— constrictive, as if a tape were drawn around the forehead. Plat.

————— drawing from the forehead to the occiput; heaviness in the brain all day. Magn. c.

————— or beating—fine—especially in sensitive young girls. Natr. m.

————— in the afternoon mostly. Sulph.

————— evening, with feeling as if the head would be drawn backward. Zinc.

————— lancinating. Castor, Ratanhia.

————— and desire to lie down. Phos.

————— over the eyes, along the base of the skull to the occiput. Cimicifuga.

————— pressing. Bell., Magn. c., Natr. m., Sepia, Silic., Stannum, Sulph.

—————, and in the vertex. Castor.

————— temples; worse on rising and in a warm room; relieved by pressing the forehead together. Apis.

—————, catarrhal. Kali bich., Nux v., Sepia.

————— (discharge of plugs and fetid matter from the nose). Sepia.

————— (gastric derangements). Natr. m.

Headache; pressing in the frontal bones. *Crot. tig.*
 ——— pulling. *Magn. c.*
 ——— shooting, lancinating. **Ratanhia.**
 ———, she closes her eyes involuntarily and wants to lie down. *Phos.*
 ——— stupefying, oppressive. *Calc. c.*
 ——— tearing. *Cinnab.*
 ———; great sensitiveness of the top of the head. *Castor.*
 ——— violently; right side and in the right temple; temporarily relieved by pressure. *Natr. c.*
 ——— violent. *Plat.*
 ——— with pain over the eyes; nervous headache. *Bell., Graph., Sanguin. (right.)*

—————; over one eye particularly.
 L. V. Deflor.

—————; pressing. *Bell.*
 ———; gastric derangements. *L.*
 V. Deflor.

—————; throbbing; or on the vertex, or on the right side, with heat in the head on the first day. *Lach.*

B. **Occiput**—in the—especially:

Headache—aching—and all over the head. *Bell., Sepia.*
 ——— as from an ulcer or bruise in the brain, worse when lying down. **Nux v.**

————— coldness—sensation of—ascending from the nape of the neck. *Chelidon.*

————— commencing in the back part, and spreading all over the head. *Gels.*

————— pressure and weight, extending to the vertex, better in the afternoon. *Carb. an.*

————— throbbing and weight in the morning after rising. *Magn. m.*

C. **Sides and Temples** of the—in the—especially:

Headache—as if a nail were driven out through the side of the head; pressing; relieved by lying on the painful side. **Ignat.**

————— the eyes would be forced out, especially in the right side and forehead. **Sanguin.**

————— boring—worse from motion, light, noise, or a draft of air. *Bell.*

—————, left, and shooting in the vertex from evening till night, sometimes in the morning. *Ol. an.*

Headache, left, especially with jerking pains in the left temple, extending into the upper molar tooth. *Cast.*

————— tearing, throbbing pains. *Natr. c.*

————— pressing—from within outward. *Bry.*

————— right, back of the orbit. *Cimicifuga.*

————— especially in the right temple, from whence it extends into the side of the face. *Amm. c.*

————— temporal bone. *Lach.*

————— immediately after breakfast. *Lycopod.*

————— pulsating, pressing, extending to the neck, which becomes stiff; worse during menses. *Lach.*

—————, violent pain on the first day, especially in the right temple or over the eyes. *Lach.*

————— of the forehead and in the temple; violent; temporarily relieved from pressure. *Natr. c.*

————— semi-lateral. *Cicuta vir.*, **Puls.**, *Sepia* (nausea and vomiting).

————— with empty risings. *Calc. c.*

————— stitching in left side. **Calc. phos.**

————— tearing, or in the vertex or nape of neck, better at night. *Magn. c.*

————— tenderness—painful—of the whole left side. *Lach.*

D. Temples—in the—especially (see Sides of the Head):

Headache—as if the temples were screwed together, with a kind of stupor and compression; or as if the forehead would burst. *Lycopod.*

————— would be crushed—the whole day. *Stannum.*

————— soreness. *Sanguinaria.*

————— throbbing. *Chelidon.*, *Natr. s.*, *Phos.* (left), *Stannum.*

E. Vertex—in the—especially:

Headache. *Magn. c.*

————— as if the top would fly off. *Cimicifuga.*

—————, burning heat. *Calc. c.*, **Phos.**, **Sulph.**

————— and throbbing in the head. *Lach.*

————— coldness. **Verat. alb.**

—————, fulness—and in the throat, with stiffness of neck. *Cimicifuga.*

—————, heat and heaviness. **Sulph.**

————— in the evening, which is sensitive to touch. *Magn. c.*

————— pressing. *Calc. c.*

- Headache, pressing, and in the forehead. Castor.
 ————— weight, worse from sounds, even talking.
 Cact. gr.
 —————, as if a nail were driven into it. **Nux v.**
 ————— tearing and burning, relieved in the open air. Ratanhia.
 ————— better at night. Magn. c.
 ————— only at night. Laurocer., Ratanhia.
 ————— in general worse from coughing and sneezing. Natr. m.
 ————— mental emotion; lying down in
 the morning in the open air. Nux v.
 ————— relieved by application of cold water. Aloe., **Ars.**,
 Sulph.
 ————— pressure. Bell., Glon.
 ————— in the open air. Diadema, **Puls.**
 ————— only at night. Magn. c.
 Heat in the. **Apis**, **Bell.**, **Calc. c.**, Carb. an., Kali hydr., Lycopod.,
 Magn. m.
 —————, anxiety. Bell.
 ————— flushes of. L. V. Deflor.
 ————— with cool extremities. **Arnica.**
 Heaviness of the. (See Headache.) Cicuta vir., Magn. s.
 ————— with dizziness. Calc. c., Crot. tig.
 Movements of the—such as twitching, jerking, or throwing the
 head backward repeatedly. Cicuta vir.
 Numbness in the brain—sensation of—. Plat.
 Perspiration—cold—especially on the forehead. Merc. cor., Ve-
 rat. alb.
 ————— hot and sticky. Cham.
 ————— on the forehead. Cham., Merc. corr., Phos., Verat. alb.
 ————— profuse—and at the upper parts of the body, especi-
 ally at night. Calc. c.
 Roaring and buzzing. Cimicifuga, Kreosot.
 Sensation as of a band around the head. Acon., Brom., Gels., In-
 digo, Merc., Spigel., Sulph., Terebinthina.
 Sensitiveness of the upper part of the head. Castor.
 Shocks—violent—through the head, arms, and legs. Cicuta vir.
 Stupefaction. Cyclam.
 Veins—distended—in the temples. Sanguin.
 Vertigo. Acon., Amyl nitr., Borax, Cact. gr.; **Calc. c.**, Caustic.,
 Cicuta vir., Crot. tig., Cyclam., Elaps, Ferr., Gels., Graph., Kali
 bich., Lach., Mosch., Nux v., Phos., Plat., Sulph., Tarantula, Thuja.

Vertigo, during motion especially. Caust.

—— followed by tightness in the head; fainting when standing; loss of sight or hearing; heat in the head and pale face. Lycopod.

—— from congestion of blood to the head. Acon., Aescul. hipp., Apis, Arnica, Bell., Cact. gr., Calc. c., Glon., Hyos., Iod., Lach., Nux v., Sanguin., Stram.

—— when looking at an object constantly. Caustic., Sarsaparilla, Tarantula.

—— intense. L. V. Deflor.

—— in the morning when rising. **Acon.**, Cauloph., Coccul., Conium, Graph., Hipp. m., Lach., Magn. c., Magn. m., Natr. m., Nitr. acid., Nux v., Phos., Rhus tox., Sepia, Sulph.

—— on attempting to walk, with weakness in the legs, has to lie down again. Phos.

—— unto falling. Graph.

—— so that she falls down. Cicuta vir.

——, swimming sensation; dimness of sight; hysterical spasms of chest and larynx. Caulophyl.

—— when assuming an upright posture. **Acon.**

—— going down stairs. **Borax**, Ferr., Stan.

—— up stairs. Borax, **Calc. c.**, **Conium**, Phos., Silic., Sulph.

—— lying down. Apis, Ars., Cham., Conium, L. V. Deflor., Merc., Nux v., Rhus tox., Thuja.

—— moving the head. Acon., Aloe., Carb. veg., Coccul., Conium, **Glon.**, Hep. s., Ipec., Kali c., L. V. Deflor., **Moschus**, Sanguin.

—— rising from a stooping position. Bell., Calc. c., Natr. m., Niccol.

—— with chilliness. **Puls.**

—— sitting. Sulph.

—— turning the head in bed. **Conium**, Tellur.

—— walking. Apis, Ars., Bell., Calc. c., Calc. phos., Conium, Ferr., Ipec., Kali c., Lilium, Lycopod., Magn. c., Merc., Nitr. acid., Nux v., Petrol., **Phos.**, Puls., Rhus tox., Sepia, Zinc.

—— with dulness of the head. Crot. tig.

—— headache. Caust., Cyclam., Kali bich., Lach., Phos., Sulph.

—— and nosebleed. Lach.

—— icy coldness of the forehead. Lachnanth, Verat. alb.

Vertigo, with inclination to fall backward. Bell., Brom.
 ————— forward. Alum., Elaps, Cicuta vir.,
 Graph., Lilium, Mangan.
 ————— stupefaction. Mosch.

After Menses.

Congestion; heaviness; confusion, and weight. Natr. m.
 Dulness; stinging; cutting. Natr. m.
 Headache; pain in the head. Carbol. acid., Kali brom., Lithium.
 —————, dizziness. Agaric. m.
 ————— shooting—recurring at short intervals. Lycopod.
 ————— stitching. Lycopod., Natr. m.
 ————— in forehead, and general soreness. Plat.
 ————— throbbing. Glon.
 ————— worse in the open air. Carb. an.
 ————— tightness and heaviness as from congestion. Natr. m.
 ————— with bruised pain evenings at the vertex, which is sen-
 sitive to the touch. Magn. c.
 Rush of blood. Thuja

Eyes.

Before Menses.

Dilatation of the. Bell., Lycopod.
 Heaviness of the. Natr. m.
 Sensitiveness to light. Nux v.
 Sight—blurs before the eyes. Bell.
 ——— clouded. Bell.
 ——— mistiness. Bell., Cyclam.
 ——— weakness of. Bell.
 Weakness—sense of. Cinnab.

During Menses.

Agglutination of the lids at night. Calc. c.
 ————— in the morning. Magn. c.
 Blue margins around the. Phos., Zingiber.
 Burning. Magn. c., Niccol., Nitr. acid.
 ——— with dryness. Magn. c., Mangan.
 Contraction of the pupils, followed by considerable dilatation.
 Cicuta vir.
 Dark-brown margins around the eyes. Sac lac.

Dilatation of pupils. Bell.

Dulness; dryness. Magn. c.

Eyebrows and upper lids are drawn up. Lachnanth.

Eyes turned up. Mosch.

Heaviness of the. Natr. m.

—————, it is almost impossible to keep them open. Gels.

Lachrymation. China, Cinnab., Phytol.

————— in the morning. Calc. c.

Ophthalmia. Zinc.

Pain—bruised—above and back of the orbit. Gels.

———, neuralgic—of the right eye. Chelidon.

————— from the pupil of the left eye to the back of the head. Crot. tig.

——— violent. Bell.

Photophobia. Elaps, Ignat., Nux v.

Pressure in the. Lachnanth.

Protrusion of the. China.

Redness from excessive pain. Bell.

——— of the vessels. Cannab. ind.

Sensation as if the eyeballs were too large. Cimicifuga.

Sight—darkness before the. Cyclam., Sepia.

——— double. Cicuta vir.

——— fierce spots before the eyes. Elaps.

——— frightful visions. **Rhododendron.**

——— in reading, letters run together. Cannab. ind.

——— objects appear too distant, and grow larger on looking at them. Nux m.

————— passing swiftly from left to right, or tossed from below upwards. L. V. Deflor.

————— smaller than they really are. Plat.

——— obscuration of. Cyclam., Graph., Lachnanth., Puls., Sepia.

————— and sick headache. Puls.

——— shortsightedness. Mangan.

——— vanishing of. Mosch.

Smarting of the. Castor.

Spasmodic closing—frequent. Natr. m.

Staring and glistening. Mosch.

Swelling of the lids. Apis, Cyclam.

————— upper lids. Kali c.

Twitching of the lids. China, Natr. m., Plat.

Weakness—sense of. Cinnab.

After Menses.

Blue circle around the eyes and great exhaustion. Phos.
Inflammation of the. Calc. c.

Ears.*Before Menses.*

Hearing—hardness of. **Kreosote**.
Ringing. Cannab. ind., China, Ferr.
Rushing (throbbing in the head). **Borax**.
Sensitiveness to noise or loud talk. Nux v.
Singing (stinging headache). Ferr.

During Menses.

Earache. Aloe., Kali c.
—— and itching in the left ear, relieved by boring. Agric. m.
—— pains extending to, and concentrating in the ear from other parts. Mangan.
Hearing—hardness of. Calc c., Kreosot., Mangan.
Itching, burning, redness of the—(nose, cheeks, fingers, toes) as if frost-bitten. Agric. m.
Reports—loud—in the. Mosch.
Rhagades—burning—on the lobes of the. Magn. c.
Ringing. China, Petrol., Verat. alb.
Roaring. Ars., Graph., Petrol., Verat. alb.
Rushing. Borax. (throbbing in the head), Kreosot.
Sensitiveness of hearing. Hyperic., Magn. c.
——, excessive, cannot bear the slightest noise or sound. Asar. europ.
Singing. Petrol.
Sticking pain when talking. Mangan.
Stitches. Kali c.
Throbbing. Cannab. ind.
—— preventing sleep. Cact. gr. (throbbing in the pit of stomach.)

Nose.*Before Menses.*

Bleeding. **Bry.**, Digital., Lach., Natr. s., **Sulph.**, Verat. alb.
Sensitiveness to strong odors. Nux v.

During Menses.

Bleeding. Acon., **Bry.**, Natr. s., **Sulph.**

Coryza. Alum., Amm. c., Graph., **Kali c.**, **Magn. c.** (at the beginning).

———, cough, fever. Graph.

———, dry; nose stopped up at the beginning of menses. **Magn. c.**

———, fluent. Alum.

Discharge of plugs—fetid. Sepia. (Pressure in the forehead.)

Itching, burning, redness of the—as if frostbitten. Agaric. m.

Sensitiveness to every smell from cooking. Sepia.

——— strong odor. Nux v.

Sneezing frequently. **Magn. c.**

After Menses.

Itching of the. Sulph.

Face.*Before Menses.*

Eruption—pimply. Graph.

——— freckles. Thuja.

Erysipelas of the left cheek. Lach., Stram.

Exhausted look. Zingiber.

Heat when awaking; headache; palpitation. Alum., Thuja.

Neuralgic pains. **Magn. c.**, Sulph.

———, right side, driving her out of bed. **Magn. c.**

Pain in the malar bone, especially when touched. Stannum.

Paleness. Amm. c., Ferr. (and lips), **Puls.**, Senecio.

Redness. Bell., Gels., Natr. m., Thuja, Verat. vir.

——— and bloatedness. Bell., Verat. vir.

——— dark. Gels.

Swelling of the cheeks. Baryt. c., **Kali c.**, Phos.

Yellowness, especially on the temples. Caust.

During Menses.

Cheeks cold; headache; heat in head; fainting; hot face in the evening. Natr. m.

———, paleness of one, the other red. Cham.

———, redness of the right, without heat; paleness of the left, with heat. Mosch.

———, itching, burning, as if frostbitten. Agaric. m.

Coldness, creeping, and numbness—sensation of—in the whole right side. Plat.

Cold and blue. China.

Color—bluish. Lacknanth.

———— at the end of menses. Verat. alb.

———— cold. China.

———— with gnashing of the teeth. Verat. alb.

———— earthy. Mosch.

———— livid. Kreosot.

———— pale. Acon., **Amm. c.**, Apis, Calc. c., Castor., Cham., Cicuta vir., Cyclam., Erigeron, Ferr., Glon., Ipec., Lachnanth., Lycopod., **Magn. c.**, Magn. m., **Puls.**, Senecio, Zinc.

————; bloatedness. Calc. c.

———— suddenly appearing on rising. Acon.

———— wax color. Apis.

———— with sunken face. Mangan.

———— sweat. Mosch.

———— redness and bloatedness. Acon., Bell., Cact. gr., Cham., Elaps, Verat. vir.

———— fierce, suffused. Bell. (in young girls of full habit), Cham., **Ferr.**

———— hot. **Sanguin.**

———— spotted. Sulph.

———— yellow. **Caust.**, Chelidon.

Eruption.. Nux m.

———— itching—on the forehead. Sarsaparilla.

Erysipelas of left cheek. Lach., Stram.

———— one cheek. Graph.

Flushes of heat. L. V. Deflor., Sulph.

Forehead—icy coldness of the—and perspiration. Verat. alb.

———— with vertigo. Lachnanth.

Lips pale. Cyclam., Ferr.

———— and ears, especially in the morning. L. V. Deflor.

Pain. Calc. c.

————, aching. Sulph.

———— in the malar bone, particularly when touched. **Stan.**

———— muscles when moving them. Stan.

———— neuralgic; prosopalgia. Caust., Mezer.

————, right side, driving her out of the bed. Ars., Magn. c.

————, violent. Ars., Cham., Magn. c., Sulph.

Pain; scraping faceache. Natr. m.
 Swelling; puffed. Calc. c., China, Lachnanth.
 ——— of cheeks. Baryta c.

After Menses.

Erysipelas of left cheek. Stram.
 Paleness. Natr. m.
 Swelling of the cheeks. Phos.
 Yellowish color. Natr. m.

Mouth.

Before Menses.

Accumulation of water with spasms of the stomach. Puls.
 Saliva—bloody. Natr. m.
 ——— increase of. Cinnab.
 Breath very offensive, foul. Sepia.

During Menses.

Accumulation of water. Agric. m., Magn. c., Natr. c., Nux m.,
 Nux v., Phytol., Puls.
 ——— with sensitiveness of the stomach. Nitrum.
 Breath very offensive, foul. Merc., Sepia.
 Burning of the palate as if raw and sore. Natr. s.
 Dryness—great. Mosch.
 ——— and lips. Bry.
 ———, tongue and throat. Nux m.
 Lips dry, parched, with shrivelled skin. Mangan.
 ——— pale. Cyclam., Ferr.
 Running of water from the mouth with pressure in the stomach.
 Nux m.
 ——— spasms of the stomach,
 at night. Puls.
 Saliva—bloody. Natr. m.
 ——— hot with eructations. Mosch.

Taste.

Before Menses.

Foul and foul odor. Sepia.
 Sweetish—rising from the stomach to the mouth. Natr. m.

During Menses.

Acid. Lycopod.

Bad—extremely—in the morning. Puls.

Bitter. Chelidon.

Flat. Magn. c.

Foul. Kali c., Mosch., Sepia. (Foul odor.)

Nothing tastes good. Puls.

Perverted. Cicuta vir.

Salty. Merc. viv.

Sour. Calc. c., Lycopod.

Sweetish—rising from the stomach to the mouth, with qualmishness. Natr. m.

Tongue.*Before or during Menses, or in both stages.*

Burning and red-spotted. Merc. viv.

Coated, worse in the morning. Lycopod.

Dryness—at times so much so, that it adheres to the roof of the mouth, especially after sleeping. Nux m.

———, redness and burning; salty taste. Merc. viv.

Numbness—as if it had gone to sleep. Nux m.

Pale-red. Gels.

White. Acon., Bry., Chelidon.

Yellow. Acon.

——— at the sides, with a red streak in the middle. Verat. vir.

Yellowish. Cham., Chelidon.

——— white. Gels.

Teeth.*Before Menses.*

Toothache. Amm. c., Ars., Baryta c., Cham., Sepia, Sulph., Thuja.

——— with boring in the temples. Antim. crud.

——— swelling of the gums. Baryta c.

At the Beginning of Menses.

Toothache. Puls.

——— with wakefulness. Agric. m.

During Menses.

Chattering of the—in the evening. Natr. c.

Dulness of the. Merc. viv.

Gnashing of the—bluish color of the face. Verat. alb.

Grinding of the. Cicuta vir.

———— at the end of menses. Verat. alb.

Looseness; soreness; some of the teeth feel as if too long.
Merc. viv.

Toothache. Agric. m., Amm. c., Ars., Baryta c., Bell., Bovista,
Calc. c., Carb. veg., Cham., Coff., Cubeba, Graph., Hyos., Kali c.,
Lach., Mangan., Merc., Natr. m., Nitr. acid., Phos., Puls., Rhododen.,
Sepia, Zinc.

———— and headache. Calc. c., Carb. veg., Graph., Hyos., Kali
c., Lach., Phos., Zinc.

———— swelling of the gums. Baryta c., Nitr. acid.

———— at the beginning and at the end of menses. Puls.

———— boring in decayed teeth. Calc. c.

———— commencing during a meal. Phos.

———— lancinating, tearing, especially when in the open air.

Natr. m.

———— throbbing. Bell., Glon.

———— violent, going suddenly from one place to another, up
into the ears. Mangan.

After Menses.

Toothache. Bry., Calc. c., Cham., Phos., Rhododen., Sabina,
Thuja.

———— as if the teeth would burst open. Sabina.

———— shooting and drawing, day and night. Calc. c.

Gums.

Before Menses.

Swelling. Baryta c., **Phos.**

———— with pricking. Kali c.

During Menses.

Pale. Cyclam., Merc. viv.

Scorbutic. Merc. viv.

Sickly color. Merc. viv.

Swelling. Baryta c., Merc. viv., Nitr. acid., Phos.

Throat and Oesophagus.

Before Menses.

Constriction in the—before expectoration. Digit.

Globus hystericus. Conium.

Noise—audible—when swallowing water. Cupr. m.
 Soreness—always. Magn. c.
 Swelling and tension. Iod.

During Menses.

Burning in the fauces. Mosch.
 Choking as from hasty swallowing. Chelidon.
 Constriction of the fauces. Chelidon, Laurocerasus.
 ——— sensation of. Cact. gr.
 Deglutition—painful. Calc. c.
 Dryness of—(mouth and tongue). Nux m.
 Globus hystericus. Conium.
 Inability to swallow, the throat seems to be closed. Cicuta vir.
 Noise—audible—when swallowing water. Cupr. m.
 Roughness of the—inducing cough, especially in the morning.
 Castor.
 Sensation as if the throat were tied round the larynx with a nap-
 kin. Chelidon.
 Sore throat. Magn. c., Sulph.

Appetite.

Before Menses.

Desire for acids. Ars.
 Great, voracious. Lac can., Magn. c.
 Thirst. Cupr. m., Kali c.
 ——— for cold water. Acon.
 ———, with audible noise when swallowing water. Cupr. m.
 Thirstlessness. Puls.
 ——— with heat all over. Conium.
 Want of. Amm. c., Bell., Brom., Cupr. m.

During Menses.

Aversion to bread. Natr. m.
 ——— food. Aletr. f., Bell., Bry., Mosch.
 ——— meat. Aloe., Calc. c.
 ——— salt. Graph.
 ——— warm food. Calc. c.
 Desire and craving for coffee, feels better after it. Lach.
 ——— dainties. Calc. c.
 ——— milk, which agrees; feels better after it
 Lach.

Desire and craving for salt. *Natr. m.*

————— stimulants. *Mosch.*

Food tastes bitter. *Bry.*

————— sour. *China, Nux v., Puls.*

Great, voracious, insatiable. *Lan. can.* (can never get enough),
Lycopod., Sac. lac.

Satiety—sense of—the least quantity satisfies. *Lycopod.*

Thirst. *Bell., Bry., Cham., Cupr. m., Kali c., Lachnanth., Nitrum, Verat. alb.*

————— and diarrhoea. *Verat. alb.*

————— great—for icy drinks. *Verat. alb.*

————— large quantities of water. *Bry.*

————— with audible noise when swallowing water. *Cupr. m.*

————— heat and restlessness. *Kali c.*

Thirstlessness. *Cyclam.*

Want of. *Cyclam., Gossyp., Lycopod., Magn. c., Puls.*

Stomach.

(See Epigastrium, under Abdomen.)

Before Menses.

Bleeding from the. *Puls.*

Cramps; spasms. *Bell., Cupr. m., Lach., Puls., Sepia, Viburnum opul.*

————, typic spasms extending into the chest, with nausea and vomiting. *Cupr. m.*

———— with running of water from the mouth, especially at night. *Puls.*

———— vomiting. *Cupr. m., Puls.*

Cravings. *Spong.*

Empty, weak feeling, goneness at the pit of. *Ignat.*

Eructation. *Chin., Kali c., Kreosot., Lach., Magn. c.*

———— after a meal. *Bry.*

———— foamy. *Kreosot.*

———— not relieving the feeling of fulness and distension. *China.*

———— sour. *Kali c.*

———— sweetish in the morning. *Natr. m.*

————; vertigo. *Puls.*

Fulness and distension—feeling of—not relieved after eructation.
China.

- Heartburn; waterbrash. Nux m., Nux v., Sulph.
 —————, with pressure. Nux m., Nux v.
 Nausea. Bufo, Cimicifuga, Coccul., Cupr. ac., Cupr. m., Hedeoma,
 Hyos., Ipec. (constant), Magn. c., Natr. m., Nux v., Puls., Sepia,
 Tart. emet., Verat. alb.
 ——— and sickness from the sight of food. Mosch.
 ——— at the stomach. Arnica.
 ——— in the morning, with chilliness and fainting spells. Nux v.
 ———, great sensitiveness to any odor from
 cooking. Sepia.
 ———, with desire to vomit. **Puls.**
 Pain from the—to the small of the back, where it becomes stitch-
 ing. Borax.
 ———, gastralgia. **Puls.**
 ———, pressing. Lach.
 ———, indefinite. Magn. c.
 Qualmishness, with sweetish taste rising into the mouth. Natr. m.
 Regurgitation of white insipid froth. Kreosot.
 Retching. Cupr. ac.
 Spasms. (See Cramps.)
 Vomiting. Cham., Cupr. ac., Cupr. m., Kreosot., Natr. m., Nux
 v., Puls., Verat. alb.
 ——— of her meals. Bry., Cham.
 ——— mucus. Kreosot., **Puls.**, Tart. emet.
 ——— small quantities of frothy substances. Cupr. ac.
 ——— sour. Calc. c., Nux v., **Puls.**
 ——— (violent headache in the morning). Natr. m.
 ——— with spasms of the stomach. **Puls.**

At the Appearance of Menses.

- Nausea. Hyos., Verat. alb.
 Vomiting. **Amm. c.**, Puls., Verat. alb.

During Menses.

- Commotion in all directions—sensation of. Crocus sat.
 Digestion, weak. Carb. an.
 Distension. Calc. c., Coccul., Thuja.
 ———, cannot bear anything tight around the waist. Calc. c.
 ———; cramps. Coccul.
 Eructation. Ars., Carb. an., Cham., Chin. Graph., Kali c., Kali
 hydr., Mosch. Nit. acid., Phos.

Eructation, bitter. Kali c.
 ——— empty. Caulophyl.
 ——— ineffectual. Carb. an.
 ——— not relieving the sense of fulness and distension. **China.**
 ——— sour (vomiting). Lycopod., **Phos.**
 ——— ; bitter ; vertigo, with a swimming sensation ; dim-
 ness of sight ; hysterical spasms of chest and larynx. Caulophyl.
 ——— with cramp and pain in the abdomen. Nitr. acid.
 ——— hot saliva in the mouth. Mosch.
 Fulness—sensation of—after eating, with nausea. Kali c.
 ——— the least quantity of food.

Lycopod.

———— at the pit of the stomach. Lachnanth.
 ——— up into the chest. Natr. s.

Hiccough. Lachnanth.

Nausea. Asclep. syr., Arnica, Bell., Borax, Bry., Calc. c., Canth.,
 Capsic., Cham., Chelidon., Cimicifuga, Coccul., Cupr. acet., Cupr. m.,
 Graph., Hyos., Ipec., Kali bich., Kali c., Kali hydr., L. V. Deflor.,
 Lobelia, Lycopod., Magn. c., Mosch., Natr. c., Natr. m., Nux v., Phos.,
 Puls., Sepia.

———— after eating, with sensation of fulness in the stomach.

Kali c.

———— at night. Puls.
 ——— cannot sit up on account of it. Bry., Coccul.
 ——— constant. **Ipec.**
 ——— from the sight of food. Mosch.
 ——— smell of cooking. Sepia.
 ——— in epigastrium. Arnica.
 ——— the morning. **Graph.**, Natr. m., Nux v., Puls.,

Sepia.

———— with chilliness and fainting spells. **Nux v.**
 ——— ; loathing, with great prostration. Natr. c.
 ——— violent, obliging her to lie down, especially when rising
 up in bed. Phos.
 ——— with ineffectual straining to stool. Calc. c.
 ——— inclination to vomit, in the morning and evening,
 but inability to do so. Mosch.
 ——— pressure in the epigastrium. Capsic.
 ——— severe headache in the morning. Natr. m.
 ——— vomiting—after eating and drinking. Ars.
 ——— and cramps. **Puls.**

Nausea, with vomiting; she is scarcely able to raise herself in bed on account of it. **Coccul.**

———— weakness and trembling. **Graph.**

Oppression. **Mosch.**

———— sudden—she has to loosen her dress. **Zinc.**

Pain in the—after eating, in weakly woman. **Mangan.**

———— burning (and pressing). **Ars.**, **Cicuta vir.**, **Cupr. m.**, **Nux v.**, **Phos.**

————, rising up into the chest. **Mangan.**

———— contractive. **Phos.**

———— cramps. **Coccul.**, **Cupr. m.**, **Puls.**

———— and distension. **Coccul.**

————, nausea and vomiting. **Puls.**

————, running of water from the mouth at night; nausea. **Puls.**

———— in the epigastrium, as if everything would be torn to pieces. **Graph.**

———— extending into the small of back. **Borax.**

———— from the pit of the—down to the sacrum. **Sarsaparilla.**

———— to the hypogastrium, sides of abdomen, and back; stinging, cutting. **Ars.**

———— back. **Borax.**

———— small of the back, when it becomes stitching.

Borax.

———— uterus and back. **Hedeoma.**

———— gnawing, relieved by eating. **Chelidon.**

———— griping—in the pit of—towards the small of the back. **Sarsaparilla.**

———— indefinite. **Sepia.**

———— pinching. **Phos.**

———— pressing. **Capsic.**, **Caust.**, **Cicuta vir.**, **Cupr. m.**, **Kali hydr.**, **Nux m.**, **Nux v.**, **Thuja.**

———— and burning. **Ars.**, **Cicuta vir.**, **Cupr. m.**, **Nux v.**

———— as from a stone. **Ars.**, **Bry.**, **Nux v.**

———— with desire to vomit. **Kali hydr.**

———— running of water from the mouth; especially at night. **Puls.**

———— pressure as from a weight. **Calc. c.**

———— in the—abdomen, groins, back, head, teeth, and limbs. **Sepia.**

Qualmishness, with sweetish taste rising to the mouth. **Natr. m.**

Retching. **Cupr. m.**

Retching; pressing. Thuja.

Sensitiveness of the—collection of water in the mouth. Nitrum.

Trembling—internal. Argt. nitr.

Uneasiness and depressed feeling at the pit of. Gossyp.

Vomiting. (See Nausea.) Amm. c., Amm. m., Amyl nitr., Antim. crud., Carb. veg., Cham., Cupr. ac., Cupr. m., Graph., Ignat., Kali c., Lycopod., Mosch., Natr. m., Nux v., Phos., Puls., Sepia, Verat. alb.

————; diarrhoea. Amm. c., Amm. m.

————, with cold sweat, especially on the forehead.

Verat. alb.

———— pressure and contraction in the back. Amm. m.

———— in the morning especially. Graph.

———— inclination but inability to—in the morning and evening. Mosch.

———— of her meals. Bry., Cham.

———— slimy. Puls., Tart. emet.

———— sour. **Calc. c., Lycopod., Nux v., Phos., Puls.**

———— with spasms of the stomach. **Puls.**

————; typical; extending into the chest. **Cupr. ac.**

———— weak, empty feeling at the pit of the stomach.

Ignat.

Waterbrash. Nitrum.

After Menses.

Bleeding from the. Puls.

Cramps. Bell., Borax, Kali c.

———— awaking her at night, with coldness of the stomach. Kali c.

———— in the—and back, followed by vomiting. Borax.

Gastralgia, with heaviness from the right groin or liver region to the shoulderblade. Borax.

Abdomen.

A. REGION OF THE LIVER.

Before Menses.

Pains in the—abdomen and back. **Puls.**

———— indefinite. Digital., Nux m., Nux v., **Puls.**

———— stitches. Conium.

During Menses.

Pains in the. Aloe., Bufo, Mosch., Nitr. acid., Nux m., Phos. acid.
 — contraction in the hypochondria. Bufo.
 — pressure, heat, and tension. Aloe.
 — stitching. Mosch.
 — violent. Nitr. acid.

After Menses.

Pressing—extending into the right shoulderblade, right groins,
 with gastralgia. Borax.

B. REGION OF THE SPLEEN.

Before Menses.

Pains indefinite or cramplike. Sulph.
 — stitches. Bufo.

C. REGION OF THE UMBILICUS.

Before Menses.

Pains as though the intestines were drawn into a lump. Sepia.
 — digging and clawing, followed by a whitish leucorrhœa.
 Kreosot.
 — extending towards the uterus; nausea. Ipec.
 — griping. Kreosot.

During Menses.

Pains—cutting. Ipec., Kreosot.
 —, ceasing by emitting flatus. Magn. c.
 — drawing from the—into the legs, with pressure in the abdomen. Nux m.
 — extending towards the uterus; nausea. Ipec.
 — shooting and lancinating. Berber.
 — spasmodic contractions, with colic. Chelidon.

After Menses.

Pain and soreness—with greenish-yellow stools. Sac. lac.
 — pinching. Magn. c.

D. HYPOGASTRIUM AND EPIGASTRIUM.

(See Uterine Region; Uterus; Stomach.)

Before Menses.

Bloatedness and swelling. Arundo maurit., **Coccul.**, Conium, Cyclam., Hep. s., Kreosot., Lycopod., Nux v.

———— sensitiveness to pressure. Calc. c.

———— as from pregnancy. Kreosot.

Boiling, waving in the epigastrium. Petrol.

Fermentation—great. Phos.

Flatulence. **Coccul.**, Ferr., Lac can., **Lycopod.**

Flatus—incarceration of. Sepia.

Fulness. Ham. (and brain.)

————, heaviness and tension. Caulophyl.

Heaviness, with pain as from a stone. **Puls.**

Jumping, bounding, rolling, as if from something alive. Crocus sat.

Motion—sensation of. Crocus sat., Ferr., Sabina.

Pains as if menses would appear, especially at night. Sanguinaria.

——, burning. Ars., Canth., Carb. veg., Natr. m.

——; colic. Amm. c., Ars., Baryt. c., **Bell.**, Bufo, Cact. gr., **Calc. c.**, **Calc. phos.**, Carb. veg., Caulophyl., Caust., **Cham.**, China, Chin. sulph., Cimicifuga, Cinnab., **Coccul.**, Coff., **Colocynth.**, Cupr. m., Digital., Ferr., Graph., Hyos., Ignat., Ipec., Kali c., Kreosot., Lach., Laurocer., Magn. c., Merc., Natr. m., Nitrum, Nux v., **Phos.**, **Puls.**, Senecio, Sepia, Spong., Sulph., Verat. vir., Viburnum opul.

———— at night. Calc. c.

———— stool. Alum.

———— and great congestion to the uterus; strangury.

Verat. vir.

———— beginning in the left ovary. Lach.

———— causing her to cry out loud and to weep; pains periodically, mostly in the evening. **Cact. gr.**

———— cramps. Caulophyl., **Cham.**, Cinnab., **Coccul.**, **Colocynth.**, Cupr. m., Graph., Ignat., Kali c., Natr. m., Nux v., Plat., **Puls.**, Viburnum opul.

———— causing her to double up; often worse after eating or drinking. **Colocynth.**

———— drawing from the hypogastrium into the back. Carb. veg.

———— driving her to despair. Coff.

Pains ; colic ; driving her to despair ; external warm applications give relief. *Ars.*

_____ extending into the chest. *Cupr. m., Graph.*

_____ with pressing towards the groin. *Chin. sulph.*

_____ in hypogastrium and sides ; violent. *Nitr. acid.*

_____ cutting. *Cham., Digital., Kali c., Lach., Natr. c., Natr. m., Ol. an.*

_____, burning, tearing. *Natr. m.*

_____ in the groins and back. *Senecio.*

_____ and small of back. *Ol. an.*

_____ ; limbs clammy. *Lilium.*

_____ ; sharp pains as from sharp stones, with every motion. *Coccul.*

_____ from left to right, with constant nausea. *Ipec.*

_____ drawing. *Caustic.*

_____ into the thighs. *Cham.*

_____ from morning till night. *Carb. veg.*

_____ griping. *Amm. c., Graph.*

_____ and rumbling. *Bufo, Calc. phos., Kali c., Lycopod.*

_____ tearing, extending into the chest. *Cupr. m., Graph.*

_____, with pressing towards the groin. *Chin. sulph.*

_____ violent, causing her to double up. *Cimicifuga, Colocynth., Dioscorea.*

_____ in the afternoon. *Laurocer.*

_____, especially with eructations affording no relief. *China.*

_____ tearing. *Cinnab.*

_____ with backache. *Caust.*

_____ stitching pain in the pelvic region. *Nux v.*

_____ swelling of the limbs. *Baryt. c.*

_____ vomiting. *Puls.*

_____ cramplike sensation. *Kali c.*

_____ drawing. *Carb. veg., Crocus sat., Nux v., Plumb., Staphis.*

_____ from the—to the back. *Plumb.*

_____ indefinite. *Alum., Amm. c., Cupr., Iod., Lycopod., Petrol., Sepia.*

Pains in the—and back. Amm. c., Nux v.

————— and liver. Puls.

————— labor-like; bearing down. Acon., Apis, Asclep. syr., **Bell.**, Bovista, Cham., **China**, Cimicifuga, **Cina**, Conium, Cyclam., Digital., Ferr., Gels., Hyos., Lach., Lac can., Magn. c., Mosch., Muriat. acid., Nux v., Plat., Rhus tox., Sabadilla, **Sepia**, Thuja, Ustilago.

————— and in the back. Digital., Magn. c., Nux v.

—————, dragging; with sensation as if the contents would burst out above the pubes. Lac can.

————— frequent, as though the menses would appear. **Cina**.

—————, intermittent; from the sacrum to the hypogastrium. Asclep. syr.

————— painful. Bovista, Plat., Sabadilla, Sepia.

—————, which obliges her to cross her limbs; pro-lapsus. **Sepia**.

————— the night before the menses appear. Cyclam.

————— violent. Acon., Apis, **Bell.**, Cham., Lach., Mosch.

—————, as if everything would protrude from the vagina. **Bell.**

—————, worse when standing or walking. **Conium**.

————— followed by a scanty discharge of dark bloody mucus. Apis.

————— slight flow. Lach.

————— she doubles herself up to get relief, but cannot obtain it in any position. **Acon**.

————— with colic and sensation as if menses would appear in a few hours. **Crocus sat**.

————— with cutting, pinching, pressing, and frequent desire to urinate. Alum.

————— diarrhoea. Bovista.

————— pulling in the back and sides. **Hyosc**.

————— worse in case of uterine dislocation. Conium.

————— left ovarian region. Lach.

————— pinching. Lamium alb.

————— continues in the iliac region. Coff.

————— three days before menses. Hyperic.

————— pressure. Nux m.

————— downwards. (See Labor-like pains.)

————— upwards, over mons veneris. Calc. phos.

————— shooting. Kali c.

Pains shooting all over the abdomen. Lac can., Sac. lac.
 ————— and darting from—into the chest. Cupr. ac.
 ————— soreness across the pubes. Nux v.
 ————— stitches. Borax (in the uterine region), Brom.
 ————— straining and warmth, with sleeplessness. Cyclam.
 ————— tearing. Natr. m.
 ————— tenderness, cannot bear the weight of hands or clothes. Lac can., Lach.
 ————— of the hypogastric region. Cimicifuga.
 ————— throbbing in the hypogastrium. Aescul. hipp.
 ————— twisting—moving about, with nausea. Nux v.
 ————— with faintness. Sepia.
 Rumbling and griping. Bufo, Calc. phos., Kali c., Lycopod.
 Spasms. (See Colic-cramps.)

At the Beginning of Menses.

Cholera-like symptoms. **Amm. c.**
 Pain—colic—cutting. Graph.
 ————— pinching. Plat.
 ————— without diarrhœa. **Caustic.**
 ————— cramps. Brom., Calc. c., Viburnum opul.
 ————— and spasmodic pains, some hours after the appearance of menses, leaving the parts sore. Brom.
 ————— in the loins, through the hypogastric region and down the thighs, followed by the appearance of menses. Sanguin.
 ————— laborlike and pinching. Plat.
 ————— with severe pressing down and pulling in the genitals. **Mosch.**
 ————— tearing, on the first day. Lach.
 ————— violent, drawing, pressing, ceasing at the appearance of the flow. **Mosch.**
 ————— in the lumbar region, preventing her to breathe freely. Asarum europ.

During Menses.

Bloatedness; distension; swelling. Aloe., Alum., Berber., Carb. an., **Coccul.**, Crocus sat., Hell., Kali c., Kreosot., Lac can., Lycopod., Natr. c., **Niccol.**, Nitr. acid.
 ————— and hardness. Ignat.
 ————— rumbling. Aloe., Kali c., Kreosot., Lac can., Lycopod.

Bloatedness and rumbling, mostly in the left side. **Lac can.**,
Lycopod.

———— as though the bowels would burst. **Nux v.**

————, cutting and contracting pain, on every motion and
every breath. **Coccul.**

———— painful—in the morning relieved by diarrhœa.
Natr. c.

———— sensation of—and fulness—not relieved by eructa-
tion. **China.**

———— with feeling as if it were boiling in the
abdomen. **Lachnanth.**

———— with diarrhœa. **Alum.**

———— and colic. **Natr. c.**

———— hardness. **Ignatia.**

————; sensitiveness to deep pressure, which
causes nausea. **Lac can.**

———— ineffectual attempt to raise wind. **Carb. an.**

Boiling—sensation of—with feeling of distension of the abdomen.
Lachnanth.

Commotion. **Nux m.**

Constriction—sense of—and of something ascending toward the
stomach, which makes her think she will vomit. **Cocc. cact.**

Contraction as if bound. **Cact. gr.**

Fermentation. **Phos.**

———— with frequent discharge of flatus. **Lycopod.**

Flatulence—profuse. **Brom.**, **Cubeba**, **Kreosot.**, **Lycopod.**, **Man-
gan.**, **Magn. c.**

Fulness. **Ham.** (and in the brain.)

———— and pressure as if the bowels would burst. **Coff.**

———— at the epigastrium. **Bry.**

Gurgling as if water running out of a bottle. **Aloe.**

Hardness. **Natr. m.**

———— feels as if it would burst; relief from leaning back.
Lac can.

Heat. **Graph.**

Heaviness. **Natr. m.**

———— and pressure over the pubes in any position. **Baryta c.**

Jumping, bounding, rolling, as if from something alive. **Croc. sat.**

Motion in the—sensation of. **Croc. sat.**, **Ferr.**, **Phos.**

Pain. **Alum.**, **Amm. c.**, **Iod.**, **Petrol.**, **Phytol.**, **Silic.**

———— all day in the left side of pelvis. **Sac. lac.**

Pain all over the—making it almost impossible to stand. *Sac. lac.*
 — and intense distress in the lower part of—not relieved by any position. *L. V. Deflor*

— and in the back. *Thuja.*

— and loins. *Amm. m., Nux v., Secal. cor.*

— thighs. *Magn. m.*

— small of back. *Brom., Baryt. c., Magn. c.*

— continuing all night; flow worse at night. *Amm. m.*

— as if the abdominal viscera were drawn downwards. *Plat.*

— parts were torn. *Caustic.*

—; bruised feeling. *Sulph.*

— across the pubes. *Nux v.*

— burning. *Ars., Canth., Carb. veg.*

— cannot bear anything around the hypochondria. *Calc. c., Lycopod., Nux v.*

—; colic. *Aletr. f., Aloe., Alum., Amm. c., Ars., Aurum, Baryt., Bell., Borax, Bovista, Brom., Cact. gr., Calc. c., Canth., Carb. an., Carb. veg., Caulophyl., Caust., Cham., Chelidon., China, China sulph., Cimicifuga, Cinnab., Coccul., Coff., Colocynth., Conium, Crocus sat., Cubeba, Curare, Digital., Dioscorea, Ferr., Granatum, Graph., Hipp. m., Hyos., Ignat., Ipec., Iod., Kali c., Kali hydr., Kreosot., Lac can., Lach., Macrotin, Magn. c., Merc., Milfol., Murex purp., Muriat. acid, Natr. c., Natr. m., Natr. s., Niccol., Nitr. acid., Nitrum, Nux v., Oleander, Ol. an., Opi., Petrol., Phos., Plat., Puls., Sac. lac., Sarsaparilla, Secal. cor., Senecio, Sepia, Sulph., Verat. vir., Xanthoxyl., Zinc.*

— and great congestion to the uterus; strangury. *Verat. vir.*

— as if everything would be torn to pieces. *Graph.*

— the intestines were strung up in knots by threads; sitting gives relief. *Sulph.*

— beginning in the left ovary. *Lach.*

— causing a suppression or cessation of menses, but they reappear as soon as the paroxysm is over. *Plumb.*

— cramplike; spasmodic. *Aloe., Amm. c., Brom., Caulophyl., Chin., Cham., Cimicifuga, Cinnab., Coccul., Colocynth., Conium, Graph., Ignat., Natr. m., Nitr. acid, Nux m., Nux v., Puls., Sabina, Sulph., Viburnum opul., Zinc.*

—, as if the bowels would burst, with eructations and constant desire to move about. *Nitr. acid.*

Pain; colic; cramplike; causing her to bend double, with great restlessness, moaning, and lamenting, coming at intervals, frequently worse after eating and drinking. **Colocynth.** (Dioscor.)

_____, constrictive, in the uterine region. Cact. gr.
 _____ contraction, with subsequent soreness for hours after the menses has appeared. Brom.

_____, griping. Graph.

_____, hysterical. Mosch.

_____ (in chest). China, Coff., Cupr. m., Graph.

_____ in hypogastrium. Cimicifuga, Natr. m.,
 Nitr. acid, Zinc.

_____, low down in the abdomen; constriction in the bowels. Nux m.

_____ ; sharp, cutting.

Colocynth.

_____, pressing. Magn. c.

_____, stitching pains in the pelvic region. Nux v.

_____, tearing. Cinnab.

_____ violent. **Amm. c.**

_____, as if cut with knives. Lach.

_____ squeezing pain in the uterine region, down through the thighs. Kali hydr.

_____ with feeling of knotting up the bowels.

Sulph.

_____ nausea and vomiting. **Puls.**

_____ pressing at the vulva. **Plat.**

_____ shivering and nausea. **Nux v.**

_____ cutting. Amm. c., Ars., Baryt. c., Calc. c., Caust., Carb. veg., Coccul., Digital., Ferr., Iod., Kali c., Kreosot., Lach., Natr. c., Natr. m., Ol. an., Phos., Senecio.

_____ also in the back. Ol. an.

_____ contractive—on every motion and every breath; bloated abdomen. **Coccul.**

_____, from the epigastrium into the hypogastrium and the sides of the abdomen and back. Ars.

_____, grinding in the back and groin. Senecio.

_____, griping in the back. Calc. c.

_____, sharp, as from sharp stones, from every motion; even while sitting; parts tender to touch. **Coccul.**

_____, from left to right; constant nausea.

Ipec.

- Pain; colic; cramplike, stitching. **Kali c.**
 ———— tearing. **Secal. cor.**
 ———— violent, as if cut with knives; pain in back and vomiting. **Phos.**
 ———— with tearing in back and loins. **Caustic.**
 ———— from flatulence, in weak emaciated persons. **Aletr. f.**
 ———— the stomach to the inguinal region. **Borax.**
 ———— griping and pinching. **Borax, Chin. sulph., Cimi-**
cifuga, Graph., Plat., Sarsaparilla.
 ———— pressing in the abdomen and groin as if the contents would be pressed out. **Kali c.**
 ———— tearing, extending to the chest. **Chin. sulph.**
 ———— in the afternoon, particularly with eructations without relief, and a sensation of fulness and distension of the abdomen. **China.**
 ———— preceded by great congestion and strangury. **Ver. alb.**
 ———— violent. **Graph., Phytol.**
 ————, causing her to bend over. **Opi.**
 ———— cry out loud and to weep; the pains come periodically, mostly in the evening. **Cact. gr.**
 ————, driving her to despair. **Coff.**
 ————, external warmth affords relief. **Ars.**
 ———— in the loins and lower abdomen. **Xanthoxyl.**
 ———— with pain and tension between the shoulder-blades. **Amm. c.**
 ———— extending into the groins and thighs. **Kali hydr.**
 ———— in the sides. **Phos.**
 ———— and thighs. **Nitrum.**
 ———— restlessness—extreme, tossing about in every direction. **Puls.**
 ———— when the blood ceases to flow especially. **Carb. veg.**
 ———— with diarrhœa. **Alum.**
 ———— and nausea; menses pale. **Phos.**
 ———— and distension. **Natr. c.**
 ———— labor-pains—great. **Sepia.**
 ———— prolapsus of the rectum. **Aurum m.**
 ———— worse from drinking cold milk. **Kali hydr.**
 ———— in a close, warm room. **Puls.**

Pain, contractive. Ignat.

———— in the hypogastrium, relieved by walking in the open air. Conium.

———— cramplike drawing in the hypogastrium, extending into the back. Carb. veg.

———— drawing. Carb. veg., Crocus sat., Nux jugl., Plumb., Staph., Stram.

———— downward the abdominal viscera. Plat.

———— as if caused by a stone. Coccul.

———— cutting, pressing from behind forward. Helon.

———— from the abdomen to the small of the back. Carb. veg.

———— with great depression of spirits. Plumb.

———— side of the—to the groin. Plat.

———— in the—and in extremities. Stram.

———— the pelvis, as if squeezed or pressed by a stone. Amm. c.

———— extreme—as to drive her to desperation. Coff.

———— griping in the hypogastrium. Sarsaparilla.

———— in the—with pains in the back. Amm. m., Thuja.

————, groins, head, teeth and limbs. Sepia.

———— and loins. Amm. m., Kali c., Nux v., Secal. cor.

———— thighs. Magn. m.

———— left hypogastrium, the loins, down the thighs. Sanguin.

———— epigastrium, as if everything would be torn to pieces.

Graph.

———— upper abdomen on motion and while sitting, as if the inner parts were suffering from sharp pressure of a stone; the parts are painful to touch. Coccul.

———— laborlike; bearing down. (See Pain, pressing—Uterine region—Uterus.) Acon., Agaric. m., Ant. crud., Amm. c., Argt. nitr., **Asafoet.**, Asclep. syr., Aurum, **Bell.**, Berb., Borax, **Cham.**, Chin. sulph., **Cimicifuga**, Conium, Crocus sat., Elaps, Ferr., Graph., Hyos., Ignat., **Lach.**, L. V. Deflor., Macrotin, Mangan., Magn. c., Mosch., **Natr. c.**, Natr. m., **Nitr. acid.**, Nux m., Plat., Rhus tox., **Sepia**, Thuja, Ustilago.

Pain; laborlike; as if everything would protrude from the vulva. **Bell.**, **Conium**, **Lilium**, **Natr. c.**, **Nitr. acid.**, **Sepia**, **Ustilago**.

which obliges her to cross her legs; oppression of breathing. **Sepia**.

worse when standing or walking. **Conium**.

followed by a slight flow. **Lach**.

_____ the menses would appear in a few hours.

Crocus sat.

_____ at night and early in the morning. **Magn. c.**

_____, continually, when the flow is more profuse. **Amm. c.**

_____ followed by swooning. **Lycopod.**

_____ from the navel into the legs. **Nux m.**

_____, great, with profuse flow. **Plat.**

_____ in the— and back. **Amm. c.**, **Cham.**, **Cyclam.**, **Digital.**, **Graph.**, **Nitr. acid.**, **Iod.**, **Puls.**, **Sulph.**

_____ intermittent, from the sacrum to the hypogastrium. **Asclep. syr.**

_____ periodical, severe, with weakness or paralysis of the legs. **Hedeoma**.

_____, pressure at the pubes, relieved by lying down, but returns on standing. **Plat.**

_____ spasmodic—with more or less discharge. **Magn. c.**

_____ scanty menses. **Caulophyl.**

_____ stinging in the groins. **Borax.**

_____ violent, she doubles herself up to get relief, but cannot obtain it in any position. **Acon.**

_____ drawing pains; pulling in the beginning of menses. **Mosch.**

_____ with cuttings; returning at intervals. **Asafoet.**

_____ lancinating. **Ignat.**

_____ pain down into the thighs and legs. **Aloe.**, **Conium**, **Ham.**, **Kali hydr.**, **Magn. m.**, **Nitr. acid.**, **Nux m.**, **Nux v.**, **Stram.**

_____ in the hips or in the anus. **Calc. c.**

_____ loins and back. **Aletr. f.**, **Amm. m.**, **Calc. c.**, **Caust.**, **Cham.**, **Cimicifuga**, **Cyclam.**, **Graph.**, **Lach.**, **Lycopod.**, **Nitr. acid.**, **Plat.**, **Puls.**, **Sulph.**, **Thuja**.

_____ right ovarian region especially. **Apis**.

- Pain; laborlike; worse in case of uterine displacement. *Conium*.
 — neuralgic, along the genito-crural nerve. *Xanthoxyl*.
 — pinching. *Mosch.*, *Sarsaparilla*.
 ————— heat, chilliness, convulsions. *Sulph*.
 —————, early in morning in bed. *Natr. s*.
 — pressure; pressing. (See Laborlike pains, *Weight*.) *Amm.*
m., *Apocynum andro.*, *Nux jugl*.
 ————— and drawing in the legs. *Conium*.
 ————— above the os pubis. *Baryt. c.*, *Calc. phos*.
 ————— alternating with pinching pain in the groin, during
 the first day. *Plat*.
 ————— also in the back. *Agric. m.*, *Coccul.*, *Nitrum*, *Puls.*,
Sulph., *Thuja*.
 ————— and limbs. *Nux v*.
 ————— epigastrium. *Bry.*, *Cupr. c.*, *Sulph*.
 ————— as if the parts were being torn.
Graph.
 ————— groins, with griping colic, as if the contents
 would be pressed out. *Kali c*.
 ————— iliac region. *Amm. m*.
 ————— and continuous pinching. *Coff*.
 ————— pelvis, as if pressed or screwed together.
Amm. c., *Caust*.
 ————— sacrum. *Amm. m.*, *Bovista*, *Brom.*, *Castor.*,
Magn. c., *Ratanhia*.
 ————— as from a stone, with disposition of
 legs to go to sleep when sitting, and ineffectual desire to stool. *Puls*.
 ————— as if caused by a stone. *Coccul*.
 ————— drawing down into the legs from the navel. *Nux m*.
 ————— from the hypogastrium. *Iod*.
 ————— extending into the vagina.
Nitr. acid.
 — pressure in the hypogastrium, violent, interrupting sleep.
Magn. c.
 ————— morning early, when in bed. *Natr. sulph*.
 ————— sides of the abdomen. *Nux v*.
 ————— and in the back. *Nitr.*
acid.
 ————— to the uterus and anus. *Ipec*.
 — pulling—from the—to the back. *Plumb*.

Pain, sharp—in the lower part of the—first in the right, then in the left side. *Coccus cacti*.

—— shooting, from the right to the left, across the abdomen.

Lycopod.

—— sickening. *Hyperic*.

—— soreness. *Ham*.

—— across the pubes. *Nux v*.

——, rawness. *Natr. m*.

—— relieved by pressure. *Castor*.

—— ulcerative. *Berber*.

—— sticking. *Kali c*.

—— violent, on left side, near the navel, extending in long stitches into the left side of vagina. *Berber*.

—— stitches. *Borax* (uterine region), *Brom*.

——, drawing and oppressive pains. *Calc. c*.

—— in the—and in the vagina. *Sulph. acid*.

—— stitchlike, aggravated by the slightest motion. *Bry*.

—— straining in the hypogastrium. *Nux. m*.

—— tearing, also in back and hips, until the flow becomes free.

Lach.

——, crampy, with diarrhœa and prostration. *Cinnab*.

—— tension in the uterine region. *Nux m*.

—— as from a tight bandage. *Hyperic*.

—— twisting—moving about with nausea. *Nux v*.

—— violent, clutching, coming and going by spells. *Bell*.

—— contractive, spasmodic, continuing for hours, leaving the abdomen sore. *Brom*.

——, terrible, distressing, in the left iliac region, when walking or riding; she has to lie down to get relief. *Thuja*.

—— she cries aloud and weeps. *Cact. gr*.

—— writhing—with nausea. *Nux v*.

Rumbling. *Aloe*., *Bell*., *Cubeba*, *Kali c*., *Kreosot*., *Lac can*. (left), *Lycopod*. (left), *Phos*.

Spasms. (See Colic, cramplike; spasmodic.)

—— of the abdominal muscles; hysterical. *Mosch*.

Tenderness; cannot bear the weight of her hand or clothes. *Lach*., *L. V. Deflor*.

—— in the hypogastric region. *Cimicifuga*, *L. V. Deflor*., *Macrotin*.

Throbbing in the hypogastric region. *Aescul. hipp*.

Trembling—internal—in the epigastrium. *Argt. nitr.*
 Weakness, emptiness, and weariness—sensation of. **Phos.**
 Weight—troublesome—about the pubes. *Baryt. c.*

After Menses.

Pain—colic. *Cham., Iod., Magn. c., Merc. per., Natr. m., Sac. lac.*
 ———— cutting. *Kali c.*
 ———— and diarrhœa. *Graph.*
 ———— contractive—in the left side of the uterus, has to bend
 double. *Puls.*
 ———— cramps—uterine. *Coccul.*
 ———— laborlike; bearing down. **Cham.**
 ———— as if the menses would reappear. **Kreosot.**
 ———— with pulling
 pains in the groins and hypogastrium. **Plat.**
 ————, cramplike. *Kreosot.*
 ————, drawing in the hypogastrium. *Puls.*
 ————, heavy, especially while standing. *Graph.*
 ————, pressure as from a prolapsus. *Natr. m.*
 ————, very painful, ceasing while in bed, but com-
 mencing again in the morning when rising. *Plat.*
 ———— pressing, through the groins toward the sacrum, with urging
 to stool. *Plat.*
 ———— spasmodic—violent, especially in the groins. *Kreosot.*
 ———— stitches from the hypogastrium to the vagina. *Ars.*
 ———— through the pelvis. **Phos.** (From the vagina to the
 uterus.)
 Sensitiveness of the—to contact. *Cham.*

E. UTERINE REGION.

(See Uterus; Hypogastrium.)

Before Menses.

Contraction. *Natr. m.*
 Pains—burning, aching, sore. *Conium.*
 Pain, colic, cutting. *Magn. c., Natr. c.*
 ———— from the front backward and upward. *Gels.*
 ———— drawing—from the—to the back. *Carb. veg.*
 ———— bearing down. *Mosch.*

Pain, colic, spasmodic. Cimicifuga, Coccul., Nux v., Viburnum opul.

————— with pale face, worse before menses. Amm. c.

————— violent, also in the sides. Nitr. ac.

————— laborlike; intermittent—from the sacrum to the hypogastrium. Aselep. syr.

————— soreness across the pubes. Nux v.

—————, extreme, as from a boil. Verat. vir.

————— stitches. Borax, Brom.

————— tenderness. Cimicifuga.

—————, cannot bear the slightest pressure, even the weight of her clothing. Lach.

————— tension, as from a tight bandage. Hyperic.

————— uterine; contractions—increase at times more and more, till relieved by a flow of blood; after a few hours or days the same, and so on. Lach.

————— severe, spasmodic, or intermittent. Cimicifuga.

————— running downwards. Aescul. hipp., Ipec., Nux v.

————— upwards towards the umbilicus, even to the stomach and chest. Lach., Lycopod., Phos., Sepia.

————— from the abdomen to the back. Tilia.

————— back to the groins and pubes.

Sabina.

————— groins outward and backward.

Sepia.

————— os ilii forward and downward. Bry.

————— uterus to the neck of the bladder and abdomen. Nux v.

Sensation of heaviness in the—with increase of white leucorrhœa. Gels.

During Menses.

Fulness and tension. Caulophyl.

Contraction—spasmodic. Bell.

————— sensation of. Cact. gr.

Cramps—with cutting, contractive pain and great dyspnœa. Ignat.

Heat in the—and ovarian region. Lac can.

Pain—bruised, severe, preventing her to walk erect. Arnica.

———— burning, sore, aching. Conium.

- Pain, contractive, relieved by walking in the open air. Conium.
 — colic. Cannab. ind.
 ——— cramp; spasmodic. Amm. c. (pale face), Cimicifuga,
 Conium, Erigeron, Ignatia (with difficult breathing), Natr. m., Nux
 v., Zinc.
 ——— extending into the back. Carb. veg.
 ——— griping. Sarsaparilla.
 ——— pressing, extending into the thighs. Nux v.
 ——— relieved by pressure and in a recumbent
 position. Ignat.
 ———, squeezing, violent, down to the thighs. Kali hydr.
 — cutting. Graph.
 — direction of. (See Uterine region before menses.)
 —, distress all through the pelvis and uterine region, with sen-
 sation as if the abdomen would burst; slight relief from leaning
 back. Lac can.
 —, in left side of pelvis all day. Sac. lac.
 — loins, down the thighs. Sanguin.
 — laborlike. Ignat.
 — lancinating. Ignat.
 — pressing—from within outwards—from above the puden-
 dum into the vagina. Lycopod.
 — pressure. Aletris f., Iod.
 ——— and weight, just above the pubes. Baryt. c.
 — soreness across the pubes. Nux v.
 ——— extreme, as if from a boil. Verat. vir.
 — stitching in the uterine appendages. Kali c.
 — stitches. Borax, Brom.
 — straining, and drawing pain in the limbs. Nux m.
 — tenderness. Cimicifuga, L. V. Deflor., Macrotin.
 ———, cannot bear the slightest pressure, even the weight
 of her clothing. Lach.
 — violent, interrupting sleep. Magn. c.
 Spasms. Coccul., Conium, Graph., Ignat., Senecio, Viburnum
 opul.
 ——— with crampy, pressing pains; relieved by pressure and
 while in a recumbent position, with great sighing and sobbing. Ignat.
 ——— lancinations or laborlike pain. Ignat.
 Tension. Nux m.
 —, as from a tight bandage. Hyperic.
 Throbbing. Aescul. hipp.

F. GROINS, OVARIAN REGION; GROINS.

(See Ovaries.)

Before Menses.

- Pain—acute—in the left ovarian region. **Ustilago.**
 — burning or sharp in the ovarian region and uterus. **Lac can.**
 — cutting—and back. **Argt. nitr., Senecio.**
 ————— and bowels. **Senecio.**
 ————— from the right to the left ovarian region. **Lycopod.**
 — pressure—painful—and anus. **China.**
 — pushing, stitching in the left ovarian region. **Capsic.**
 — soreness in groin and right hip. **Sarsaparilla.**
 — violent—commencing and going, in the ovaries, uterus, and back. **Ustilago.**
 — with cold creepings. **Tart. emet.**
 — worse in the left—**Lach.**

During and after Menses.

- Pain—in the left ovarian region—during menses. **Ustilago.**
 Pain. (Bowels and stomach.) **Castor., Magn. s., Sepia.**
 — burning and cutting in the—when urinating. **Natr. m.**
 ————— in the right groin when sitting bent. **Kali nitr., Nitrum.**
 — cutting—and in small of back, during menses. **Argt. nitr.**
 —————, grinding (bowels and sacrum). **Senecio.**
 —————, running from the right to the left groin. **Lycopod.**
 — distress—terrible—in the left iliac and ovarian region.
Thuja.
 — heat in the—and uterine region. **Lac can.**
 — heaviness, from the right groin to the shoulderblade, with gastralgia; after menses. **Borax.**
 — laborlike—in the right ovarian region. **Apis.**
 — lancinating, spasmodic, pressing, during and after menses.
Borax.
 — pinching, alternating with pressure in the abdomen during the first day. **Plat.**
 —————, alternating with pressure in the vulva, when the menses appear. **Plat.**
 — pressure, as though the menses would reappear. **Plat.**

- Pain—pressure, and pain in the abdomen. Castor.
 ——— through the groins, after menses, toward the sacum,
 with urging to stool. **Plat.**
 ——— violent (in back and thighs), with ineffectual eruc-
 tations, chilliness, and gaping. **Carb. an.**
 ——— pulling. **Plat.**
 ——— pushing and sticking in the left ovarian region. **Capsic.**
 ——— sensitiveness—great—in the right ovarian region. **Iod.**
 ——— soreness. **Helon.**
 ——— and excoriation—feeling of. **Bovista.**
 ——— in the right groin, with great desire to urinate, at
 the appearance of menses. **Sarsaparilla.**
 ——— stinging with bearing-down pains. **Borax, Gossyp.**
 ——— deepseated tenderness, and frequent micturi-
 tion. **Apis.**
 ——— stitches. **Borax, Brom.**
 ——— violent—coming and going, also in the uterus and back.
Ustilago.
 ——— weight. **Kali c.**
 ——— when sitting or standing, less when walking. **Magn. sulph.**

Anus, Rectum, Perinæum.

(Constitutional symptoms usually worse during menses.)

- Fissures. **Nitr. ac.**
 Hæmorrhoids. **Aloe, Amm. c., Carb. veg. (in vulva), Coccul.,**
Collinson., Graph., Ham., Lach., Muriat. acid, Phos.
 ——— with rather soft, or too frequent stools. **Aescul.**
hipp., Aloe.

Before Menses.

- Bloody discharge. **Amm. c.**
 Cramps in the rectum and bladder. **Caulophyl.**
 Pressure in the rectum as from a desire to stool. **Puls.**
 ——— painful—and in the anus. **China.**
 Soreness in the perinæum. **Sepia.**
 Stitches and lacerations from the rectum to the anus and puden-
 dum. **Ars.**
 Tenesmus and faintness. **Thuja.**

During Menses.

- Burning and soreness in anus, and smarting in vagina. **Berber.**
 ——— in the rectum. Carb. veg.
 ———, pulsating, after stool. Aloe.
 Constriction in the rectum—sensation of. Cact. gr.
 Contraction in the rectum Coccul.
 Cramps in the rectum and bladder. Caulophyl.
 Discharge—bloody. Amm. c., Lach.
 ——— after emission of flatus. Kreosote.
 ——— mucous. Lach.
 Dragging down in the rectum, with sense of fulness in the pel-
 vis. Aloe.
 Flatus—emission of large quantities. **Brom.**
 ——— smelling like rotten eggs. Kreosot.
 Hæmorrhagia. Graph.
 Hæmorrhoids—extremely sore to touch, and sometimes itching
 terribly. Muriat. acid.
 ——— itching in rectum and vulva. Carb. veg.
 ———, stinging, especially about the anus, and of
 the skin generally. Phos.
 ———; worse during menses. Amm. c., Carb. veg.
 ——— pain in the. Graph.
 ——— protruding in bunches, relieved by cold water. Ars.
 Pain in the perinæum. Berber.
 ——— rectum, stitches extending into the anus and vulva. Ars.
 ——— stitches—long—from below upwards. Ignat.
 ——— lancinating—from the rectum to the anus and pudendum.
 Ars.
 ——— soreness—in the rectum. Carb. veg.
 Prolapsus. Aurum, Elaps.
 ——— while at stool. Podoph., Asarum europ.
 ——— with colic. Aurum.
 Sensation as from a lump in the rectum. (Retroversion.) Sepia.

After Menses.

- Hæmorrhoids worse. **Coccul.**
 Pinching in the perinæum. Berber.
 Urging to stool, with pressing pain through the groin toward the
 sacrum. Plat.

Stool.

(Constitutional symptoms usually worse during menses.)

Constipation. Alum., Chelidon, Collinson., Graph., Ham., Natr. s., Nux v., Phos., Plumb., Sepia, Silica, Thuja.

_____ with dry fæces. Argt. nitr.

_____ hard, knotted fæces; difficult to discharge; followed by a prolapsed feeling in the rectum. Aescul. hipp.

_____ lumpy fæces, like sheep manure. Chelidon., Plumb.

_____ narrow fæces. Phos.

Diarrhœa. Phos.

Before Menses.

Constipation. Graph.

_____ in the morning. Bry.

_____ with colic at stool. Alum, Natr. s.

_____ ; pinching, writhing, and pressing in the bowels, like labor-pains; straining to stool aggravates the symptoms. Alum.

_____ before stool; cramps and rumbling in the abdomen. Aloe.

_____ constant unsuccessful urging to stool, and discharge of small pieces. Nux v.

_____ distress an hour or two before stool. Kali c.

_____ inactivity of the bowels. Bry.

_____ stools hard and lumpy, remaining long in the rectum, as if it was too powerless to expel it. Silic.

_____ large and difficult to expel. Nux v.

_____ tenesmus. Amm. c., Thuja.

During Menses.

Constipation. Aletr. f., Amm. c., Apis, **Bry.**, Plat., Phos., Sepia.

_____ ; blood passes with every stool. Amm. m.

_____ (hæmorrhage) with cutting in the abdomen. Iod.

_____ ; stools hard and black. **Nux v.**

_____ , difficult; tenesmus. Amm. c.

_____ , knotty, difficult, insufficient; sometimes mixed with blood. Sepia.

_____ , lumpy, remaining long in the rectum, as if it was too powerless to expel it. Silic.

Constipation ; stools hard, knotty, streaked with blood, accompanied and succeeded by smarting in the anus. *Natr. s.*

———— large, and sometimes only partially digested. *Calc. c.*

———— narrow, stiff, and difficult to expel. *Phos.*

———— with colic, cramp, and rumbling in the abdomen before each stool. *Aloe.*

———— constant ineffectual urging to stool. *Aloe., Nux v.*

———— straining to stool. *Puls., Sulph.*

———— ; nausea. *Calc. c.*

———— sensation as from a heavy lump in the rectum.

(Retroversion.) *Sepia.*

Desire to stool after each meal. *Aloe.*

———— constantly. *Aloe.*

————, ineffectual. *Bell., Puls.*

———— frequent. *Nux v., Opi.*

Involuntary passage of even a hard stool while passing wind. *Aloe.*

Before Menses.

Diarrhœa. *Amm. c., Bovista, Cinnab., Silic., Verat. alb.*

———— with bearing down toward the genitals. *Bovista.*

———— cold feet. *Hyperic.*

———— tenesmus and oppression ; mucous stools. *Merc.*

———— violent. *Lach.*

———— with burning of the anus. *Bovista.*

During Menses.

Diarrhœa. *Alum, Amm. c., Amm. m., Bovista, Bry., Caust., Cham., Chelidon, Cinnab., Kali hydr., Kreosot., Natr. c., Verat. alb.*

———— and vomiting. *Amm. m., Verat. alb.*

———— at the appearance of menses. *Verat. alb.*

———— night with mucous stools. *Chelidon.*

———— colic, nausea—menses pale. *Phos.*

———— in the morning. *Bry.*

———— involuntary, soft stool, while passing wind. *Aloe.*

————, stool bloody. *Amm. m.*

———— greenish. *Cham.*

———— with burning of the anus. *Bovista.*

Diarrhœa, with burning, like mush; thin; bright yellow; gray; hot; undigested. Aloe.

———— mucous—at night. Chelidon.

———— with tenesmus and great oppression. Merc.

———— watery. Cham.

———— with relief from a painful distension of the abdomen in the morning. Natr. c.

———— very exhausting, with cold sweat. Verat. alb.

———— with colic. Alum, Natr. c.

———— great trembling of the limbs. Magn. c.

———— thirst. Verat. alb.

———— vomiting. Amm. c.

———— and cold sweat, especially on the forehead. Verat. alb.

———— pressure and contraction in the back. Amm. c.

After Menses.

Diarrhœa. Ars., Graph., Lach., Natr. m.

————, mucous, with colic and headache. Natr. m.

———— with cutting in the abdomen. Graph.

———— stinking watery discharge, likewise from the vagina. Ars.

URINARY ORGANS.

Before Menses.

Burning of urine. Apis, Cact. gr., Cannab. ind., Canth.

———— with white sediment. Canth.

Cramps in the bladder. Nux v.

Desire to urinate constantly. Lac can.

———— frequently. Alum., Apis, Asarum europ., Digital., Kali c., Kali hydr., Nux., Phos., **Sarsaparilla**.

————; great urgency to. Kali hydr.

Intermittent flow of urine during micturition. **Conium**.

Odor strong. Merc.

Strangury. Verat. vir.

Urine red, with brickdust sediment. Nux v.

———— scanty, dark—mucous. Apis.

———— with mucous sediment. Lach.

· Urination followed by a thick yellow discharge, staining the linen yellow. Sac. lac.

At the Beginning of Menses.

Desire to urinate, acidity and sore pains in the genitals. **Sarsaparilla.**

During Menses.

Burning urine. Apis, Cact. gr., Cannab. ind., Canth.

Constriction of the bladder—sensation of. Cact. gr.

Cramps of the bladder. Caulophyl. (and rectum), Nux v.

Desire to urinate constantly. Indigo.

———— frequently. Alum., Apis, Ars., Asarum europ., China, Nux v., **Sarsaparilla.**

————; painful; urine profuse and pale. Canth., **Cham.**, Lac can.

———— watery; colorless; nightly. Phos. acid.

————, with great urgency, but did not succeed, until a clot of blood was passed from the vagina. Coccus cact.

————, when the menses appear; painful. Kali hydr., Sarsaparilla.

———— slow flow of urine. Plat.

———— tenesmus vesicæ. **Nux v.**

Enuresis; cannot hold her water. Hyos.

———— when taking exercise. Calc c..

Intermittent flow of urine. **Conium.**

Odor of urine—strong. Nitr. acid.

Painful conclusion of urination. **Sarsaparilla.**

————; burning-cutting in the groins. Natr. m.

————; incisive pain between the labiæ. Conium.

———— scalding. Nux v., Zinc.

———— with sensation of soreness through the whole urethra; dysuria. Cannab. sat.

Retention of urine. Ham., Kali bich.

————, painful; strangury. Graph., Sabina.

Strangury. Verat. vir.

Urine acrid, excoriating day and night. Alum.

—— albuminous. Helon.

—— copious. Hyos., Phytol.

————, colorless, pale, especially at night. Phos. acid. (Cham.)

————, with pain. Asclep. syr.

Urine passes in drops, causing pain. Cact. gr., **Canth.**
 — red. Kali bich.
 — with brickdust sediment. Nux v.
 — adhering to the vessel. **Sepia.**
 — scanty, dark; mucous. Apis.
 —, red. Kali bich., Sabina.
 Tenesmus vesicæ. **Nux v.**, Rhus tox.

After Menses.

Frequent inclination to urinate. Cham.
 Urine—bloody mucus. **Canth.**
 — milky. Natr. m.

SEXUAL ORGANS.

Uterus.

Constitutional Symptoms usually Worse during Menses.

(See Abdomen—the Hypogastrium; Uterine region.)

Dislocation of the Uterus. Aletr. f., Aloe., Alum., Argt. m., Bell., Calc. phos. (worse in damp weather, with rheumatism), Cimicifuga, Collinson., Conium, Ferr., Kali bich. (usually worse during warm weather), Lilium, Nux v., Sepia, Trill.

Induration of the cervix. Conium, Iod., Kreosot., Phytol., Sepia.

Polypus. Calc. c., Calc. phos., Conium, Lycopod., Phos., Rhus tox., Sanguin., Thuja.

Before Menses.

Congestion. Verat. vir.

—— to the—with feeling of fulness, and painful pressing in the genital organs, especially when walking. **China.**

Discharge of long pieces of mucus. Ferr.

Distension. Nux m., Phos. acid.

Pain. Arundo maurit.

—— burning and contractive. Curare.

—— in the—and in the ovarian region. Lac can.

—— vagina. Bufo.

—— contraction, congestion, and irritability. Caulophyl.

—— neuralgic. Cannab. ind., Caulophyl., Cimicifuga, Lilium.

—— pinching. Bry.

—— sharp in the—and ovaries. Lac can.

Pain sore—as if cut by a sharp instrument. *Murex purp.*
 — spasmodic, violent. *Amyl. nitr., Viburnum opul.*
 —————, intermittent, expulsive. *Caulophyl.*
 — violent—coming and going; likewise in the ovaries and back. *Ustilago.*
 ————— in the right side of the uterus, extending to the chest. *Murex purp.*
 ————— lancinating, stitching through the—down the legs. *Graph.*
 ————— pressing and drawing. *Nux jugl.*
 Throbbing and beating. *Cact. gr. (ovaries), Murex purp.*
 ————— with sense of weight. *Gels.*

During Menses.

Congestion. *Verat. vir*
 ————— to the—with feeling of fulness, and painful pressing in the genital organs, especially when walking. **China.**
 Constriction—sensation of—usually only felt when the menses is very profuse. *Murex purp.*
 Displacements are always worse. *Calc. phos.*
 Distension. *Phos. acid.*
 ————— sensation of. *Canth.*
 Movements as from a foetus. *Natr. c.*
 Pains at the beginning. *Nux m.*
 — contraction, congestion, and irritability. *Caulophyl.*
 — contractive, spasmodic. *Bell., Cact. gr.*
 — cramps. **Conium, Nux v.**
 ————— in the—with pressing in the hypogastrium, down into the thighs. **Nux v.**
 — griping and digging. *Nux v.*
 — in the—and ovaries, extending down inside the thighs. *Lilium.*
 — laborlike. **Cham., Conium, Rhus tox.**
 —————, peculiar pressure, as if something would come out. *Antim. crud.*
 —————, bearing down, compelling her to bend double, but finding no relief in any position. *Acon.*
 ————— returning at intervals. *Asafoet.*
 ————— with tearing in the veins of the legs. **Cham.**
 — neuralgic. *Cannab. ind., Caulophyl., Cimicifuga, Lilium, Viburnum opul.*

- Pains, pinching and squeezing. Cham.
 — pressing down in the—aching across the hips. **Cimicifuga.**
 — sharp, plunging, stabbing (or in head), sometimes followed by convulsions. Apis.
 ———, sore, as if cut by a sharp instrument. Murex purp.
 — spasmodic. Amyl. nitr., Viburnum opul.
 ———, intermittent, expulsive. Caulophyl.
 — spasms, crampy pressing relieved by pressure and while in a recumbent position; attended with great sighing and sobbing. Ignat.
 — stitches, coming from the loins. Natr. m.
 — violent, coming and going, likewise in the ovaries and back. Ustilago.
 ———, in the right side extending to the chest. Murex purp.
 ——— lancinating, stitching through the—down the legs. Graph.
 ——— pressing and drawing. Nux jugl.
 Sensation as if the os was open. Lach.
 Throbbing beating. Cact. gr. (ovaries), Murex purp.

After Menses.

- Congestion. **Plat.**
 Induration. Iod.
 ——— of the cervix, becomes sensitive. Kreosot.
 Pain—burning, especially after an embrace. Kreosot.
 — cramps. **Coccul.**
 ———, like labor pains. Puls.
 — cutting in the os tinæ. Puls.
 — pulling and pressing in the lower part of the uterus, in the morning, with drowsiness. Puls.
 — stitches and cramps. Plat.
 — worse—all. Kreosot.
 ——— in the morning than in the afternoon. Kreosot.
 Prolapsus. Kreosot.

Ovaries.

(See Abdomen—Ovarian region and Groins.)

Constitutional Symptoms usually Worse during Menses.

- Affections of the ovaries. Ham.
 ——— right ovary. Apis, Ferr., Glon., Graph., Iod., Lac can., Palladium, Rhus tox., Sac. lac.

Affections of the left ovary. *Argt. nitr.*, *Graph.*, *Lach.*, *Lac can.*, *Lycopod.*, *Stram.*, *Thuja*, *Ustilago*.

Before and During Menses.

Inflammatory and congested condition before menses, especially of the right ovary, with extreme soreness and sensitiveness, which makes every motion and position, even breath, painful. *Lac can.*

Pains. *Xanthoxyl.*

—— with prolapsus of the uterus. *Argt. m.*

——, irritation, and sensitiveness; right. *Rhus tox.*

————— severe, also in uterus and back. *Ustilago.*

—— starting in the right ovary, running to the hip and back. *Aescul. hipp.*

—— stinging, sharp cutting in the right—which may also be swollen. *Apis.*

—— tearing, grinding, writhing, twisting in the right—as if it would burst, followed by a discharge of bloody pus. *Graph.*

Swelling. *Apis*, *Brom.*

Tenderness—deepseated. *Apis.*

Throbbing beating in the—and uterus. *Cact. gr.*

During Menses.

Pain. *Canth.*, *Cham.*, *Iod.*, *Lach.*, *Phos.*

—— in the—and the back. *Iod.*

—————, abdomen, and limbs. *Phos.*

—— boring in the left—partially relieved by pressure. *Zinc.*

—— dull, pressing, extending from the right—to the uterus; as if a plug were driven from the ovary to the uterus, and through the sexual organs in general. *Iod.*

—— extending down the inner side of the thighs. *Lilium.*

—— lancinating stitches, in the indurated and swollen left ovary; painful to touch; worse by inspiration. *Graph.*

—— sharp cutting, stinging in the right, which may also be swollen. *Apis.*

—— stitching. *Colocynth.*

—— violent, distressing in the left—and uterine region, has to lie down, cannot sit up. *Thuja.*

After Menses.

Swelling and hardness. *Graph.*

Vulva.

Constitutional Symptoms, usually Worse during Menses.

Hæmorrhoids. Carb. veg., Lycopod., Thuja.

Pimples—large, painful, sensitive—on mons veneris. Conium.

Sensitiveness—painful—internally and externally. Plat.

Before Menses.

Aphthæ, with burning and itching. Carb. veg.

Contraction—feeling of—as from astringent applications. Lac can.

Eruption on the labia majora. Aurum mur.

Excoriation, burning, and swelling. Sepia.

Itching. Carb. veg., Bufo, **Graph.**, Kali c., Lac can., Lycopod., Merc. (of the labia especially), Sulph.

Labia extremely sore; urine causes intense pain when coming in contact. Sac. lac.

Pain, drawing, pressing downward into the genitals. Mosch.

— pressing in the pudendum. **China**, Crocus sat.

— sharp—running around each labia. Lycopod.

— smarting. Carb. veg.

— soreness. **Kali c.**

— of mons veneris. Bovista.

— stitches in the labia. Conium.

Sensation as from something alive. Lac can.

— of enlargement and soreness in the perinæum. Sepia.

Swelling of the pudendum. Lycopod.

Voluptuous feeling. Calc. phos.

At the Beginning of Menses.

Acridity and sore pain, with desire to urinate. **Sarsaparilla.**

Pressure, alternating with pressure in the groins. Plat.

During Menses.

Aphthæ, with burning and itching. **Carb. veg.**

Biting, violent, caused by the discharge. Ambr. gr., **Carb. veg.**, Kali c., Kreosot., Rhus tox.

Excoriation. **Graph.**

Formication. Elaps.

Itching. Agaric. m., **Ambr. gr.**, Amm. c., Bufo, **Carb. veg.**, **Caust.**, Coff., **Conium**, Hep. s., **Kali c.**, **Kreosot.**, Lac can., L. V. Deflor., Lycopod., Natr. m., Nux v., **Petrol.**

———, biting, corrosive, within the vulva. **Kreosot.**

——— voluptuous—excessive. **Coff.**, **Kali brom.**

Mons veneris cold and extremely sensitive to touch; she cannot wear the napkin usually worn; vulva and vagina are excessively sensitive and chilly. **Plat.**

Mucous accumulation, thick and tenacious, about the genital organs. **Kali bich.**

Numbness. Mosch., **Plat.**

Pain between the labia when urinating. **Conium.**

———, burning, itching—excitement. **Kali brom.**

——— of the varicose veins. **Thuja.**

——— soreness. **Kali c.**, **Silic.**

——— cramplike. **Kreosot.**

——— pressing. **Mangan.**

———, from without inward, or from above the pudendum into the vagina, when stooping. **Lycopod.**

——— coming from the groins. **Plat.**

——— with cramp-colic. **Plat.**

——— soreness. **Kali c.**

——— across the pubes. **Caust.**, **Nux v.**

——— and in anus. **Carb. veg.**

Pimples, suppurating. **Allium sat.**

Pruritus. **Coff.**, Hep. s., **Petrol.**

Sensitiveness, great. **Coff.**

Soreness of the—and between the thighs. Hep. s.

———, with a watery secretion.

Gossyp.

Swelling, heat. Amm. c.

———, and hardness of the labia. **Kreosot.**

———; red rose spots, resembling little ulcers. **Carb. veg.**

Tetter. **Dulc.**

Titillation. Agaric. m., Mosch.

Weight—great—sensation of. **Lobelia.**

After Menses.

(See Vagina after Menses.)

Erythematous soreness; gnawing pimples; itching and smarting. **Kali c.**, **Phos.**

Heat. Kali brom.

——, burning, itching. Curare, Graph., Natr. m.

Itching. Conium, Magn. c., **Natr. m.**

—— a few days after menses. **Phos. acid.**

Pimples and falling off of the hair. **Natr. m.**

Sensitiveness and pressure at the pubes painful, with chilliness.

Plat.

Soreness. Kali c.

—— of the—and between the thighs. **Graph.**

Stitches or stinging. Kali c.

Labia Majora.

Before and During Menses.

Herpetic eruption. Dulc.

Heaviness and enlargement, sensation of. Murex purp.

Stitches in the—and vagina. Conium.

Swelling and soreness. Ambr. gr., Kali bich.

After Menses.

Burning stitches in the—and in the vagina. Puls.

Pricking pain. Kali c.

Swelling, heat, and hardness. **Kreosot.**

Vesicles. Graph.

Vagina.

Before Menses.

Burning. Bufo, Natr. m.

——, is scarcely able to keep still. **Sulph.**

Discharge of long pieces of mucus from the uterus. Ferr.

—— some blood. Magn. c., Merc.

Fluor albus. (Consult for particulars the chapter on Fluor albus.)

Alum., Baryt. c., Calc. c., Calc. phos., Carb. veg., Chin., Cubeb., Ferr., Graph., Kreosot., Lach., Lac can., Magn. m., Natr. c., Natr. m., Phos., Phos. acid, Puls., Sabina, Sepia, Sulph.

Heaviness—sensation of—during colic. Murex purp.

Itching. Graph.

During Menses.

Aching. Calc. c.

Burning, smarting, and violent pain in—and soreness in anus.

Berber.

Discharge—copious watery, instead of blood. Silic.

Emission of flatus. Lac can.

—————, large and loud. **Brom.**

Fluor albus. (Consult for particulars the chapter on Fluor albus.)

Alum., Amm. c., Carb. an., Conium, Magn. m., Mezer., Phos., Puls.

Heat and dryness. **Bell.**

Heaviness, feeling of—during colic. Murex purp.

Itching. **Conium**, Elaps.

Pressure and weight low down in the—relieved by firm pressure.

Lilium.

Soreness. **Brom.**

Stitches. **Conium**, Rhus tox.

———— in the—and in the abdomen. Sulph. acid.

———— from above downward. Kreosot.

———— before backward. Sabina.

After Menses.

Burning and pain after an embrace. Kreosot.

———— smarting. Berber., Graph.

———— stitches in the—and in the labia. Puls.

Constricting pain followed by fluor albus. Kreosot.

Discharge of bloody clots with foul smell, after severe burning pain in the pelvis. Kreosot.

———— slime or stinking water—likewise from the anus. **Ars.**

———— ichor, foul odor, with itching and biting. Kreosot.

———— tenacious black blood, three days after menses, and later very profuse leucorrhœa. Carlsbad.

Dryness of—with aversion to coition. **Natr. m.**

————, heat, and sensitiveness. Berber.

Fluor albus. (Consult for particulars the chapter on Fluor albus.)

Alum., Ars., Borax, Bovista, Calc. c., Calc. phos., Carbol. acid, Cubeb., Graph., Hydrast., Iod., Kali c., Kalmia, Kreosot., Lilium, Magn. c., Merc., **Natr. m.**, Phos., Phos. acid., Plat., Puls., Ruta, Sabina, Silic., Sulph., Zinc.

Itching—severe—and in the vulva: **Conium.**

————, voluptuous, deep in the—with strong sexual desire, especially in the morning. Kreosot.

Menstrues reappear after an embrace, with a profuse flow of dark blood, followed by a grayish leucorrhœa, with swelling, burning, and itching in the parts. Kreosot.

Soreness and pain during coition. Kali c., Kreosot., Natr. m.
 ——— rawness. Kali bich.

Stitches from the—through the uterus and through the pelvis.
 Phos.

——— in the—and labia. Conium.
 ——— coming from the hypogastrium. Ars.
 ——— like electric shocks from the abdomen. Kreosot.

Mammæ.

Constitutional Symptoms, usually Worse during Menses.

Emaciation. Iod., Lac V. Deflor.

Before Menses.

Hardness. Spong.
 Pain under left breast. Sac. lac.
 Secretion like milk from swollen mammæ. Cyclam.
 Soreness of the—and nipples. Helon.
 Swelling and tenderness. Calc. c.
 ———, hardness, and painfulness. Conium, Lac can.

During Menses.

Dwindling of the. Iod., L. V. Deflor.
 Induration. Carb. an.
 Pain—acute. Iod.
 ——— and soreness; full of small hard lumps, like marbles. Lac
 can.
 ——— burning. Indigo.
 ——— constant—and in the nipples. Lac can.
 ——— darting in the right breast when stooping, worse on rising.

Gratiola.

——— soreness. Helon., Zinc.
 ——— stinging—relieved temporarily by friction. Indigo.
 ——— stitches. Conium, Caustic., Phos.
 ——— beneath the left breast. Caustic.
 Swelling and hardness. Viburnum opul.
 ——— tenderness. Conium, Dulc., Helon., Thuja.
 Tumors worse. Conium, Phytol.

After Menses.

Swelling. Cyclam.
 ——— with secretion like milk. Cyclam.

Sexual Desire.*Before Menses.*

Absence of—even aversion to—in the morning. Bell.

Increased. Bell. (evenings). Calc. c., Calc. phos., Crocus sat., Dulc., Kali c., Nux v.

Voluptuous feeling, pleasurable sensation as during an embrace, especially on awaking in the morning. Kali c.

Before and During Menses.

Aversion to coitus. Caustic., Graph., Natr. m.

Increased. Cubeba, Dulc. (with urticaria or rash).

Violent. Cannab. ind., Coff., Mosch., Murex purp., Phos., Plat., Stram.

———, from the least contact of the parts, and if it was only with the garments. Murex purp.

Wanting. Agn. cast., Conium.

During Menses.

Excessive. Kali brom.

Increased. Cannab. ind., Curare, Bufo, Hyos., Lach.

——— during the first day. Camph.

——— especially in the morning. Kreosot.

Nymphomania. Curare, Kali brom., Plat.

After Menses.

Aversion to an embrace. **Caust.**, Kali c., Natr. m., **Phos.**

———, with dryness of the vagina. **Natr. m.**

Increased. Cannab. ind., Kali c., Sulph. acid.

——— or unnatural, with voluptuous tingling in the sexual organs and lower abdomen; anxious oppression and palpitation. Plat.

Sexual Congress.

Constitutional Symptoms, or Symptoms appearing always before Menses.

Burning in the vagina. Lycopod.

———, followed next day by a discharge of black blood. Kreosot.

Painful. Ferr.

Painful, followed often by a discharge of blood. *Sepia*.

———, uterus sensitive to touch; tensive cutting pains in uterus.
Puls.

After Menses.

Soreness and painfulness of the vagina. *Kali c., Natr. m.*

Conception.

Constitutional Symptoms.

Easy. *Borax, Merc. viv.*

Sterility. *Apis, Borax, Calc. c., Canth., Cimicifuga, Curare, Helon., Merc. viv., Millefol., Natr. m., Nux m., Phos., Phytol., Sepia, Sulph., Sulph. acid.*

——— from profuse menstruation. *Millefol.*

——— and too early menstruation. ***Calc. c., Natr. m., Sulph.***

——— late menstruation. *Phos.*

———, with decreased sexual desire. *Ferr.*

——— delayed menses. *Caust.*

——— excessive voluptuousness. *Phos.*

Larynx.

During Menses.

Cough. *Lachnanth.*

——— during the day. ***Graph.*** (hoarseness).

Hoarseness and roughness of the voice in the morning. *Mangan.*

Hysterical spasms of the—and chest. *Caulophyl., Coccul.*

Laryngismus. *Bell.*

Weakness. *Carb. an.*

Chest.

(See Heart.)

Before Menses.

Asthma. (See Oppression; Suffocation.) *Cupr., Puls.*

———, spasmodic. ***Cupr.***

Bleeding from the lungs. ***Puls.***

Congestion to the—and head. ***China, Sanguin., Verat. vir.***

Cough at night, but slight. *Senecio.*

———, choking; compels her to jump out of bed. *Digital.*

——— dry, continuous, choking from dryness in the larynx;
worse after talking; causing soreness in the abdomen. *Lac can.*

Cough every evening. **Sulph.**
 ——— hysterical—from an irritation behind the upper fourth of the sternum. **Plat.**
 ——— mornings and during the day; fatiguing. **Graph.**
 Cramps (see Pain).
 Expectoration of solid bloody masses of mucus. **Digital.**
 Fulness in—and head, with difficult respiration. **Brom.**
 Gasping for breath. **Spong.**
 Oppression; catching for breath. **Borax, Brom., Lach**
 Pain and oppression, with cough. **Lac can.**
 ———; cramps; spasms. **Cupr., Lach., Viburnum opul.**
 ——— hysterical, in the—and of the larynx.

Caulophyl.

—— in the—and bowels. **Graph.**
 ——— side. **Bell., Magn. m.**
 ———, with tearing and aching. **Magn. c.**
 —— indefinite. **Digital., Graph.**
 —— shooting and darting—coming from the abdomen. **Cupr. ac.**
 —— in the left side. **Conium.**
 —— stitching in the side. **Puls.**
 —— right pectoral region. **Borax, Gratiola.**
 —— through the—and neck. **Natr. m.**
 —— up to the left side. **Conium.**
 Suffocation. **Laurocerasus, Spong.**

During Menses.

Asthma. (See Oppression; Suffocation.) **China, Cupr.**
 ——, attacks of. **Cupr.**
 ——; shortness of breath. **Plat.**
 Bleeding of the lungs. **Puls.**
 ——, or spitting of blood. **Iod., Natr. m., Phos.,**

Sepia.

Burning. **Lobelia.**
 —— rising up from the stomach. **Mangan. (head, chest).**
 Congestion to the—and head. **Acon., Chin., Glon., Sanguin.,**

Verat. vir.

Constriction—sensation of. **Cact. gr.**
 —— suffocation. **Mosch.**
 Cough. **Cubeba.**
 —— at night, but slight. **Senecio.**
 ——, coryza, fever. **Graph.**

Cough, hysterical—from irritation behind the upper fourth of the sternum. **Plat.**

———— morning and through the day; fatiguing. **Graph.**

———— worse in bed and after sleeping. **Lachnanth.**

Coughing up blood. **Iod., Sepia.**

Oppression. (See Asthma.) **Cact. gr., Calc. c., Coccul., Graph., Ipec., Lycopod., Puls., Zinc.**

———— caused by the clothes around the epigastrium. **Calc. c., Zinc.**

————; pressure in the. **Graph., Mosch.**

————, she cannot breathe well in a warm room. **Puls.**

———— with laborlike pains. **Sepia.**

Pains; cramps; spasms in the—and abdomen. **Chin., Graph., Viburnum opul.**

———— larynx; hysterical. **Caulophyl.**

————, drawing in the sides, worse from stretching, better from stooping. **Magn. c.**

———— in every external part of the thorax on moving it. **Lauro-cerasus.**

———— the sides. **Puls.**

———— acute. **Cham.**

———— and small of the back. **Amm. c., Bell.**

————, right. **Sac. lac.**

————, left; shooting. **Conium.**

———— stitches. **Berber., Conium, Kreosot., Natr. m., Puls.**

———— beneath the left breast. **Caustic.**

———— in the sides. **Kreosot.**

————, left. **Conium, Lachnanth.**

———— through the chest and neck. **Natr. m.**

———— sides, when moving the arms; when laughing or drawing a long breath. **Puls.**

Perspiration at night. **Bell.**

———— profuse, also at the back. **Kreosot.**

Rattling in the lungs. **Cact. gr.**

Spitting of blood. (See Bleeding.)

Spasms of the lungs. **Mosch.**

———— chest. **Coccul.**

Suffocating spells. **Cupr.**

———— awaking with. **Spong.**

———— sense of—or of something tight about the neck.

Lach.

After Menses.

Congestion. Thuja.

Irritation. Puls.

Pain—bruised—in the side, worse in the morning or evening.

Magn. c.

———— sensation in the right chest, when taking a deep inspiration. Lac can.

Respiration—difficult. Natr. m., Puls.

Heart.

(See Chest.)

Before Menses.

Constriction—sensation of—above the—as if the heart were grasped or compressed. **Cact. gr.**

Pain. Cact. gr., Lach., Spong.

Palpitation. Alum., Cact. gr., Cupr., Ignat., Iod., Natr. m., Spong.

———— and headache. Alum.

———— awakens with. Alum.

———— following a headache. Spong.

———— from retarded menses. Cimicifuga.

———— worse when lying on the left side; or when walking; or at night. **Cact. gr.**

Suffocation spells about the—with gasping for breath, especially when sitting up. Laurocer.

During Menses.

Inflammatory affections. Natr. m.

Pain—aching. **Conium.**

—— or pressure, with fluttering. Lilium.

—— sharp. Conium.

Palpitation. Agar. m., Bufo, Cact. gr., Cyclam., Graph., Ignat., Lachnanth., Mosch., Natr. c., Natr. m., Nitr. acid, **Phos.**, Puls., Sulph., Thuja.

———— awaking her from sleep. Cannab. ind.

———— when lying on the left side; when walking, or at night. **Cact. gr.**

———— with anguish soon after the appearance of menses.

Nitr. acid.

Palpitation, with anxiety. Ignat.

————— heat. Iod.

————— sudden and violent spells. L. V. Deflor.

————— trembling and numbness. Plat.

Pressure—tormenting—at night, in the præcordia. Argt. nitr.

Shocks—sudden—in the region of the heart. Mangan.

Suffocating spells about the—with gasping for breath, especially when sitting up. Laurocer.

After Menses.

Palpitation. Agaric. m., Iod., Natr. m.

Back.

Before Menses.

Backache. (Pain in the small of the back.) Acon., Amm. c., Baryt. c., Brom., Calc. c., Cimicifuga, Cinnab., Magn. c., Magn. m., Nitrum, Nux v., Puls., Sabina, Sanguin., Spong., Ustilago

————— aching—and in the hips. Calc. c.

————— and colic. Caust.

————— as if a piece of wood was lying crosswise, and being pressed out. **Nux m.**

————— bruised, with or without labor pains. Acon.

————— and contracted. Magn. c.

————— the menses would appear. Coccul.

————— violent. Acon., Nitr. acid.

Eruption—itching, between the shoulderblades and nape of neck. Carb. veg.

Pain—cutting in the—and abdomen. Ol. an.

————— and groins. Senecio.

————— paralytic. Coccul.

————— in the right shoulder and shoulderblade. Magn. c.

————— sacrum and back. Amm. c., Nux v.

—————; burning. Kreosot., Magn. m.

————— also in the uterus and ovaries. Ustilago.

—————; soreness. Spong.

————— worse when walking, and in the thighs, which however do not suffer from walking. Magn. m.

————— and between the scapulæ, violent, passing off with pains in the abdomen. Amm. c.

Pain in the sacrum and hips; aching. Calc. c.
 ————— and down the thighs. Cimicifuga,
 Nitr. acid.
 ————— through to the pubis. Sabina.
 — in the spine; rending. Cinnab.
 — low down in the back, with debility. Nux m.
 Swelling and sensitiveness of the renal region. Calc. c.

During Menses.

Backache. (Pain in the small of the back.) Acon., Aloe, Amm. c., Amm. m., Argt. nitr., Asarum europ., Baryt. c., Bell., Berber., Brom., Bry., Calc. c., Camph., Carb. an., Carb. veg., Castor., **Caust.**, Cham., Cimicifuga, Coccul., Cyclam., Ferr., Graph., Ignat., Iod., Kali c., Kalmia, Lach., Lac can., L. V. Deflor., Lobelia, Lycopod., Magn. c., Magn. m., Magn. s., Mangan., Natr. c., **Niccol.**, Nitr. acid., Nitrum, Nux m., Nux v., **Phos.**, Prunus spi., Puls., Ratanhia, Sabina, Sac. lac, Senecio, Sulph., Thuja, Ustilago.

———— aching, heavy—and down the buttocks. Kali c.
 ——— as if beaten. Acon., Castor.
 ————— bruised. Baryt. c., Caust., Magn. c., Magn. s.
 —————, also in the abdomen. Caustic.
 ————— with or without labor-pains. Acon.
 ————— it would break. **Bell.**, Nux v
 ————— at the appearance of menses, violent, scarcely permitting her to breathe. Asarum.
 ————— night especially. **Amm. m.**
 —————; boring. Carb. veg.
 ————— crampy. Bell., Calc. c.
 ————— cutting—and in the abdomen. Ol. an.
 ————— groins. Argt. nitr.
 —————, grinding, and in the abdomen and groins. Argt. nitr., Senecio.
 —————, tearing, and in the loins. Caustic.
 ————— dragging, with great weakness in the back. Sepia.
 ————— drawing, from the back toward the front. Cham.
 ————— griping. Calc. c.
 ————— laborlike (also in the abdomen). Amm. m., Calc. c., Caustic., **Cham.**, **Cimicifuga**, Cyclam., Graph., Lach., Lycopod., Nitr. acid., Puls., Sulph., Thuja.

———— all night, when the flow is more profuse. **Amm. m.**

- Backache like a weight in the back. Kali c.
 ——— pressing, from within outward. Nux m.
 ——— violent. Acon.
 ——— coming and going; also in the uterus and ovaries. Us-
 tilago.
 ——— when walking. Kali c.
 ——— with fever. Lobelia.
 ——— pains in all the bones as if bruised. Carb. veg.
 ——— the abdomen. **Brom.**, Ratanhia.
 ——— and limbs. Bell., Nux v.
 ——— hips, until the flow be-
 comes free. Lach.
 ———; tearing. Agaric. m., **Caustic.**
 ——— hips; aching. Calc. c.
 ———, down the thighs. **Cimicifuga**,
 Nitr. acid.
 ——— groin; pressing. Granat.
 ——— and thighs; violent pressing.
 Carb. an.
 ——— limbs. **Bell.**, Berber.
 ——— loins. Berber., Bry., Caust., Iod.
 ———, as if the back was broken; con-
 stant. Camph.
 ———, pelvis, or thighs. Ferr.
 ——— ovaries. Iod.
 ——— while sitting or standing, none
 or less while walking. Magn. s.
 ——— pubis; violent. Sabina.
 ——— rectum; pressing. Aloe.
 ——— region of the kidneys, down the thighs,
 and in the calves. Berber.
 ——— thighs; drawing. Mosch.
 ———; the pains in the back are
 worse when walking, while those of the thighs are worse when sit-
 ting. Magn. m.
 ——— sacrum; burning. Ferr.
 ———, pressure or weight. Ferr.
 Coldness as from ice, between the shoulderblades. Lachnanth.
 Heat—great—up the back and between the shoulderblades. **Phos.**
 Pain (backache or the pains in the small of the back more or less
 excepted) between the shoulderblades Amm. c., Silic. (drawing).

Pain between the shoulderblades—tension—and violent colic. **Amm. c.**

—— benumbing, with paralytic weakness of the back and legs. **Coccul.**

—— from the small of the back downward. **Nux m.**

—— loins to the genitals—pressing. **Lach.**

—— in the—and abdomen. **Coccul., Nitrum, Puls., Sulph., Thuja.**

—— and limbs, groins, head, and teeth.

Sepia.

—— liver. **Puls.**

—— loins. **Amm. m., Kali c., Nux v., Secal. cor.**

—— thighs. **Magn. m.**

—— loins. **Bry.**

—— thighs and groins; violent pressing, with ineffectual eructation, chilliness, and gaping. **Carb. an.**

—— last lumbar vertebra, or the small of the back, through to the pubis; violent drawing. **Sabina.**

—— loins and the anterior part of the thighs; neuralgic. **Kalmia.**

—— extending through the left hypogastrium, down the thighs. **Sanguin.**

—— os coccygis—tearing and jerking. **Cicuta vir.**

—— renal region. **Berber., Curare.**

——, and in or above the sacrum; burning.

Lachnanth.

—— right shoulder and shoulderblade. **Magn. c.**

—— blade; burning. **Lachnanth.**

—— sacrum. **Sanguin.**

—— drawing. **Zingiber.**

—— violent. **Lobelia.**

—— and loins. **Berber.,** (Also in the renal region, or down the thighs and calves.)

—— spine; rending. **Cinnab.**

—— paralytic—and great weakness in the legs. **Coccul.**

—— rheumatic—and in the limbs. **Bry.**

—— under the inner and lower angle of the right shoulderblade.

Chelidon.

Perspiration profuse—and of the chest. **Kreosot.**

Thrilling—agreeable—along the back, and of the whole body. **Cannab. ind.**

After Menses.

Backache. Verat. alb.

Coldness of the—in the evening. Kali c.

Heaviness—feeling of—in the right shoulderblade, as coming from the region of the liver or the right groin; with gastralgia. Borax.

Pains—aching—dull, commencing in the back, and frequently running around the hips, and down the thighs. Puls.

Neck.*Constitutional Symptoms usually Worse during Menses.*

Goitre. Iod.

Cervical indurations. Phytol.

Before Menses.

Drawing in the. Nux v.

————— with headache. Natr. c.

Eruptions—itching—at the nape of the—and between the shoulder-blades. Carb. veg.

Heat—disagreeable sensation of—rising from the neck to the head, with tension of the neck or palpitation of the heart. Iod.

Stiffness with headache. Natr. c.

Before and During Menses.

Itching of the—and shoulders. Magn. c.

Pain in the—rising into the head, and setting into the forehead. Sanguin.

————— stitches—through the—and chest. Natr. m.

————— tearing in the nape of. Magn. c.

Stiffness. Calc. c.

EXTREMITIES.

(See for Affections of the Extremities in general: Generalities.)

Upper Extremities.*Before Menses.*

Pain in the armpits. Calc. c.

Swelling. Baryt. c.

———— of the glands of the armpits. Aurum.

Trembling frequently. Kali c.

During Menses.

- Burning of the hands and feet. Carb. veg.
 ——— palms of hands and soles of feet. Lachnanth.,
 Petrol.
 ———. Petrol.
 Cold arms and legs. Cham., Secal. cor.
 — hands and feet. Calc. c., Phos., Sulph.
 Coldness—icy—of the finger tips. L. V. Deflor.
 Contraction—spasmodic. Cubeba.
 Itching at the shoulders and neck. Magn. c.
 Lameness. Phos.
 Languor of the hands and feet. Ol. an., Zinc.
 Numbness of the hands. Graph.
 Odor—fecal—exhaling from the hands before stool, passing away
 after. Sac. lac.
 Pain in the arms. Calc. c., Verat. alb.
 ——— drawing, also in the abdomen and thighs. Stram.
 ——— left arm. Agaric. m.
 ——— and right hip. Nux v.
 ——— right arm and left hip; rheumatic. Nux v.
 ——— finger as if frostbitten. Agaric. m.
 ——— right shoulder, luxating, can hardly raise the arm.
 Magn. c.
 ——— both shoulders. Sac. lac.
 ——— wrists; aching. L. V. Deflor.
 ——— rheumatic. Bry., Elaps. (beginning on the left side), Rhus
 tox.
 Panaritium. Silic.
 Soreness in the arms. Sepia.
 Trembling. Agaric. m., Cubeba.
 Weakness of the hands; drops things easily. Alum.
 Yellow spots on hands and finger. Elaps.

Lower Extremities.

Constitutional Symptoms, usually Worse during Menses.

- Cold and damp feet. Calc. c.
 Stiffness of the limbs, relieved by walking. Rhus tox.
 ——— before a storm, or in damp weather, relieved
 by a storm. Rhus tox.

Ulcers on the legs with a purplish hue. Lach.
 Varicose veins. Ferr., Ham., Puls.

Before Menses.

Coldness and heaviness of the feet. Lycopod.
 Cramps in the calves. Viburnum opul.
 Eruption of large flat pimples at the inside of the thighs, with feeling of rawness. Lac can.
 Heaviness of the feet. Baryt. c., Cyclam
 ————— limbs. Merc.
 Lameness and bruised feeling in the limbs one day before menses. Nitr. acid.
 Pain—bruised. Merc., Nitr. acid.
 ————— in the hips. Lach.
 ——— flying from the hip around to the back. Æscul. hipp.
 ——— in the hips and back ; aching. Calc. c.
 ————— right hip and groin ; soreness. Sarsaparilla.
 ————— thighs ; bruised. Carb. an.
 ————— ; drawing, with colic. Cham.
 ————— ; lancinating ; violent. Gels.
 Swelling of the limbs and feet. Baryt. c.
 Tired feeling. Conium.
 ————— and heaviness. Sulph.
 Trembling frequently. Kali c.

During Menses.

Contraction—spasmodic. Cubeba.
 Convulsive motions of the legs when attempting to move ; every attack followed by hæmorrhoids. Coccul.
 Heaviness of the legs (see Feet), with violent drawing about the knees as if they would be twisted off. Zinc.
 —————, with tiredness. Colchic., Sulph., Zinc.
 Lameness of the legs. Magn. m., Phos.
 Numbness as if made of wood ; weakness. Nitrum.
 ————— ; formication. Graph., Puls.
 —————, with disposition to go to sleep ; pressure in abdomen and small of back as from a stone, and ineffectual desire to go to stool. Puls.
 Pain in the legs. Bry., Graph., Kali nitr., Nitr. acid, Nux v., Phos., Sepia, Verat. alb.

- Pain in the legs, aching. *Cimicifuga*.
 ————— back and abdomen. *Nux v.*
 ————— beginning in the middle of the thighs and extending all over the limbs, and more or less over the whole body. *Castor*.
 ————— drawing. *Conium*, *Nux m.*, *Rhus tox.*, *Spong*.
 ————— extending from the navel. *Nux m.*
 ————— tearing. *Bry.*, *Conium*, *Rhus tox.*
 ————— worse from the least motion. *Bry.*
 ————— with staggering gait and weakness. *Nitrum*.
 ————— tiredness. *Nitrum*, *Nitr. acid.*
 ————— weakness. *Kali nitr.*
 ————— joints; tearing. *Lachnanth.*
 ————— thighs—dragging—extending into the calves, especially the veins of the legs, which are injected with blood. *Berber.*
 ————— veins; tearing. ***Cham.*** (With labor pains.)
 ————— along the crural nerve. *Xanthoxyl.*
 Restlessness of the legs. *Mosch.*, *Thuja*, *Zinc.* (Lower legs especially.)
 Rigidity of the legs. *Mosch.*
 Soreness of the legs. *Sepia*.
 Spots on the legs; painful to touch. *Petrol.*
 Stiffness of the legs; relieved by walking, before a storm. ***Rhus tox.***
 Thrilling—agreeable—in the legs. *Cannabis ind.*
 Tenderness of the legs. (See Feet.) *Asarum europ.*
 Trembling of the legs. *Agaric. m.*, *Magn. c.*
 Varices of the left leg become extended, and the leg appears quite blue, with pressive pain in the leg. *Ambr. gr.*
 ————— painful. *Ferr.*, *Graph.*
 Weakness of the legs; paralytic. *Coccul.*
 ————— with paralysis and severe laborlike pain.
Hedeoma.
 ————— pain. *Kali nitr.*, *Nitr. acid.*
Hips.—bruised feeling in the—the first day. *Lach.*
 —————, lameness of the. *Lach.*
 —————, pain in the. *Calc. c.*
 —————, aching. *Viburnum opul.*
 ————— and pressing down in the uterus. ***Cimicifuga.***
 ————— and above it; cutting. *Lamium alb.*

Hips, pain in the—flying around to the back. *Æscul. hipp.*

————— right. *Natr. c., Nux v.* (and left arm), *Sac. lac.*

—————; bruised and tearing. *Natr. c.*

Ischium; pain in the right—tearing. *Lachnanth.*

Thighs—eruption and soreness at the inner side of the—caused by the acrid menstrual discharge. *Amm. c., Caustic., Graph., Kali c., Natr. s., Sarsaparilla, Silic., Sulph.*

————— pain in the. *Berber., Carb. an., Castor, Cimicifuga, Ferr., Kali hydr., Kalmia, Magn. m., Magn. s., Natr. c., Nitr. acid, Petrol., Sarsaparilla, Stram.*

————— aching. *Nitric acid.*

————— and numbness. *Iod.*

—————; anterior part. *Cimicifuga, Kalmia* (back and loins).

————— and back; the former are worse while sitting, the latter while walking. *Magn. m.*

————— as if squeezed. **Kali hydr.**

————— coming from the hip and back. *Cimicifuga, Nitr. acid.*

————— region of the kidneys; pressing. *Berber.*

————— commencing in the middle of the thighs, extending over the limbs, and more or less over the whole body. **Castor.**

————— cutting, dragging. *Stram.*

————— drawing. *Conium.*

—————, aching in the knees, and feeling too tall. *Stram.*

—————, also in the abdomen and upper limbs. *Stram.*

————— back. *Mosch.*

————— lancinating, and down the leg; violent. *Gels.*

————— left and right arm. *Nux v.*

————— pressing, also in the hypogastrium, with uterine cramps. *Nux v.*

————— pulling. *Nitr. acid.*

————— tearing. *Petrol.*

————— violent, pressing also in the back and groins. *Carb. an.*

————— while walking. *Magn. s.*

—————, pressure about the. *Mosch.*

—————, weakness and languor in the. *Carb. an.*

- Knees**—pain in the—drawing as if they would twist off. **Zinc.**
 ————— in the thighs, feeling too tall. **Stram.**
 ————— when walking. **Magn. c.**
Calves, pains, cramps in the. **Phos., Viburnum opul.**
 ————— at night. **Sulph.**
Tibia—tearing pains in the. **Sepia.**
Feet—burning in the soles of the—and in the palms of the hands.
Carb. v., Lachnan., Petrol.
 ————— at night. **Cham., Sulph.**
 ————— cold. **Calc. c., Glon., Nux m., Silicea (icy), Sulph.**
 ————— and also the hands. **Calc. c., Phos., Sulph.**
 ————— damp almost all the time, as if from damp stockings. **Calc. c.**
 ————— cramps in the—and in the—at night. **Lachnanth.**
 ————— soles of the—at every step. **Sulph.**
 ————— heaviness in the. **Zinc.**
 ————— relieved during menses. **Cyclam.**
 ————— languor in the—and heaviness. **Colchic.**
 ————— hands. **Ol. an., Zinc.**
 ————— pain in the—when lying in bed in the evening. **Magn. c.**
 ————— right. **Magn. c.**
 ————— swelling of the. **Calc. c., Graph., Lycopod.**
 ————— tenderness of the—sensation of—even when in bed.
Magn. c.
 ————— with heaviness. **Colchic., Sulph., Zinc.**
 ————— fidgety of the—especially with varices. **Zinc.**
 Toes as if frostbitten, with burning, itching, and redness.
Agaric. m.

Sleep.

Before Menses.

- Dreams.** **Alum., Calc. c., Caustic., Conium.**
 ————— anxious. **Caustic., Conium.**
 ————— many—disturbing her sleep. **Alum.**
 ————— voluptuous. **Calc. c.**
Nightmare. **Sulph. acid.**
Restlessness. **Kali c.**
Sleepiness during the day. **Calc. phos.**
Sleeplessness, with straining and warmth in the abdomen. **Cyclam.**

During Menses.

- Awakes with suffocating spells. Spong.
 Dreams. Kali c.
 ——— anxious—disturbing sleep. Magn. c.
 ——— of robbers in the house, or other frightful occurrences,
 disturbing sleep. Natr. m.
 Drowsiness. Cubeba, Phos.
 ——— and weakness. Helon., Kali c.
 ——— unconquerable. Nux m.
 ——— with dragging pain in the head. Laurocer.
 ——— inability to sleep. Bell.
 Restlessness, has to turn often in bed in order to find rest. Rhus tox.
 Sleepiness all the time. Aletr. f., Cannab. ind.
 ——— and restlessness. Kali c., Puls.
 ——— can hardly keep awake. Phos.
 ——— during daytime. Agaric. m., Cannab. ind., Natr. m.,
 Sulph.
 ———, yet cannot sleep. Opium.
 Sleeplessness. Ignat., L. V. Deflor., Natr. m., Plat., Sepia.
 ——— and toothache at the beginning of menses. Agaric. m.
 ——— after 3 A.M. Calc. c.
 ——— or 4 A.M. has to get up to find relief. Nux m.
 ——— from pulsation in the scrobiculus, and in the right
 ear. Cact. gr.
 ——— until 3 A.M. Merc.
 ——— without cause. Cact. gr.
 Stupor. Lycopod.
 ——— and deep sleep from severe headache. Ham.
 Unrefreshing sleep; she is more tired in the morning than when
 retiring at night. Magn. c.

After Menses.

- Nightmare. Thuja.
 Sleeplessness. Kali brom., Thuja.
 ——— and anxiety. Agaric. m.

Fever.—Chill.*Before Menses.*

- Chills at night. Calc. c.
 ——— shaking. Natr. c.
 ——— beginning in the extremities. Gels.

- Colic, with colicky pains at night. Calc. c.
- fulness in head. Gels.
- gaping and stretching. Ipec.
- heat. Acon.
- Chilliness. Amm. c., Calc. c., Cimicifuga, Kali hydr., **Lycopod.**,
Nux v., **Puls.**, Sulph., Zinc.
- with frequent trembling of the limbs. **Kali c.**
- gooseflesh. **Puls.**
- pale face, stopped coryza. Magn. c.
- sensation of creeping over the body, and pain in
the groins. Tart. emet.
- shivering, sometimes violent and long, with ma-
laise and satiety. **Lycopod.**
- shuddering over the body the whole day. **Sepia.**
- Coldness—general. Thuja.
- with trembling. **Kali c.**

At the Beginning of Menses.

- Chilliness. Berber., Verat. alb.
- Coldness—paroxysms of—over the whole body. Silic.

During Menses.

- Chills. Berber., Kreosot., Lach., Natr. c., Natr. s., Nux v., Phos.,
Puls., Sulph.
- at night. Lach.
- shaking. Natr. c.
- beginning in the extremities. Gels.
- with fulness in the head. Gels.
- heat. Acon.
- pale face. **Puls.**
- thirst. Bell.
- Chilliness. Amm. c., Bell., Bufo, **Calc. c.**, Carb. an., Cimicifuga,
Coff., Cupr., Graph., Indigo, Ipec., **Kreosot.**, Magn. c., Natr. m.,
Nux v., **Phos.**, **Puls.**, Zinc.
- and coldness inside the body, as if filled with ice;
neither additional clothes nor the fireside will warm her. L. V.
Deflor.
- constant. **Kreosot.**, Rhus tox.
- especially in the legs. Bufo.
- with cold feet; limbs go to sleep. Graph.

Chilliness, with gooseflesh. Kali hydr., Natr. s., Puls.
 ——— shivering on waking, or when uncovering herself.

Magn. c.

Coldness. Coff., Ipec., Thuja.
 ——— of the extremities, with cold sweat. **Secal. cor.**
 ——— with rigors. Agaric. m.
 ——— stiffness. Coff.

After Menses.

Chills. Graph.
 Chilly and cold. Kali c.

Fever.—Heat.

Before Menses.

Heat. Carb. an., Conium, Cupr., Iod., Kali c., Nitr. acid, Sulph., Thuja.

——— after midnight, with restlessness and shivering, followed by heat in the face. Lycopod.

———, cough, coryza. Graph.

——— dry. Merc

———, excitement. pulsation of arteries. Thuja.

——— in the abdomen and pelvis. Lac can.

———, thirst, and restlessness. Kali c.

——— with anxiety. Carb. an.

——— chilliness. Acon., Sulph.

——— palpitation. Iod.

——— without thirst. Conium, Puls.

During Menses.

Heat. Acon., Æscul. hipp., Bell., Gels., Graph., Helon., Phos., Rhodod., Sepia, Sulph., Verat. vir

——— high—at night, with burning thirst and complete loss of sleep. Natr. m.

——— in the afternoon, with chattering of teeth, followed by headache. Phos.

——— with chill. Acon.

——— violent pain in the sacrum. Lobelia.

Febrile excitement. Sulph.

——— and headache, at the beginning of menses. Rhododen.

Feverishness. Kali bich.

Flushes of heat during the day. Lach., Sulph.

Pulse.

Before Menses.

Intermittent. Kali c.

Before or During Menses or in both Stages.

Quick, full, large, but soft. Gels.

———, bounding, and very hard. Verat. vir.

———, very hard, small, and sharp. Acon.

During Menses.

Small. Secal. cor.

Very slow. Kalmia.

After Menses.

Accelerated. Natr. m.

Fever.—Perspiration.

Before Menses.

Nightsweat. Sulph., Verat. alb.

Profuse. Hyos., Thuja.

At the Beginning of Menses.

Cold. Verat. alb.

—— on the forehead. Verat. alb.

Profuse. Hyos.

During Menses.

Perspiration. Caustic., Hyos., Magn. c.

——— after midnight. Borax.

——— the least exertion. Agaric. m.

——— at night. Asarum europ., Sulph.

——— cold—of the limbs, which look pale. Secal. cor.

——— hot and sticky on the forehead. Cham.

——— local with rheumatic diathesis. Bry.

——— on the chest and back. Kreosot.

——— at night. Bell.

——— forehead; cold. Phos., Verat. alb.

——— profuse. Hyos.

——— with great weakness. Magn. c.

Skin.

(See Face, Back, Legs, etc., etc.)

Constitutional Symptoms, usually Worse during Menses.

Blotches—itching—here and there. Graph.

Eruption—chronic—here and there. Sulph.

———— tettery, especially between the fingers, with great itching.

Graph.

Rhagades on hands and feet. (Chapped hands.) Hep. s.

Before Menses.

Bleeding of present ulcers. Phos.

Eruption. Apis, Carb. veg., Conium, Graph., Sarsaparilla.

———— sycotic—blotches. Thuja.

———— itching—between the shoulderblades. Carb. veg.

———— on the forehead, with burning and moisture after friction. **Sarsaparilla.**

———— pimply—on the face. Graph.

———— rash. Dulc.

———— nettle. Kali c.

Itching about the neck and shoulders. Carb. veg.

———— of old tetter. Carb. veg.

———— stinging of the skin, especially about the hæmorrhoids.

Phos.

Wax color. **Apis.***During Menses.*

Aggravation of the condition of present ulcers. Graph.

Coldness and blueness of the. China.

Eruption. Apis, Conium.

———— acne, with pain far around. Eugenia j.

———— herpetic, here and there. Petrol.

———— on the face. Nux m.

———— pimply or tettery. Graph.

———— rash—nettle. Kali c.

Itching here and there, especially about the genitals. Agaric. m.

———— of the whole body. Kali c.

———— stinging of the skin, especially about the varices. **Phos.**

Sensation as if snakes were running up and down under the skin.

Lac can.

Wax color. **Apis.**

Generalities.*Before Menses.*

- After all sorts of drugs and hot drinks. **Nux v.**
 — chagrin. **Cham.**
 — nightwatching. **Coccul., Nux v.**
 — washing. **Calc. c.**
 Aggravation of all complaints. **Secal. cor., Sepia.**
 ————— symptoms on the left side. **Lithium c.**
 Appearance—sudden—and sudden disappearance of pains. **Bell.**
 Bruised feeling all over, with inclination to weep. **Conium.**
 Convulsions; spasms. **Apis, Bell., Cimicifuga, Coccul., Cupr., Hyos., Puls., Verat. vir.**
 ————— cramplike. **Caustic.**
 ————— epileptic form of. **Kali brom.**
 ————— with piercing shrieks. **Cupr.**
 ————— hysterical. **Cannab. ind., Cimicifuga, Hyos., Mosch., Plat.**
 Cramps. **Coff., Cupr., Merc.**
 —————, contractions, in the extremities. **Phos.**
 Debility. (See Weakness.)
 Exhaustion. (See Weakness.)
 Fainting spells. **Cimicifuga, Coccul., Lach., Nux m., Sepia, Thuja.**
 ————— with pain in the abdomen. **Sepia.**
 Feels as if it was impossible to make the least exertion. **Coccul.**
 — bad in general, a week before menses. **Kali c.**
 — tired to death, two or three days before menses. **Sac. lac.**
 Hysterical symptoms. **Cannab. ind., Cimicifuga, Coccul., Hyos., Mosch., Plat.**
 Nervousness; restlessness. **Gels., Nux m.**
 Pain—bruised—in the limbs. **Nitr. acid.**
 — pulling, in the limbs. **Nux m.**
 Takes cold easily. **Calc. c.**
 Thrilling—agreeable through the whole body. **Cannab. ind.**
 Tired feeling. **Bell., Brom., Coccul., Nux m., Sac. lac.**
 Trembling; rigors. **Kali c., Lycopod., Sepia.**
 Weakness; lassitude; exhaustion. **Bell., Brom., Cimicifuga, Coccul.**
 ————— after a short walk. **Cannab. ind.**
 ————— can hardly stand upon her feet. **Coccul.**

At the Beginning of Menses.

Amelioration in the open air. **Puls.**

———— of all symptoms. **Lach.**

Cramps. **Acon., Amm. c., Calc. c., Cham., Coff.**

Fainting. **Nux v.**

Restlessness at night, on account of troublesome rigors. **Agaric. m.**

Spasms. **Plat.**

———— and convulsions of the extremities. **Coccul.**

Weakness. **Brom.**

————, can hardly stand upon her feet. **Coccul.**

————, mental depression, unfitting her for work. **Ferr.**

During Menses.

Aggravation by eating and drinking. **Colocynth.**

———— during rest. **Rhododendron, Rhus tox.**

———— thunderstorm, or at the approach of rough weather, or in windy weather. **Rhododendron, Rhus tox.**

———— of all ailments. **Ham.**

———— old ailments. **Nux v.** (and appearance of new), **Puls.**

———— symptoms every other day at precisely the same hour. **Diadema.**

———— the condition of present ulcers. **Graph.**

Amelioration as soon as menses appear. **Lach.**

Bloatedness. **Carb. an.**

Changeableness of symptoms, is well one hour and sick the next. **Puls.**

Coldness of arms and legs. **Cham., Secal. cor.**

Contractions—crampy. **Cubeba, Phos.**

Convulsions; spasms; **Apis, Bell., Chin., Cimicifuga, Coccul., Collinson., Cupr., Hyos., Plat., Puls., Secal. cor., Verat. vir.**

———— clonic. **China.**

———— epileptic. **Cimicifuga, Plumb., Sulph.**

———— with piercing shrieks. **Cupr.**

———— frequently, with continual motion. **Tarant.**

———— hysterical. **Cannab. ind., Cimicifuga, Hyos.**

————, spasmodically throwing about of hands and feet. **Mosch.**

———— with screaming, anxiety, excitement, weeping. **Plat.**

- Convulsions of the extremities. **Coccul.**
 ———; tetanus; lockjaw. **Hyos.**
 ——— like. **Plat.**
 Cramps. **Cupr., Hyos., Secal. cor.**
 Debility. (See Weakness.)
 Exhaustion. (See Weakness.)
 Fainting. **Amyl. nitr., Cimicifuga, Coccul., Glon., Ignat., Mosch.,**
Nux m., Nux v., Plumb., Sulph.
 ——— attacks of—with great paleness of face **Puls.**
 ——— followed by great debility and restlessness.
Nux v.
 ——— in the morning. **Nux v.**
 ——— tendency to. **Lach.** (In nervous woman.)
 ———, weariness, yawning. **Magn. m.**
 ——— with congestion. **Glon.**
 Gait unsteady. **Glon.**
 ———, staggering, from pain and weakness in the limbs.
Nitrum.
 Hysterical symptoms. **Cannab. ind., Cimicifuga, Hyos.**
 ——— laughter, worse in the open air. **Nux m.**
 ——— spasms and insupportable restlessness all over the
 body. **Caustic.**
 Intermission of usual spasms. **Plat.**
 Numbness, formication, or pain in the limbs. **Graph.**
 ——— general feeling of—with trembling and palpitation.
Plat.
 Odor—bad—and stench from the body. **Stram.**
 ——— of semen. **Stram.**
 ——— voluptuous—from the body, emanating from the lumbar
 region. **Stram.**
 Pain all over the body. **Berber., L. V. Deflor.**
 ——— bruised—all over the body. **Petrol.**
 ——— in the limbs. **Nitr. acid.**
 ——— and stitches in different places; tearing. **Natr. c.**
 ——— anywhere; neuralgic. **Cimicifuga, Tarantula**
 ——— flying. **Puls.**
 ———, in arms and legs. **Caulophy.**
 ——— increase and decrease of—with the flow. **Cimicifuga, Puls.**
 ——— in the bones as if bruised. **Carb. veg.**
 ——— extremities, **Graph., Verat. alb.**
 ——— and back. **Bell.**

- Pain in the extremities and bowels; violent drawing. **Stram.**
 ————— aching; weakness. **Nux m.**
 ————— rheumatic. **Zinc.**
 ————— tearing. **Baryt. c.**
 ————— and remitting; also in the body generally. **Bry.**
 ————— joints; tearing. **Lachnanth., Sabina.**
 ————— limbs. **Bell.**
 ————— neuralgic or spasmodic, almost anywhere. **Gels.**
 ————— periodical—worse in the evening—violent—cause her to cry out. **Cact. gr.**
 ————— pinching, chiefly during stool. **Alum.**
 ————— reflex—upon the head, right shoulder, feet, and knees. **Magn. c.**
 ————— soreness all over the body. **Carbo veg.**
 ————— stitching and jerking—through the whole body. **Nux v.**
 ————— violent—causing her to cry out. **Cact. gr., Cimicifuga,**
Puls. (tossing in all directions).
 ————— tearing in the body. **Amm. c.**
 ————— which come and go quickly; pressive. **Bell.**
 Paralysis—partial. **Plumb.**
 Restlessness—great. **Phos.**
 ————— nervous. **Gels.**
 Rheumatic affections of the joints. **Mangan.**
 Right side mostly affected. **Rhododendron.**
 Sensitiveness—great—to cold air. **Agaric. m., Calc. c.**
 Soreness—general. **Carb. veg.**
 Spasms. (See Convulsions.)
 Startings—violent—of the whole body, and dizziness on waking. **Kali c.**
 Stiffness of the body. **Coff.**
 ————— joints. **Hyos.**
 ————— limbs, relieved by walking; appearing usually before a storm. **Rhus tox.**
 —————, before a storm or in damp weather, relieved by the storm. **Rhus tox.**
 Tired feelings. (See Weakness.)
 Trembling—convulsive. **Hyos.** (of arms and legs especially).
 ————— from weakness. **Agaric. m., Caulophyl., Graph.,**
Natr. m.
 ————— numbness, palpitation. **Plat.**

Trembling—weakness of the limbs. Caustic.

————— with anxiety and heat. Nitr. acid.

————— rigors. Kali c.

Trismus. Cubeba.

Twitchings—spasmodic. Bell.

————— of arms and legs. Coccul., Coff., Secal.

cor.

————— single muscles. China.

Want—great—of vital heat. Ledum.

Weakness ; debility ; lassitude ; exhaustion ; tired feeling, etc., etc.

Agaric m., **Aloe.**, **Amm. c.**, **Ars.**, **Bell.**, **Borax**, **Bufo**, **Cact. gr.**, **Calc. c.**, **Carb. veg.**, **Caulophyl.**, **Caust.**, **Cinnab.**, **Cubeba**, **Erigeron**, **Graph.**, **Helon.**, **Ignat.**, **Iod.**, **Kali c.**, **L. V. Deflor.**, **Lachnanth.**, **Lycopod.**, **Magn. c.**, **Magn. m.**, **Mosch.**, **Natr. c.**, **Natr. m.**, **Niccol.**, **Nitr. acid.**, **Nux m.**, **Nux v.**, **Petrol.**, **Phos.**, **Sabina**, **Secal. cor.**, **Senecio**, **Sepia**, **Thuja**, **Verat. alb.**

————— after a stool especially. Nux v.

————— even a short walk. Cannab. ind

————— and weariness, especially when going upstairs. Iod.

—————, with gaping and stretching ; can hardly

talk. **Carb. an.**

————— approaching fainting. Ignat.

————— as if emanating from the centre of the chest ; can hardly

talk. **Stan.**

————— can hardly sit or stand ; falls constantly to the left side. **L. V. Deflor.**

————— especially of loins and thighs. Cubeba.

————— thighs. **Amm. c.**

————— general—hysterical. **Natr. m.**

————— has to remain in bed for several days. **Cact. gr.**

————— in feet and hands. **Ol. an.**, **Zinc.**

————— nervous. **Calc. c.**

————— painful lassitude. **Bell.**

————— she can scarcely breathe ; has to lie down. **Nitr. acid.**

————— talk. **Carb. an.**, **Coccul.**, **Stan.**

————— with drowsiness. Cubeba, Kali c.

————— great desire to lie down. **Bell.**, **Ipec.**

————— weakness of the larynx. **Carb. an.**

————— nausea. **Natr. c.**

————— perspiration. **Magn. c.**

Yawning. **Amm. c.**, **Carb. an.**

After Menses.

Aggravation of all uterine pains and complaints. **Kreosot.**

Appearance of new and aggravation of old ailments. **Nux v.,**
Puls.

Complaints in general. **Kreosot.**

Convulsions; spasms—clonic. **China.**

Cramps. **Cupr.**

Heaviness all over. **Bufo.**

Hysterical symptoms. **Ferr.**

Nervousness. **Carbol. acid.**

Pain as if from exhaustion. **Agaric. m.**

—— during menses, but worse after the flow. **Kreosot.**

—— in all the muscles; tearing. **Berber.**

Twitching before going to sleep. **Natr. m.**

Weakness; exhaustion, etc., etc. **Alum., China, Phos., Plat.,**
Thuja.

—— after stool. **Nux v.**

—— and heaviness of the limbs. **Graph.**

—— is hardly able to speak, from weakness of the larynx;
stretching and yawning. **Carb. an.**

—— emanating apparently from the chest. **Stan.**

—— in body and mind—great—a little exercise prostrates.

Alum.

—— with blue circles around the eyes. **Phos.**

—— trembling. **China.**

PART II.

MENORRHAGIA.

(Compare Part I.)

Time, Quantity, and Conditional Circumstances of the Menstrual Discharge.

Too profuse. Acid. lact., Acon., Agaric. m., Aletr. f., Aloe, Ambr. gr., Amm. brom., **Amm. c.**, Amm. m., Ant. c., Apis, Apocyn. can., Argt. nitr., Arnica, Ars., Bell., Borax, Bovista, Brom., Bry., Bufo, Cact. gr., **Calc. c.**, **Calc. phos.**, Cannab. ind., Cannab. sat., Canth., Carb. an., Carb. veg., Carbol. acid, Caulophyl., Caustic., Cerar. virg., **Cham.**, Chelidon., Chin., China sulph., Cimicifuga, Cina, Cinnab., Coca, Coccul., Coccus cacti, Coff., Collinson., Conium, **Crocus sat.**, Cyclam., Dietamnus, Erigeron, Ferr., Fluor. acid, Gels., Ham., **Helon.**, Hep. s., Hydrast., Hydrophobinum, **Hyos.**, Ignat., Iod., **Ipec.**, Iris ver., Kali brom., Kali c., Kreosot., Lach., Laurocer., Ledum, Lycopod., Magn. c., Magn. m., Merc. sol., Mil-lefol., Mosch., Muriat. acid, Natr. c., Natr. m., Nitr. acid, Nux jugl., **Nux m.**, Nux v., Opium, Phos., Phos. acid, Phytolacca, Plat., Plumb., Puls., **Rhus tox.**, **Sabina**, Sambucus, Sarsaparilla, Secal. cor., Sene-cio, **Sepia**, Silic., Spong., Stan., **Stram.**, **Sulph.**, Sulph. acid, Taran-tula, Theridion, Thuja, Thlasp. bur., **Trill.**, **Ustilago**, Verat. alb., Xanthoxyl., Zinc.

————— **too early.** Aletr. f., **Amm. c.**, Bapt., **Bell.**, Borax, Bovista, Brom., **Bry.**, Bufo, Cact. gr., **Calc. c.**, Cannab. ind., Canth., Carb. veg., Caust., China sulph., **Cimicifuga**, Cina, Coccul., Coccus cacti, Erigeron, Fluoric acid, **Iod.**, **Ipec.**, Laurocer., Ledum, Magn. c., Mosch., Muriat. acid, Natr. m., Nitr. acid, Nux jugl., **Nux m.**, **Nux v.**, **Phos.**, Phytol., Plat., **Sepia**, Spong., **Stram.**, Sulph. acid, **Trill.**, Verat. alb., Zinc.

————— **too long.** Aloe, Bry., **Calc. c.**, Calc. phos., **Crocus**, Ferr., **Ignat.**, **Ipec.**, Kreosot., Lycopod., **Phos.**, Phos. acid, Plat., Senecio, **Stram.**, Sulph., **Trill.**, **Ustilago**.

Too profuse, too long. Acon., Apocyn. can., Calc. c., Crocus sat., Gels., Ignat., Ipec., Kreosot., Lycopod., Millefol., Plat., Secal. cor., Sulph., Trill.

———— *too late.* Coca, Phos.

———— *too long.* Chelidon.

Flow active. Acon., Bell., Bry., Calc. c., Cham., Ferr., Ham., Nux v., Plat., Sabina, Sulph., Ustilago.

———— *passive.* Aletr. f., Brom., Carb. veg., Caulophyl., China, Cimicifuga, Crocus sat., Digital., Ham., Helon., Phos. acid, Puls., Secal. cor., Sepia, Sulph., Sulph. acid, Trill., Ustilago.

———— *after labor or abortion.* Kali c.

———— *lasting several days, stops, and then returns.* Nux v., Sulph.

———— *better after exercise by walking.* Sabina.

———— *between the menstrual periods.* Ambr. gr., Bell., Bovista, Cham., Hep. s.

———— at every little accident, as after a hard stool or unusual long walk. Ambr. gr.

———— *continuous.* Apocyn. can.

————, almost without pain. Gels.

———— *during climaxis.* Aloe, Bell., Calc. c., Coccul., Crocus sat., Ignat., Kali brom., Kreosot., Lach., Nux v., Plat., Puls., Sepia, Sulph., Theridion, Trill., Ustilago.

———— *eruptive or typhoid fever,* with aphthæ. Ars.

———— *evolution.* Acon., Bell., Calc. c., Cham., Cimicifuga, Ferr., Gels., Hyos., Ignat., Ipec., Nux v., Plat., Puls., Sabina, Sepia, Silic., Sulph., Tarantula.

———— *the day only,* ceasing when lying down. Caustic., Ham.

———— *every two weeks,* lasting too long. Calc. c., Calc. phos., Trill.

———— *from a long drive in the cold air.* Amm. c.

———— *abuse of Chamomilla.* China.

———— *atony of the uterus.* Aletr. f., Brom., China, Caulophyl., Ham., Helon., Iod., Kali c., Secal. cor., Xanthoxyl.

———— *chronic infarction.* Bell., Bufo, Calc. c., Hydrast., Sepia, Sulph., Tarantula.

———— *induration* of the uterus. Carbo an.

———— *concussion* or other traumatic causes. Arnica.

———— *high living.* Nux v.

- Flow from overexertion.* Millefol., Trill.
 ——— *reflex or nervous causes.* Kali brom.
 ——— *sedentary life.* Nux v.
 ——— *sexual desire*, especially in young girls. Calc. c., Nux v., Phos. acid.
 ——— *straining.* Rhus tox.
 ——— *suppressed or ungratified sexual desire.* Conium.
 ——— *too frequent cohabitation.* Calc. c., Nux v., Phos. acid.
 ——— *ulceration and granulation* of the mucous membrane of the uterus. Ceras. virg., Helon., Hep. s., Hydrast., Merc., Nitr. acid, Silic., Thuja, Xanthoxyl.
 ——— *in gushes.* Lac can.
 ———, awaking her from sound sleep. **Coca.**
 ——— like a stream, when rising upon the feet. Coccul.
 ——— *paroxysms.* Apocyn. can., Bell., Cham., Nux v., Rhus tox.
 ——— *the evening only*, when lying down, never when moving about. Coccus cacti, Cyclam.
 ——— *intermittent*, or inclined to be so. Kreosot.
 ——— *lasting for weeks.* Ustilago.
 ——— *too long*; she seems to get almost well, and then it returns again and again. **Sulph.**
 ——— *never during uterine pains.* Magn. c.
 ——— *of old maids.* Sarsaparilla.
 ——— *pregnant woman.* Coccul.
 ——— *sterile woman.* Canth., Nux v.
 ——— *preceded a day or two by a moderate discharge.* Apocyn. can.
 ——— *returning* after every stool. Iod.
 ——— fright or emotion. Secal. cor.
 ——— from the slightest motion. **Sabina**, Trill.
 ———, but relieved by exercise or walking. Sabina.
 ——— *when sitting* quietly in the evening, never when moving about. Cyclam.
 ——— *without pain.* Cact. gr., China, Crocus sat., Gels., Puls., Secal. cor., Sepia, Trill.

Flow worse at night. **Amm. c.**, **Amm. m.**, **Coca**, **Magn. c.**, **Sabina**.

_____, and when first rising. **Magn. s.**

_____ *from motion.* **Erigeron**.

_____, the slightest. **Crocus sat.**, **Helon.**, **Secal. cor.**, **Trill.**

_____ *in the evening*, less at night. **Bovista**.

_____ *when first rising.* **Magn. c.**

_____ *riding*, particularly after a ride in the cold air. **Amm. c.**

Character of the Menstrual Discharge.

Black. **Amm. c.**, **Bry.**, **Calc. phos.**, **Canth.**, **Coccus cacti**, **Kresot.**, **Nux m.**

Bright red. **Apocyn. can.**, **Brom.**, **Erigeron**, **Ham.**, **Hyos.**, **Ipec.**, **Millefol.**, **Trill.**, **Ustilago**.

_____ and hot. **Bell.**

_____ in the beginning, but soon growing pale. **Trill.**

_____ mixed with clots. **Arnica**, **Bell.**, **Nux v.**, **Rhus tox.**, **Sabina**.

Clotted. **Apocyn. can.**, **Bufo**, **Calc. phos.**, **Cham.**, **Cimicifuga**, **Coccus cacti**, **Fluoric acid**, **Nux jugl.**

_____ occasionally. **Secal. cor.**

_____, passing away in lumps enormously large. **Coccus cacti**, **Stram.**

_____ when walking. **Zinc**.

_____ partly only. **Plat.**, **Sabina**, **Trill.**

Coagulated. (See Clotted; dark-red coagulated.)

Corrosive. **Amm. c.**, **Carb. veg.**, **Sulph.**

Dark red coagulated. **Aletr. f.**, **Bell.** (sometimes), **Calc. phos.**, **Cham.**, **China**, **Cimicifuga**, **Crocus sat.**, **Helon.**, **Nux jugl.**, **Plat.**, **Sabina**, **Trill.**, **Ustilago**.

_____ liquid. **Secal. cor.**

_____ partly fluid and partly in clots. **Plat.**, **Sabina**, **Trill.**

_____ thick. **Coccus cacti.**, **Nitr. acid**, **Nux m.**, **Trill.**

Pale. **Amm. c.**, **Carb. veg.** (sometimes.)

_____ and thin. **Bufo**.

_____ partly—and partly clotted. **Sabina**.

Stringy. **Crocus sat.**

Thick. **Carb. veg.**, **Crocus sat.**, **Nux v.**, **Plat.**

Thin, watery, mixed with blackish clots. **Sabina**.

Odor of the Menstrual Discharge.**Acrid.** Carb. veg., Silic.**Bad.** Helon., Kreosot., Trill.—— sometimes. **Bell.**, Secal. cor.**Sour.** Sulph.**Strong.** Silic.**Association of Chronic Ailments.**

Affections of the breast; atrophia. Iod.

—— chest. Brom., Calc. phos., Iod. (chronic catarrh of the lungs), Phos., Stan.

—— eyes. Brom.

—— heart. Brom., Cact. gr., Digital.

—— joints and muscles. (Rheumatism.) Calc. phos., Cimicifuga, Ledum, Rhus tox.

—— larynx and throat. Carb. an., Spong., Stan.

—— chronic hoarseness and cough; the voice frequently giving out when singing. Spong.

—— with weakness of the larynx; cannot talk much, read aloud or sing, or the larynx aches; the same sensation is sometimes felt in the chest. Stan.

—— neck; goitre. Iod.

—— rectum; hæmorrhoids. Collinson., Ham., Muriat. acid, Nux v., Sulph.

—— skin; chapped. Hep. s.

——; ulceration after slight injury. Hep. s.

—— uterus and ovaries. Ars., Conium, Ham., Nux m., Ustilago.

Hysteria. Cimicifuga, Hyos., Ignat., Nux m., Plat.

Rhagades on head and feet. Hep. s.

CONCOMITANTS.

(Compare Part I.)

Mind and Disposition.Anxiety; anguish; apprehension. **Acon.**, Arnica.

Cheerfulness. Fluor. acid.

Delirium. Hyos.

Dread of downward motion or going downstairs. **Borax.**

—— fresh air. Nux v.

- Excitability—great. **Acon.**
 Fear of death. **Acon.**
 Fearfulness. **Phos.**
 Foolish manner. **Hyos.**
 Frightened easily. **Nux v.**
 Hysterical. **Sabina.**
 Impatience when spoken to. **Nux v.**
 Inclination to uncover or undress herself. **Hyos.**
 Irritability. **Arnica, Bry., Cham., Nux v., Sabina, Senecio, Verat. alb.**
 ————— after menses. **Carbol. acid.**
 Laughing—disposition to—especially in the open air. **Nux m.**
 ————— silly. **Hyos.**
 Low-spirited—very much. **Amm. c., Ignat., Natr. m.**
 ————— from an indescribable queer feeling all over. **Brom.**
 Mania. **Sepia.**
 Nervousness. **Cimicifuga, Kreosot., Sabina, Senecio.**
 —————, cannot bear light or noise. **Nux v.**
 —————, startling at the least noise. **Borax.**
 —————, with severe headache. **Kreosot.**
 Nymphomania before menses. **Calc. phos., Stram. (during menses.)**
 ————— from burning and itching in the vulva, clitoris, and pudendum. **Kali brom.**
 Restlessness, uneasiness. **Acon., Apis, Arnica, Rhus tox. (demanding constant change of position), Ustilago.**
 Sensitiveness—excessive—of the mind. **Arnica.**
 ————— without complaining. **Ignat.**
 Sighing and sobbing. **Ignat.**
 Starting—tendency to. **Arnica.**
 Talkativeness—great—of absurd things. **Stram.**
 Weeping. **Cimicifuga, Ignat., Puls., Verat. alb.**

Head.

- Congestion. (See Headache.) **Acon., Calc. c. (and chest), Sepia.**
 Enlargement—feeling of. **Argt. nitr.**
 Fulness. **Brom. (and chest.)**
 Headache; pain in the head, after menses. **Carbol. acid.**
 ————— at the side and top of head. **Ustilago.**
 ————— vertex. **Ustilago.**
 ————— bursting, as if the head would split, worse on moving, even the eyes. **Bry.**

- Headache, congestive; throbbing of the arteries. **Bell.**
 ——— dull, heavy. **Ustilago.**
 ——— heat—before menses. **Iod.**
 ——— one-sided. **Sepia.**
 ——— over the eyes; extending toward the temples, with a sensation as if the integument of the forehead was spasmodically contracted. **Arnica.**
 ——— (eyeballs) worse by motion, even of the eyes. **Cimicif.**
 ——— severe—before and during menses. **Kreosot.**
 ——— during climaxis. **Theridion, Ustilago.**
 ——— with nervousness. **Kreosot.**
 ——— stitches in the left side. **Calc phos.**
 ——— tearing in vertex at night. **Laurocerasus.**
 Heat at the vertex. **Sulph.**
 ——— of the head, when the body is cool. **Arnica.**
 Icy coldness of the vertex—sensation of. **Verat. alb.**
 Stupefaction; vision obscured as from a fog. **Cyclam.**
 Sweat—cold—on the forehead (nausea and vomiting). **Verat. alb.**
 Vertigo. **Argt. nitr., Trill., Ustilago.**
 ——— and nausea, when moving about, or on rising, better when lying down. **Arnica.**
 ——— especially during the climaxis. **Ustilago.**
 ——— on going upstairs. **Calc. c.**
 ——— rising from a recumbent position, has to lie down again.
- Acon.**
 ——— in the morning, with weakness in legs, has to lie down again for a few minutes. **Phos.**
 ——— stooping, worse on rising. **Calc. c.**
 ——— walking. **Arnica.**

Eyes.

- Blue rings around the—during and after menses. **Phos.**
 Heaviness in the. **Natr. m.**
 Obscuration of sight; stupefaction of the head. **Cyclam.**
 Pain in the eyeballs; headache; worse from motion; even of the eyes. **Cimicifuga.**
 Vanishing of sight. **China.**
 Weakness of sight. **Trill.**

Ears.

- ringing in the. **China.**

Nose.

Coldness. Verat. alb.

Itching. Cina.

Stoppage of the—with thick tenacious mucus. Sambucus.

Yellow saddle across the nose. Sepia.

Face.

Anxious, pale look. Trill.

Brown, yellow, or moth patches on the—and forehead. Caulophyl., **Sepia** (across the nose).

Earthy. Helon., Ferr.

Livid. Digital.

Pale. Acid. lact., Calc. c., Crocus sat., Digital., Erigeron, Ferr., Helon., Kali c., Trill., Ustilago.

Red, fierce. Ferr.

Yellowness. Caustic., **Crocus sat.**, Lycopod., **Sepia**.

Throat.

Dryness—intolerable—of—mouth and tongue. **Nux m.**

Fulness and satiety after the least quantity of food. **Lycopod.**

Soreness of the—at each menstrual sinus. **Magn. c.**

Mouth.

Dryness—intolerable of—tongue and throat, especially after sleeping. **Nux m.**

Gums—scorbutic. **Merc. sol.**

Taste exceedingly bad in the morning. **Puls.**

Teeth feel sore and as if loose. **Merc. sol.**

Toothache. **Calc. c.**

Tongue—white. **Bry.**

Stomach.

Aversion to bread. **Natr. m.**

———— food ; even the odor of it sickens her. **Sepia.**

Cramps. **Argt. nitr.**

Craving for salt. **Natr. m.**

Dyspepsia. **Helon.**

Eructation—putrid. **Arnica.**

———— of large quantities of wind after eating. **Phos.**

Loss of appetite, nothing tastes good. **Puls.**

Nausea. Acid. lact., Apocyn. can., Arnica, Bell., Borax, Bry., Ipec., Verat. alb.

——— after eating. Bry.

——— and giddiness when moving about or rising; better when lying. Arnica.

——— vomiting. Sepia.

——— in the morning. Acid. lact.

———, with cold sweat on the forehead. Verat. alb.

——— at the pit of the stomach. Arnica.

——— constant. Ipec.

——— on sitting up. Bry.

——— proceeding from the stomach. Ipec.

Pain from the—to the sacrum. Borax.

Sensation as of something alive in the. Crocus sat.

——— ascending towards the stomach, which makes her think she will vomit water. Coccus cacti.

Sinking and emptiness at the pit of. Sepia, Ustilago.

——— faintishness. Ignat.

——— from 11 to 12 at noon; cannot wait for dinner. Sulph.

——— painful—at the pit of. Trill.

Thirst—great—for large quantities of water. Bry.

Vomiting. (See Nausea.) Acid. lact., Apocyn. can., Arnica, Bry., Sepia, Verat. alb.

——— bilious. Bry.

——— of blood. Arnica.

Abdomen.

Constriction or tension—sensation of. Coccus cacti.

Distension. Coccus cacti, Nux m., Sabina.

——— after eating. Nux m.

——— as if from pregnancy, before menses. Kreosot.

——— sensation of—not relieved by eructation or vomiting.

China.

Emptiness and weakness—sensation of. Phos.

Flatus—incarcerated. Lycopod.

Heaviness in the uterine region. Aletr. f., Apis, Bell.

Pain—laborlike. Ant. crud., Apocyn. can., Bell., Calc. c., Canab. ind., Cham., Cimicifuga, Ham., Nitr. ac., Nux v., Plat. Sepia, Tarantula, Ustilago.

——— and drawing in the legs. Nux m.

Pain—laborlike, and drawing in the groins. **Sabina.**

—————; excruciating pain in the vagina; worse when standing. **Rhus tox.**

——, burning across the hypogastrium. **Hydrophobinum.**

——, colic. **Bell., Borax, Calc. c., Cannab. ind., Nux v., Rhus tox., Sepia** (before menses).

———— and headache. **Phos.**

——, contracting. **Magn. c.**

——, cramplike, extending into the thighs. **Nux v.**

——, cutting—in the hypogastrium and sacrum. **Senecio.**

——, drawing—in—also in the thighs and upper limbs. **Stram.**

——, griping and rumbling before menses. **Calc. phos.**

———— with screaming and biting. **Bell.**

——, lancinating, burning. **Ars.**

—— in the lower abdomen. **Coca.**

———— region of the liver. **Phos.**

——, sharp—first in the right, then in the left side. **Coccus cacti.**

——, soreness. **Ham.**

——, sore, bruised feeling in the uterine region, preventing her from walking erect. **Arnica.**

——; spasms. **Ignat., Kali c., Sabina.**

——, sticking—during menses. **Kali c.**

——, tearing, pressing. **Agaric. m.**

Potbelliedness after confinement. **Calc. c., Sepia.**

Pressure over the umbilical region. **Sabina.**

———— uterine region and rectum. **Ipec.**

———— upward, over mons veneris. **Calc. phos.**

Sensation of something alive in the. **Crocus sat., Sabina.**

———— pulling—stinging, from the—to the back. **Plumb.**

Groins and Ovarian Region.

Pain in the—and sacrum, extending to the inner side of the thigh and toe. **Arnica.**

—— burning—in the right side. **Ustilago.**

—— cutting—in the—and sacrum. **Argt. nitr.**

—— in either side. **Ham.**

—— on pressure. **Iod.**

Pressure from the—to the genital organs. **Plat.**

Anus and Rectum.

Hæmorrhoids—bleeding. **Sulph.**

————— very painful to touch and terribly itching. **Muriat. acid.**

————— worse. **Collinson., Ham., Nux v.**

Pain—sharp stitching—in rectum—upwards, followed by a discharge of coagula from the vagina. **Magn. c.**

Prolapsus with difficult stool. **Ignat.**

Stool.

Blood passed away at every stool during menses. **Amm. m.**

Constipation. **Collinson., Sepia.**

————— difficult stool, causing prolapsus of the rectum. **Ignat.**

————— with dry, hard, difficult stool; with frequent urging to stool. **Nux v.**

————— frequent discharge of small pieces. **Nux v.**

————— hard lumps, remaining long in the rectum, as if it had no force to expel them; sometimes after long straining the protruding portion recedes again. **Silic.**

—————, knotty, dark-colored stools. **Iod.**

————— large difficult stools. **Nux v.**

————— lumps packed together like sheep manure. **Plumb.**

————— stools as if burned. **Bry.**

————— long, slim, hard, difficult. **Phos.**

Diarrhœa. **Verat. alb.**

————— in the morning. **Bry.**

————— mucus, with tenesmus and oppression. **Merc. sol.**

————— worse after drinking. **Cina.**

Urging—constant. **Nux v.**

Urinary Organs.

Desire to urinate frequently. **Canth., Cham., China.**

Dysuria with burning and cutting pain. **Canth.**

————— sensation of soreness through the whole urethra.

Cannab. sat.

Irritation of the neck of the bladder. **Canth.**

————— bladder and rectum. **Erigeron.**

Urging to urinate, but she finds it impossible until clots of blood have passed from the vagina. *Coccus cacti*.

Urine brown, with brickdust sediment. *Arnica*.

—— fetid. *Sepia*.

—— pale. *China*.

—— and profuse. *Cham*.

—— profuse. *Phytol*.

—— at night; colorless urine. *Phos. acid*.

—— strong. *Merc. sol.*, *Nitr. acid*.

—— with sediment like clay sticking to the vessel. *Sepia*.

SEXUAL ORGANS.

Uterus.

(See Abdomen, Uterine and Ovarian Region.)

Atony. *Helon*.

Congestion. *Aletr. f.*, *Argt. nitr.*, *Collinson.*, *Iod.* (and ovaries).

—— venous. *Ham*.

Displacement. *Ipec.*, *Sepia*, *Trill.*, *Ustilago*.

——, especially anteversion. *Nux m.*

—— with rheumatic pains. *Calc. phos.*

Distension. *Nux m.*, *Phos. acid*.

Pain in the—and ovaries. *Helon*.

—— pressing down—aching across the hips. *Cimicifuga*.

—— spasms. *Kali c.*

Polypi. *Bufo*, *Calc. phos.*, *Ledum*.

Softness and relaxation. *Caulophyl*.

Tumefaction of cervix; bleeds when touched. *Ustilago*.

Tumors—hard. *Bufo*.

Ulceration of the os or cervix. *Helon*.

Ovaries.

Irritation of the. *Ustilago*.

Vagina.

Fluor albus. (See Part VI, on Fluor albus.)

Aching in the. *Calc. c.*

Sensation as if everything were pressed out. *Silic.*

Sore to the touch. *Silic.*

Vulva.

Aphthæ with itching, burning, and redness. Carb. veg.
 Excitement—sexual. Calc. phos., Plat.
 Itching and burning. Kali brom.
 ——— between the labia and vagina. Kreosot.
 ——— voluptuous. Coff., Tarantula.
 Pressure—peculiar—(also in uterus as if something would come out). Antim. crud.
 Pruritus. Bufo, Tarantula.
 Titillation. Agaric. m., Mosch.
 Voluptuous feeling, as if all the parts were filling up with blood. Calc. phos.

Mammæ.

Atrophia. Iod.
 Pain—acute. Iod., Phytol.
 Swelling and sensitiveness before menses. Calc. c., Conium.

Chest.

Breathing—heavy. Ipec.
 Congestion to the—and head. Calc. c.
 Fulness in—and head, with difficult respiration. Brom.
 Gasping for breath. Ipec.

Heart.

Palpitation. Acon., Cact. gr., Erigeron, Helon., Trill.
 ——— before menses. Iod.
 ——— on going upstairs. Crocus sat.
 Suffocating spells about the. Cact. gr., Laurocerasus.

Back.

Heat in the. Phos.
 Pain, backache. Amm. c., Bell., Bry., Cham., Helon.
 ——— aching and boring. Ham.
 ———, weight in sacrum or small of back, during menses.
 Kali c.
 ——— burning across the small of back or sacrum Carb. veg.
 ——— cutting in sacrum and hypogastrium. Senecio.
 ——— drawing from the sacrum to the os pubis. Cham.
 ——— dragging about the loins, and bearing down in the pelvis.

Nux v.

——— excoriating—in sacrum or small of back. Xanthoxyl.

Pain in the sacrum when riding in a carriage. **Nux m.**
 ——— the small of back. **Bry.**
 ——— and abdomen. **Phos.**
 ——— groins. **Argt. nitr.**
 ——— down the inner side of the thigh and leg to the great toe. **Arnica.**
 ——— like rheumatism, through the hips, down the thighs, with labor pains. **Cimicifuga.**
 ——— tearing, pressing, also in the abdomen. **Agaric. m.**
 ——— through to the pubes; drawing, tearing. **Sabina.**
 ——— uterus. **Helon.**
 ——— severe—and down the thighs. **Cimicifuga.**
 ——— under the inner and lower angle of the right shoulderblade. **Chelidon.**

Lower Extremities.

Coldness. **Cham., Phos., Trill., Verat. alb.**
 ——— of—with heat in head. **Arnica.**
 Feet cold. **Silic. (during menses), Sulph.**
 ——— and cold legs. **Phos.**
 ——— and damp. **Calc. c.**
 ——— hands. **Ignat.**
 ———, convulsive trembling, likewise of the hands. **Hyos.**
 ——— fidgety—and of the legs even. **Zinc.**
 ——— swollen, painful. **Digital.**
 ——— numbness of—and legs. **Ignat.**
 Jerking of the—and upper extremities. **Lycopod.**
 Pain—aching (and upper). **Cimicifuga.**
 ——— and pressing down into the uterus. **Cimicifuga.**
 ——— drawing. **Nux m.**
 ——— in the—and upper limbs and abdomen. **Stram.**
 ——— in the inner side of the thigh and toe, coming from the sacrum and groins. **Arnica.**
 ——— thighs, with severe backache. **Cimicifuga.**
 ——— like rheumatism in limbs and back. **Cimicifuga.**
 ——— tearing in the—and upper. **Bry.**
 ——— veins. **Cham.**
 Paralytic feeling. **Coccul.**
 Toe, itching, burning, redness, as if frozen. **Agaric. m.**

Sleep.

Dead and heavy. Sulph.

Deep the whole night. Sulph.

Dreams of robbers being in the house. Natr. m.

Drowsiness and fainting. Nux m.

Light sleep, awakens frequently. Sulph.

Nightmare before menses. Sulph. acid.

Restlessness at night, cannot find a place to rest with comfort.

Rhus tox.

———, tossing about even during sleep. Cina.

———, the sheets feel too hot, she changes all the time for a cooler place. Opium.

Sleepiness, yet cannot sleep. Opium.

——— after meals, especially after dinner. Phos.

Sleeplessness. Cannab. ind.

——— after 3 or 4 A.M. Nux v.

Fever.

Chills at night, flushes of heat during the day. Lach.

Chilliness and shuddering. Calc. c., Ipec.

——— during menses. Kreosot.

——— wants to be covered all the time. Calc. c.

Coldness—icy—over the whole body; in paroxysms. Silic.

——— with internal heat, don't want to be covered. Secal. cor.

Coolness. Digital.

Heat. Sabina.

——— flashes of—during the day, chills at night. Lach.

——— followed by weak fainting spells. Sulph.

Pulse intermittent. Kali c.

——— weak. Verat. alb.

Skin.

Boils—small—tendency to. Arnica.

Chapped skin; rhagades on hands and feet; slight injuries result in ulceration. Hep. s.

Ecchymosis in various parts of the body. Arnica.

Eruption painful. Arnica.

Red spots stinging like bee-stings. Apis.

Generalities.

Absence of pain. China, Crocus sat., Gels., Magn. c., Puls., Sepia, Trill.

Aggravation of all ailments before menses. **Secal. cor.**

Coldness of the extremities. **Trill.**

Constitution and temperament. (See Part VIII, Generalities.)

Convulsions—hysterical. **Cimicifuga.**

———— violent. **Secal. cor.**

Emaciation with good appetite. **Iod.**

Exhaustion. (See Weakness.)

Fainting. **Apis**, **Apocyn. can.**, **Cham.**, **China**, **Nux m.**, **Nux v.**, **Trill.**

———— and drowsiness. **Nux m.**

———— preceded by flashes of heat. **Sulph.**

Faintness. **Ipec.**

———— with goneess at pit of stomach at 11 or 12 o'clock, cannot wait for dinner. **Sulph.**

Hysteria. **Cimicifuga.**

Losing flesh. **Helon.**, **Phos.**

———— in spite of good appetite. **Iod.**

Pains—lacerating in the limbs. **Bry.**

Sensitiveness to the slightest draught of air. **Calc. c.**

Sore, bruised feeling throughout the body. **Arnica.**

Spasms. (See Convulsions.)

Torpor and numbness of the whole body. **Secal. cor.**

Trembling of the whole body. **Apocyn. can.**

Tremulous sensation of the whole body without trembling. **Sulph. acid.**

Want of vital warmth; can hardly keep warm. **Ledum.**

Weakness; debility; exhaustion. **Aletr. f.**, **Apocyn. can.**, **Ars.**, **Brom.**, **Carb. veg.**, **Crocus sat.**, **Erigeron**, **Helon.**, **Iod.**, **Phos.**, **Sabina**, **Sulph. acid**, **Trill.**, **Ustilago.**

———— after menses; blue rings around the eyes. **Phos.**

———— excessive, with pain between the sacrum and pubis.

Sabina.

Yawning. **Apis.**

PART III.

AMENORRHOEA.

(See Part I.)

REMEDIES: **Acon.**, **Æscul. hipp.**, **Agnus cast.**, **Aletr. f.**, **Alum.**, **Amm. c.**, **Apis**, **Apocyn. can.**, **Argt. nitr.**, **Ars.**, **Aurum**, **Bell.**, **Berb.**, **Borax**, **Bry.**, **Calc. c.**, **Camph.**, **Canth.**, **Carb. veg.**, **Caulophyl.**, **Caust.**, **Cham.**, **Chelidon.**, **China**, **Cicut. vir.**, **Cimicifuga**, **Cist. can.**, **Coccul.**, **Colch.**, **Collinson.**, **Colocynth.**, **Conium**, **Crocus sat.**, **Croton tig.**, **Cupr.**, **Cyclam.**, **Cypriped.**, **Digital.**, **Drosera**, **Dulc.**, **Euphr.**, **Ferr.**, **Gels.**, **Glon.**, **Gossyp.**, **Graph.**, **Ham.**, **Hedeoma**, **Hellebor.**, **Helon.**, **Hippom.**, **Hyos.**, **Ignat.**, **Iod.** (of long standing), **Kali c.**, **Kali hydr.**, **Kali nitr.**, **Kalmia**, **Lach.**, **Leptand.**, **Lithium c.**, **Lilium**, **Lobelia**, **L.V. Deflor.**, **Lycopod.** (of long standing), **Magn. c.**, **Magn. m.**, **Merc.**, **Mezer.**, **Millefol.**, **Natr. c.**, **Natr. m.**, **Nitr. acid.**, **Nitrum.**, **Nux m.**, **Opium**, **Petrol.**, **Phos.**, **Phos. acid.**, **Plat.**, **Plumb.**, **Phytol.**, **Podophyl.**, **Polygonum**, **Psorin.**, **Puls.**, **Rhododendron**, **Rhus tox.**, **Ruta**, **Sabadilla**, **Sabina**, **Sanguin.**, **Sarsap.**, **Secal. cor.**, **Senecio**, **Sepia**, **Silic.**, **Spigel.**, **Staphis.**, **Stram.**, **Stront.**, **Sulph.**, **Taraxacum**, **Terebinth.**, **Ustilago**, **Valerian**, **Verat. alb.**, **Verat. vir.**, **Zinc.**

Delay of first menses in young girls **Acon.**, **Apis**, **Calc. c.**, **Camph.**, **Caustic.**, **Conium**, **Coccul.**, **Drosera**, **Graph.**, **Kali c.**, **Magn. c.**, **Natr. m.**, **Petrol.**, **Puls.**, **Sabina**, **Sepia**, **Sulph.**, **Verat. alb.** (For further menstrual peculiarities concerning time and character of the discharge, see Part I.)

Causes.

From anger. **Cham.**, **Colocynth.**, **Puls.**

—— atony of the uterus or ovaries. **Aletr. f.**

—— chagrin. **Acon.**, **China**, **Colocynth.**, **Puls.**

———— with severe indignation. **Staphis.**

—— checked perspiration. **Cham.**

From cold. **Acon.**, Bell., Bry., Caulophyl., Cimicifuga, **Dulc.**, Gels., **Nux m.**, **Puls.**, Senecio, Sepia, Sulph.

——— and dampness. **Dulc.**, **Rhus tox.**

——— bath. **Acon.**

——— congestion of the uterus and pelvic viscera. Collinson.

——— debility. Aletr. f., Graph., **Nux m.**, **Puls.**

——— and torpid condition of the whole system, with disordered condition of the digestive organs. **Helon.**

——— nervous. **Puls.**

——— disappointed love. **Helleb.**

——— erysipelas. **Cicuta vir.**

——— fever. **Cimicifuga**, **Lobelia.**

——— fright. **Lycopod.** (chronic.), **Nux m.**, **Opium.**

——— and anger of long standing. **Lycopod.**

——— sudden. **Acon.**, **Bell.**, **Opium**, **Plat.**, **Puls.**

——— getting wet. **Dulc.**, L.V. Deflor., **Nux m.**, **Puls.**, **Rhus tox.**

——— the feet. **Acon.**, **Puls.**

——— grief and great anxiety, from suppressed grief. **Colocynth.**, **Ignat.**

——— hysteria. **Nux m.**

——— mental emotions. **Cimicifuga.**

——— ovarian irritation. **Ustilago.**

——— overexertion. **Nux m.**

——— heating. **Ant. crud.**

——— pulmonary disease. **Sanguin.**

——— suppression of footsweat. **Cupr.**, **Silic.**

——— torpid condition of the uterus in leucophlegmatic temperaments. **Gossyp.**

——— working in the water. **Calc. c.**

CONCOMITANTS.

Mind and Disposition.

Angry disposition (see Irritability). **Acon.**, Sulph.

———, quarrelsome, can hardly keep her temper. **Cham.**

———, vehement. **Natr. m.**

Anguish. **Coccul.**, **Conium.**

———, deathly, with dread of dying. **Plat.**

——— great. **Ignat.**, **Plat.**

- Anguish, with colic. **Colocynth.**
 Anxiety about domestic affairs. **Puls.**
 ————— her health, extreme. **Bry.**
 ————— and sadness. **Conium.**
 —————, with constriction of the chest when lying. **Graph.**
 Busily engaged in this or that, but do nothing right; with young girls. **Apis.**
 Cries and shrieks for help. **Ignat.**
 Desire for society and light. **Stram.**
 Despair of salvation. **Verat. alb.**
 Dread of downward motion, as in a swing, in a rocking chair, or coming downstairs. **Borax.**
 Dulness of mind. **Helon.**
 Excitement — great — at every time she should menstruate. **Magn. m.**
 Fall—letting—and breaks everything they have in their hands, and laughing over it. **Apis.**
 Fearfulness; fright. **Lycopod., Stram.**
 ————— of being left alone. **Ars.**
 Fear—expression of—on awaking from sleep, with red puffed face. **Stram.**
 ————— of death. **Ars.**
 Frightened easily. **Kali c.**
 Grief—full of suppressed. **Ignat.**
 Hastiness. **Natr. m.**
 Impatient (see Irritability). **Natr. m.**
 Irritability (see Angry Mood). **Cham., Merc. Sulph.**
 ————— nervous and lassitude. **Senecio.**
 Irascible mood. **Natr. c.**
 Laughing and weeping—involuntary—with general weakness. **Conium.**
 ————— loud and boisterous at every time the menses should appear. **Hyos.**
 Low-spirited, melancholic, depressed. **Ars., Cimicifuga, Coccul., Conium, Crocus sat., Cypripedium, Helon., Ignat., Natr. m., Puls., Sepia.**
 ————— and anxious. **Conium.**
 ————— early in the morning at every time she should menstruate, with qualmsiness for a few hours, sweet rising, and spitting of blood with the saliva. **Natr. m.**
 ————— fatigue. **Podoph.**

Low-spirited and melancholy, during the period of development.
Helleb.

———— peevish. Merc.

———— weeping. Ignat., Lycopod., Sepia, Sulph.

———— excessive. Natr. m.

———— with inclination to commit suicide. Aurum.

———— inclination to be. Natr. c.

————; she looks at the dark side of everything. Caustic.

———— with nightsweats. Aletr. f.

———— prolapsus uteri. Aurum.

Mania. Puls.

Mental derangement. Puls.

———— insanity, during the climacteric years. Hipp.

———— with screams and mania. Cupr.

Mild, tearful, yielding. Puls.

Moaning and groaning. Coccul.

Mood—contrary. Merc.

———— fitful. Nux m.

———— irascible. Cham., Natr. c.

Nervousness. China.

————, excitability, bordering on hysteria or chorea. Cimi-
cifuga.

————, sleeplessness, and great debility. Sen-
ecio.

———— great. Borax, Conium, Ferr.

————, starts easily. Borax.

Peevish and whimsical. Cham., Merc.

Religious reveries—inclination to. Sulph.

Restlessness and anguish. Coccul.

———— weariness. Magn. c.

Sensitiveness—extreme—to the least noise. China.

———— mental and physical impressions.

Staphis.

Shamelessness, disposed to nakedness and to be obscene. Hyos.

Shrinking back. Stram.

Suicide—inclination to. Aurum.

Suspicious and proud. Plat.

Talkativeness—extreme—at the time the menses should appear.
Stram.

Weeping and laughing—involuntary. Conium.

- Weeping frequently. Sulph.
 ——— melancholy. Lycopod.
 ———, praying, and earnest supplication. Stram.
 ———, sighing, sobbing—involuntary. Ignat
 ——— uncontrollable. Plat.

Head.

- Coldness—constant, at the top of the head. Verat. alb.
 Congestion. (See Pain.)
 Dulness in the—and weight in the abdomen. Graph.
 Flashes of heat in the—and face, with cold hands and feet. Sepia.
 Heat in the—great. Bell.
 ——— and vertex, with cold feet. Sulph.
 ——— stitches in the sides of the head.
 Sulph.
 Heaviness of the. Crot. tig.
 Pain in the—(headache). Calc. c., Graph., Lithium c., Merc.,
 Sepia.
 ——— aching, pulsating, or sticking. Acon.
 ———, tensive, especially from occiput to the neck.

Sulph.

- at night especially. China.
 ——— buzzing. Calc. c., Puls.
 ———, congestion. Acon., Apis, Bell., Bry., Calc. c. Cim-
 icifuga, Ferr., Gels., Graph., Merc., Verat. vir.
 ——— and chest. Acon., Graph.
 ———, tendency to. Acon.
 ——— pelvic organs. Sulph.
 ——— dry heat every time she should menstruate.

Merc.

- heavy feeling. Opium.
 ——— throbbing. Acon., Calc. c., Puls., Sulph.
 ——— at the approach of each men-
 strual period. Bell.
 ——— fulness. Glon.
 ——— roaring, buzzing, and prickling
 in the brain. Ferr.
 ——— with aching pain in the vertex. Cupr.
 ——— a whizzing noise in the brain. Sulph.
 ——— epistaxis. Conium, Crocus sat., Digi-
 tal.

Pain in the, congestion, with feeling as if the temples or top of the head would burst. Glon.

_____ pale face. Glon.

_____ pulsation of the carotids. Bell.,

China.

_____ redness of face and eyes. Cupr.

_____ roaring in the ears. Graph.

_____ shooting or throbbing pains, with delirium or stupefaction. Acon.

_____ digging. Sulph.

_____ dulness with vertigo. Cimicifuga.

_____ and illusion of sight. Gels.

_____ forehead. Amm. c.

_____ above the eyes, extending to the temples, one side always worse; great nausea, less vomiting; pale face; prostration. L. V. Deflor.

_____ aching, pressure on the vertex. Puls.

_____ burning. Calc. c.

_____ stupefying, pressing. Croton tig.

_____ frequent. Natr. m.

_____, severe. Natr. c.

_____ hysterical. Graph., Lycopod., Sepia.

_____ in the morning on awaking and long lasting Natr. m.

_____ nervous. Sepia, Verat. alb.

_____ at every menstrual period, with cold sweat on the forehead. Verat. alb.

_____ neuralgic. Cimicifuga.

_____ and face; sharp darting twitching. Gels.

_____ pressive—in the temples, swimming in the head.

Bry.

_____ pressive, heavy. Cimicifuga, Ferr.

_____ pressure on the vertex, with aching pain over the forehead. Puls.

_____ shocks and whizzing in the brain. Sulph.

_____ (sick headache), pain over the eyes, and a numb pain from the sacrum down the legs. Graph.

_____ with stiffness of the neck. Sanguin.

_____ sides of the head. Lycopod.

_____, stitches extending to the face and teeth; semilateral. Puls.

Pain in the, stitching. Sulph.

———— tingling, crawling at the vertex. Cupr.

———— violent. Cimicifuga.

———— when stooping especially. Puls.

———— with fever, every time the menses should appear.

Rhododen.

———— fulness. Canth.

———— nausea. Natr. m.

———— vertigo. Lach.

———— and bleeding from the nose. Lach.

———— or dizziness. Cyclam.

Perspiration—cold—on the forehead, with nervous headache at every menstrual period. Verat. alb.

Vertigo. Calc. c., Phos., Plat., Puls.

———— in a recumbent position, or when she attempts to turn over in bed. Conium.

———— the morning especially; fear she will fall; black before the eyes. Sabina.

———— on going upstairs. Calc. c.

———— or dizziness with headache. Cyclam.

———— fainting on rising from a recumbent position. Acon.

———— when turning over in bed. Conium.

———— with buzzing in the ears. Puls.

———— dulness of the head. Cimicifuga.

Eyes.

Blindness—momentary—frequent attacks of. Silic.

Inflammation. Puls.

———— and ulcers on the right side of the bridge of the nose. Euphr.

————, lachrymation. Euphr.

Lachrymation—profuse—tears acrid and burning. Euphr.

Lids—chronic inflammation of the. Sulph.

———— itching in daytime, sticking together at night. Euphr.

———— paralytic sinking of the. Sepia.

———— swelling of the. Graph., Phos.

———— lower—and below the eyes. Phos.

———— upper—or cheeks; sour eructations at every time she should menstruate. Kali c.

Photophobia. Euphra

Sight—illusions of—with headache and vertigo. **Gels.**

—— obscuration of—frequent attacks of. **Silic.**

—— weakness of. **Merc.**

Soreness of the. **Zinc.**

Veins distended, also in the ears, lips, and tongue. **Digital.**

Ears.

Buzzing in the—with vertigo. **Puls.**

Deafness. **Cubeba.**

Veins distended—also in the eyes, lips, and tongue. **Digital.**

Nose.

Bleeding of the—blood black and stringy. **Crocus sat.**

—— discharging but a few drops. **Lach.**

—— frequent. **Acon., Bry., Puls.**

—— instead of menses. **Bell., Bry., Ham., Puls., Silic.**

—— with congestion in the head. **Conium, Crocus sat., Digital.**

—— headache and vertigo. **Lach.**

Catarrh—constant—with severe frontal headache, and dread of light. **Euphr.**

—— frequent. **Puls., Septa.**

Coldness of the. **Verat. alb.**

Ulcers on the right side of bridge of—with inflammation of the eyes. **Euphr.**

Yellow saddle across the bridge of. **Sepia.**

Face.

Cheeks—redness of one—paleness of the other. **Cham.**

—— swelling of the—and upper eyelids; sour eructations at the time she should menstruate. **Kali c.**

Dingy spots in the. **Sepia.**

Earthy color. **Merc.**

Eruption—acne solare. **Graph.**

—— freckles. **Puls.**

—— pimples on forehead and around the mouth. **Sulph.**

Lead-color, with nausea and vomiting; cold sweat on forehead. **Verat. alb.**

Lips—dry. **Bry.**

—— veins the—distended, also of the eyes and ears. **Digital.**

Livid—with blue margins around the eyes. **Ars.**, **Ferr.**
 Pain in the—neuralgic—and head—sharp, darting, twitching.
Gels.

Paleness of the. **Sepia.**

———— alternating with redness. **Iod.**

———— sometimes. **Kali c.**

———— very strongly marked.

Zinc.

———— with blue margins around the eyes. **China**, **Cupr.**,
Ferr., **Sulph.**

———— sickly—with blue margins around the eyes, and
 red spots on the cheeks. **Sulph.**

———— white, waxy, with great debility. **Ars.**

———— with congestion to the head. **Glon.**

———— cold sweat on the forehead. **Verat. Alb.**

———— yellowish. **Puls.**

Puffy. **Sepia.**

Redness of the. **Sulph.**

———— and eyes. **Bell.**, **Cupr.**

————, with congestion of blood to the head
 when stooping. **Bell.**

———— heat, sopor, and convulsive motions. **Opium.**

———— bloated. **Bell.**

———— dark. **Graph.**

———— bluish. **Digital.**

———— fiery—in weakly woman. **Ferr.**

————, full hard pulse. **Acon**

————, one cheek red, the other pale. **Cham.**

———— puffed up—she is very fearful, and shrinks back
 from objects on awaking from sleep. **Stram.**

Sallow face. **Sepia.**

————, sickly, wretched face. **Podoph.**

Spots—dingy—on the. **Sepia.**

Yellow face. **Caust.**, **Cham.**, **Sepia.**

Yellowness around the mouth, across the cheeks and nose. **Sepia.**

Mouth.

Dryness of the—and tongue, especially after sleeping. **Nux m.**

Gums—pricking and swelling of the—every time she should
 menstruate. **Kali c.**

Toothache at the time the menses should appear. **Staphis.**

———— stinging and tearing. **Natr. m.**

———— stitching—the pains suddenly shift from one side to the other. **Puls.**

————, with excessive sensitiveness of the dental nerves.

Sepia.

Taste—acid—with sour vomiting. **Lycopod.**

———— bad—exceedingly, every morning, frequently with nausea.

Puls.

Tongue—blister—small—covering the. **Natr. m.**

———— coated. **Senecio.**

———— looks like a ringworm on the sides. **Natr. m.**

———— map. **Natr. m.**

Odor—foul—from the. **Podoph.**

Throat.

Ball rising in the—from the stomach; sensation of. **Senecio.**

Constriction of the. **Ignat.**

Dryness of the—mouth and tongue when sleeping, especially at the time the menses should appear. **Nux m.**

Sensation as if a thread or something were hanging in the—coming from low down in the abdomen, with nausea and inclination to vomit. **Valerian.**

Soreness of the—at every time she should menstruate. **Magn. c.**

Swallowing difficult. **Ignat.**

Stomach.

Belching. (See Eructation.)

Distension and fulness of the—sensation of—after eating especially, with eructation, from which no relief is obtained. **China.**

Empty and unusually hungry feeling from 11 to 12 o'clock; she can't wait for dinner. **Sulph.**

———— weak feeling at the pit of stomach. **Ignat.**

————, painful. **Sepia.**

Eructations, sour—and frequently sour vomiting. **Lycopod.** (mornings especially).

———— burning. **Sulph.**

———— with swelling of the cheeks or upper eyelids at every time she should menstruate. **Kali c.**

Fulness of the—after a little food. **Lycopod., Petrol.**

———— and bowels. **Lycopod.**

Fulness of the—and loaded feeling from drinking cold water. **Ars.**
 Gastric disturbances, sour eructations, every time she should menstruate. **Kali c.**

————— with shooting pains all over the abdomen.

Kali c.

Indigestion. **Aletr. f., China.**

————— from eating pork or anything fat. **Puls.**

Motion in the—sensation of. **Crocus sat.**

Nausea. **Graph., Ipec.**

————— and retching. **Hedeoma.**

————— and vomiting, with colic. **Puls.**

—————, lead-color of the face. **Verat. alb.**

—————, violent cramps in abdomen and chest.

Cupr.

————— from the odor of cooked food ; loathing of all food. **Sepia.**

————— melancholy, anxiety early in the morning for a few hours, with sweet rising from the stomach, and spitting of blood with the saliva. **Natr. m.**

————— slight. **Sanguin.**

————— when riding in a carriage. **Sepia.**

————— with very bad taste in the mouth in the morning. **Puls.**

————— headache. **Sepia.**

————— inclination to vomit. **Hedeoma.**

—————, from a sensation as if a thread or something were hanging in the throat, coming from low down in the abdomen. **Valerian.**

• Pain in the—cardialgia. **Millefol., Sepia.**

—————, gastralgia, eructation, and oppression of the chest at every time she should menstruate. **Lach.**

————— with menses and vomiting. **Puls.**

Pressure in the. **Ferr., Puls.**

—————, with heaviness and feeling of repletion—the same in the hypochondria and abdomen. **Sulph.**

Retching and nausea. **Hedeoma.**

Satiety—constant sense of—the least quantity of food causes fullness up to the throat. **Lycopod.**

————— loathing of all food ; even the smell of cooking nauseates her. **Sepia.**

Swelling of the pit of. **Cham., Calc. c.**

—————, with pressure. **Lycopod.**

Vomiting—excessive—and frequent nausea. **Cupr.**

Vomiting of blood every time she should menstruate. **Bell., Ham., Natr. m., Phos., Puls.**

———— sour—and sour eructation. **Lycopod.** (mornings especially).

———— with aching in the epigastrium shortly after eating. **Lycopod.**

———— pain in the stomach. **Puls.**

Waterbrash. **Nux m.**

Appetite.

Desire for brandy. **Ars.**

———— coffee. **Ars.**

———— sour things. **Ars.**

———— sweet things. **Lycopod.**

Immoderate hunger; voracity. **Sulph.**

Loss of. **Plat.**

————, nothing tastes good. **Puls.**

————, with gastric derangements. **Senecio.**

Thirst.

Burning thirst. **Bell.**

Wants large quantities. **Bry.**

———— to drink little, but often. **Ars.**

Thirstlessness. **Ars.**

———— and chilliness. **Puls.**

Abdomen.

Affections of the liver. **Leptand.**

Bloatedness. **Cham., Conium, Graph., Natr. c., Puls.**

———— after every meal. **Nux m.**

———— and fulness, especially after eating. **China.**

———— of the—and extremities. **Apocyn. can.**

———— fulness, with bearing-down sensation.

Aletr. f.

———— pressure in the umbilical region. **Lycop.**

————, ascites. **Helleb.**

Congestion to the pelvic organs and to the head. **Sulph.**

Fulness of the—and stomach. **Lycopod.**

Heaviness—sensation of—in the uterine region, with increase of white leucorrhœa. **Gels.**

Motion in the—sensation of—as if from a child. **Crocus sat.**

Pain in the. **Silic.**

———— as if the menses would appear, but they fail to. Senecio.

———— with desire to stool and
backache. **Plat.**

————, colic. Bry., Caust., Graph., Lycopod.

———— after dinner especially. China.

————, causing her to draw up double, with anguish
and restlessness. **Colocynth.**

————, cramps. **Cham.**

———— cutting and drawing in the thighs before menses.

Cham.

———— every morning at or about 3 A.M. **Kali c.**

———— with feeling of fulness in the hypochondria, and
inability to wear tight clothes. **Calc. c.**

———— nausea and vomiting. **Puls.**

———— pain down in the thighs, especially at the
time the menses should appear. **Calc. c.**

———— in the small of the back. **Sepia.**

———— cramps in the—and in the uterine region, with lancinating
pains; leucorrhœa. **Conium.**

———— deep in. **Coccul.**

———— low down in the abdomen, and constriction in
the bowels. **Nux m.**

———— violent; typical paroxysms, extending to the
chest, with nausea and vomiting. **Cupr.**

———— drawing. **Agnus cast.**

———— and tension. **Lycopod.**

———— in lower part of abdomen. **Bry.**

———— the iliac region, at every time she should men-
struate. **Magn. m.**

———— with frequent desire to urinate; colorless urine.

Puls.

———— laborlike. **Cham., Kali c.**

———— and pressing in the iliac region. **Magn. m.**

———— as if the menses would appear, but did not. **Au-
rum, Bell., Calc. c., Cham., Crocus sat., Plat., Senecio.**

———— at the time the menses should appear, followed by
soreness of the perinæum, and then swelling of the vulva. **Sepia.**

———— in the groins. **Lycopod.**

———— hypogastric and sacral region; worse from
motion, better when lying down. **Podoph.**

- Pain, laborlike, in the hypogastric, towards the genitals. **Natr. c.**
 ————— with distension and fulness. **Aletr. f.**
 ————— pressure and weight, especially in the uterine region. **Bell.**
 ————— shooting all over the abdomen, with gastric disturbances.
Kali c.
 —————, spasms. **Cimicifuga, Puls.**
 ————— epileptic—with piercing cries. **Cupr.**
 ————— hysterical, at the time menses should appear, with pressure to the chest. **Coccul.**
 ————— with great anxiety, oppression, and paralytic weakness. **Coccul.**
 ————— stitching. **Conium.**
 ————— in the left lower—worse when sitting. **Nux m.**
 ————— tenderness—she cannot bear the weight of the hand or clothes on it. **Lach., L. V. Deflor.**
 ————— through the—towards the genitals. **Cham.**
 ————— uterine region, violent, and itching pimples on the chest, at every time the menses should appear. **Sulph.**
 ————— violent, raving. **Agnus cast., Nux m.**
 Pressure in the—with feeling of repletion and heaviness; also in the stomach and hypochondrium. **Lycopod.**
 Rumbling in the—especially in left hypochondriac region. **Ly-copod.**
 Spasms. (See Pain.)
 Swelling. (See Bloatness.)
 Weakness—sense of great. **Phos.**
 Weight in the—and dulness in the head. **Graph.**
 ————— oppressive. **Puls.**
 ————— and tenderness in the pelvis. **Polygon.**

Rectum and Anus.

- Fissures of the anus with discharge of blood. **Natr. m.**
 Hæmorrhage from the—every time she should menstruate. **Phos.**
 Hæmorrhoids. **Pedoph., Sulph.**
 ————— bleeding. **Graph.**
 ————— of purple color and much burning; backache. **Æs-cul. hipp.**
 Pains in the—as of a long stitch. **Ignat.**
 —————, pressure; worse from walking, which causes stitching and burning. **Petrol.**

Prolapsus of the—at stool, frequent, with prolapso uteri. **Podoph.**
Sensation of a lump in the. **Sepia.**

Stool.

Constipation. Aletr. f., **Bry.**, Ham., Phytol., Plat., Senecio.
_____ at the approach of the menstrual period. **Silic.**
_____, stool difficult, dry, long, small. **Phos.**
_____, large. **Natr. m.**
_____, which crumbles as they escape
from the verge of the anus. **Magn. m.**
_____ scanty, often adhering to the rectum
and anus like soft clay. **Plat.**
_____ they come down to the verge of the
anus, and slip back. **Silic.**
_____ hard and dry as if burned. **Bry.**
_____ with frequent ineffectual urging. **Sulph.**
_____ with ineffectual urging to stool. **Æscul. hipp.**
_____ sense of weight, as from lumps in the anus
(retroversion). **Sepia.**
Diarrhœa. Glon., Verat. alb.
_____ after drinking milk. **Sepia.**
_____ inclination to. **Puls.**
_____ mucus. **Puls.**
_____ only at daytime. **Petrol.**
_____ Painful. **Ars.**
_____ slimy. **Sulph.**
_____ with tenesmus. **Merc.**
Difficulty to evacuate even a soft stool; much straining. **Alum.**

Urinary Organs.

Hæmorrhage from the urethra every time she should menstruate.
Phos.
Intermittent flow of urine. **Conium.**
Micturition—frequent desire to. **Digital.**, **Kali hydro.**
_____ with drawing pains in the abdo-
men. **Puls.**
Retention of urine. **Lycopod.**
_____ with pain in the urethra. **Puls.**
Urethra—pain in the—after micturition. **Natr. m.**

Urine—copious. L. V. Deflor.
 ————— and colorless. **Cham.**
 ————— red and sandy. **Lycopod.**
 ————— scanty and dark with sediment like coffee-grounds. **Helleb.**
 ————— high-colored. L. V. Deflor.
 ————— watery, colorless. **Puls.**

SEXUAL ORGANS.

Uterus.

(See Abdomen.)

Distension of the—great—with gas. Phos. acid.
 Dropsy of the—from sudden suppression of menses. **Colchic.**
 Induration of the cervix. **Conium.**
 Pain in the. **Puls.**, **Sabina.**
 ————— and dysuria. **Puls.**
 ————— cramps. **Cimicifuga**, **Graph.**
 ————— with pains in the hypogastrium. **Plat.**
 ————— laborlike, continual, long-lasting, every time menses
 should appear. **Secal. cor.**
 ————— stinging. **Conium.**
 Prolapsus of the. **Conium**, **Merc.**
 ————— and of the rectum. **Podoph.**
 —————; low-spirited. **Aurum.**
 ————— or anteversion. **Lilium.**
 ————— with induration. **Bell.**, **Conium.**
 Spasms of the. **Cimicifuga.**
 Sterility. **Conium**, **Graph.**

Ovaries.

Congestion of the. **Apis.**
 Diseases of the. **Conium**, **Phytol.**, **Podoph.**
 Irritation of the. **Phytol.**, **Podoph.**, **Ustilago.**
 Pain in the—and irritability, especially if the pain is stinging.
Apis.
 ————— burning or stinging. **Lilium.**

Vulva.

Eruption with stitching through it. **Conium.**
 Itching. **Conium**, L. V. Deflor.

Sensation of enlargement. Sepia.

Swelling. Graph.

——— preceded by soreness of the perinæum, and laborlike pains at the time the menses should appear. Sepia.

——— redness, itching eruption on the inner labia. Sepia.

Vagina.

Burning in the—during an embrace, from dryness of the. Lycopod.

Discharge of white water instead of menses. Silic.

Dryness of the. Lycopod.

Fluor albus. (See Part VI.) Alum., Ars., Calc. c., Caustic., Cimicifuga, Coccul., Conium, Gels., Graph., Kali c., Lilium, Lycopod., Merc., Phos., Podoph., Puls., Ruta, Sabina, Sepia, Silic., Sulph.

Prolapsus of the—at every time she should menstruate. Merc.

Tender and sore. Kali c.

Wind from the. Lycopod.

——— loud escape of. Sanguin.

Sexual Instinct.

Aversion to coition. Kali c., Natr. m.

Desire—great. Ars.

Sexual mania. Hyos., Phos., Zinc.

Mammæ.

Flabby and shrivelled. Iod.

——— with increased sexual desire. Conium.

Decrease of their size. L. V. Deflor.

Milk in the. Phos., Rhus tox.

Pain in the—as if they would ulcerate at every menstrual period. Merc.

——— stitches. Phos.

Scirrhus. Brom.

Swelling and hardness of the. Dulc.

——— painfulness of the. Cicuta vir., Terebinthina.

——— each time she should menstruate.

Calc. c., Conium.

Larynx.

Hoarseness. Graph.

Chest.

Asthma. (See Shortness of Breath, Oppression.) **Ars.**, **Puls.**, **Sulph.**

Congestion. **Bry.**

———— in the— and head. **Graph.**

———— with palpitation of the heart. **Acon.**

———— with spitting of blood. **Bry.**, **Phos.**

Constriction of the—when lying, with anxiety. **Graph.**

Cough—dry. **Bry.**

———— only in the daytime. **Graph.**

———— tight; tightness in chest; spitting blood; worse before midnight. **Phos.**

———— with bloody sputa. **Millefol.**

———— pain in the middle of chest, scraping, rawness, and soreness. **Graph.**

Eruption on the—liver spots. **Lycopod.**

————, pimples, itching, with violent uterine pain each time she should menstruate. **Sulph.**

Hæmorrhage. **Millefol.**, **Puls.**

———— every time she should menstruate. **Phos.**

Oppression. **Coccul.**, **Kali c.**

Pain in the. **Graph.**

————, cramps in the sides. **Bell.**

Phthisis. **Psorin.**

———— disposition to. **Kali c.**

Pressure in the. **Coccul.**

Respiration—difficult. **Kali c.**

Shortness of breath. **Sepia**, **Verat. alb.**

———— after slight emotions. **Puls.**

———— the least exertion. **Puls.**

————, great—on going upstairs. **Ars.**, **Calc. c.**,

Iod.

———— sometimes. **Sepia.**

Spasms of the. **China**, **Cupr.**, **Kali c.**

Spitting of blood every time she should menstruate. **Bry.**, **Phos.**,

Verat. alb. (and at other times).

Suffocating feeling in bed. **Digital.**

Heart.

Anxiety about the. **Bell.**

Diseases of the. **Kali c.**

Fluttering of the. **Natr. m.**

Irregular action of the. **Digital.**

Pain in the. **Apis, Lilium.**

———— as if it was pressed down. **Cham.**

Palpitation of the. **Acon., Cimicifuga, Iod., Kali c., Lycopod., Puls.**

———— and spasms of the chest. **Cupr.**

———— from congestion. **Acon., Kali c., Spigel.**

———— on awaking from a restless sleep. **Alum.**

———— with congestion to head and chest. **Acon.**

Back.

Pain in the—and all over the body. **L. V. Deflor.**

———— loins. **Lycopod.**

———— bruised. **Apis.**

———— and as if broken. **Nux m.**

———— wandering—and in the shoulders. **Senecio.**

———— small of back. **Cimicifuga.**

————, aching, as if broken. **Bell.**

———— and stiffness. **Kali c.**

————, laborlike. **Graph.**

————, paralytic. **Coccul.**

———— with colic. **Sepia.**

———— loins. **Caust., Puls., Sulph.**

———— as if the back were broken. **Camph.**

———— extending to the hypogastric and iliac regions, as well as down the thighs. **Sanguin.**

———— across the sacrum; aching. **Gels.**

———— laborlike, in the sacral and hypogastric regions, worse from motion, better when lying down. **Podoph.**

———— at the coccyx and in the shoulders. **Ars.**

———— under the inner and lower angle of the right shoulderblade.

Chelidon.

————, numbness, from the sacrum down the legs. **Graph.**

Stiffness of the. **Apis, Kali c.**

Neck.

Goitre—hard. **Iod.**

———— right side. **Lycopod.**

Pain in the—drawing. **Natr. c.**

EXTREMITIES.

(Extremities in general. See Generalities.)

Upper.Heaviness. **Graph.**Itching between the fingers. **Graph**Nails grow thick and crooked. **Graph.**Pain in the shoulders and coccyx, or gluteal region; stitches. **Ars.**Tetter between the fingers. **Graph.**Trembling and nervousness of the hands. **Merc.****Lower.**Burning of the soles of the feet, at night in bed. **Sulph.**Coldness of the feet. **Sulph.**, **Verat. alb.**_____ and dampness. **Calc. c.**_____ hands, and nose. **Verat. alb.**_____ heat at the vertex. **Sulph.**_____ legs, sometimes with paralysis. **Sulph.**Heaviness. **Graph.**_____ and fatigue of the. **Calc. c.**_____ of the—with great debility. **China.**Numbness of the—when sitting. **Bell.**Pain in the hips and loins—slight aching. **Polygon.**_____ gluteal region and shoulders; stitches. **Ars.**Paralysis of the—feeling of. **Coccul.**_____ with coldness. **Phos.**, **Sulph.**Swelling of the feet. **Graph.** (coldness), **Lycopod.**, **Puls.**_____ legs. **Apis.**

_____ and feet, with paralytic feeling in them.

Digital.

Tired feeling of the—even when sitting; she feels tired all over.

Magn. c.Varices. **Ham.**, **Lycopod.**, **Puls.**Weakness of the. **Ferr.**, **Iod.****Sleep.**Dreams of robbers; disturbed sleep. **Natr. m.**_____ tiresome. **Ars.**_____ vivid and painful, disturbing sleep. **Natr. m.**

Sleep dead and heavy the whole night. **Sulph.**
 — in short naps at night. **Sulph.**
 — late in the morning, and awakens with a very bad taste in the mouth. **Puls.**
 — restless. **Borax.**
 —, always awaking with palpitation of the heart. **Alum.**
 — with anxious, fatiguing dreams. **China.**
 Sleepiness all the time—unconquerable. **Nux m., Opium.**
 — in daytime, unconquerable, just after a good night's rest. **Nux m.**
 —, sleeplessness at night. **Sulph.**
 Sleeplessness. **China, Magn. m., Senecio.**
 — and inability to sleep in the early part of the evening. **Puls.**
 — at night, and sleepiness all day. **Sulph.**
 — 3 A.M., and feeling worse in every way at that time. **Kali c.**
 — nervous—excitability, great debility. **Senecio.**
 Sopor, with redness and heat of the face, and convulsive motions. **Opium.**

Fever.

Chilliness. **Cimicifuga, Graph., Lycopod.**
 — constant, even in the summertime, when warmly dressed. **Puls.**
 —, with yawning, stretching, with great languor, especially in the legs. **Puls.**
 — sometimes alternating with dry or burning heat. **Bry.**
 —, wants more clothes on her, or be near the fire. **Ars.**
 Heat. **Cimicifuga.**
 — and agitation of the blood in the evening. **Lycopod.**
 — whole body. **Merc., Sulph.**
 — violent. **Bry.**
 — headache, every time the menses should appear. **Rhododen.**
 — at night, with thirst and sleeplessness. **Natr. m.**
 — dry. **Merc.**
 — flashes of. **Sulph.**
 — frequent, with thirst. **Acon.**
 —, thirst, and restlessness. **Kali c.**
 Perspiration at night, with depression of spirits. **Aletr. f.**

Perspiration constant—affording no relief to the tearing pains in the limbs, which are worse at night in bed. **Merc.**

————— great inclination to—with debility. **Sepia.**

————— profuse—when walking. **Sepia.**

Shivering—frequent fits of. **Kali c., Lycopod.**

—————, with yawning. **Puls.**

Shuddering the whole day during the menstrual nusus. **Sepia.**

Skin.

Dryness of the. **Kali c.**

Eruption, blotches, itching here and there, from which oozes a gelatinous fluid. **Graph.**

————— chronic. **Sulph.**

————— erysipelalous. **Kali c.**

————— or herpetic. **Graph.**

—————, tetter, covered with thick scurfs. **Psorin.**

—————, violent itching at each time she should menstruate. **Carb. veg.**

—————, urticaria; rash every time she takes cold, and when menses should appear. **Dulc.**

Itching and burning of the—intense. **Croton tig.**

Fistula. **Petrol., Silic.**

Skin chapped and unhealthy. **Petrol.**

Warts on the hands. **Dulc.**

Generalities.

Affections from anger. **Cham.**

————— chagrin. **Colocynth.**

————— checked perspiration. **Cham.**

————— of the left side especially, or moving from the left to the right. **Lach.**

————— right side especially, or moving from the right to the left. **Lycopod.**

————— spasmodic. **Calc.**

Aggravation at 3 A.M. of all symptoms. **Kali c.**

————— after midnight. **Ars.**

————— during rough or windy weather, or at the coming of a thunderstorm. **Rhododen.**

————— from motion. **Bry.**

————— in a warm room; better in the open air. **Glon., Puls.** (in the evenings).

Aggravation when standing. **Sulph.**

Aversion to move. **Natr. c.**

———— wash herself in cold water. **Sulph.**

Chlorosis. **Calc. c., China, Conium, Cupr., Cyclam., Ferr., Graph., Ignat., Iod., Lycopod., Natr. m., Puls., Sulph.**

————, with much loss of flesh. **Ferr.**

———— œdematous symptoms. (See Dryness.) **China, Ferr., Graph.**

Coldness of hands and feet. **Graph.**

————, frequent, alternating with sudden heat. **Puls.**

———— flashes of heat to head and face. **Sepia.**

Constitution and temperament. (See Part VIII, Generalities.)

Convulsions. **Caulophyl.**

————, eclampsia. **Opium.**

————, epileptic. **Millefol.**

———— during the time of puberty. **Caustic.**

———— every evening. **Gels.**

————, hysterical. **Graph., Nux m.**

———— and pinching in the sacrum. **Caustic.**

————, with painful screaming. **Cupr. m.**

———— redness and heat of the face; sopor. **Opium.**

Debility; weakness; prostration after the least exertion. **Merc.**

———— and atony of the body. **Aletr. f., Caulophyl.**

———— exhaustion after the least exertion; her limbs feel weak and ache. **Nux m.**

———— or the shortest walk. **Conium, Magn. c.**

———— weariness, with desire to remain seated or lying down all the time. **Ferr.**

———— can scarcely speak at the time she should menstruate.

Coccul.

————, disinclination to move about. **Senecio.**

———— from talking. **Sulph.**

———— loss of animal fluids. **China.**

———— of the lower limbs especially. **Sulph.**

————, with fainting spells. **Verat. alb.**

———— giving out of the back when standing or walking, especially across the hips. **Æscul. hipp**

———— great thirst. **Natr. m.**

Debility, with heaviness of arms and legs. **Graph.**

———— the lower limbs. **Calc. c., Iod.**

————, involuntary laughing and weeping. **Conium.**

————, trembling and rush of blood after the least exertion. **Merc.**

————, mental and physical. **Natr. c.**

————, with heaviness of the limbs and aversion to motion. **Natr. m.**

————, nervous—great. **Conium, Cypriped., Nux m., Sulph.**

————, complete exhaustion after the least exertion, with pain in the loins, and disposition to sleep or faint away. **Nux m.**

————, with great disposition to sweat. **Sepia.**

————, with profuse leucorrhœa, flowing only in daytime.

Alum.

————; white waxy paleness of the face; the least exertion fatigues. **Ars.**

Dropsy. (See Swelling.) **Apis, Apocyn. can., Calc. c., Cham., Colchic., Graph., Kali c., Merc.**

Emaciation. **Chin., Ferr., Iod., Sulph.**

Exhaustion. (See Debility.)

Fainting fits. **Ars., Cham., Glon., Lycopod., Nux m., Sulph.**

———— or vertigo when lying in a recumbent position, or when turning the head over. **Acon.**

————, with great debility. **Verat. alb.**

Heaviness of the extremities. **Graph., Nitr. acid.**

Hysteria. (See Convulsions.) **Caustic., China, Cimicifuga, Coccul., Conium, Cypriped., Graph., Lycopod., Magn. m., Natr. m., Nux m., Sulph., Verat. alb.**

————, disposed to nakedness and to be obscene. **Hyos.**

———— in women who have taken too much Chamomilla tea. **Valerian.**

————, with jerking and twitching. **Hyos.**

———— much loud boisterous laughing, each time the menses should appear. **Hyos.**

Jerking of the limbs. **Bell.**

————, with screaming. **Cupr.**

Liability to take cold easily. **Sulph.**

Pain all over the body, especially in the back. **L. V. Deflor.**

———— as if bruised—in the extremities, after getting wet. **Sepia.**

———— drawing, tensive, through the whole body. **Lycopod.**

Pain, neuralgic. **Cimicifuga**, **Kalmia** (through the whole body).

—— rheumatic. **Cimicifuga**, **Graph.**, **Nux m.**

——, muscular; chronic. **Phytol.**

——, worse after midnight; relieved from warmth.

Sulph.

—— at night in bed, with constant perspiration, which affords no relief. **Merc.**

Sensation as though the circulation had stopped. **Lycopod.**

Sensitiveness—particular—to cold air. **Calc. c.**, **Sepia.**

—— to light and noise; great. **Bell.**

Sinking of the vital forces—sudden. **Colchic.**

Sleep—going to—of the extremities—liability to. **Sulph.**

—— upon which she lies. **Graph.**

Spasms. (See Convulsions.)

Swelling (see Dropsy) of the body all over; œdematous. **Merc.**, **Sepia.**

—— of hands and feet. **Graph.**

——, with chlorosis. **China**, **Ferr.**, **Graph.**

Tingling sensation and warmth through the whole body. **Polygon.**

Weakness. (See Debility.)

Weariness and languor—general. **Helon.**

—— of body and mind. **Aletr. f.**

Yawning—constant. **Digital.**

PART IV.

ABORTION, MISCARRIAGE.

(See Uterus in Part V.)

REMEDIES: **Acon.**, Aletr. f., Aloe., **Apis**, Argt. nitr., **Arnica**, Asarum europ., Bapt., **Bell.**, Bry., Bufo, Calc. c., **Caulophyl.**, **Canth.**, Cham., China, **Crocus**, Dulc., Erigeron, **Ferr.**, Gels., Hyos., Ignat., **Ipec.**, Kali c., Kreosot., Lycopod., Merc., Nitr. acid., **Nux m.**, **Nux v.**, Opi., Phos., Plat., Plumb., Podoph., **Puls.**, Rheum, **Rhus tox.**, Ruta, **Sabina**, Sanguin., **Secal. cor.**, **Sepia**, Silic., Stram., Sulph., Thuja, Verat. alb., Vibur. opul., Zinc.

Threatened abortion: **Acon.**, **Arnica**, Asarum europ., Bapt., Bell., Bry., Calc. c., Cannab. sat., **Canth.**, Caulophyl., Cham., China, Cinnab., Coff., Coccul., **Crocus**, **Ferr.**, Gels., Helon., Hyos., **Ipec.**, Kali c., Kreosot., **Nux m.**, **Nux v.**, Opi., Plat., **Puls.**, **Rhus tox.**, Ruta, Sabina, Sanguin., **Secal. cor.**, **Sepia**, Silic., Stram., **Trill.**, Verat. alb., Vibur. opul.

Causes.

From being in damp cold places. Dulc.

—— congestion and ulceration of the uterus. **Canth.**

—— epidemic influenza, when women abort about as generally as the influenza prevails. Camphor.

—— excessive sensibility of all the nerves, so that from even imagining something unpleasant might occur, a disagreeable sensation thrills her, momentarily arresting all her thoughts and functions. Asarum europ.

—— a fall, strain in the loins, or overexertion. **Rhus tox.**

—— Cinnamon.

—— fright. Gels., **Opium**.

—— when the fear remains, and she seems not to get over it. **Acon.**

—— gonorrhœal affections. Cannab. sat.

—— lead poisoning. Plumb.

From shock, fall, bruise, concussion, or any other traumatic cause.
Conium.

—————, especially if she begins to flow, with or without pain, or pain with or without flow. **Arnica.**

—— sudden depressing emotions. **Gels.**

—— suppressed grief. **Ignat.**

—— typhoid fever. **Bapt.**

—— uterine debility. **Caulophyl.**

—— use of stimulants, wine, coffee, etc. **Nux v.**

Time of its Occurrence.

At the second or third month. **Apis, Kali c.**

—— third month. **Crocus sat., Sabina, Secal. cor., Thuja.**

—————, blood black. **Kreosot.**

During the early months. **Apis.**

————— later part of pregnancy—especially. **Opium.**

From the fifth to the seventh month. **Sepia.**

Constitutional Peculiarity.

Woman with habitual tendency to abortion. **Aletr. f., Argt. nitr., Asarum europ., Bapt., Calc. c., Cannab. sat., Carb. veg., Caulophyl., Cimicifuga, Coccul., Ferr., Helon., Kali c., Kreosot., Lycopod., Nux m., Plumb., Puls., Ruta, Sabina (third month), Sepia, Silic., Sulph.**

————— always occurring about the same time, usually caused by induration of some part of the uterus. **Aurum. (Aurum m., Natro natrum.)**

————— pale, loose, and cold skin, with general disposition to catarrhal troubles. **Caulophyl.**

————— usually too profuse and too early menses. **Calc. c.**

Mind and Disposition.

Anxiety with great nervous excitability. **Acon.**

Delirium, spasms, with rigidity of the limbs. **Hyos.**

Excitability—nervous. **Arnica.**

Fear of death. **Secal. cor.**

—————; is sure she will die; with hæmorrhage. **Acon.**

—— that she will abort. **Nux m.**

—— unconscious—which seems to control her; she is afraid to

leave the bed, to turn or to move, or she is afraid to go from room to room, or to go out and fears that something untoward may happen.

Acon.

Irritability—from high living, wine, etc. **Nux v.**

——— great. **Sepia.**

———, spiteful—she is snappish and uncivil when speaking.

Cham.

———, wishes to be alone. **Nux v.**

Sings constantly. **Stram.**

Loss of consciousness. **China, Hyos.**

——— will-power over the muscles. **Gels.**

Low-spirited. **Plumb.**

——— with weeping. **Ignat., Lycopod., Sepia.**

Moans a great deal, which seems to afford relief. **Bell.**

Restlessness and agony. **Cham.**

——— nervousness—great. **Podoph.**

Sensitive to noise. **Bell., Sulph**

Sighing and sobbing. **Ignat.**

Talkativeness—unceasing—she talks, prays, implores, sings constantly. **Stram.**

Head.

Heaviness. **China.**

Pain in the. (Headache.) **Sepia.**

——— as if the head would split. **Bry.**

———, congestion. **Bry., Calc. c., Sepia, Sulph.**

———, throbbing of the carotids. **Bell.**

——— frequent. **Carb. veg., Lycopod.**

——— heat on the top of the head. **Sulph.**

Perspiration—hot—about the head. **China.**

Vertigo. **Calc. c., Cham.**

——— great—when turning the head in bed. **Conium.**

——— on rising from a recumbent position; she has to lie down again. **Acon.**

——— when going upstairs. **Calc. c.**

——— when stooping, or rising from a stooping posture. **Bell.**

Eyes.

Redness of the—with flushed face. **Bell.**

Sight—loss of. **Hyos.**

Swelling of the upper lids. **Kali c.**

Ears.

Loss of hearing. **Hyos.**
 Ringing in the ears. **China.**

Nose.

Catarrh—tendency to. **Sepia.**
 ————— and other blennorrhœas. **Sulph.**
 Yellow saddle across the. **Sepia.**

Face.

Bright-red. **Ferr.**
 Eruptions on the—and other parts of the body. **Sulph.**
 Flushed—with red eyes; throbbing of the carotids, heat in head.
Bell.

———— from the least emotion or exertion. **Ferr.**
 Pallor of the face. **Kali c.**
 Paleness with exhaustion. **Ferr.**
 Perspiration—cold—upon the forehead. **Verat. alb.**
 Yellow spots upon the. **Sepia.**

Mouth and Teeth.

Dryness of the—and lips. **Bry.**
 ————— throat, the tongue sticks to the roof of the
 mouth, especially after sleeping. **Nux m.**
 Toothache. **Sepia.**

Appetite and Thirst.

Desire for large quantities of water. **Bry.**
 Hungry and faint at 11 P.M., cannot wait for dinner. **Sulph.**
 Loss of appetite. **Sulph.**
 Thirstlessness. **Apis.**

Stomach.

Dyspepsia. **Aletr. f.**
 Nausea. **Sanguin., Verat. alb.**
 ——— and vomiting. **Kali c.**
 ——— constant—without a moment's relief. **Ipec.**
 ——— from sitting up. **Bry.**
 Retching. **Verat. alb.**
 Sinking, empty, painful sensation at the pit of stomach. **Sepia.**
 ——— sensation at the pit of stomach. **Ignat.**

Vomiting. Kali c., Verat. alb.
 ————— bilious. Coccul.
 ————— ingesta. Sabina, Sulph.

Abdomen.

Bloatedness of the—sensation of—as if it were packed full; no relief from eructation. **China.**

Contraction around the hypochondria; painful. Rhus tox.

Fainting and sinking in the—feeling of. **Sabina.**

Fermentation in the—constant. **Lycopod.**

Flatus—desire to pass—but the evacuation either up or down gives no relief. **China.**

Heaviness in the. Cham.

Motion of the child excessive and tremulous. **Lycopod.**

————— feeble. Sepia.

————— as if from something alive. **Crocus sat.**

Pain in the—about the umbilicus, passing off into the uterus. **Ipec.**

————— colic. Calc. c.

————— frequent. Sepia.

————— contractive, with terrible bearing down. **Sepia.**

————— drawing, extending to the back, as though the abdomen were drawn upwards. **Plumb.**

————— extending to the sides. **Cham.**

————— from motion of the child; if the period of quickening has passed, she is sure the child is lying across the abdomen. **Arnica.**

————— the loins, extending through the hypogastric and iliac regions and down into the thighs. **Sanguin.**

————— irritations—and of the urinary organs—preceding an abortion. **Canth.**

————— laborlike. Nux m.

————— alternating with hæmorrhage. **Puls.**

————— as if the internal organs would issue from the vulva. **Bell., Sepia.**

————— when standing. **Calc. c.**

————— the result of injury, with sero-mucous discharge. **Arnica.**

————— excessively severe. **Coff.**

————— false—with bloody discharge. **Secal. cor.**

Pain in the—laborlike, passing off down the thighs. **Kali c.**

————— periodical. **Cham.**

————— spasmodic. **Caulophyl., Opium.**

————— with desire to stool or to urinate. **Nux v.**

————— discharge of bright blood. **Hyos.,**

Ipec.

————— dark blood. **Cham., Puls.**

————— partly fluid, and partly

black clotted blood. **Ferr.**

————— flowing. **Calc. c.**

————— in the ovarian region, especially at night, disturbing sleep, recurring night after night, until symptoms of abortion set in.

Podoph.

—————, stinging, occurring more and more frequently till labor-pains are produced. **Apis.**

————— pressure—and drawing down in the legs from the navel. **Nux m.**

————— shooting from right to left. **Lycopod.**

—————, spasms. **Carb. veg.**

————— spasmodic—before the membranes are broken. **Vi-bur. opul.**

————— stitching. **Kali c.**

————— uterine region, sore feeling, she needs to be moved, and feels cross about it. **Nux v.**

————— writhing—with nausea; or pains in back and loins as if dislocated. **Nux v.**

Relaxed and soft abdomen. **Sabina.**

Rumbling in the. **Lycopod.**

Sensation as if tight, would break if much effort is made to void a stool. **Apis.**

Tremulous sensation—extending into the—from the vulva. **Plat.**

Weakness in the—sense of great. **Phos.**

Weight in the—and uterine region. **Aletr. f.**

Stool.

Constipation prolonged and difficult. **Apis.**

—————, stools difficult, as if the rectum had no power to expel them; or when the stool recedes after having been partly forced out. **Silic.**

—————, dry, as if burnt. **Bry.**

Constipation, prolonged and dry, large. **Kali c.**, **Nux v.**
 _____, long, and narrow. **Phos.**
 _____, with involuntary, after ineffectual
 straining; great urging; mixed with slime. **Sepia.**
 _____ prolapsus ani. **Ignat.**
 _____ in balls like sheepdung. **Plumb.**
 _____ small, frequent, with pain in the anus. **Nux v.**
 _____ with sensation, when straining, as if the contents of
 the abdomen would issue from the rectum and vagina; especially in
 the second or third month. **Kali c.**
 Desire to stool at every pain. **Nux v.**
 _____; constant. **Sabina.**
 _____ often. **Cham.**
 Diarrhoea. **Erigeron**, **Sabina.**
 Frequent but natural stool. **Podoph.**

Rectum and Anus.

Hæmorrhoids, which bleed profusely, are sore to the touch, and
 itch much. **Sulph.**
 Pain in the—with constipation. **Nux v.**
 Prolapsus of the—with every stool. **Podoph.**
 Sense of weight—as from a lump—in the. **Sepia.**

URINARY ORGANS.

Affections of the—after abortion. **Rheum.**
 Desire to urinate at every pain. **Nux v.**
 _____ constant—sometimes ineffectual, but when suc-
 cessful, only a few drops pass with cutting and burning pain. **Canth.**
 _____ frequent—urine profuse and pale. **Cham.**
 _____ with burning and scalding when uri-
 nating. **Nux v.**
 Dysuria. **Erigeron.**
 Intermittent flow of urine. **Conium.**
 Irritation of the—and bowels—preceding an abortion. **Canth.**
 Urine—scanty—usually. **Apis.**
 _____ profuse and pale. **Cham.**
 _____ with red sand in it. **Lycopod.**, **Nux v.**
 _____ sediment, adhering to the vessel: very offensive.
Sepia.

SEXUAL ORGANS.**Uterus.**

(See Abdomen.)

Affections of the—organic. **Secal. cor.**Atony of the. **Secal. cor.**Congestion of the. **Nux v., Sepia.**————— with ulceration. **Canth.**

Contraction of the—feeble—attended with but slight loss of blood.

Caulophyl.————— difficult—after abortion. **Secal. cor.**Hæmorrhage. (See Metrorrhagia, Part V.) **Arnica, Cham., Ipec., Puls., Sabina, Secal. cor.**Inflammation of the—chronic—with nausea and vomiting. **Kali c.**Irritation of the. **Cimicifuga.**

Menses. (See Part I.)

Menstrual irregularities subsequent to and consequent upon abortion. **Secal. cor.**Pain in the—burning. **Bry.**————— cramps, with cutting stitches. **Ignat.**————— cervix, fine darting. **Sepia.**Prolapsus of the—and rectum. **Podoph.**————— tendency to. **Aletr. f.**Retention of the afterbirth. **Bell., Canth., Caulophyl., Cimicifuga, Gels., Gossypium, Puls., Sabina, Secal. cor., Sepia, Viscum album.**Spasms of the—alternate, tonic and clonic. **Hyos.****Vulva.**Coldness and sensitiveness of the—and mons veneris to touch. **Plat.**Congestion of the sexual organs, with or without discharge of blood. **Bell.**Itching about the. **Lycopod.**————— with soreness. **Sepia, Sulph.**Swelling of the labia and inguinal glands. **Merc.**Tremulous sensation extending from the—into the abdomen. **Plat.**Varices. **Carb. veg.****Vagina.**Discharge of black foul-smelling masses after abortion. **Secal. cor.**————— blood and coagula. **Cham.**

Dryness in the—feeling of. **Lycopod.**

Leucorrhœa. (See Part VI.) **Calc. c., Lycopod., Sepia, Sulph.**

———— from suppressed menses. **Ferr.**

Mammæ.

Cold chills and pricking pain in the. **Cimicifuga.**

Nipples—painful. **Calc. c.**

Chest.

Congestion to the. **Sepia.**

Cough, dry, hawking. **Kali c.**

Fulness and pressure in the. **Sepia.**

Respiration—rapid. **Acon.**

Shortness of breath when going upstairs. **Calc. c.**

Trembling sensation in the middle of the. **Rhus tox.**

Back.

Pain in the—backache—aggravated by motion. **Bry.**

———— as if it would break. **Bell., Kali c.**

———— and loins; severe. **Caulophyl.**

———— drawing—hips and loins. **Rhus tox.**

———— extending into the buttocks and thighs. **Kali c.**

———— intolerable—before passing water, with almost entire relief as soon as the urine flows. **Lycopod.**

———— paralytic, rendering the legs almost useless. **Coccul.**

———— region of the kidneys. **Kali c.**

———— through to the pubes; pressing and drawing. **Sabina.**

————; when walking she feels that she must lie or sit down. **Kali c.**

———— loins. **Calc. c., Carb. veg., Lycopod.**

———— as if broken, with sensation of constriction or distension. **Bell.**

———— through to the abdomen; violent. **Cham.**

Spinal affections. **Silic.**

Weakness in the small of the back and legs. **Kali c.**

Lower Extremities.

Cold feet. **Sulph.**

———— with dampness. **Calc. c.**

Cramps in the calves. **Rhus tox.**

Cramplike contraction of the thighs. **Rhus tox.**

Languor. **Sulph.**

Restlessness of legs and feet ; or a sort of fidgety, especially with varices. **Zinc.**

Varices. **Sepia.**

Weakness of the—and small of back. **Kali c.**

Sleep.

Awakens often, feeling badly. **Sulph.**

Drowsiness. **China.**

———— and inclination to faint. **Nux m.**

Sleepiness—great—yet unable to sleep. **Nux m.**

Sleep unrefreshing and full of dreams. **Rhus tox.**

Fever.

Chills during the day or for several days, with pricking in the chest. **Cimicifuga.**

Chilliness—feverish—with obstinate perspiration. **Kali c.**

———— even in a warm room. **Puls.**

———— shuddering. **Cham.**

Heat and shivering. **Sabina.**

———— vascular excitement ; restlessness. **Acon.**

———— flashes of. **Sepia, Sulph.**

Perspiration—cold—with the pains. **Verat. alb.**

———— disposition to. **Sepia.**

Pulse almost extinct. **Secal. cor.**

———— full and strong ; with vascular activity and red face. **Ferr.**

Skin.

Eruption—herpetic. **Sulph.**

Gray—with brown spots on the face. **Sepia.**

Tender and sensitive. **Sepia.**

Generalities.

Aching all over during rest. **Rhus tox.**

Aggravation at night, later part, must move and turn about frequently to get relief. **Rhus tox.**

———— during rest. **Rhus tox.**

———— in a close warm room ; always better in open fresh air. **Apis, Puls.**

Aggravation from the least jar. **Bell.**

————— moving, relief from keeping quiet. **Bry.**

Bruised feeling, so that it hurts her to move; the bed on which she lies feels too hard. **Arnica.**

Coldness of the extremities. **China.**

Constitutional peculiarities. (See Part VIII, Generalities.)

Convulsions. **Cham., Hyos., Ipec., Plat., Secal. cor.**

————— with consciousness, especially when with cutting about the umbilicus. **Ipec.**

————— or convulsive movements, with profuse flow of dark liquid blood. **Secal. cor.**

————— of the limbs, with restlessness. **Cham.**

Debility; fainting spells. **Sulph.**

————— from walking or exercise. **Calc. c.**

————— great. **Ferr.**

————— almost extinct pulse, fear of death. **Secal. cor.**

————— from protracted illness, loss of fluids, or defective nutrition. **Aletr. f.**

Fainting. **Lycopod.**

————— inclination to—from the least exertion. **Sepia.**

—————. **Ipec.**

————— with hunger at 11 or 12 A.M. **Sulph.**

Fatigue—great—from slight efforts. **Sulph.**

Hæmorrhagic tendency—general. **Ferr.**

Liability to take cold easily. **Nux m.**

Muscles flabby—loss of tone. **Aletr. f.**

Oversensitiveness to light or noise. **Bell.**

Pain all over the body, especially the limbs. **Bry.**

—————, aching, tension, with sensation of constriction or pain in loins as if broken. **Bell.**

————— and flowing, with bright red face. **Ferr.**

————— come and go suddenly. **Bell.**

————— running upward, or upward and backward, sharp and distressing. **Gels.**

————— sore feeling all over as from a bruise. **Arnica.**

————— with cold sweat. **Verat. alb.**

Rigidity of the limbs with delirium. **Hyos.**

Twitching and jerking of single muscles or limbs. **China, Hyos.**

Varices. **Sepia.**

Yawning—frequent. **Cham.**

PART V.

METRORRHAGIA.

(See Part IV.)

REMEDIES: Acet. acid, **Acon.**, Aletr. f., Ambr. gr., Antim. crud., Apis, Apocyn. can., Argt. m., **Argt. nitr.**, Arnica, Ars., Arundo m., **Bell.**, Bovista, **Bry.**, Bufo, Calc. ac., **Calc. c.**, Canth., Carb. an., Carb. veg., Cascar., Caulophyl., **Cham.**, **China**, **Cinnab.**, **Cinnamon**, Cocc., Coff., Conium, Copaiva, **Crocus**, Cyclam., Diadema, **Dictamnus**, Digital., Elaps., **Erechthites**, Erigeron, **Ferr.**, Ham., Helon., Hep. s., Hydrast., **Hyos.**, Ignat., Iod., **Ipec.**, Kali c., Kreosot., **Lach.**, Ledum, Lycopod., Magn. c., Magn. s., Mangan., Merc., Millefol., Nitr. acid., **Nux v.**, Phos., Plat., **Plumb.**, Podoph., Prunus spi., Puls., Rhus tox., **Sabina**, **Secal. cor.**, Senecio, **Sepia**, **Silic.**, Staphis., Stram., **Sulph.**, **Sulph. acid**, Symphit., Tarantula, Terebinthina, Thlapsi bur., **Trill.**, **Ustilago**, Viburnum opul., Viscum album.

Chronic Metrorrhagia especially. Bell., Calc. c., China, Ferr., Plumb., Sabina, Secal. cor., Sepia, Sulph.

Quantity and other Peculiarities of the Discharge.

Active. **Acon.**, Apis, Arnica, Crocus, Ham., Ustilago.

Alternating with laborlike pains. **Puls.**

Continual. Apocyn. can., **Ipec.**, Secal. cor., Ustilago.

———— bright red. Hyos., **Ipec.**

———— dark—suddenly appeared. Ars.

———— or in paroxysms. Apocyn. can.

Frequent attacks of hæmorrhage, she seems to get almost well, when it occurs again and again. **Nux v.**, **Sulph.**

Intermitting—the discharge is arrested for a little time, and then returns with redoubled violence, and so on; abortion. **Puls.**

———— with clots at times, at other times profuse. Puls.

———— uterine cramps, colic, and painful distension of the abdomen. **China.**

Long-lasting. Iod., Kali c., Phos. (profuse.)

Oozing of dark blood, with small coagula, for days. Ustilago.

Painless. Bovista, Calc. c., Ham., Magn. c., **Secal. cor.**

Passive. Aletr. f., Caulophyl., Carb. veg., **Crocus, Ham., Plumb., Secal. cor.,** Ustilago.

Paroxysmal. Apocyn. can.

—————, brought on by the slightest motion. Sabina.

Periodical. Argt. nitr., Ipec.

Profuse. Apis, **Bell., Bry., Calc. c., Caulophyl., Cham., Cinnamon, Calc. c.,** Erigeron, Helon., Kreosot., **Nux v., Sabina, Secal. cor.**

————— and long-lasting. Phos.

————— at times—at other times intermittent. Puls.

————— between the after-pains; especially. Bell.

————— continuous. **Ipec.**

————— dark. Sepia.

————— clotted, continuing at intervals for several days. Trill.

—————, coagulated blood preceded by pain in the back; cancer of the uterus. Kreosot.

————— during miscarriage or abortion. Arnica, Cham., Ipec., Puls., Sepia, Sabina, **Secal. cor.**

————— following a strain in the loins or a false step; threatening of, following a miscarriage. **Cinnamon.**

————— frequently, pouring out freely, and then ceasing for a short time. Phos.

————— in gushes. Ham.

————— at or near the beginning of a miscarriage. Viburnum prunifolium.

————— every effort to vomit; gasping for breath; faintness. **Ipec.**

————— of bright-red blood, at the least motion; later pale blood from anæmia. Trill.

————— sudden. **Cinnamon.**

—————, thin, partly black, and coagulated. Ferr.

————— violent. Caulophyl., **Cinnamon.**

————— in woman given to reveries. Puls.

————— with about equal parts of clotted or fluid blood, red or dark. Sabina.

————— every bearing-down pain. Cyclam.

Returning from the least cause; chronic metrorrhagia. **Sepia.**

Scanty. Coccul., Nux v.

Sudden. Ars.

———, profuse. Cinnamon.

Worse at night. Bovista, Magn. c., Merc.

——— from blowing the nose. Merc.

——— motion. Argt. nitr., Coff., Plumb.

———, the slightest. Calc. c., Crocus, Sabina, Secal. cor., Trill.

———, but often better from walking.

Sabina.

——— the least jar. Bell.

——— mental excitement. Calc. c.

——— vomiting, or every effort to do so. Ipec.

——— in a close warm room, better in the open air. Sabina.

——— the afternoon, at 4 P.M. Lycopod.

——— evening. Puls.

——— on rising. Acon.

Quality and Character of the Discharge.

Black. China, Elaps., Kreosot.

——— clotted. (See Clots.) Arundo m., Cham., China, Crocus, Ferr., Lycopod., Puls., Sabina.

———, partly fluid; frequent. Ferr.

——— liquid. Secal. cor.

——— stringy. Crocus.

Bloody ichor, pungent, preceded by pain in the back; cancer. Kreosot.

Bright red. Arnica, Bell., Calc. c., Cinnamon, Diadema, Erethilis, Ham., Hyos., Ipec., Lycopod., Rhus tox., Sabina.

——— constant flow. Hyos., Ipec.

——— hot. Bell.

———, later pale, from anæmia. Trill.

——— lumpy. Arnica, Ustilago.

———, in paroxysms with colic. Bell., Nux v., Rhus tox.

——— partly clotted. Sabina.

——— profuse. Cinnamon.

———, worse from motion; threatening abortion. Sabina.

Brown—sometimes fluid. Apocyn. can., Secal. cor.

Clots. **Cham.**, China, Nux v., Puls., Rhus tox., Stram., Thlapsi bursæ.

——— black. (See Black.)

——— partly—partly bright red, and partly bloody serum.

Lycopod.

——— dark. **Cham.** **China**, Ustilago.

——— in paroxysms. Puls.

——— alternating with bloody serum. Plumb.

——— hard and black, mixed with fluid blood, passing away in a dark tarry appearance. Plat.

——— large. Apocyn. can., Stram.

——— black. Coff., Secal. cor.

——— in bright-red blood. Ustilago.

——— offensive. Kreosot.

——— with violent pains; increased by motion. Argt. m.

——— mixed with bright blood. Arnica.

——— watery or pale blood. China.

———, occasionally fluid. Secal. cor., Trill.

———, with bad odor. Bell.

Coagulated (see Clots) easy. Acon., Bell.

Dark. Ars., Bry., Canth., Coccul., Ham., Kreosot., Nitr. acid, Plumb., **Secal. cor.**

——— clots. (See Clots.)

——— fluid. Bry., Plat., **Secal. cor.**

———, having blackish clots mixed with thin watery blood.

Sabina.

———, painless, immediately after delivery. Nux m., Plat.

——— profuse at first, then for a few days bloody ichor, with pungent odor, corrosive itching and smarting of the parts. The turns of these discharges repeat themselves again and again. Kreosot.

——— mixed with blackish clots and thin watery blood. **Sabina.**

——— thick. **Nux m.**, Plat.

———, clotted, profuse, continuing in intervals for several days. Trill.

——— with threatened abortion. Cham.

Pale. Carb. veg., Hyos., Merc., Sabina.

———, partly clotted or very thin, offensive, smelling worse on the least motion, has to be perfectly quiet to avoid a profuse discharge; after miscarriage. **Sabina.**

——— watery with coagula. **China.**

——— pale lips and face. **Ferr.**

Pale, watery, becoming more and more watery the longer it lasts.
Prunus spi.

Stringy—black or dark. **Crocus.**

Thick black, but not coagulated. **Plat.**

Various appearance. **Carb. veg.**

Viscid. **Crocus.**

Odor of the Discharge.

Fetid. **Crocus, Secal. cor., Terebinthina, Trill.**

Offensive. **Bell., Cham., Crocus, Kreosot., Sabina, Secal. cor.**

Pungent. **Kreosot.**

Putrid. **Cham.**

Causes and Times of the Discharge.

After a fall, shock, or concussion. **Arnica.**

—— abortion, or miscarriage, or labor. **Bell., Cham., China, Cinnamon, Crocus, Erigeron, Ferr., Hyos., Ipec., Kali c., Lycopod., Nitr. acid, Plat., Sabina, Secal. cor., Silic., Symphyt., Thlapsi bursæ.**

—— especially in the third month. **Sabina.**

—— abuse of Chamomile. **China, Ignat.**

—— coffee. **Nux v.**

—— drugs. **Nux v.**

—— iron. **Puls.**

—— quinine. **Ferr., Ipec., Puls.**

—— anger. **Cham., Staphis.**

—— during pregnancy. **Kali c.**

—— a long walk or dancing, with or without pain. **Crocus.**

—— false step, and strain in the loins. **Cinnamon.**

—— climaxis. **Merc.**

—— (long time after). **Staphis.**

—— coition. **Arnica.**

—— every stool. **Iod.**

—— fright. **Acon., Bell., Nux v.**

—— during pregnancy. **Secal. cor.**

—— great exertion. **Millefol., Nux v.**

—— mental exertion. **Plat.**

—— labor (natural especially). **Arnica, Acet. acid, Bell., Bry., Caulophyl., Cham., China, Crocus, Erigeron, Ferr., Hyos., Ipec., Kali c., Kreosot., Lach., Nitr. acid., Nux v., Plat., Sabina, Secal. cor., Senecio, Trill., Ustilago.**

After labor, days or weeks after. **Kali c.**

———— difficult. **Phos.**

———— hasty labor especially. **Caulophyl.**

———— leucorrhœa. **Magn. m., Sabina.**

———— mental excitement and depression. **Ignat.**

————, the least. **Nux v.**

———— miscarriage. (See After Abortion and After Labor.)

———— motion—the least—(worse). **Crocus.**

———— much loss of fluids. **China.**

———— overheating. **Crocus, Nitr. acid.**

———— removal of placenta. **Ipec.**

———— straining, lifting, or a false step. **Cinnamon, Crocus, Rhus tox.**

———— the least cause. **Sepia.**

At night especially. **Acon.**

— the critical age. **Ars., China, Calc. c., Carbo veg., Crocus, Digital., Helon., Kali c., Kreosot., Lach., Lycopod., Nux v., Plat., Plumb., Puls., Secal. cor., Sepia., Thlapsi bursæ, Trill., Ustilago.**

Between the menstrual periods. **Bell., Calc. c., Elaps., Hep. s., Magn. s., Mangan., Phos., Silic.**

———— from any little accident, as from a very hard stool, or after a walk a little longer than usual. **Ambr. gr.**

During labor. **Bell., Cham., China, Cinnamon, Ferr., Hyos., Ipec., Lycopod., Plat., Sabina, Secal. cor.**

———— new or full moon. **Crocus.**

———— pregnancy. **Coccul., Phos., Plat., Rhus tox.**

———— at fifth or seventh month especially. **Sepia.**

———— third month. **Kali c., Kreosot., Sabina.**

———— in first few months, from overheating when near the stove or from cooking. **Crocus.**

———— threatened abortion. **Acon., Arnica, Cham., Coccul., Crocus, Ferr., Ham., Ipec., Kali c., Kreosot., Phos., Plat., Puls., Rhus tox., Sabina, Secal. cor., Sepia.**

From atony of the uterus, after protracted labor especially. **Secal. cor.**

———— and general debility. **Aletr. * Caulophyl., China.**

———— constipation. **Nux v.**

———— carcinoma. **Ars., Bell., Ham., Helon., Hydrast., Kreosot., Lach., Sepia, Silic., Sulph., Thlapsi bursæ.**

From debility in general. **Aletr. f.**, Caulophyl., China.

—— fibroids. Bufo, Calc. c., Lycopod., Merc., Nitr. acid, Phos., Puls., Sepia, Silic., Sulph. acid, Tarantula.

—— high living. **Nux v.**

—— intoxicating drinks. **Nux v.**

—— nursing, every time the child takes the breast. Silic.

—— polypus. Bell., Calc. c., Carb. an., Ledum, Lycopod., Phos.

—— retained placenta or coagula. Puls.

—— with clapping hands, delirium, loquacity.

Secal. cor., Stram.

—— profuse flow of hot blood, which speedily coagulates. **Bell.**

—— sexual excitement, onanism, or excessive coition, especially in young women. Calc. c., Nux v., Phos.

Preceding the climacteric period, without pregnancy. Argt. nitr., Bell., Calc. c., China, Crocus, Ferr., Hyos., Ignat., Ipec., Ledum, **Nux v.**, Phos., Plat., Sabina, Sepia, Sulph. ac.

CONCOMITANTS.

Mind and Disposition.

Alternating with spells of insanity. Cascar.

Amorous mood. Merc.

Anxiety and great restlessness; fear of death. **Acon.**

Delirium. Hyos.

Distrust. Nitr. acid.

Dulness of sense with blur before the eyes. China, **Hyos.**

Excitability—great—with fear of death. **Acon.**

—— great mental restlessness. Apis.

—— nervous. Crocus, Argt. nitr. (at change of life).

Fearfulness. Crocus.

Fear of almost anything; she is afraid to get out of bed, to turn over or to move, to go from one room to another; fear that something untoward will happen. **Acon.**

—— death. **Acon.**, Coff., **Secal. cor.**

—— horror of what may happen. Plat.

—— the thought of death. Plat.

Ideas—strange and absurd—full of. Stram.

Irritability—angry mood. **Bry.**, **Nux v.**

—— great nervous. Sepia.

Irritability great, uncivil. **Cham.**

Low-spirited. **Ham., Ignat., Nux m., Plumb., Secal. cor.**

———— frequent sighing and sobbing. **Ignat.**

Nymphomania. **Plat.**

Restlessness and distress. **Cham.**

———— yawning. **Apis.**

Sensitiveness of the mind. **Arnica.**

Serious mood. **Merc.**

Sighing and sobbing with empty feeling at the stomach. **Ignat.**

Talkativeness—excessive—singing, praying, etc. **Stram.**

Time, short as it may be, seems to be very long to her, and everything done for her seems done so very slowly; she has been flowing an hour, but to her it seems hours; we work rapidly for her safety, but she thinks we are very slow. **Argt. nitr.**

Unconsciousness. **China, Hyos.**

Head.

Pain in the—headache. **Kreosot.**

———— at the vertex and sides of the head. **Ustilago.**

———— as if it would split open. **Bry.**

———— confusion, dulness, worse from the least motion.

Argt. nitr.

———— congestion to the head. **Calc. c.**

———— and chest. **Sepia.**

————, throbbing of the carotids; flushed face; red eyes; full bounding pulse. **Bell.**

————, heat at the vertex. **Lach., Phos.**

————, with cold feet. **Sulph.**

———— heaviness; ringing in the ears; loss of sight; fainting. **China.**

————, forehead, and vertex, dull, heavy, throbbing, worse from moving, better from lying still and shutting the eyes. **Ham.**

———— constipation. **Nux v.**

———— vertigo. **Ferr., Ipec.**

Vertigo. **China, Phos., Trill., Ustilago.**

———— and giddiness, can't even sit up in her bed, she falls over. **Acon.**

———— on stooping, worse on rising again, or going upstairs.

Calc. c.

———— with headache. **Ferr., Ipec.**

Eyes.

Blur before the—and dulness of the senses. **Hyos.**

Congestion to the eyes. **Bell., Hyos.**

Darkness before the. **Bell.**

Dimness of sight. **China, Trill.**

Loss of sight and fainting. **China.**

———— momentary. **Silic.**

Pupils enlarged. **Bell.**

Sunken lustreless eyes. **Ars.**

Ears.

Ring in the. **China.**

Nose.

Coldness of the. **Bell.**

Yellow saddle across the bridge of the nose. **Sepia.**

Face.

Bluish. **Hyos.**

Fiery red, with full hard pulse, from the least motion or exertion.

Ferr.

Flushed. **Bell.**

Hippocratic. **Ars.**

Paleness of the—and lips with a pale flow. **Ferr.**

———— great—with coldness. **China, Ipec.**

————. **Bell.**

Perspiration on the forehead especially; icy cold. **Merc. cor.**

Pinched with coldness. **Secal. cor.**

Sallow. **Secal. cor.**

Yellow earthy color. **Crocus.**

———— sallow. **Sepia.**

———— spots of the—and yellow saddle across the bridge of nose.

Sepia.

Mouth.

Aphthæ in debilitated woman. **Ars.**

Dryness of the—and lips, with thirst. **Bry.**

———— excessive—tongue and throat; especially after sleeping; the tongue is so dry that it sticks to the palate. **Nux m.**

Salivation. **Merc.**

Scorbutic gums. **Merc.**

Slime in the—and throat—collection of. **Merc.**
 Thirst, though the mouth be full of saliva. **Merc.**
 Tongue—white. **Antim. crud.**

Stomach.

Catarrh of the. **Lycopod.**
 Empty feeling at the pit of. **Ignat., Ustilago.**
 ————— painful. **Sepia, Trill.**
 ————— with hunger at about 11 A.M. **Sulph.**
 Eructation of wind after eating. **Phos.**
 Fulness in the—up to the throat—sensation of. **Lycopod.**
 Indigestion. **Nux v.**
 Irritability of the—great—with vomiting. **Apocyn. can.**
 Nausea. **Apocyn. can.**
 ——— and faintness. **Cham., Ipec.**
 ————— on sitting up in bed, or when raising the
 head from the pillow. **Bry.**
 ————— vomiting. **Antim. crud., Ipec.**
 ————— with chronic inflammation of the uterus.
Kali c.
 ——— at the pit of stomach. **Arnica.**
 ——— constant. **Ipec.**
 ——— from gentle pressure on the uterus. **Bell.**
 ——— proceeding from stomach. **Ipec.**
 ——— with a wavelike feeling or undulating sensation, a pulsating
 tremor all over the body, from head to foot. **Bell.**
 ——— deathly sickness all over; she feels perfectly indiffer-
 ent, and desires to be let alone. **Podoph.**
 ——— rumbling in the abdomen, and great weight from
 above downward. **Bell.**
 ——— swimming of the head, vertigo, when moving the
 hands or feet. **Bell.**
 Rolling and bounding in the—sensation of. **Crocus.**
 Sinking at the. (See Empty Feeling.)
 Swelling at the pit of the stomach. **Calc. c.**
 Vomiting (see Nausea) from hyperæsthesia of the spinal nerve.
Cupr. ammonio-sulph.

Appetite.

Hunger—fits of—gnawing, before dinner. **Sulph.**
 Thirst. **Cham.**

Thirst; drinks often, but little. Bell.
Thirstlessness. Puls.

Abdomen.

Affections of the liver. **Lycopod.**

Catarrh of the intestines. **Lycopod.**

Congestion and plethora of the. **Sepia.**

Distension of the—in different places, changing localities. **Lycopod.**

_____ after eating. Plumb.

_____ frequent. Kali c.

_____ painful, and not relieved from eructation.

China.

Engorgement of the spleen. **Lycopod.**

Fermentation in the. **Lycopod.**

Flatulency, with great rumbling in the. **Lycopod.**

Forcing-dragging pains extending to the back and loins. **Sabina.**

Fulness and weight in the—preceding the hæmorrhage. Plumb.

_____ in the pelvis. Plumb.

Heaviness in the. Apis, Sepia.

Obstruction of the portal circulation. Crocus, **Sepia.**

Pain in the—as if stung by a bee, and in different parts of the body. Apis.

_____ burning across the hypogastrium. Hydrophobinum.

_____ burning and lancinating. Ars.

_____ colic. Bell., **Calc. c.**, **China**, Nux v., Rhus tox.

_____ in the hypogastric region especially. Thlapsi bursæ.

_____ contractive—around the hypogastrium. Rhus tox.

_____ cutting. Iod.

_____ about the umbilicus. **Ipec.**

_____ across from right to left. **Lycopod.**

_____ sharp, from the umbilicus toward the uterus. **Ipec.**

_____ groins and back, with great sensitiveness of the sexual organs. Plat.

_____ (right). Sepia.

_____ (ovarian region) radiating to the sacrum and thighs. Argt. nitr.

_____ toward the uterus, increasing more and more, until relieved by the flow. **Lach.**

Pain in the groins violent. **Coff.**

———— hypogastrium. **Sabina, Thlapsi bursæ.**

———— with tightness and weight. **Nux v.**

———— laborlike. (See Uterus.) **Bell., Cham., Crocus, Ferr., Hyos., Ipec., Plat., Puls., Rhus tox., Sabina, Secal. cor., Sepia, Ustilago.**

———— alternating with hæmorrhage. **Puls.**

———— colic. **Nux v.**

————, drawing in the thighs and small of back.

Hyos.

———— false—with bloody discharge. **Puls., Secal. cor.**

———— followed by swooning. **Lycopod.**

———— forcing outward, as if all would issue from the vulva. **Bell.**

———— from the small of the back, downward upon the pelvic organs, as if they would come out. **Plat.**

———— to the front; slight. **Plumb.**

———— thighs; cutting drawing. **Sabina.**

———— hips and legs. **Nitr. acid.**

———— violent; full hard pulse and frequent short shudderings. **Ferr.**

———— with severe spasmodic contractions in the. **Sepia.**

———— with frequent discharge of colorless urine. **Cham.**

———— sensitiveness of the hypogastrium to touch, preceding the flow. **Sabina.**

———— pelvis as from red-hot coals. **Kreosot.**

———— pressing, drawing down into the legs from the navel.

Nux m.

———— toward the sexual parts, with a feeling of weight and stitches in the abdomen. **Crocus.**

———— stitching. **Kali c.**

———— from the navel to the uterus. **Ipec.**

Pressure over the uterus and rectum with chilliness and shuddering. **Ipec.**

Rolling and bounding in the—sensation of. **Crocus.**

Rumbling in the. Lycopod.

_____ with great weight from above downward, with nausea. Bell.

Sensation as if the pelvic viscera were drawn down. Plat.

Throbbing—strong—in the umbilical region. Secal. cor.

Weak empty feeling across the. Phos.

_____ painful. Sepia

_____, fainting, sinking feeling. Sabina.

Stool.

Constipation. Ferr., Sepia, Plumb., Sulph.

_____ and headache. Nux v.

_____ stools difficult, lumpy, which the rectum has not action enough to expel, and which soon recedes after being partly expelled. * Silic.

_____, dry and narrow. Phos.

_____, ineffectual. Nux v.

_____, large. Nux v.

_____ and hard. Bry.

Diarrhœa, chronic—worse in the morning. Phos.

_____, habitual looseness. Puls.

_____ in the morning—early. Sulph.

_____ stools mixed with mucus. Sepia.

_____ mucus, bloody, with tenesmus. Merc.

_____ with cutting pain in the rectum after stool. Nitr. acid.

Desire to stool frequently, with small and painful stool. Nux v.

_____, sensation as if a portion of the fæces were in the rectum, even after stool; ineffectual. Nux v.

Rectum and Anus.

Hæmorrhoids. Crocus, Ham., Lycopod., Nux v., Plumb., Sepia.

_____ painful. Silic.

Irritation of the rectum and bladder. Erigeron.

Itching of the anus and vulva. Carb. veg., Sulph.

Sensation of uneasiness in the rectum, constant, as if from desire to defecate. Nux v.

Weight in the rectum—as from a lump—sense of. Sepia.

Urinary Organs.

Burning in the urethra when urinating. Kreosot.

_____, passing only a few drops.
Canth.

Desire to micturate frequently. **Nux v.**

————— urgent. **China.**

Dysuria. **Erigeron.**

Intermittent flow. **Conium, Puls.**

Irritation—great—at the neck of the bladder. **Canth.**

Urine colorless, frequent, and with labor-pains. **Cham.**

———— fetid. **Sepia.**

———— hot. **Ferr.**

———— scanty. **Puls.**

———— strong, like horse urine. **Nitr. acid.**

———— with sediment, as if clay were burnt on the bottom of the vessel. **Sepia.**

SEXUAL ORGANS.

Uterus.

Abortion. (See Part IV.)

———— after—hæmorrhage. **Silic.**

———— threatening—at the beginning of the flow. **Bell., Cinnamon, Ipec., Sabina, Secal. cor.**

———— liability to—when cold chills and pricking in the breasts are present. **Cimicifuga.**

———— with sensation of weight in the uterine region. **Aletr. f.**

———— with hæmorrhage and convulsions. **Cham., Hyos., Ipec., Plat., Secal. cor.**

————, very profuse. **Arnica, Cham., Cinnamon, Ipec., Puls., Sabina, Secal. cor.**

Atony of the. **Caulophyl., China, Sabina, Secal. cor.**

Cancer of the. **Kreosot., Phos.**

Cervix dilated. **Ustilago.**

Congestion of the. **Ham.**

———— active—of the. **Crocus.**

———— chronic—of the—passive, with hypertrophy of the cervix or of the entire organ. **Ustilago.**

———— great—of the—almost inflammation. **Sabina.**

Contractions—strong spasmodic—of the—every flow being preceded by them, or by strong bearing-down pains. **Secal. cor.**

Enlargement. **Ustilago.**

Heat in the—before or during the hæmorrhage, worse from the warmth of the bed. **Sulph.**

Hypertrophy of the. **Plumb.**

Induration of the. **Sepia.**

Inflammation of the. **Sabina.**

————— chronic—with nausea and vomiting. **Kali c.**

Os uteri does not contract after abortion. **Secal. cor.**

———— and cervix are soft and spongy. **Ars., Ustilago.**

Pain in the—and ovaries. **Helon.**

———— burning—with distension, feeling hard, and is painful to touch. **Secal. cor.**

———— from darting in the neck from below upwards. **Sepia.**

———— laborlike (see Abdomen), violent. **Cham.**

———— pressing down as if something would come out. **Antim. crud., Bell.**

Polypus. **Ledum.**

Prolapsus of the. **Erigeron.**

———— tendency to. **Aletr. f.**

Retention of the after-birth. **Bell., Canth., Caulophyl., Cimicifuga, Gels., Gossypium, Puls., Sabina, Secal. cor., Sepia, Viscum album.**

Spasms of the. **Argt. nitr., China.**

———— contractive. **Nux m.**

Tumefaction of cervix. **Ustilago.**

Tumors—fibroid—of the. **Calc. c., Ledum, Thlapsi bursæ.**

Want of action of the uterus. **Caulophyl., Puls., Secal. cor.**

Ovaries.

Pain in the—and uterus. **Helon.**

———— right. **Ustilago.**

Vulva.

Aphthæ with itching, heat, and redness. **Carb. veg.**

Itching of the—and anus. **Carb. veg., Sulph.**

———— voluptuous, with great sensitiveness; she would like to scratch, but there is too great sensibility. **Coff.**

Sensitiveness of the sexual organs, with pain in the groins and back. **Plat.**

Swelling of the. **Merc.**

Varices. **Lycopod.**

Vagina.

Leucorrhœa (see Part VI) after the discharge. Plumb.
 ———— mixed with the hæmorrhage. Calc. c.
 ———— preceding the hæmorrhage; profuse mucous. Sabina.
 Pain in the—constant aching. Calc. c.

Sexual Instinct.

Excitement—great—with abstinence of coitus. Conium.
 ———— of the sexual organs. Plat.
 Extinction of. **Argt. nitr.**
 Increased sexual desire preceding the hæmorrhage. Sabina.

Mammæ.

Dwindling away of the—they become flabby. Iod.
 Pain in the—acute. Iod.

Chest.

Cold breath. **Carb. veg.**
 Congestion of the—and head. Sepia.
 Cough—dry hawking. Kali c.
 ————, tingling in the—worse before midnight. Phos.
 Desire for air; wants to have the windows open; wants to be fanned. **Lycopod.**
 ———— cool air. Cham.
 Fulness and pressure in the. Sepia.
 Gasping for breath. **Ipec.**
 Oppression, groaning, yawning, jerking of the arms. Bell.
 Shortness of breath. **Lycopod.**
 ———— on going upstairs, with general debility.
 Plumb.
 Trembling sensation in the middle of the. Rhus tox.

Heart.

Affections of the. Crocus, **Digit.**
 Anguish about the. Carb. veg.
 Palpitation of the. Apocyn. can., **Bell.**, Crocus, **Lycopod.**, Trill.
 ———— after the hæmorrhage. Aurum.
 ———— with intermission of beats. Secal. cor.

Back.

Coldness and painfulness of the—neck, and occiput, relieved by heat. **Ham.**

Heat—intense—running up the back. **Phos.**

Pain in the—as if it would break. **Bell., Phos.** (as if broken).

———— burning, across the sacrum and small of the back.

Carb. veg.

———— extending into both groins, with great sensitiveness of the sexual organs. **Plat.**

———— the glutei muscles and down over the sacrum. **Kali c.**

———— from the pubes to the sacrum. **Sabina.**

———— sacrum to the pubes. **Bell., Sabina.**

———— through to the uterus. **Helon.**

———— the hips into the legs, with pressure as if the uterus would escape from the vulva. **Nitr. acid.**

———— small of back especially. **Bell., Bry., Calc. c., China, Crocus, Ferr., Ipec., Lach., Plat., Rhus tox., Secal. cor.**

———— and loins. **Iod.**

———— as if broken. **Bell., Kali c., Nux v.**

————, bruised feeling; lameness. **Phos.**

———— extending into the thighs. **Lycopod.**

———— to the front. **Cham.**

————, laborlike, and in the limbs. **Hyos.**

————, pressive violent. **Bry.**

———— loins and hips; tearing. **Rhus tox.**

———— sacrum—drawing forward, gripping and pinching in uterus, followed by discharge of large clots of blood. **Cham.**

Weakness of the small of the back and lower extremities; great. **Kali c.**

Upper Extremities.

Convulsive clinching of the thumbs. **Bell.**

Jerking of the arms, with oppression, groaning, yawning. **Bell.**

Swelling of the veins of the—and feet. **Hyos.**

Lower Extremities.

Cold damp feet. **Calc. c.**

———— legs, drawn up. **Calc. c.**

———— thighs and legs at night. **Merc.**

Cold, icy—of the feet. *Sepia*.
 — feet with heat at the top of the head. **Sulph.**
 Cramplike contraction of the legs. *Rhus tox.*
 Cramps in the legs, especially the calves. *Secal. cor.*
 Perspiration of the feet; fetid. *Nitr. acid.*
 —————; scentless. *Merc.*
 —————; terribly offensive. **Silic.**
 Sharp darting pains down the legs. *Sepia*.
 Swelling of the veins of the feet and hands. **Hyos.**
 Tearing pains in the legs. **Cham.** (in veins), *Cimicifuga*, *Hyos.*
 ————— throbbing pains in the thighs; worse from motion. *Secal. cor.*
 Varices. *Crocus*, *Ham.*, *Lycopod.*
 Weakness of the legs and back; great. *Kali c.*

Sleep.

Awakens at 3 or 4 A.M. **Nux v.**
 Dreams—frightful. *Nux v.*
 — of falling from a height. *Lycopod.*
 Sleep heavy, unrefreshing, full of dreams. *Rhus tox.*
 — light—often gets wide awake. **Sulph.**
 — restless. *Lycopod.*
 Sleeplessness all the time. *Nux m.*
 ————— at nights without cause seemingly; or on account of
 a tormenting itching all over the body. **Sulph.**

Fever.

Chills at night with the hæmorrhage. *Lach.*
 — and coldness of the body. **Ipec.**
 Chilliness. *Lycopod.*, *Nux m.*, *Secal. cor.*
 ————— and shuddering with violent pressure over uterus and
 rectum. **Ipec.**
 ————— at night, but flushes by day. **Lach.**
 ————— constant. *Crocus.*
 —————, desire for warmth and covering. **Calc. c.**
 ————— feverish. *Kali c.*
 ————— with blueness of the skin. **China.**
 ————— without, extreme heat within. *Ipec.*
 Shudderings, frequent and short. **Ferr.**

Coldness, blueness, and dampness of the body. **China.**

———— dryness of the body. **Carb. veg.**

———— feeling of—paleness. **Ipec.**

———— icy—of the whole body. **Silic.**

———— extremities. **Ars.**

———— paroxysms of. **Sepia.**

———— or coolness of body and extremities, with heat in head.

Arnica.

———— of the body with cold sweat; suffocation. **Ipec.**

———— thrills of—passing through the body, although she is and wishes to be warmly covered. **Bell.**

———— with no desire for covering. **Secal. cor.**

———— parched face. **Secal. cor.**

Heat and great vascular excitement. **Bell.**

———— flushes of. **Lach., Lycopod., Phos., Sepia, Sulph.**

———— by day, and chilliness by night. **Lach.**

———— with frequent faint spells. **Sulph.**

———— general—with full quick pulse; spasmodic jerking. **Hyos.**

———— great—complains of. **Sulph.**

———— occasionally, with flushed face, red eyes, full bounding pulse; oppression. **Bell.**

———— with red face, and full hard pulse. **Ferr.**

Perspiration. **Kali c.**

———— clammy. **China.**

———— cold profuse—on the face. **Merc. cor.**

———— profuse—about the head and shoulders. **Calc. c.**

———— sour and urinous. **Nitr. acid.**

———— or mouldy, except on the feet, which is scentless. **Merc.**

Pulse—feeble. **Ipec.**

———— intermittent. **Kali c.**

———— irregular, almost imperceptible. **Carb. veg., China.**

———— quick, feeble when moved. **Apocyn. can.**

———— rapid, sinking. **China.**

Pulseless, fainting. **Kreosot.**

Skin.

Eruption here and there. **Sulph.**

———— previously suppressed. **Sulph.**

———— spots and blisters oozing out blood. **Ars.**

Eruption spots like bee-stings. **Apis.**

———— pale, dry, yellowish; liver spots here and there.

Plumb.

Lax condition of the—and muscles. **Merc.**

Rigid condition of the—and muscles. **Nitr. acid.**

Generalities.

Aching all over, worse during rest. **Rhus tox.**

Coldness of the body or extremities. (See Fever, Extremities.)

———— extremities; pale face; small feeble pulse. **China,**

Secal. cor.

Constitutional peculiarities. (See Part VIII, Generalities.)

Convulsions. **China, Hyos.**

———— during abortion or miscarriage. **Cham., Hyos., Ipec., Plat., Secal. cor.**

———— of the whole body, interrupted by jerking or twitching of single limbs. **Hyos.**

————; shocks. **China.**

Debility; weakness; exhaustion. **Ars., Crocus, Plumb., Secal. cor., Sulph., Trill.**

———— great. **Ars., Carb. veg., Ipec.**

———— and rapid, with fainting spells, even though the quantity of blood lost has not been excessive. **Ferr.**

———— from loss of blood; sudden, with coldness of extremities and pale face. **China.**

————, pulse empty, weak, and frequent. **Secal. cor.**

————, with shortness of breath on going upstairs. **Plumb.**

———— inclination to vomit. **Ipec.**

———— tremulous—felt all over the body; with the flow. **Caulophyl.**

————, weary feeling in the morning. **Sulph.**

———— with tingling in the limbs. **Secal. cor.**

———— tendency to faint. **Apocyn. can.**

Faintness. **Apis.**

———— and nausea on sitting up in bed, or even on raising the head from the pillow. **Bry.**

Fainting. (See Debility.) **Bell., China, Lach., Merc., Nux m., Secal. cor.**

———— after laborlike pains. **Lycopod.**

———— disposition to. **Apocyn. can., Sepia.**

Fainting, frequent. Merc.

———— pulseless. Kreosot.

————, ringing in the ears, loss of sight, coldness; want to be fanned all the time. **China.**

———— flushes of heat; heat on top of head; cold feet. **Sulph.**

———— when raising the head from the pillow. Apocyn. can., **Bry.**

———— with the flow. **China.**

Insensibility and feverish pulse. Secal. cor.

Jerking of the muscles. China, Secal. cor.

———— limbs; trembling. **Hyos., Secal. cor.**

Muscles and skin lax. Merc.

———— rigid. Nitr. acid.

Numbness of the limbs. **Hyos.**

Pains—lancinating and burning. Ars.

———— tearing in the joints. **Sabina.**

———— violent. Argt. m.

Pulsating tremor or undulating sensation all over the body, from head to foot, even in the fingers and toes, with nausea. Bell.

Restlessness. Cham.

———— great—with trembling of the extremities. **Hyos.**

Sensation as if the body were growing larger in every direction.

Plat.

Spasms. (See Convulsions.)

Tingling in the limbs with debility. **Secal. cor.**

Tremulous sensation in the whole body, without trembling. Sulph. acid.

———— weakness over the whole body. Caulophyl.

Trembling of the whole body. **Hyos.**

Varices. (See Vulva, Lower Extremities.) Sepia.

Weakness. (See Debility.)

Yawning. Bell., Secal. cor. (frequent).

———— with great uneasiness. Apis.

PART VI.

FLUOR ALBUS.

Character of the Discharge.

Acrid. (See Corroding.) *Æscul. hipp.*, **Alum.**, **Amm. c.**, *Amm. m.*, *Anacard.*, **Ant. crud.**, *Apis*, *Aralia*, **Ars.**, *Ars. iod.*, *Asperul. odor.*, *Aurum fol.*, *Aurum mur.*, *Bapt.*, *Berb.*, **Borax**, *Bovista*, *Calc. c.*, *Canth.*, **Carb. an.**, **Carb. veg.**, *Carbol. acid*, *Cham.*, *Chlor. acid*, **Conium**, *Cubeb.*, *Ferr.*, *Fluoric acid*, *Graph.*, *Helon.*, *Hep. s.*, *Ignat.*, *Iod.*, *Kali c.*, *Kali hydr.*, **Kreosot.**, **Lach.**, **Lamium alb.**, *Lilium*, *Lycopod.*, *Magn. c.*, *Magn. s.*, *Mephitis*, **Merc. sol.**, *Merc. v.*, **Natr. m.**, *Natr. s.*, *Nitr. acid*, *Nux m.*, *Nymph. odor.*, *Prunus spi.*, **Phos.**, *Phos. acid*, *Phytol.*, **Puls.**, *Ranuncul. bulb.*, *Rhus tox.*, *Robinia*, *Ruta*, **Sabina**, *Sanguin.*, *Sarsaparilla*, **Sepia**, *Silic.*, *Sulph.*, *Sulph. acid*, *Tarantula*, **Zinc.**, *Zizia*.

———— after having been first mild and bland. *Ranuncul. bulb.*

————, brown, offensive. *Nitr. acid*.

————, burning. *Puls.*, *Sulph. acid*.

————, greenish. *Apis*, **Merc. sol.**, *Natr. m.*

————, profuse. *Amm. c.*

————, green. *Apis*.

————, relieved by cold washes. **Alum.**

————, prostrating much. *Berber.*

————, watery. *Amm. c.*, *Antim. crud.*, *Magn. c.*

————, slimy, causing blisters. **Phos.**

———— white mucus. *Magn. c.*

————, causing burning. **Conium.**

Albuminous. (See Mucus, White of an Egg.) *Bovista*, **Calc. c.**, *Hydrast.*, *Mezereum*, **Petrol.**, **Plat.**

Black. *Crocus sat.*

Bland. (See Mild.)

Bloody. (See Flesh-colored.) *Acon.*, *Argt. nitr.*, *Ars.*, **Baryt. c.**, *Calc. c.*, *Canth.*, **Carb. veg.**, **China**, *Cinnab.*, **Coccul.**, *Conium*, *Dictamnus*, *Ham.*, *Iod.*, *Kreosot.*, *Lycopod.*, *Murex purp.*, *Phos. acid*, *Sarracenia*, *Sepia*, *Silic.*, *Sulph. acid*, *Terebinthina*, **Trill.**, **Zinc.**, *Zizia*.

Bloody at the end, after having been brown in the beginning, then white. Dictamnus.

————, brown. Conium.

————, dark, coagulated. Kreosot.

————, fetid, painful, every fourth night. Sabina.

———— mucus. Aloe, Silic., Sulph. acid, Zinc.

———— or milklike at intervals. Lycopod.

———— serum alternating with pus. China.

————, watery, often in paroxysms, worse when sitting. Tart. emet.

———— with occasional discharge of black clots. China.

Bluish white at night. Ambr. gr.

Brown. Amm. m., Lilium, Nitr. acid, Secal. cor.

————, acrid, offensive. Nitr. acid.

————, bloody. Conium.

————, offensive. Secal. cor.

————, slimy, painless after every urination. Amm. m.

By fits and starts. Lycopod.

Clots and lumps. Ambr. gr., Bovista, China, Curare, Ferr., Merc.

———— dropping out when walking. Ars., Bovista.

———— large. Psorin.

———— like hazel-nuts. Merc.

———— mixed with acrid water. Antim. crud.

———— purulent. Merc.

Constant. Brom., Magn. m.

Corroding the genitals. (See Acrid.) Æscul. hipp., Alum., Arg. nit., Ars., Ars. iod., Aurum fol., Bapt., Borax, Bovista, Calc. c., Carb. veg., Carbol. acid, Cham., Chlor. acid, Clematis, Conium, Copaiva, Cubeb., Ferr., Fluoric acid, Graph., Hedeoma, Hep. s., Ignat., Iod., Kali c., Kali hydr., Kreosot., Lilium, Lycopod., Merc. sol., Merc. viv., Mezer., Natr. m., Natr. s., Nympha odor., Phos., Phos. acid, Prunus spi., Puls., Ruta, Sabina, Sanguin., Sepia, Silic., Sulph., Sulph. acid, Zinc.

———— after having first been mild and bland. Ranuncul. bulb.

———— and even the thighs. Aurum, Antim. crud., Baryt. c., Caustic., Curare, Graph., Hep. s., Iod., Kali c., Kreosot., Sabina, Sepia, Sulph., Zinc.

————, drawing blisters; watery, slimy. Phos.

Corroding the genitals in the beginning. Ferr.

———— the linen. Iod.

———— perinæum; yellow, bright. Lilium.

———— green, fetid matter. Carbol. acid.

———— mucus. Sulph.

———— milky. Carb. veg.

———— in a child. Hyperic.

———— profuse. Alum., Silic.

———— purulent. Ignat.

———— putrid. Kali hydr., Kreosot.

———— watery. Antim. crud.

———— yellow, bright, corroding the perinæum. Lilium.

———— green, leaving green spots on the clothes.

Bovista.

———— mucus. Sulph.

———— profuse. Argt. nitr., Lilium.

———— thick. Ars.

Creamlike. Alum., Bufo, Calc. phos., Kali ferrocyan., Puls., Secal. cor., Sepia, Trill.

Dark. Agaric. m., Crocus sat.

Flesh-colored. (See Bloody, Red.) Alum., Bell., Bufo, Coccul., Kreosot., Nitr. acid, Tabac.

Grayish. Berber.

Green, acrid. Cubeba, Merc. sol., Natr. m.

————, profuse. Apis.

————, corroding, fetid. Carbol. acid.

———— mucus. Sulph.

————, staining the linen green. Bovista.

———— mucus. Nitr. acid.

Greenish. Apis, Asafoet., Bovista, Carb. veg., Carbol. acid, Cubeb., Lach., Merc. sol. (evening and night), Murex purp., Natr. m., Nitr. acid, Robinia, Sepia, Stan., Thuja.

———— red fluid. Sepia.

————, thin, profuse, offensive. Asafoet.

———— water. Sepia.

————, when walking especially. Natr. m.

———— yellowish. Bovista. Thuja.

Gushes. (See Profuse.)

Ichor. Cinnab., Coccul., Kreosot., Sabina, Sulph.

———— bloody. Kreosot.

———— mingled with serum. Coccul.

Intermittent flow; it ceases and reappears at once as bad as ever. Conium, **Kreosot.**

Jellylike. (See Mucus.)

Lasting only a few hours. Natr. m.

Lumps. (See Clots.)

Mild, bland, painless. Alum., Amm. m., Borax, Bufo, Ferr., Kali ferrocyan., **Kreosot.**, Lac can., Lamium alb., Lycopod., **Merc.**, Nux v., Phos. acid., Puls., Ruta, Sepia, Sulph. acid, Thuja, Zizia.

———, especially after micturition, or after rising from a seat. Plat.

——— in the beginning, afterwards corroding and smarting. Ranuncul. bulb.

———, milky. Ferr.

Milklike. (See White.) Angustura, Bell., Cact. gr., Calc. c., Carb. veg., Coff., Conium, Ferr., **Kreosot.**, Lycopod., Phos., Puls., Sabina, Sarracenia, Sepia, Silic., Sulph. acid.

——— after coccyodynia. **Kreosot.**

——— during a morning walk. Phos.

——— micturition. **Calc. c.**

——— excoriating. Carb. veg.

——— in a child. Hyperic.

——— in paroxysms. Silic.

——— mild or itching, sharp with soreness. Ferr.

——— or bloody at intervals. Lycopod.

——— or transparent. Sulph. acid.

———, thick mucus. Conium, Puls.

Mucus. (See Albumen, White of an Egg.) Alum., Ambr. gr., Amm. m., Angustura, Apis, Argt. nitr., Ars., Baryt. c., Bell., Berb., Borax, Bovista, Bry., Calad., Calc. c., Calc. phos., Canth., Carb. veg., Caulophyl., Chelidon., Coccul., Coccus cacti, Coff., Conium, Dictamnus, Graph., Kreosot., Lach., Lamium alb., Leptand., Magn. c., Magn. m., Merc. sol., Mezer., Natr. c., Natr. m., Nitr. acid, Nux m., Nux v., Ol. an., Petrol., Phos., Plat., Plumb., Podoph., Puls., Sabina, Sarsaparilla, Sepia, Silic., Stan., Sulph., Sulph. acid, Thuja, Zinc.

——— acrid. Phos.

———, white. Magn. c.

———, causing burning. Conium.

——— at first brown, then white, and lastly blood-streaked. Dictamnus.

——— bloody. Aloe Carb. veg., **Kreosot.**, Zinc.

Mucus bloody, with sensation as if the menses would appear.
Sulph. acid.

———— brown, painless, after every micturition. **Amm. m.**

———— during a morning walk. **Phos.**

———— green. **Nitr. acid.**

————, corroding. **Sulph.**

———— jellylike. **Pallad., Sabina, Sepia.**

————, alternating with metrorrhagia. **Secal. cor.**

———— like the white of an egg. **Amm. m., Bovista, Brom.,**

Calc. phos.

———— and sensation as if water were
flowing down. **Borax.**

————, especially when walking,
dropping out in clots. **Bovista.**

————, increases at the ratio the
menses decrease. **Calc. phos.**

———— profuse, with "moth spots" on the forehead; often in
little girls. **Caulophyl.**

———— ropy. (See Ropy.) **Crocus sat., Hydrast., Kali bich.,**
Nitr. acid.

———— thick, increased from day to day. **Ambr. gr.**

————, tough. **Bovista.**

————, transparent. **Podoph.**

————, white. **Carb. veg., Puls.**

———— thin, white. **Ol. an.**

———— white. **Graph.**

————, transparent. **Stan.**

———— with colic. **Bell.**

———— with shreds in it. **Leptand.**

———— yellow. **Stan., Sulph.**

Odor offensive, fetid. **Aralia, Ars., Asafoet., Asperul. odor.,**
Bapt., Bufo, Carbol. acid, Carb. an., China, Cubeb., Curare, Guarea,
Hydrast., Kreosot., Leptand., Muriatic acid, Natr. c., Nitr. acid,
Nux v., Robinia, Sabina, Sanguin., Sarracenia, Secal. cor., Sepia,
Terebinthina, Trill.

———— like ammonia. **Amm. c.**

———— corn ears. **Kreosot.**

———— old cheese. **Hep. s.**

———— the menstrual blood. **Caust.**

———— pungent. **Kali c., Kreosot.**

———— putrid. **Kali c., Kreosot., Lycopod., Natr. c., Phos. acid.**

Odor sweetish. Calc. phos.

—————, disgustingly. Merc. corr.

————— unbearable. Psorin.

Odorless. Bufo, Puls.

Pastelike. Borax.

Pieces in it. (See Shreds.)

Pitchlike. Sabina.

Profuse. Acon., Agaric. m., **Alum.**, **Amm. c.**, **Antim. crud.**,
Apis, Argt. nitr., Ars., Asafœt., Asperul. odor., Aurum, Bell., Borax,
Bovista, Bufo, Cact. gr., **Calc. c.**, Carb. veg., Carbol. acid, Caulo-
phyl., **Caust.**, China, Cinnab., **Coccul.**, Coff., Conium, Copaiva,
Cubeb., Curare, Erigeron, Eupat. perfol., **Graph.**, **Ham.**, **Helon.**,
Hydrast., Ignat., Iod., Kali ferrocyan., Kreosot., **Lach.**, Lamium,
Ledum, Lilium, Lycopod., Magn. m., Magn. s., Merc. sol., Merc.
viv., Natr. c., **Natr. m.**, Niccol., Petrol., Phos., Phos. acid, Plumb.,
Robinia, Sabina, Sepia, **Silic.**, Sulph., **Trill.**, Zizia.

—————, acrid. **Amm. c.**

—————, corroding. **Alum.**, **Silic.**

—————, thick mucus. **Ars.**

—————, green. **Apis.**

—————, running down the heels; relief from cold washes.

Alum.

————— as if warm water were running down. **Borax.**

————— at intervals. Calc. c. **Lycopod.**

————— night. **Caustic.**

————— continual. **Ham.**, Magn. m.

————— every day for several days, with lascivious dreams.

Petrol.

————— excessive. Carlsbad, **Ham.**, **Trill.**

————— simulating almost a hæmorrhage. **Ham.**

————— flowing like menses. Kreosot., Magn. s.

————— and of the same odor. **Caustic.**

—————, greenish, thin, offensive. Asafœt.

————— in gushes. Calc. c., **Lycopod.**, Sabina, **Silic.**

————— often, by day and night. **Graph.**

————— on bending or squatting down. **Coccul.**

————— perfectly white, especially on rising from the bed in
the morning. **Graph.**

————— transparent, during the day. **Alum.**

————— yellow, corroding. Argt. nitr., Lilium.

—————, tenacious. **Acon.**

Purulent. Alum., Bufo, **China**, Cinnab., Coccul., Copaiva, Curare, Ignat., Merc. sol., Merc. v., Robinia.

————, containing lumps. **Merc.**

————, corroding. Ignat.

Pus. Antim. crud., **China**, Kali ferrocyan., Merc. sol., Merc. viv., Sepia.

———— alternating with bloody serum. **China.**

Red. Curare.

————, green fluid. Sepia.

Reddish. (See Flesh-colored.) Lycopod., Phos.

Ropy. Crocus sat., Sabina (glazy).

————, can be drawn out. **Nitr. acid.**

———— in long strings; yellow. **Kali bich.**

————, hanging down from the os in long strings; thick, tenacious, yellow. **Hydrast.**

Scanty. Graph., Magn. c., Puls., Sulph.

Scrofulous leucorrhœa. Carb. an.

Serum. China, Coccul., Helon., Kreosot., Tabac.

————, bloody—alternating with pus. **China.**

———— mixed with purulent ichorous fluid. **Coccul.**

———— with profuse flooding. Helon.

Shreds in it. (See Threads.) Hydrast., Leptand.

Slimy. (See Mucus.)

Staining the linen brown. Lilium.

———— green. Bovista, **Lach.**

———— yellow. Agnus cast., Carb. an., Chelidon., Graph., Kreosot., Lilium, Nux v., Prunus spi.

———— green. Thuja.

Starchlike. Borax, Sabina.

Stiffening the linen. Alum., Kali bich., Kreosot., **Lach.**, Nitrum.

stringy. (See Ropy.)

Tenacious. Acon., Borax, Bovista, Dictamnus, Hydrast., Phos., Phytol.

————, thick, ropy, yellow. **Hydrast.**

————, slimy. Bovista.

————, yellowish, profuse. Acon.

Thick. Æscul. hipp., Ars., Aurum, Borax, Bovista, Bufo, Canth., Carb. veg., Castor, Conium, Curare, Hydrast., Iod., Lach., Magn. m., Magn. s., Murex purp., Natr. c., Natr. m., Phytol., Podoph., Puls., Sabina, Sarracenia, **Sepia**, Zinc.

Thick, creamlike, painless. Puls.

———, dropping out when standing. **Ars.**

———, milky, with swollen vulva. Puls.

——— mucus, increased from day to day. Ambr. gr.

——— three days before and after menses. Zinc.

———, transparent. Podoph.

———, slimy, tough. Bovista.

———, tenacious, ropy, yellow. Hydrast.

——— white. Aurum m., **Conium**, Puls.

——— yellow. **Ars.**, Carb. veg., Hydrast.

———, corroding, profuse. **Ars.**

———, fetid. Sabina.

———, putrid. Natr. c.

Thin. (See Watery.)

Threads in it. (See Shreds, Ropy.) Ferr., Hydrast.

Transparent. Alum., Natr. m., Pallad., **Podoph.**, Stan., Stram., Sulph. acid.

———, passing imperceptibly from the very relaxed parts. Agnus cast.

———, profuse, during the day. Alum.

Undefined. Digital., Drosera, Gambogia, Hyperic., Millefol., Muriat. acid, Nux m.

Waterlike. Bufo, Magn. c., **Nitr. acid.**, Sepia, Silic.

Watery. Amm. c., **Antim. crud.**, Ars., Asafoet., **Carb. an.**, Carb. veg., Castor, Cham., **Ferr.**, **Graph.**, Iod., Kali hydr., Kali nitr., Lilium, Magn. c., Murex purp., Natr. s., Niccol., **Nitr. acid.**, Ol. an., Phos., **Puls.**, Sabina, Sarracenia, Silic., **Sepia**, Stan., Sulph., **Tart. emet.**

———, acrid. **Antim. crud.**

———, and pus. **Antim. crud.**

———, corrosive. Kali hydr.

———, mixed with plugs. **Antim. crud.**

———, bloody, often in paroxysms; worse when sitting. **Tart. emet.**

———, brown. **Nitr. acid.**

———, burning. Amm. c.

———, greenish. **Sepia.**

———, profuse. Asafoet.

——— in the morning on rising, not through the day. Carb. veg.

———, white. Graph.

Watery, white mucus. **Ol. an.**

———, yellow. **Sepia, Sulph.**

White. (See Mucus, Like White of an Egg, Milklike.) **Amm. c., Amm m., Anacard., Ars., Bell., Borax, Bovista, Bufo, Calc c., Canth., Carb. veg., Conium, Ferr., Gels., Graph., Kali nitr., Kreosot., Lamium alb., Magn. c., Merc. viv., Natr. m., Nitrum, Ol. an., Puls., Sepia, Silic., Stan., Tart. emet.**

———, acrid. **Conium, Magn. c.**

——— mucus. (See Mucus.)

——— of an egg. (See Mucus.)

——— profuse. (See Profuse.)

———, thick. (See Thick.)

Yellow. **Æscul. hipp., Alum., Argt. nitr., Ars., Aurum, Bovista, Bufo, Carb. an., Carb. veg., Cham., Cubeb., Granat., Hedema, Hydrast., Iod., Kali bich., Kali c., Kreosot., Lac can., Lach., Lilium, Lycopod., Merc. cor., Merc. iod., Natr. c., Nux v., Phos. acid, Prunus spi., Sabina, Sepia, Stan., Sulph., Tarantula, Trill.**

———, corroding, mucous. **Sulph.**

———, profuse. **Argt. nitr.**

———, thick. **Ars.**

——— the perinæum; bright. **Lilium.**

———, especially with children. **Merc. iod.**

———, pale, smelling sweetish. **Merc. cor.**

———, ropy. (See Ropy.)

———, smarting, **Cham.**

———, thick. **Ars., Carb. veg.**

———, fetid. **Sabina.**

———, putrid. **Natr.**

——— water. **Sepia, Sulph.**

Yellowish. **Acon., Angustura, Apis, Aurum, Aurum mur., Carb. an., Carb. veg., Cham., Fluoric acid, Granat., Kali c., Kal-mia, Kreosot., Natr. c., Natr. m. (when walking especially), Phos. acid, Robinia, Sabina, Sepia, Stan., Trill.**

——— green. **Bovista, Thuja.**

Time and Circumstances when the Discharges Appear (or get Worse).

After abortion of frequent occurrence. **Aletr. f., Sepia.**

——— abuse of drugs. **Nux v.**

——— coccydynia. **Kreosot.**

After coition. **Natr. c.**, **Sepia**.

—— colic. **Aloe**, **Caust.**, **Conium**, **Magn. c.**, **Magn. m.**, **Natr. c.**, **Natr. m.**, **Plat.**, **Silic.**, **Sulph.**, **Zinc**.

—— about the navel. **Amm. m.**, **Natr. c.**, **Silic**.

—— delivery. **Carbol. acid**, **Sabina**.

—— of frequent occurrence. **Sepia**.

—— dinner especially. **Cham.**, **Calc. c.**

—— exercise—severe. **Magn. m.**

—— exposure to cold and dampness. **Dulc**

—— gonorrhœa. **Copaiva**.

—— hæmorrhage. **Plumb**.

—— meals. **Cham**.

—— mercurial treatment. **Nitr. acid**.

—— micturition. (See During Micturition.) **Amm. m.**, **Canth.**,

Carb. veg., **Magn. m.**, **Plat**.

—— rising from a seat. **Plat**.

—— stool. **Magn. m.** (with constipation), **Murex purp.**, **Zinc**.

—— suppression of cutaneous eruption. **Dulc.**, **Sulph**.

—— menses. **Drosera**, **Ferr.**, **Gels.**, **Puls.**, **Ruta**, **Sabina**, **Zizia**.

——, or irregularity of the same. **Ruta**.

—— taking acids. **Silic**.

At daytime only. **Alum.**, **Calc. phos.**, **Graph.**, **Lac can.**, **Plat.**, **Sepia**.

— night only. **Alum.**, **Ambr. gr.**, **Bovista**, **Calc. phos.**, **Caust.**, **Graph**.

Before full moon. **Lycopod**.

—— hæmorrhage. **Magn. m.**, **Sabina**.

—— menses. **Alum.**, **Angustura**, **Baryt. c.**, **Bovista**, **Bufo**, **Calc. c.**, **Calc. phos.**, **Cannab. sat.**, **Carb. veg.**, **China**, **Cubeb.**, **Ferr.**, **Graph.**, **Kreosot.**, **Lach.**, **Lac can.**, **Magn. m.**, **Natr. c.**, **Natr. m.**, **Phos.**, **Phos. acid**, **Plat.**, **Puls.**, **Sabina**, **Sepia**, **Sulph.**, **Zinc**.

——, immediately before. **Baryt. c.**

—— is fairly established in young girls. **Puls**.

During menses. **Alum.**, **Amm. c.**, **Carb. an.**, **Conium**, **Magn. m.**, **Mezer.**, **Phos.**, **Puls**.

After menses. **Alum.**, **Ars.**, **Borax**, **Bovista**, **Bufo**, **Calc. c.**, **Calc. phos.**, **Canth.**, **Carbol. acid.**, **China**, **Conium**, **Cubeb.**, **Graph.**, **Guarea**, **Hydrast.**, **Iod.**, **Kali c.**, **Kalmia**, **Kreosot.**, **Lach.**, **Lac can.**, **Lilium**, **Lycopod.**, **Magn. c.**, **Merc.**, **Natr. m.**, **Natr. s.**, **Niccol.**, **Nitr. acid.**,

Phos., Phos. acid., Plat., Puls., Ruta, Sabina, Silic., Sulph., Tabac., Zinc.

After menses for one week. **Kalmia.**

———— day only. **Zizia.**

———— when too profuse. **Carbol. acid.**

———— and before entire cessation. **Calc. phos.**

—— suppression of menses. (See Part III, Amenorrhœa.)

At the time the menses should appear. (See Instead of Menses.)

Between the menstrual periods. **Borax** (midway), **Coccul., Lach., Trill.**

During climaxis. **Calc. c., Helon., Kreosot., Lach., Puls., Sanguin., Sarracenia, Sepia.**

———— with metrorrhagia. **Calc. c., Helon.**

After climaxis. **Sanguin.**

During every time the baby nurses. **Silic.**

———— micturition. (See After Micturition.) **Calc. c., Canth., Silic.**

—— pregnancy. **Coccul., Kreosot., Sabina, Sepia.**

—— puberty. **Puls., Sepia.**

Every two weeks. **Sabina.**

From weakness and venous congestion. **Secal. cor.**

—— high living. **Nux v.**

—— sedentary life. **Nux v.**

In childhood from atony of the vaginal mucous membrane. **Millefol.**

—— the morning. **Aurum m., Sepia.**

———— early. **Magn. m., Natr. m.**

———— when rising. **Carb. veg., Graph., Kreosot.**

———— sitting. **Magn. c.**

———— walking. **Magn. c., Natr. m., Phos.**

—— afternoon. **Alum., Magn. c.**

—— evening. **Alum., Merc. sol. (8 to 10 P.M.)**

———— especially. **Bufo.**

Instead of menses. **Ars., China, Coccul., Conium, Lac can., Nux m., Phos., Ruta, Sabina, Silic., Zinc.**

When ascarides creep into the vagina. **Cina.**

—— at stool. **Murex purp.**

—— bending or squatting down. **Coccul.**

—— emitting flatus. **Ars.**

—— lying down especially. **Puls.**

- When sitting. Alum.
 ——— standing. **Ars.**, Carb. an., Lac can.
 ——— and emitting flatus. Ars.
 ——— walking. **Bovista**, Carb. an., Magn. c., **Natr. m.**, Puls.,
 Sarsaparilla, Strontiana.
 ——— in the open air. Alum.
 With amenorrhœa. (See After Suppression of Menses.)

Aggravations.

(Compare the preceding Causes.)

- After meals. Cham.
 ——— menses. **Æscul. hipp.**, Alum., Kalmia, Kreosot., Lilium,
 Pallad., Puls.
 ——— noon until 12 P.M. Lilium.
 ——— taking cold. Nitr. acid.
 At night. Caust., Merc. sol.
 Before full moon. Lycopod.
 ——— menses. Alum., Kreosot., Pallad., Puls., Sepia.
 Between the menstrual periods. Kreosot.
 During menses. Iod., Puls.
 In the morning. Aurum., **Bell.**, Kalmia.
 ——— after colic. **Natr. m.**
 ——— rising. Calc. phos.
 ——— when rising from bed. **Graph.**
 ——— walking. **Natr. m.**
 ——— evening. Merc.
 When lying down. Puls.
 ——— sitting. Tart. emet.
 ——— standing. **Æscul. hipp.**, **Ars.**, Carb. an., Kreosot.
 ——— the menses should appear. Xanthoxyl.
 ——— declines. Calc. phos.
 ——— urinating. Calc. c., Coff.
 ——— walking. **Æscul. hipp.**, Alum., **Bovista**, Calc., Carb. an.,
 Kreosot., Magn. s., **Natr. m.**, Sarsaparilla.

Amelioration.

- After micturition. **Natr. c.**
 ——— cold washes. Alum., Merc.
 ——— lying down. Kreosot.
 ——— sitting. Kreosot.

Uterine Fluor Albus.

Amm. c., Aralia, Aurum, Bapt., **Calc. c.**, **Conium**, Carbol. acid., Cimicifuga, Coccul., Erigeron, **Hydrast.**, **Iod.**, Lycopod., Magn. m., Natr. m., Phytol., Sepia, Silic., Trill.

Vaginal Fluor Albus.

Amm. c., Antim. crud., Bapt., Baryt. c., Borax (from Cowper's gland), Calc. c., Canth., Carbol. acid., Carb. veg., Caulophyl., Cham., Cimicifuga, Coccul., Erigeron, Graph., **Hydrast.**, Lycopod., Magn. m., Mezer., Sepia, Silic., Stan., Sulph. acid., Trill.

Mind and Disposition.*Before or During the Discharge.*

Anxiety and palpitation of the heart. **Baryt. c.**
 —————, voluptuous tingling in pudendum and abdomen. **Plat.**
 ————— restlessness at night. **Ars.**
 Dreams—lascivious—at night. **Petrol.**
 Irritable mood. **Calc. c.**
 ————— and irascible after an embrace. **Natr. m.**
 Low-spirited, with much sighing; subject to violent grief. **Ignat.**
 Unhappy feeling in the morning on awaking. **Lach.**

Head.—Face.—Mouth.

Dryness of the mouth, tongue, and throat when awaking. **Nux m.**
 Heat at the top of head—constant. **Sulph.**
 Headache. **Natr. m.**
 —————, dull pain in the occiput. **Æscul. hipp.**
 ————— violent and obstinate pain in the brain. **Zinc.**
 Paleness, with frequent flushes and circumscribed redness of the cheeks. **Lycopod.**
 Yellowness of the face. **Natr. m.**
 ————— with dirty-yellow spots. **Sepia.**
 Vertigo on rising in the morning; has to lie down again for awhile. **Phos.**
 ————— from sitting with chilliness. **Puls.**

Stomach.

Fulness—feeling of. Gels.

—————, after eating. **Lycopod.**

Sinking and trembling at the. Calc. c.

———— at the—with severe palpitation of the heart. Hydrast.

Weak feeling in the. Carb. an.

———— and emptiness in the. **Ignat.**

Abdomen.*Before the Discharge.*

Pain in the. **Sulph.**

———— and pressure, toward the groin and anus. China.

———— around the navel. **Amm. m.**

————; colic day and night. Natr. c.

————; cutting. **Silic**

————; digging and clawing. Kreosot.

————; pinching. **Magn. c.**

————, burning, relieved by the discharge. Apis.

————, colic. Aloe, **Magn. c.**, Plat., Sulph., **Zinc.**

————, cramps, with emission of flatus distension.

Caust.

————, cutting. Natr. c., Zinc.

————, in the morning. Natr. m.

————, pinching, griping. **Conium, Sulph.** (in hypogastrium).

————; cramps and spasms in the uterine region, extending down into the thighs. **Magn. m.**

————, cutting from right to left across the hypogastrium.

Lycopod.

————, laborlike. **Ignat.**, Sepia.

————, as if prolapsus would occur; pains come and go suddenly. **Bell.**

————; soreness and heaviness in the uterine region. **Helonias.**

————; thrusting, drawing in the inguinal, vesical, and pubic region. **Coccus cacti.**

During the Discharge.

Congestion—venous—of the. Sepia.

Distension of the. **Coccul.**, **Graph.**, Zinc.

Distension of the—in the evening, and flatulent discharge from the vagina. **Sanguin.**

————— with pain. **Cubeb.**

————— without accumulation of wind. **Amm. m.**

Emptiness—weakness—sense of. **Phos.**

Heaviness and weight in the—when walking, as if they would fall down. **Ferr.**

————— in the uterine region. **Gels.**

Inability to bear anything around the waist. **Calc. c., Lach.**

Oppression in the hypogastrium. **Nux v.**

Pain in the—and swelling. **Cubeb.**

————— as if the menses would appear. **Sulph. acid.**

————— bearing down. (See Laborlike.)

————— burning, preceded by palpitation of heart when walking. **Sulph.**

————— in the hypogastrium. **Bufo.**

————— colic. **Bell., Bufo, Magn. m., Natr. m.**

—————, coming and going suddenly. **Bell.**

—————, contractive. **Natr. m.**

—————, spasmodic. **Drosera, Puls.**

—————, contractive. **China.**

————— cutting and pressure. **Zinc.**

————— across the hypogastrium from right to left.

Lycopod.

————— when lying down. **Puls.**

—————, dragging through the pelvis and across the loins.

Carbol. acid.

————— drawing. **Puls., Sepia.**

————— from the—to the back. **Plumb.**

————— dull and heavy, in the right hypogastrium, with great pain and weakness in the small of the back. **Kali bich.**

————— laborlike. **Aralia, Cimicifuga, Drosera, Graph., Ignat., Kali bich., Podoph., Puls., Sepia.**

—————, and pressure, early in the morning, in bed or when walking. **Nux v.**

—————, as if prolapsus would occur. **Natr. m.**

—————; pains come and go suddenly. **Bell.**

—————; relief by sitting, lying, or pressing with the hand upon the vulva. **Lilium.**

Pain in the—laborlike, as if prolapsus would occur, with back-ache, and pain through the hips down the thighs. **Nitr. acid.**

—————; worse in the afternoon till midnight, then better till next afternoon, when the pain appears again. **Lilium.**

—————, continuous **Lycopod.**

—————, contractive, like colic, from both sides of the abdomen. **Conium.**

—————, with pressing in the region of the womb.

Ignat.

————— pinching around the navel. **Magn. c.**

—————, pressing down into the groins, or into the pudendum, or alternating between the two. **Plat.**

—————, vulva and anus. **China.**

————— stitching. **Kali c.**

Sensation as if the menses would appear. **Sulph. acid.**

————— everything would fall out of the abdomen. **Alum.**

Sensitiveness of the hypogastric region. **Lilium.**

————— to the slightest touch, even to her clothing. **Lach.**

Swelling of the inguinal glands. **Nitr. acid.**

Tingling—voluptuous—in the—and pudendum, with oppressive anxiety and palpitation of the heart. **Plat.**

Weakness in the—sense of—and emptiness. **Phos.**

Rectum, Anus, and Stool.

Burning in the—and genitals. **Alum.**

Constipation. **Æscul. hipp., Hydrast., Phos., Podoph.**

—————, causing prolapsus ani. **Ignat.**

—————, with ineffectual urging to stool. **Nux v.**

————— protrusion of large hæmorrhoids. **Æscul. hipp.**

Diarrhœa. **Merc.** (mucous), **Natr. m.** (mucous), **Podoph.** (in the morning; watery, green).

Inactivity of the rectum, even a soft stool requires great straining. **Alum.**

Irritation of the—and bladder. **Erigeron.**

Itching of the anus. **Carb. veg., Dictamnus.**

Purulent, bloody mucus—discharge of—with burning pain. **Ars.**

Soreness—extreme—from piles. **Muriat. acid.**

Urinary Organs.

Desire to urinate frequently. Dictamnus.
 _____; has to rise often, and discharges large quantities of colorless urine. Phos. acid.
 _____; painful. Apis.
 _____, with lancinating in the genital organs. Hyperic.
 _____ scalding and brickdust sediment. Nux v.
 Difficult discharge of urine with chilliness. Kreosot.
 Irritation of bladder and rectum. Erigeron.
 Painful micturition at the close of the flow of urine; sharp pain in urethra. **Sarsaparilla.**
 Retention of urine—painful. Bell.
 Urine—sandy sediment. **Lycopod.**
 — stains the linen yellow. Bell.
 — sediment clay-colored, adhering to the vessel; fetid. **Sepia.**
 Urination with itching, burning, smarting in the vulva. **Ambr. gr.**

SEXUAL ORGANS.

Uterus.

(See Uterus in Parts I and III.)

Before the Discharge.

Pains, crampy, spasmodic, extending frequently into the thighs. Magn. m.

During the Discharge.

Amenorrhœa. (See Part III.) Alum., Ars., Aurum, Bell., Camph., Caust., Cicut. vir., Cimicifuga, Coccul., Conium, Croc. tig., Drosera, Ferr., Gels., Graph., Hyos., Kali c., Lach., L. V. Deflor., Lycopod., Mezer., Natr. m., Phos., Ruta, Sabina, Sarsaparilla, Sepia, Silic., Sulph.

Atony. Aletr. f., Caulophyl., Cimicifuga, Helonias.

Congestion—passive—induration of cervix and os uteri. Iod.

— slight displacement. **Sepia.**

Excrecences; fissures; bleeding of the os. Cubeb.

Menses. (See Part I.)

Metritis—chronic—with palpitation of the heart. Aurum.

Pain—as if sprained. **Nux v.**

———bruised—in the cervix with tumefaction. **Robinia.**

———burning—in the cervix. **Sepia.**

———cervical canal. **Calc. c.**

——— in the os when lying down, with feeling of dryness in the vagina. **Ferr.**

——— and ovaries. **Helonias.**

———; cramps. **Conium.**

———; shooting. **Curare.**

———, and stitching in the cervix—darting upwards. **Sepia.**

———; spasmodic. **Sarracenia.**

——— contraction of the uterus, with painful bearing down to the vulva and anus; menses increased. **China.**

———; stitches. **Calc. c.**

——— in the cervix. **Sepia.**

Prolapsus. **Conium**, **Helonias**, **Hydrast.**, **Natr. chlor.**

——— and induration. **Aurum**, **Conium.**

——— with prolapsus of the rectum. **Podoph.**

——— with the same of the vagina. **Merc.,**

Nux v.

——— during hot weather especially. **Kali bich.**

——— from difficult urination. **Cimicifuga.**

——— slight, congestion, profuse yellowish leucorrhœa. **Sepia.**

——— with congestion. **Lach.**

Sterility. **Calc. c.**, **Cimicifuga.**

——— on account of chronic leucorrhœa. **Borax.**

Swelling. **Iod.**

——— and induration or hardness of the os. **Iod.**, **Nux v.**

Ulceration of the os. **Antim. crud.**, **Curare**, **Leptand.**, **Sanguin.**

——— and adjoining parts. **Argt. nitr.**

——— fiery redness, likewise of the vagina.

Cinnab.

——— induration. **Conium.**

——— vagina. **Bapt.**

———; syphilitic. **Nitr. acid.**

———, indolent. **Zinc.**

———, superficial, with engorgement of cervix and vagina. **Hydrast.**

Weight and heaviness of the. **Cimicifuga.**

——— cervix. **Nux v.**

Ovaries.

(See Ovaries, Part I and Part III.)

Inflammation—chronic—of the right. Iod.

Pain in the—and uterus. Helon.

Vulva.

(See Vulva, Part I.)

Eruption on the—itching. (See Itching, Pruritus.) Nux v.

————— pimples. Natr. m.

————— like fleabites. Graph.

—————, pruritus. Calad., Natr. m.

————— rash on the labia. Graph.

Hair falling off. Natr. m.

Itching. (See Eruption, Pruritus.) Aurum, **Calc. c.**, **Carb. veg.**,
 China, Ferr., Hedeoma, Hydrast., Kali c., Kali hydr., Kreosot.,
Lycopod., Magn. c., **Merc.**, **Natr. m.**, **Nitr. acid**, Phos. acid, **Sabina**,
Sepia, Silic., Sulph., Zinc.

————— a few days after the menses. Phos. acid.

————— of the—and anus. Carb. veg.

————— biting; she is obliged to scratch much, espe-
 cially in the evening and night, with violent burning after scratch-
 ing. **Merc. sol.**

—————, burning, smarting during micturition.

Ambr. gr.

————— externally and internally. Agaric m.

————— from jerking of the limbs. Lycopod.

—————, violent, always towards evening, sometimes
 when walking. Nitr. acid.

—————, during pregnancy or after delivery.

Sabina.—————, voluptuous. **Coff.**, Cubeb.—————, worse from scratching. **Anacardium.**

Mucus—accumulation of—thick, tenacious, about the genitals.
 Kali bich.

————— between the labiæ and thighs. Calc. c.

Pain in the vulva. (See Character of Fluor Albus.) Conium,
 Lycopod., Phos. acid, Sabina.

—————, burning. Alum., Amm. c., Aurum, **Borax**,
Calc. c., Canth., **Carb. an.**, Carb. veg., Castor, **Conium**, Fluoric

acid, Hedeoma, Kali c., Kreosot., **Magn. s.**, Merc., Petrol., Puls., **Sulph.**, Sulph. acid.

Pain in the vulva, burning and smarting; labia majora red and swollen. Aurum.

_____ rectum. Alum.

_____ ; can hardly keep still. **Sulph.**

_____, during motion especially. **Magn. s.**

_____, with increased sexual desire. **Nux v.**

_____ some discharge of blood. Petrol.

_____, biting. Antim. crud., **Carb. an.**, Conium, Kali hydr., Merc.

_____, lancinating, with frequent desire to urinate. Hyperic.

_____, smarting. Antim. crud., **Cham.**, Chlor. acid, **Conium**, Curare, Ferr., Helleb., Hep. s., **Lach.**, **Lamium alb.**, Merc. viv., Natr. m., Phos., Phos. acid, Silic.

_____, as from salt. **Sulph.**

_____, in the beginning. Ferr.

_____ ; the parts look inflamed, corroded, making walking difficult; washing with cold water relieved. Alum.

_____, soreness and rawness. **Carb. veg.**, Ferr., Sepia, **Sulph.**

_____ between the labiæ and thighs. Bovista.

_____ of the labiæ. Anacard., Dictamnus, Fluor. acid., Graph., Prunus spi., Sulph.

_____, with swelling. Ambr. gr.

_____, stitches—acute—long—from the pudendum to the right thigh, as if a knife were thrust into the parts. Crocus sat.

_____, tearing at intervals. Baryt. c.

Pressure in the—or groins, with pinching pain in the abdomen. Plat.

Pruritus. **Caladium**, **Collinson.**, Cubeb., Hydrast., Natr. m., Nitr. acid., Puls., **Sabina.**

_____ and fluor albus, worse from taking cold. **Nitr. acid.**

Redness and swelling. Lach.

_____, with itching eruption on the inner labia. Sepia.

Sensitiveness. Aurum, Coff., Plat., Zinc.

Swelling. Lach., Merc., **Puls.** (especially after menses).

Tingling—voluptuous—in the—and abdomen, with oppressive anxiety and palpitation of heart. Plat.

Ulceration and suppuration—superficial—of the external and internal parts. Merc. sol.

Ulcers; pimples; condylomata. Cubeb.

——— small—diphtheritic—at the inner surface of the labia and vagina. Sepia.

Varices. Carb. veg., Nux v.

Vagina.

(See Part I.)

Before the Discharge.

Stitches in the. **Ambr. gr.**

During the Discharge.

Dryness and painfulness during coition. Ferr.

———, sensation of—with pain in the os when lying down.

Ferr.

Flatus from the—discharge of. **Lycopod., Sanguin.** (evening).

Inflammation—syphilitic. **Merc.**

Itching in the. Conium, **Sepia.**

Pain in the—burning. Canth.

———, itching, excoriating, sensitive. Aurum, **Sulph.**

———, stinging. Nux v.

———, as if excoriated. Cham.

——— soreness. Ham.

——— and rawness. Kali bich.

——— spasmodic contraction and itching—and of the inner parts. **China.**

——— stitches. **Ambr. gr.**

——— shooting upwards. **Nitr. acid.**

——— to the uterus.

Phos.

Pressure in the. Cinnab

Prolapsus of the. Ferr.

——— and uterus. **Merc., Nux v.**

Relaxation of the walls. Ham.

Sensitiveness—great. Plat.

Swelling within the—resembling prolapsus, with burning and tenderness, making coition very painful. **Nux v.**

Ulceration and engorgement of the—and cervix. Hydrast.

————— fiery redness of the—and os. Cinnab.

————— of the—and os. Bapt.

—————, diphtheritic. Sepia.

————— syphilitic. Nitr. acid.

Mammæ.

(See Part I.)

Soreness of the—and nipples, especially at the time of menses. Hydrast.

Sexual Instinct.

(See Part I.)

Aversion to coitus. Natr. m.

Excitement—great. Coff., Cubeb., Hydrast., Ignat.

—————, with burning in the pudendum. **Nux v.**

Chest.—Larynx.—Heart.

After the Discharge.

Cough and expectoration. Conium.

Hoarseness with cough and expectoration. **Conium.**

Palpitation—violent—weakness at the pit of stomach. Hydrast.

————— when walking, followed by burning in the abdomen.

Sulph.

————— with anxiety. Baryt. c.

————— fainting, followed by sleep. **Nux**

Back and Neck.

Before the Discharge.

Pain in the. Kreosot.

————— and tearing in the limbs. Berber.

————— coccyx. Kreosot.

————— sacrum, laborlike, running to the crests of the ilia, or around the uterus. Sabina.

Pain in the small of back, with flushes of heat in the face. **Kreosot.**

Stiffness of the neck. **Bufo.**

Weariness and lameness in the small of the back; paralyzed feeling. **Conium.**

_____, with pulling sensation. **Caust.**

During the Discharge.

Pain between the shoulderblades; burning heat. **Phos.**

_____ in the small of back (backache). **Argt. nitr., Helon., Kali bich., Kali c., Muriat. acid.**

_____ and weakness—severe—with dull heavy pain in right hypogastrium. **Kali bich.**

_____ as if the menses would appear. **Coccul.**

_____ at night, violent. **Amm. m.**

_____, bruised. **Kali nitr.**

_____ and down the thighs. **Magn. s.**

_____ burning—severe. **Alum.**

_____; drawing from the small of the back through to the pubes. **Sabina.**

_____, violent, with stiffness. **Nitrum.**

_____ with dragging across the loins and through the pelvis. **Carbol. acid**

_____ faintness. **Baryt. c.**

_____ great weakness. **Kali bich.**

_____ sacrum. **Helonias**

_____, aching. **Geis.**

_____, also in the hips and knees; constantly.

Æscul. hipp.

_____ bruised. **Kali nitr.**

Weakness—great—in the back, especially in the morning when rising. **Graph.**

_____, can hardly walk, causing great weakness. **Æscul. hipp.**

_____ with lameness. **Conium.**

_____ when walking or sitting. **Graph.**

Extremities.

Before the Discharge.

Pain in the limbs and backache; tearing in. **Berber.**

_____ thighs and uterine spasms. **Magn. m.**

During the Discharge.

Burning of the soles of feet and palms of hands. Sanguin.

—————, she puts them out of bed. **Sulph.**

Erythema of the thighs. Cubeb.

Excoriation of the thighs (see Character of fluor albus corroding the thighs).

Feet cold and damp. **Calc. c.**

Pain in the hips, sacrum, and even knees; aching. **Æscul. hipp.**

—— between the thighs—burning, smarting. **Caust.**, Curare, Sabina.

—— down the thighs—biting. **Antim. crud.**

—— in the thighs—bruised—and small of back. **Magn. s.**

————— (right) acute long stitches, likewise in the pudendum, as if a knife were thrust into the parts. **Crocus sat.**

Sensation as if warm water were running down the legs. **Borax.**

Weakness of the legs. **Argt. nitr.**, Kreosot.

Sleep.

Dreams—voluptuous. **Petrol.**

Fever.

Chilliness and fainting fits. **Cyclam.**

———— at night and flashes of heat in daytime. **Lach.**

Febrile symptoms with restlessness. **Acon.**

Skin.

Eruptions on the—oozing out a sticky fluid. **Graph.**

Generalities.

(See Part I and Part III.)

Aggravation of all symptoms at night. **Merc.**

Anæmia. (See Part VIII, Constitutional Peculiarities.)

Chlorosis. **Phos.** (See Part VIII, Constitutional Peculiarities.)

Constitutional peculiarities. (See Part VIII, Generalities.)

Cramps in general. **Bufo.**

Debility and lassitude. **Alum**, **Aralia**, **Calc. c.** (fatigue from walking), **Caust.**, **Conium**, **Ham.**, Kreosot.

———— after the discharge. **Conium**, **Helonias**, **Hydrast.**, **Iod.**, Kreosot., **Phos.**, **Stan.**, **Trill.**

Debility and lassitude from even a little walk, on account of the weakness in the back. **Æscul. hipp.**

——— after lifting or exercising especially. **Lach.**

——— of the legs especially. **Kreosot.**

——— with feeble state of the nervous system. **Aralia.**

——— within the chest especially, can hardly talk. **Stan.**

Faintness with backache. **Baryt. c.**

Fainting fits with chilliness. **Cyclam.**

———, frequently during the day. **Sulph.**

——— tendency to—in nervous woman. **Lach.**

——— with palpitation of heart, followed by sleep. **Natr. m.**

Pain in the limbs. **Bry.**

——— nightly, hysterical paroxysms, with large abdomen of unmarried woman. **Conium.**

Restlessness and anguish at night. **Ars.**

Sensitiveness to cold air. **Calc. c.**

Tremor. **Alum.**

PART VII.

LOCHIA.

REMEDIES: **Acon.**, Aletr. f., Asar. europ., Bapt., **Bell.**, **Bry.**, **Calc. c.**, **Carbol. acid.**, **Carb. an.**, Carb. veg., **Caulophyl.**, **Cham.**, China, **Cimicifuga**, **Coff.**, **Colocynth.**, **Conium**, **Crocus sat.**, **Dulc.**, Erigeron, Ferr., Hedeoma, Hep. s., **Hyos.**, **Ignat.**, **Ipec.**, **Kreosot.**, Lach., **Merc. sol.**, **Merc. viv.**, **Millefol.**, **Nux v.**, Opi., Phelland., **Plat.**, **Puls.**, **Rhus tox.**, Sabina, **Secale cor.**, Senecio, **Sepia**, Silic., Stram., Sulph., Terebinthina, Trill., Ustilago, Verat. alb., Zinc.

Quantity and other Peculiarities of the Discharge.

Profuse. Acon., Bry., Carbol. acid, China, Coff., **Conium**, Erigeron, Hep. s., Millefol., **Plat.**, **Rhus tox.**, Secal. cor., **Trill.**, Ustilago.

———— and too long. Asar., Bry., **Calc. c.**, Crocus sat., **Erigeron**, Hep. s., **Plat.**, Puls., Rhus tox., Secal. cor., Senecio, **Trill.**, Ustilago

————, corroding. Liliu.

———— in gushes. Plat.

Too long. Carb. an., China, **Crocus sat.**, Rhus tox.

————, becoming thin and offensive, and excoriating the parts which it touches. Bell.

————, in women who generally menstruate too profusely. **Calc. c.**

————, oozes passively from the relaxed vessels. **Caulophyl.**

————, remaining bloody too long. Caulophyl.

Scanty. Acon., Secal. cor., Stram., Sulph.

———— and offensive in women who live high, use much coffee, wine, etc. **Nux v.**

————, becoming milky. **Puls.**

———— and too long, the discharge turns black and becomes clotted. Plat.

Suppressed. Acon., Aletr. f., Bell., Caulophyl., China, Cimicifuga, Colocynth., Hedeoma, Hyos., Millefol., Nux v., Plat., Puls., Secal. cor., Stram., Terebinthina, Verat. alb., Zinc.

—————, followed by diarrhœa, colic, toothache. Cham.

————— various aches and pains, and hysterical symptoms. Cham.

————— from anger. **Colocynth.**

————— cold. Cimicifuga.

————— or dampness. **Dulc.**

————— fright. **Opium.**

————— or grief. **Ignat.**

————— mental emotion. Cimicifuga.

————— with childbed fever. Acon.

————— fever and inflammation of the uterus. **Secal. cor.**

————— sensation as if the head would burst. **Bry.**

————— tympanitic abdomen and diarrhœa. Colocynth.

————— violent colic. **Colocynth.**

Ceasing almost, when it freshens up and becomes more profuse and bloody; and again almost disappears to freshen up again. **Kreosot.**

Painless. Secal. cor.

Returns often. Rhus tox.

————— when she begins to go about, after confinement. Acon.

Worse as often as the child is put to the breast. Ferr., Phelland., Silic.

————— at night, with some inflammation and swelling of the genitals. **Merc. sol.**

Character of the Discharge.

Acrid—very. Bapt., Carbol. acid.

————— watery. Conium.

Black. Crocus sat.

—————, clotted. Bell., Kreosot., Plat.

Bloody—occasionally. Rhus tox.

Brown. Carb. veg., Secal. cor.

Changes suddenly from a dirty brown to a chocolate color. Secal. cor.

Cheesy. China.

Corroding. Bell., Carb. an., Kreosot., Lilium, Sepia, Silic.

Dark. Cham., Secal. cor.

Dark, stringy. **Crocus sat.**

Hot. **Bell.**

Ichorous. **Rhus tox.**

Intermittent. **Kreosot., Plat.**

Milklike. **Calc. c., Puls.**

Pale at first, later bloody. **Calc. c.**

Red. **Calc. c., Bry. (bright), Acon. (deep).**

Thin. **Bell., Carb. an., Lach., Rhus tox., Secal. cor.**

Viscid. **Crocus sat.**

White. **Puls., Sepia, Sulph.**

———— mucus. **Conium.**

Odor of the Discharge.

Cadaverous. **Stram.**

Fetid—very. **Bapt., Carbol. acid, China Lach., Secal. cor., Sepia.**

Offensive. **Acon., Bell., Carb. an., Carb. veg., Kreosot., Nux v., Rhus tox., Secal. cor., Sepia.**

Purulent. **Calc. c., China, Merc., Sepia.**

CONCOMITANTS.

Mind and Disposition.

Changeable mood. **Plat.**

Delirium. **Cimicifuga. Verat. alb.**

———— or mental disturbance. **Bell., Hyos., Stram.**

———— with frightful visions. **Bell.**

———— jerking of the muscles. **Hyos.**

Desires to get away from herself. **Cham.**

Does not wish to be moved or disturbed in any way. **Nux v.**

Excitement, with great exaltation of all the senses. **Coff.**

Fear of death. **Secal. cor.**

———— ; she feels that something unfortunate will occur.

Acon.

Hallucinations—talks foolishly. **Stram.**

Irritability, impatience, even uncivility. **Cham.**

Low-spirited—sad. **Secal. cor.**

Mania puerperalis—wants to kiss every one. **Verat. alb.**

———— with copious milk. **Stram.**

Sensation as if she would get crazy. **Cimicifuga.**

Sighing and sobbing. **Ignat.**

Suspicious; thinks she is drugged or poisoned. **Hyos.**

Head.

Pain in the—as if the head would burst. **Bry.**

———— congestion. **Cimicifuga.**

————, also in the eyes. **Bell.**

———— distress, also in the chest and abdomen, as from congestion. **Acon.**

———— left temple, left supraorbital nerve, orbit of the eye, worse from talking or the least exertion. **Silic.**

Eyes and Face.

Cheeks—one red the other pale. **Cham.**

Flushed face with injected eyeballs. **Bell.**

Mouth.

Dryness of the—and lips. **Bry.**

Soreness and swelling of the gums. **Merc.**

Toothache, following the suppression of lochia. **Cham.**

Thirst.

Desire for large quantities of water at a time. **Bry.**

Thirst—great. **Acon., Cham.**

Thirstlessness. **Puls.**

Abdomen.

Bad feeling in the. **Sulph.**

Distension of the—meteorism. **Bell.**

———— with colic. **Colocynth.**

———— sensation of motion in it. **Crocus sat.**

Drawing in the ovarian region. **China.**

Pains in the—(afterpains), come and go suddenly. **Bell.**

————, very distressing; she can hardly bear them. **Cham.**

———— burning in the uterine region. **Bry.**

———— colic, following the suppression of lochia. **Cham., Colocynth.**

———— distress—also in chest and head, as from congestion. **Acon.**

Pain in the—laborlike—prolonged. *Secal. cor.*
 ————— severe pressing down, as if the contents
 of the pelvis would be forced out through the vulva. **Bell.**
 ————— sensitiveness—great—to touch—in the uterine re-
 gion. *China.*
 ————— sharp, cutting, very tender to pressure. *Acon.*
 —————, in the region of the neck of the uterus.
Sepia.
 ————— soreness. *Nux v.*
 ————— tenderness—great—to the jar of the bed. **Bell.**
 Swelling and soreness of the groins. *Merc. sol.*

Rectum and Stool.

Diarrhœa following the suppression of lochia. *Cham.*
 Hæmorrhoids, bleeding, sore and itching. *Sulph.*
 —————, with great sensitiveness to contact. *Nux v.*
 Irritation of the rectum, calling her to stool frequently. **Nux v.**
 Pain in the rectum, shooting upward. *Rhus tox.*
 Urging to stool—constant—with contracting spasms in the rec-
 tum. **Bell.**

Urinary Organs.

Frequent desire to urinate, the urine producing a scalding sensa-
 tion. *Nux v.*
 Urine scanty. *Bry.*

Sexual Organs.

Atony of the uterus. *Caulophyl.*
 Congestion of the uterus and ovaries; passive. *Hedeoma.*
 Flow of blood from the vagina every time the child nurses. **Silic.**
 —————, fluid, clotted—at every pain, which
 is generally severe. *Sabina.*
 Itching sensation in the uterus. *Calc. c.*
 Lax, empty breasts. *Acon.*
 Milk—copious—with puerperal mania. **Stram.**
 ————— diminished greatly. *Dulc.*
 ————— suppressed. *Millefol., Verat. alb., Zinc.*
 ————— suddenly. *Puls.*
 Nipples—sore. *Dulc.*
 Nymphomania. *China, Plat., Verat. alb., Zinc.*
 Pain in the uterus—located. *Sulph.*

Sensitiveness of the vulva—great. Zinc.

———— cannot even bear the napkin applied.

Plat.

Spasms of the uterus. Cimicifuga.

Swelling and some inflammation of the genital organs. Merc. sol.

Chest.

Desire for fresh air. Cham.

Pain and distress in the—abdomen, and head, as from congestion.
Acon.

Back.

Pain in the—and sacrum to the uterus and down the thighs.
Sabina.

———— distressing bearing down. **Sepia.**

———— from the sacrum to the pubes. **Sabina.**

———— small of back; aching. Bry.

Sensitiveness—extreme—to even a slight jar of the bed; the same
of the abdomen. **Bell.**

Extremities.

Hips—afterpains in the. Silic.

Feet—coldness of the—all the time. Sulph.

———— heat in the soles of the. **Sulph.**

Sleep.

Drowsiness—or she is half awake and half asleep. Bell.

Sopor. Opi.

Unsound sleep, is not refreshed by it. Bell.

Wakefulness—great—with exalted nervous sensibility. **Coff.**

Fever.

Coldness, yet does not wish to be covered. **Secal. cor.**

Fever—puerperal. **Bell.,** Cimicifuga.

———— with thirst. Acon.

———— without thirst. **Puls.**

Heat—flushes of. Sulph.

———— great. Millefol.

Perspiration. Sulph.

Generalities.

Affection from fright, grief, with sighing and sobbing. **Ignat.**

———— use of Chamomile tea. **Ignat.**

———— Nux vomica—sometimes. **Ignat.**

Aggravation from the least jar. **Bell.**

———— motion. **Bry.**

————, causing a return of a bloody lochial discharge, which is relieved by rest. **Erigeron.**

———— taking food or drink. **Colocynth.**

———— in a warm room. **Puls.**

Amelioration from changing position. **Rhus tox.**

———— warmth. **Nux v.**

Constitutional peculiarities. (See Part VIII, Generalities.)

Convulsions—hysterical—of the whole body, interrupted by jerks or twitchings of single limbs. **Hyos.**

Convulsive twitching. **Millefol.**

Debility—great. **Caulophyl.**

————, from the flow. **Rhus tox., Sulph. acid, Trill.**

————, with prostration. **Bapt.**

Excited, nervous sensibility, and great wakefulness. **Coff.**

Fainting spells. **Sulph.**

Hysterical symptoms. **Cham.**

Jerking of muscles, with delirium. **Hyos.**

Numbness of the limbs. **Carb. an.**

Pains—great. **Millefol.**

———— rheumatic—in all the limbs. **Cimicifuga.**

Restlessness at night; must change position often to find relief.

Rhus tox.

———— great. **Colocynth**

Trembling and weakness—sense of—without actual trembling. **Sulph. acid.**

PART VIII.

GENERAL CONCOMITANTS.

Mind and Disposition.

Absence of mind ; cannot fix her attention. **Bovista, Cannab. ind., Colchic., Elaps., Kali c., Merc. viv., Nux m., Plat., Rhus tox., Silic., Stan.**

————— with uneasiness and trembling of hands.

Magn. c.

Actions—absurd. (See Laughter.) **Cicuta vir., Hyos.**

————— rash. **Cicuta vir.**

————— violent. **Cicuta vir.**

Affectionate, lively. **Murex purp.**

Afraid. (See Fear.)

Agitation (see Restlessness) in the evening. **Guarea.**

Angry. (See Irritability ; Expression.) **Acon., Bovista, Kali c., Muriat. acid., Natr. m., Nux v., Petrol.**

————— at the least contradiction. **Aurum, Helon., Ignat., Valerian.**

————— or blame, which makes her angry with herself. **Ignat.**

————— inclination to be. **Bufo.**

—————, vehement, gets mad at trifles. **Drosera, Cham., Natr. m., Nitr. acid.**

—————, becomes exceedingly uncivil. **Cham., Verat. alb.**

Anguish. (See Anxiety.) **Acon., Amm. c., Cupr., Verat. alb.**

————— and apprehension. **Magn. c.**

————— ; trembling state of mind ; fear.

Acon.

————— sadness. **Kali c.**

—————, as if she would lose her senses. **Plat.**

————— great, excessive. **Colocynth., Secal cor.**

Anguish great, about the heart (see Heart), even with a desire to suicide. **Aurum, Puls.**

_____, nausea, sensation of hunger somewhat relieved by eating. **Phos.**

_____ as of death. Mosch., **Puls.**

_____, with trembling of limbs. **Plat.**

_____ ; despair ; going from one place to another for relief. **Ars.**

_____ ; sensitive ; irritable. Hep. s.

_____, turning and tossing about in bed. **Ars.**

_____ inconsolable. China.

_____ increasing to self-destruction. **Aurum.**

_____ ; low-spirited ; yawning ; stretching ; drowsiness in daytime. Daphne.

_____ oppressive—relieved in the open air. **Cannab. ind.**

_____ with constriction in the throat, shrieks for help. Ignat.

_____ heat ascending into the throat. **Hyperic.**

_____ ; palpitation of heart. Acon., Ars., Calc., Nitr. acid.

_____ preventing sleep. Kali hydr.

_____ with empty feeling in the head. Natr. m.

_____ great restlessness. **Lam. alb.**

_____ especially from 4 to 6 P.M.
Carb. veg.

_____ tremor and sweat during her pains. **Natr. c.**

Answers questions slowly. **Merc. viv.**

Anxiety. (See Anguish ; Low-spirited ; Restlessness ; Fear.)
Arnica, Calc. phos., Caust., Guarea, Ledum, Magn. c., **Nux v.**, Ruta, Sanguin., **Secal. cor.**, Sepia.

_____ about her children or family. Baryt. c.

_____ fate. Antim. crud.

_____ past events. Plat.

_____ the heart. **Acon.**, Theridion.

_____ trifles. **Sulph.**

_____ and irritability. Argt. nitr., Nux v.

_____ when alone. **Phos.**

_____ with inclination to suicide, but is afraid to die. **Nux v.**

_____ sadness. **Crocus sat.**

Anxiety, as if she had committed a great crime; fear. **Amm. c.**,
Coccul., **Ferr.**

_____ at night, as from heat. **Puls.**

_____ ; fear, flushes of heat over the face. **Sepia.**

_____ of death. **Acon.**, **Secal. cor.**

_____ fits of. **Rhododendron**, **Stan.** (or continual.)

_____ restlessness and yawning. **Plumb.**

_____ driving her to and fro, and out of
bed at night. **Ars.**

_____ especially during a thunderstorm.

Natr. c., **Phos.**

_____, fear and fever. **Acon.**

_____, hysterical. **Asafoet.**

_____, moving constantly about. **Chelidon.**,

Iod.

_____ when alone. **Drosera**, **Phos**

_____ from lying on the left side. **Phos.**

_____, full of fears. **Aloe.**, **Alum.**, **Caustic**, **Psorinum.**

_____ great, about imaginary evils. **Sepia.**

_____ great and fearful. **Secal. cor.**

_____ great—especially in young ladies who have been crossed
in love. **Calc. phos.**

_____ with sleeplessness. **Cimicifuga.**

_____ which prevents her even to eat. **Iod.**

_____ inconsolable. **Acon.**, **Magn. c.**

_____ needless—and ill humor. **Bry.**

_____ nervous. **Bell.**

_____ at 3 A.M. feels now hot, then again inclined to
vomit. **Ars.**

_____ wild with. **Secal. cor.**

_____ with apprehension. (See Apprehension.) **Acon.**, **Amm.**
c., **Magn. c.**, **Phos.**, **Plat.**, **Rhus tox.**, **Sabina.**

_____ about the future. **Bry.**, **Chelidon.**,

Rhus tox.

_____ health. **Ars.**, **Nux v.**, **Puls.**

_____ present and future. **Chelidon.**

_____ especially at night, with desire to flee.

Merc. viv.

_____ of approaching misfortune. **Graph.**

_____ ; low-spirited ; sad. **Muriat. acid.**

Anxiety, with apprehension, with weeping. **Graph.**

————— hastiness. (See Hastiness; Restlessness.) **Argt. nitr.**

————— heat, and when left alone. **Drosera.**

————— in the abdomen. **Bell.**

————— nausea and trembling. **Nitr. acid.**

————— palpitation of heart. **Acon.**, **Baryt. c.**, **Calc. c.**, **Mosch.**, **Plat.**, **Stan.**, **Tarantula**, **Viola odor.**

————— rotating sensation at the pit of stomach. **Gos-sypium.**

Apathy. (See Indifference.)

Apprehension (see Anguish, Anxiety, Fear, Low-spirited) about death. **Nux v.**

————— about her future; excitement. **Cicuta vir.**

————— house and domestic affairs. **Sepia.**

————— health. **Graph.**, **Lilium**, **Sepia.**

————— at night, cannot remain in bed. **Rhus tox.**

————— full of. **Acon.**, **China**, **Gratiola**, **Magn. c.**

————— in the evening. **Caustic.**

————— great after breakfast. **Caustic.**

————— of impending evil. **Chin. sulph.**

————— sickness and accident; low-spirited. **Calc. c.**

Attention—entire want of. **Kali c.**, **Silic.**

Aversion; Dislike (see Dislike, Disgust, Dread, Fear) to all kinds of labor. **Aloe.**, **Agaric m.**, **Argt. nitr.**, **Conium**, **Graph.**, **Kali bich.**, **Nux jugl.**, **Nux v.**, **Phos.**, **Rhododen.**, **Sepia.**

—————; in paroxysms. **Cyclam.**

————— to pleasure in the evening. **Sulph.**

————— to being alone. **Ars.**, **Elaps.**, **Kali c.**, **Lycopod.**, **Me-zer.**, **Sepia.**

————— and yet don't want company. **Conium**, **Sepia.**

————— with anxiety. **Drosera.**

————— hearing others talk. **Amm. c.**

————— downward motion, descending stairs, or the motion of a swing or rocking chair. **Borax.**

————— light. **Bell.**

————— men. **Natr. c.**, **Stan.**

- Aversion** to mental labor. **Aloe**, Carbol. acid, Cinnab., **Phos.**
 _____ with weakness of memory. Nitr. acid.
 _____ writing, reading, speaking, conversation. **Nux v.**
 _____ music. Carb. veg.
 _____ noise. **Bell.**
 _____ open air. Graph.
 _____ seeing company or people. Lach., **Natr. c.**
 _____ and mixing with the world. Lach.
 _____ still dreads to be alone. Conium.
 _____, especially the doctor. **Iod.**
 _____ friends. Colocynth.
 _____ talk. Amm. c., **Carb. an.**, Colocynth., Euphra.,
 Ignat., **Nux v.**, **Phos. acid.**, Stan.
 _____ and laughter, with great seriousness. Ambr. gr.
 _____ especially on awaking in the morning. Thuja.
 _____ water, cannot bear to touch it. Amm. c.
 _____ work, without cause; mental depression. **Phos.**
 _____ too much activity about her. Acon.
 Avoids society. (See Aversion.)
 Awkwardness; breaks everything. **Apis.**
 _____; lets everything drop from her hands. Bovista.
 Cautious. (See Suspicious.) **Ars.**, Baryt. c., Drosera.
Changing from one thing to another constantly. China.
 _____ mood, cheerful, laughing, and then again out of humor or crying. (See Jolly.) **Acon.**, Alum., Asafoet., China, Crocus sat., Cyclam., Ferr., **Nux m.**, Sarsaparilla.
 _____, from joy to sadness. Carb. an., Crocus sat., Gels., Ignat., **Nux m.**, Puls.
 _____; she laughs, cries, and sings. **Bell.**
 _____, worse every evening, with alternation of excessive happiness; affectionate, tenderness, rage. Kreosot.
 Cheerfulness—great. (See Jolly, Vivacity.) Alum., Brom.
 Cognition of two wills, one of which hinders her from doing that to which the other impels her. Anacard.
 Collect her senses—inability to. Kali c.
 Complaining (see Whining) piteously and weeping. Cina.
 Composure of mind, especially at night. Magn. c.
 Comprehension—slow. Hellebor.
 Confounding the present with the past. Cicuta vir.
 Confusion of thoughts and ideas. (See Ideas.)

- Conscience—loss of. **Nux v.**
 ————— very tender. **Ignat.**
 Consciousness—loss of. **Hyos., Plat.**
 —————, with loss of speech and motion. **Lauro-cerasus.**
 ————— seems to continue till the last breath, and just before death it seems the patient would improve. **Secal. cor.**
 Consoling words depress her only the more. **Natr. m.**
 Contradiction between reason and will. **Anacard.**
 ————— excites wrath and anger. (See Anger, Irritability.)
 Craziness. **Bell., Cupr., Hyos.**
 Cross. (See Anger, Irritability.)
 Cruelty. **Anacard.**
 Cowardice, with excitement of temper. **Baryt. c.**
Delirium. (See Sleep.) **Hyos.**
 ————— and restlessness; would not stay in bed. **Hyos.**
 —————, nightly—raging. **Acon.**
 ————— with great restlessness. **Ars.**
 —————, raging—wants to escape. **Bell., Hyos.**
 —————, talking about business. **Bry.**
 —————, with picking at the bedclothes constantly. **Hyos.**
 ————— violent vertigo, strange gestures. **Nux m.**
 Depression of spirits. (See Low-spirited.)
Desires exceeding her need; she eats, walks, etc., more than she ought to. **Ars.**
 ————— for light and company. **Stram.**
 ————— strange. **Cicuta vir.**
 ————— to be alone. **Carb. an., China, Cicuta vir., Cinnab., Elaps., Helon., Ledum, Lycopod., Magn. m.**
 —————, with depression of spirits. **Natr. m.**
 ————— great irritability. **Nux v.**
 ————— inclination to weep, especially in the evening. **Rhus tox.**
 ————— escape (delirium). **Bell., Hyos.**
 ————— mental labor. **Brom.**
Disgust of life. **Argt. met., Aurum, Merc. viv., Puls., Rhus tox.**
 —————, weariness, dulness, want of interest. **Kali nitr.**
 Dislikes (see Aversion) to be spoken to. **Elaps.**
 Disinclination to talk. (See Aversion to, Talk.)
 ————— work. (See Aversion to.)

Despair. (See Hopelessness.) Arnica, Aurum, Calc. c., Coff., Natr. m.

———— about her position in society. Verat. alb.

———— and anxiety. **Ars.**

———— of everything, with fear of death. Calc. c.

———— that nothing will make her well, it is useless to take medicine, and she must die. **Ars.**

Doubts about her salvation. **Lycopod., Verat. alb.**

Dread. (See Aversion, Fear.)

Dulness of the intellect. Mezer., Niccol.

———— senses. Laurocerasus, Nux m., Nux v., Rhus tox.

Exaltation—mental—in which the physical system partakes. Coff.

———— of spirits, with great talkativeness. **Cannab. ind.**

———— temper and the mental faculties. Cubeb.

Excitable. (See Angry.) Coff., Ignat.

———— and agitated in the evening. Guarea.

————, fierce. Nux v.

————, angry, with cowardice. Baryt. c.

————, nervous—ease. **Nitr. acid.**

————, very. **Conium.**

————, when in society. Sepia.

————, and her complaints are worse on the next day. **Palladium.**

Exclamation, "It is my death!" and then she faints. Mosch.

Exposes herself when in bed and prattles; sings amorous or obscene songs. **Hyos.**

Expressions (see Angry, Talk) and language are violent and extravagant. **Palladium.**

————, angry, uncivil. **Cham.**

————, profane. Anacard.

Ecstasy and exalted love. Antim. crud.

————, sentimental Coff.

Fancies—nocturnal. Bry.

Fantastical illusions. (See Illusions.) **Bell., Calc. c., Magn. m., Stram.**

————; everything she fancies looks pretty and beautiful, thus an old rag or stick appears to her a masterpiece of art. Sulph.

Faultfinding. Calc. c., Helon., Nux v.

———, disposition to censure. Calc. phos.

———, peevish. Lach.

Fear. (See Anxiety, Apprehension, Aversion, Dread.) Ars., Caust., China, Puls.

———, afraid to go out of the house. Acon.

———, as if something were creeping out of every corner. Phos.

———, inclination to weep. Magn. m.

———, imaginary. Coccul.

——— of approaching misfortune or danger. Acon., Calc. c., Graph., Magn. c., Natr. m.

——— being alone. Phos., Sepia.

——— lest she might do herself bodily harm. Ars.

——— hurt or poisoned; wishes to escape. Hyos.

——— death. Acon., Ars., Agnus cast., Calc. c., Lobelia, Plat.,

Secal. cor., Silic., Tarantula, Verat. alb.

——— or be very ill. Podoph.

———, predicting even the fatal day. Acon. (pregnancy).

———, which she believed near at hand. Plat.

——— when left alone. Ars.

———, with great tearfulness and jealousy. Apis (pregnancy).

——— satiety of life. Rhus tox.

——— getting insane, crazy. Cannab. ind., Merc. viv., Nux v.

———, or that people will think so. Calc. c.

——— ghosts. Carb. veg., Drosera.

——— going into places of business, into crowds or other gatherings. Acon.

——— future (pregnancy). Anacard.

———, she starts back, and looked wildly at the first sight of even familiar objects. Stram.

———, trembling, palpitation of heart. Valerian.

Feeling. (See Sensation.)

Feels like crying all the time, but crying makes her worse. Stan.

Fond—very—of the good opinion of others, and lays great weight upon her own judgment. Palladium.

Forgetfulness. (See Memory—weak.) Anacard., Graph.

Frenzy—amorous—with unchaste gesticulations. Canth.

Frightened easily. Acon., Borax, Tarantula.

——— when in the dark. Carb. an.

Full of plans and projects, especially at night. China.

Gayety. (See Jolly.)

Gentle, mild, and yielding. **Puls.**

Gestures. (See Actions.)

Grief. (See Low-spirited.)

Happy feeling after she comes out of a hysterical fit; everything seems so beautiful to her. **Sulph.**

Hastiness. (See Anxiety, Restlessness.) **Acon., Argt. nitr.**

—————; bustling disposition the day before confinement.

Apis.

————— in everything she does; she can hardly get through her work rapidly enough, and is dissatisfied with herself when she has finished. **Sulph. acid.**

—————, nervousness, always changing her occupation. **Apis.**

—————, when talking. **Ambr. gr.**

—————, with inability to perform anything (during sexual excitement). **Lilium.**

————— ill-humor. **Thuja.**

Hide herself—desire to. **Bell.**

Homesickness. **Carb. an., Hyos., Merc. viv.**

Hopelessness. (See Despair.)

Howling. **Bell., Cicuta vir.**

Hurried. (See Hastiness.)

Hysterical. (See under Generalities.) **Asafoet., Calc. c., Castor, L. V. Deflor., etc.**

————— from suppression of—or too free indulgence in sexual intercourse. **Conium.**

————— spasms with alternate laughing and singing, desperate actions, throwing herself about violently. **Aurum.**

—————, worse before menses, with hard, swollen breasts. **Conium.**

Hyperæsthesia of all senses. **Coff.**

Hypochondria. (See Mood.) **Conium, Euphrasia, Nux m., Nux v.**

————— after eating. **Nux v.**

Ideas become confused and lose their connection. (See Thoughts.) **Guarea, Nux v.**

————— fixed. **Cannab. ind.**

—————; cannot get rid of them. **Stan.**

—————, loss of—weakness of mind. **Phos. acid.**

—————, full of. **Coff.**

—————, plans, projects, at night. **China.**

Ideas, slow. Carb. veg., Nux m.

———, with nervous irritability. **China**.

———, unable to hold an. Rhus tox.

Ill-humored. (See Irritability, Peevishness.) Bovista, Brom., Calc. c., Castor, Colocynth., Cyclam., Gratiola, Ledum, Muriat. acid., Nitrum, **Nux v.**, **Ol. an.**, Ranuncul. bulb., Rhus tox., Ruta, Sulph.

——— and vexed mood. Bovista, **Bry**.

——— during dry, cloudy weather. Amm. c.

———, low-spirited. Brom., Cact. gr., Laurocer.

———, indifferent. Kali bich.

———, weeping. Kreosot., Lycopod., Magn. s.

———, with needless anxiety. **Bry**.

Illusions (see Fantastical); everybody seems inferior to her, both in body and mind. **Plat**.

———; everything around her seems small and insignificant, physically and mentally, but she herself physically large and superior. **Plat**.

Illusory feelings. **Iod**.

Imagines herself neglected. Pallad.

——— she hears music, shuts her eyes, and is lost for some time in the most delicious thoughts and dreams. **Cannab. ind**.

——— is going to die or be very ill. Podoph.

——— that another person lies in the same bed. **Petrol**.

Imagination—excited. Coff.

——— of strange objects in her bed or room, with great wakefulness. Cimicifuga.

Impatience—extreme. (See Ill-humor, Irritability.) **Ignat.**, Ipec.

——— irresolute, inconstant. Ignat.

Importance—great—attached to pains and bad feelings, which she is unable to explain. Ignat.

Indifference, apathy. (See Low-spirited.) Berber., Merc. viv., Nitr. acid, **Phos.**, **Phos. acid**, Rhododen., Secal. cor. **Sepia**.

———, almost unwilling to talk. **Phos**.

———, answers very slowly, moves very sluggishly. **Phos**.

———, sadness. **China**.

———, taciturn, takes no interest in her household. Cimicifuga.

——— to everything. **Phos**.

Indifference to life. Phytol.

————— one's family and to those she loved best.

Sepia.

—————, with ill-humor and depression. **Kali bich.**

Indolence of mind. **Nux jugl.**

Indisposition to mental or physical labor. (See *Aversion*.)

Insensibility—complete. **Opi.**

————— with complete apoplectic respiration. **Opi.**

Intellect predominating over the mind. **Valerian.**

Irresolute. **Baryta c., Gratiola.**

—————, impatient. **Ignat.**

Irritability. (See *Angry*, *Ill-humor*, *Scolding*, *Peevishness*, *Mood*, etc.) **Acon.**, **Aloe**, **Apis**, **Arnica**, **Ars.**, **Aurum**, **Bufo**, **Calc. c.**, **Carb. veg.**, **Coccus cacti**, **Curare**, **Hep. s.**, **Kali c.**, **Murex purp.**, **Nux v.**, **Petrol.**, **Sabina**, **Sanguin.**, **Senecio**, **Sepia**, **Sulph.**, **Sulph. acid**, **Ustilago**, **Xanthoxyl.**

————— after an embrace. **Natr. m.**

—————, anxiety. **Argt. nitr.**, **Phos.**

—————, inclination to commit suicide, but is afraid to die. **Nux v.**

—————, when alone. **Phos.**

—————, can hardly give a civil answer or say a pleasant word, especially during menses, in otherwise often very amiable persons. **Cham.**

—————, disposed to anger and chagrin. **Muriat. acid.**

—————, extremely impatient. **Ignat.**, **Ipec.**, **Valerian.**

—————, gets angry upon the least occasion. **Acon.**, **Bry.**, **Natr. m.**, **Nitr. acid**, **Sepia.**

—————, great—wishes to be alone. **Nux v.**

—————, nervous. **Cham.**

—————, and yet she feels jolly. **Lilium.**

—————, cannot attend to business. **Lach.**

—————, with constant inclination to move about. **Iod.**

—————, on awaking. **Lycopod.**

—————, stupidity, after having been very talkative. **Lachnanth.**

—————, with debility. **Argt. nitr.**, **China.**

————— giddiness. **Coccus cacti.**

—————, sleepiness, and great weakness, especially in the morning. **Cyclam.**

Jealousy. Apis, Curare, Hyos., **Lach.**

Jolly—exceedingly. (See Changeable; Vivacity.) **Bell.**, Brom., **Carb. an.**, **Crocus sat.**, Verat. alb.

—————; irresistible desire to sing. Spong.

——, foolishness, interrupted by crying spells and fear. Curare.

——, yet nervous and irritable. **Lilium.**

Kiss everybody—wants to. Verat. alb.

————— sing; laughs; dances; whistles. **Coc-**
cus cacti.

Language. (See Expression; Speech; Talk.)

Lascivious—uncovers the sexual parts. **Hyos.**

Laughs easy and weeps easy. **Puls.**

Laughter—convulsive. (See Actions.) **Cupr. m.**

———— excessive—disposition to—everything appears funny;
worse in the open air, better in the room. **Nux m.**

———— foolish. **Hyos.**

———— hysterical. **Nux v.**, **Phos.**

————, fits of involuntary. **Sepia.**

———— immoderate. **Crocus sat.**

————, uncommon, till the face becomes purple,
and back and loins ache. **Cannab. ind.**

————, involuntary, loud, with silly actions. **Hyos.**

Laziness. **Laurocer.**

———— with heaviness. **Sabina.**

———— sleepiness. **Chelidon.**

Listlessness; depressed. **Rhus tox.**

Longing for death. **Kreosot.**

Loss of conscience. **Nux v.**

———— consciousness, with loss of speech and motion. **Laurocer.**

———— confidence in herself; thinks others have none in her,
makes her unhappy; pregnancy. **Aurum.**

Lost—feels abandoned. **Lam. alb.**

—— in most delicious thoughts and dreams for some time, with
eyes shut. **Cannab. ind.**

Love—unfortunate—with jealousy, rage, and incoherent speech.
Hyos.

Low-spirited; melancholic; sad. (See Indifference; Anx-
iety; Grief; Mood.) **Acon.**, **Agnus cast.**, **Ars.**, **Aurum**, **Bell.**, **Bo-**
rax, **Brom.**, **Carb. an.**, **Castor.**, **Caustic.**, **Chelidon.**, **Colocynth.**, **Co-**
num, **Crocus sat.**, **Curare**, **Digital.**, **Gels.**, **Gratiola**, **Helon.**, **Kreosot.**,
Lach., **Lilium**, **Magn. c.**, **Natr. c.**, **Natr. m.**, **Niccol.**, **Nitr. acid.**,

Nitrum, Nux m., Nux v., Phos., Plat., Podoph., **Psorinum**, Puls., Rhus tox., Robinia, Sabina, Secal. cor., **Sepia**, Silic., Stan., Sulph., Ustilago.

Low-spirited about trifles. Conium, **Graph.**

_____ after great vivacity. Gels.

_____ and full of apprehension. **Natr. c.**

_____ ill humor. Brom., Cact. gr., Laurocer.

_____ anxiety as if a misfortune would happen, or as if she were alone, and all about her were dead and still, or as if she had been forsaken by a near friend; worse in the house, relieved by walking in the open air. **Rhus tox.**

_____ reflective. **Carb. an.**, Mangan.

_____ ; anguish—violent—yawning, stretching, drowsiness in daytime. **Mezer.**

_____ shuddering and awe, as soon as the evening approaches. Calc. c.

_____ at twilight. Phos.

_____ before menses. Lycopod.

_____ causing sleepless nights. Ignat.

_____ disappointed love constantly preying upon her mind. **Ignat.**

_____ during menses. **Natr. m.**

_____ from pain. Sarsaparilla.

_____ full of suppressed grief; brooding to herself.

Ignat.

_____ ; inclination to weep. Ars., Berb., **Graph.**, **Hyperic.**, Iod., **Lach.**, **L. V. Deflor.**, Lobelia, **Lycopod.**, Natr. s., Petrol., **Puls.**, **Sepia**.

_____ does not want to be entertained, would rather sleep. Lilium.

_____ especially in the evening. Plat.

_____ without cause. **Natr. m.**

_____ knowing why.

Rhus tox.

_____, indifference, apathy. **China**, **Phos. acid.**

_____, ill humor. Kali bich., Phyto.

_____ in women with uterine diseases. Plat.

_____, peevish. Murex purp.

_____, nervous, easily frightened. Borax.

_____, preferred to be alone. **Natr. m.**

Low-spirited, silent, **Ignat.**, Phos. acid, Plumb.

_____, sitting there as if wrapped in deep and sad thoughts. **Coccul.**

_____, taciturn. **Lycopod.**

_____, thoughtful, as if overwhelmed with grief. **Ol. an.**

_____, with anxious apprehensions. **Muriat. acid.**

_____, thinks she is going to die, or be very sick. **Podoph.**

_____, tired of life. **Natr. s.**

_____, toward evening. **Ruta.**

_____, when alone especially. **Bovista.**

_____, awaking in the morning. **Lach.**

_____, with a great deal of sighing; sensation of emptiness at pit of stomach, not relieved by eating. **Ignat.**

_____, melancholic feeling about the heart, and desire to take a deep breath. **China.**

_____, anxiety. **Kali c.**, **Ruta.**

_____, apprehensions. **Amm. m.**

_____, about her health. **Sepia.**

_____, of sickness and accident.

Kali. c., Phos. acid.

_____, feeling of great languor. **Erigeron.**

_____, when rising in the morning. **Caustic.**

_____, great debility. **Phos.**

Mad—getting. (See Angry, Irritability.)

Maliciousness. **Anacard.**, **Nux v.**

Mania—(see Mental Derangement, Rage) lasciviousness. **Hyos.**

_____, religious. **Crocus sat.**, **Lach.**, **Lycopod.**, **Puls.**, **Sulph.**,

Verat. alb.

Melancholic. (See Low-spirited.)

Memory, loss of. **Agarie m.**, **Anacardium**, **Conium**, **Nux m.**, **Plumb.**

_____, so that while talking she was often unable to find the proper word. **Plumb.**

Memory, weakness of. **Anacard.**, **Ars.**, **Baryt. c.**, **Caustic.**, **Conium**, **Fluoric acid**, **Kreosot.**, **Merc. viv.**, **Nux m.**, **Sabina**, **Sepia**, **Sulph.** (for names especially.)

Memory, weakness of, loses thoughts before she can express them; weeps about it. *Stram.*

_____, sudden and periodical. *Carb. veg.*

_____, with aversion to mental labor. *Nitr. acid.*

_____ great difficulty of connecting words. *Murex purp.*

Mental derangement. (See *Mania*.) *Canth.*, *Plat.*

_____ labor—inability to sustain. **Conium.**

Mild, yielding disposition. *Ignat.*, **Puls.**

Miserly, stingy, close. *Cyclam.*, *Puls.*, *Sepia.*

Mistakes when speaking. *Nux v.*

Mistrust. (See *Cautious*, *Jealous*.)

Moaning **Bell.**, **Cicuta vir.**

Mood (see *Irritability*, *Low-spirited*, *Ill-humor*, *Changeable*, *Sensitiveness*.), fitful. *China.*

_____, anxious. *Silic.*

_____, changeable. **Ignat.**

_____, hypochondriac, low-spirited, weeping. *Mezereum.*

_____ ; is out of sorts with everything. **Puls.**

_____, hysteric—low-spirited, nervous weakness, vascular excitement. *Plat.*

_____ indolent. **Sepia.**

_____ morose—breaking out in weeping. **Puls.**

_____, musing. *Baryt. c.*

_____ very restless. **Rhus tox.**

_____, violent. *Puls.*

_____, whining. *Castor.*, *Cham.*

_____ ; inclination to weep. *Lam. alb.*

Moral weakness. *Aurum.*

_____ and nervous symptoms appear in quite regular paroxysms; they appear every morning, noon or night, but especially after dinner. *Argt. nitr.*

Music causes weeping and trembling of the feet. *Thuja.*

_____ is intolerable to her. **Sabina.**

Nervousness. (See *Restlessness*, *Excitability*.) *Ambr. gr.*, *Arnica*, *Asafoet.*, *Borax*, *China*, *Gels.*

_____ and excitability. *Nitr. acid.*

_____ and weakness, causing sleeplessness. *Caulophyl.*

_____, attacks of. **Conium.**

Nervousness, cannot bear a downward motion. **Borax**.

————— horseback ride, of which she has been formerly so fond. **Borax**.

————— thunderstorm. **Silic**.

—————, easily startled. **Borax**, **Podoph**.

—————, excessive—with constant inclination to move about. **Iod**.

—————, the least excitement causes cold clammy hands and palpitation. **Lilium**, **Sepia**.

Nymphomania. (See Sexual Excitement.) **Phos.**, **Plat**.

————— of lying-in woman. **China**, **Gratiola**.

Obscenity. **Hyos.**, **Phos**.

Obstinate. **Calc. c**.

Peevishness. (See Irritability, Ill-humor.) **Antim. crud.**, **Arnica**, **Borax**, **Colchic.**, **Ignat.**, **Ipec.**, **Murex purp.**, **Ol. an.**, **Puls.**, **Ruta**, **Sulph**.

————— about everything. **Cham**.

————— and vehement about trifles. **Aurum**.

—————, childish—in grown people. **Sulph**.

—————, faultfinding. **Lach**.

—————, much affected by. **Nitr. acid**.

—————, sadness. **Murex purp**.

—————, taciturn, suspicious. **Merc. viv**.

————— with pain. **Cham**.

Perception—errors and defects in. **Argt. nitr**.

————— slow. **Plumb**.

Prediction of the day of her death. **Acon**.

Pride, self-exaltation, and contempt for others. **Plat**.

————— during pregnancy. **Lach**.

————— wounded. **Palladium**.

Proud, arrogant feeling. **Plat**.

—————, contemptuous, pitiful looking down upon people usually venerated, with a kind of casting them off. (In paroxysms and against her will.) **Plat**.

—————, jealous, suspicious. **Lach**.

————— of her condition; haughty, taciturn. **Verat. alb**. (Pregnancy.)

Pushing away everything before her. **Staphis**.

Quarrelsome. **Arnica**, **Aurum**, **Cham.**, **Nux v.**, **Ranuncul. bulb**.

—————, beats people. **Hyos**.

————— even to violence. **Nux v**.

Rage. (See Mania.) Cupr. m., **Hyos.**

—— after anxious restlessness. Canth.

——, she tears her clothes, bites, and strikes. **Bell.**

Religious mania. (See Mania.)

Reveries—absorbed. (See Lost ; Imagines.) **Cannab. ind.**, **Gra-tiola.**

Restlessness. (See Agitation, Anxiety, Hurry, Nervousness, Irritability, etc.) **Acon.**, **Ambr. gr.**, **Arnica**, **Ars.**, **Crocus sat.** **Rhus tox.**

—— and anxiety. **Crocus sat.**

——, driving her to and fro in daytime, and out of bed at night. **Ars.**

——, ending in rage. **Camph.**

——, especially during a thunderstorm.

Natr. c., **Phos.**

——, fear and fever. **Acon.**

——, hysterical. **Asafoet.**

——, yawning. **Plumb.**

—— great anguish. **Lam. alb.**

——, impatience. **Dulc.**

—— over the whole body. **Caustic.**

——, uneasiness, absent-mindedness, trembling of hands. **Magn. c.**

——, tossing about. **Cupr. m.**

——, with constant inclination to move about. **Iod.**

——; shortness of breath. **Prunus spin.**

—— with hurrying about, but unable to accomplish anything. **Lilium.**

—— worse at night. **Niccol.**

Sadness. (See Low-spirited.)

Scold—inclination to—and getting angry. (See Irritability, Angry, Quarrelsome Mood.) **Petrol.**, **Ranuncul. bulb.**

——, curses, screams, in pregnancy. **Anacard.**

——, without being angry. **Dulc.**

—— violently, continual, until she faints. **Mosch.**

Scrupulous about the least thing. **Thuja.**

Selects wrong words. **Lycopod.**

Sensation as if a heavy black cloud had settled all over her and

enveloped her head, so that all was darkness and confusion, at the same time weighing like lead upon the heart. *Cimicifuga*.

————— she was somebody else, and in the hands of a strange power. *Lach*.

Sensitiveness and inclination to weep. *Calc. c.*

————— extreme. *Arnica, Asafoet., Hep. s., Ignat.*

—————, especially in women troubled with congestion of the portal system, and to pulsation of veins. *Asafoet.*

————— to external impressions, as noise, music, strong odor, talk, etc. *Nux v.*

————— to pain, becomes almost furious. *Cham.*

—————, the least word that seems wrong, hurts her very much. *Staphis.*

—————, whining. *Castor.*

————— and crying on account of former imaginary insults. *Cham.*

Sentimental ecstasy. *Coff.*

—————, especially so when in the moonlight. *Antim. crud.*

Seriousness. *Amm. c.*

————— with aversion to talk or laugh. *Ambr. gr.*

Shame—absence of. *Hyos., Phos.*

Sighing and anxiety, with a rotating sensation at the pit of stomach. *Gossypium.*

————— ejaculation—frequent. *Cimicifuga.*

————— sobbing—involuntary. *Ignat.*

Singing amorous and obscene songs; exposes herself. *Hyos.*

—————, immoderate—followed by laughing, dancing, whistling; wants to kiss everybody. *Crocus sat.*

Slowness of ideas. *Carb. veg., Nux m.*

—————, with nervous irritation. *China.*

Speaks wrong words and syllables. *Lycopod.*

Speech. (See Talk, Expression.)

Startings—great—tendency to. *Arnica, Borax, Carb. an., Conium, Ignat., Kali c., Natr. c., Podoph., Sepia, Silic., Theridion.*

————— at the least noise. *Borax, Kali hydr.*

————— when falling asleep. *Bry.*

Suicide—inclination to. *Antim. crud., Aurum, Puls., Rhus tox.*

————— but is afraid to die. *Argt. m., Rhus tox.*

Suicide—inclination to, but is afraid to die, with nervous irritability. **Nux v.**

—————, wants to drown herself. **Silic.**

Suspicious. (See Cautious, Jealous.) **Ars., Lach.**

————— of everything. **Cimicifuga.**

—————, proud, and jealous. **Lach.**

—————, taciturn, peevish. **Merc. viv.**

Taciturn. Gratiola, Lycopod., Merc., Muriat. acid, **Nux v., Ol. an., Verat. alb.**

Talk—delirious. (See Delirium, Expression.) **Cupr. m.**

—————, disinclination to. **Phos. acid.**

————— hurried and rapidly. **Merc. sol., Thuja.**

————— improper and loud, with total sleeplessness. **Nux m.**

————— incoherent. **Cannab. ind., Hyos.**

————— irrational about business. **Bry.**

————— is irksome. **Phos. acid.**

————— more than usual, and more animated and hurried. **Hyos.**

————— little—answers questions unwillingly. **Phos. acid.**

————— of nothing else except that she will die. **Mosch.**

————— the faults of others—disposed to. **Verat. alb.**

————— rats and mice. **Calc. c.**

Talkative and bright—unusual. **Glon.**

————— unusual. **Lach., Stram.**

—————, afterwards stupid and irritable. **Lachnanth.**

—————, with exaltation of spirits. **Cannab. ind.**

————— great inclination to jest. **Kali hydr.**

Thinks herself very unfortunate and constantly surrounded by enemies. **China.**

————— she is a child. **Cicuta vir.**

Thinking—difficult. **Calc. c., Nux v., Silic.**

—————, absentmindedness. **Nux m.**

————— powers increased. **Coff.**

Thoughts—confusion of. (See Ideas.) **Guarea, Phos. acid.**

————— of nothing but death, with palpitation of the heart. **Graph.**

————— vanishing of. **Nux m., Ol. an.**

—————, momentary. **Merc. viv., Mezer.**

—————, when writing; the idea disappears before it is half written down, and she forgets what she was intending to write. **Nux m.**

————— voluptuous—extraordinary rush of. **Carb. veg.**

Thoughtfulness, as if overwhelmed with grief. Ol. an.

—————, serious. Alum., Amm. c.

Throwing away indignantly everything given to her. Staphis.

Time seems to pass slowly. Argt. nitr.

————— too rapid. Theridion.

Timid and fearful. Puls., Silic.

Tired of life. Gratiola, Nitr. acid.

Unhappy when awaking in the morning. Lach.

Vanishing of thoughts and ideas. (See Thoughts.)

Vexed. (See Angry.)

Visions—frightful. Puls., Rhododen.

Vivacity (see Jolly, Cheerfulness), followed by low-spiritedness. Gels.

—————, uncommon—full of mirth and cheerfulness. Crocus sat.

Wanders about the house; is very taciturn. Verat. alb.

Weak-minded. Natr. c.

Weakness—moral. Aurum.

————— nervous and mental. Lycopod.

————— of memory. (See Memory.)

————— mind and body. Baryt. c.

—————; loss of ideas. Phos. acid.

Weariness. Kali nitr.

Weeping (see Low-spirited, Ill-humor, Mood, Whining, Anxiety), inclination to. Amm. c., Graph., Hyperic., Ignatia, Iod., Kreosot., Lam. alb., Lilium, Lycopod., Magn. m., Magn. s., Mezer., Natr. m., Puls., Sepia, Spong., Sulph. acid.

————— and great sensitiveness. Calc. c.

————— ill-humor. Kreosot.

————— know not why. Chelidon., Viola odor.

————— piteous complaining. Cina.

————— whining on account of former imaginary insults.

Cham.

—————, caused by music and subduing emotions. Kreosot.

—————; trembling of feet. Thuja.

—————, especially in the evening, with desire to be alone.

Rhus tox.

————— every evening. Silic.

—————, excitement. Natr. m.

—————, violent, moaning and howling, without cause. Bell.

Whining (see Sensitiveness, Complaining Mood) and indisposition to work. Conium.

Wickedness. Anacard.

Worried. (See Anxiety.)

Wrong words—she selects. **Lycopod.**

HEAD.

External.

Blotches. Phos.

Boils. Hep. s.

Coldness—icy—in and about the head. **Calc. c.**

————— with vertigo and giddiness. Lachnanth.

Cold sweat on the forehead. L. V. Deflor., Merc. cor., **Opi.**, **Verat. alb.**

Dandruff in circles like ringworm. Sepia.

—————, white and dry. Mezer.

Dryness of the scalp; it goes to sleep. **Alum.**

Eruptions. Curare.

—————, humid. **Graph.**

—————, and scurfy. Nitr. acid.

—————, itching, especially at night, worse from scratching. **Merc. viv.**

————— on the back part, moist, fetid, easily bleeding, worse from scratching. **Lycopod.**

—————, on the margin of the hair of nape of neck. **Natr. m.**

————— forehead, burning, itching, and becoming humid on scratching. Sarsaparilla.

—————, face; pimples. Nitr. acid.

—————; small pimples. Sepia.

—————; yellow spots. **Natr. c.**

—————, pimples, blotches. Hep. s.

—————, with itching, biting on the scalp, face, forehead, and about the mouth. Rhus tox.

—————, scaly—causing great itching and becoming scurfy; they disappear on washing, and then become humid. **Graph.**

—————, scrofulous—of the hairy scalp. Silic.

—————, scurfy spots on vertex, with violent sore pain when touched. **Graph.**

—————, small places. Kali nitr.

—————, thick, leatherlike crust, under which thick, white pus collects here and there, and the hair is glued together. Mezer.

—————, with chalky-looking scales. Mezer.

Hair—dryness of the. Kali c., Plumb.

—— falling off. Alum., Curare, Hep. s., Iod., Magn. c., **Phos.**

—— after confinement. **Lycopod.**

——, especially from the sides of the head. Merc. viv.

—— and temples. Calc. c.

——, great. Carb. veg., Curare, Fluoric acid., **Graph.**, **Kali nitr.**, **Lycopod.**, **Natr. m.**, **Nitr. acid.**, **Sepia**, Silic.

——, especially after grief and sorrow. **Phos. acid.**

——, with great dryness of the hair. Plumb.

—— getting gray early. **Lycopod.**

—— rough, frowzy, the ends split. Borax.

—— sensitive to touch. Ambr. gr.

—— thin. Borax.

Heat of the head, with coolness of the body. **Arnica.**

—— scalp, compelling her to uncover the head. **Phos.**

Intolerance to the least covering of the head. Ledum.

——, even the pressure of the hair pains. Bell.

Itching. (See Eruption.) **Lycopod.**, **Phos. acid.**, **Sepia.**

——, violent—like from insects, on occiput or behind the ears. **Sepia.**

——, worse from scratching. **Phos.**

Movements of the head; involuntary and frequent shaking. **Cannab. ind.**

——, strange—the arms, and the feet, as in chorea. Curare.

——, such as twitching, jerking, and throwing the head backward. Cicuta vir.

——, trembling and swimming. Curare.

Numbness at the vertex and in the head. Plat.

Pain in the bones of skull, tearing, stinging. Merc. viv.

—— scalp, tearing. Lachnanth.

—— and neck, cramplike, with headache. Hydrast.

Painfulness of the scalp. Curare, **Kali nitr.**, Kreosot., Petrol.

——, feels as if bruised. Nux v.

——, as from subcutaneous suppuration. Merc. viv.

—— and sore feeling of the bones. Kali bich.

Painfulness of the scalp to the touch. Carb. veg., Cinnab., Rhus tox.

_____ when combing the hair. Kreosot.

_____ whole head to the touch. **Merc. sol.**, Mosch.

_____, no matter how slight. **Mezer.**

Perspiration—ease—about the head. Calc. c.

_____, low down on the neck, apt to be offensive. Silic.

_____ and upper part of the body; profuse; worse at night. **Calc. c.**

_____ on forehead—cold. L. V. Deflor., Merc. corr., Verat. alb.

_____ warm, with dull headache. Glon.

_____ standing out in large drops like beads. Calc. c.

Sensation as if drops of cold water were falling on the head. Cannab. sat.

_____ though the scalp was too tight. **Caustic.**

_____ of crawling, like formication, on the right temple, afterwards extending down along the lower jaw, with a feeling of coldness in it. **Plat.**

Sensitiveness of the scalp. (See Painfulness.)

Shaking of the head. (See Movements.)

Spots. (See Eruption.)

Swellings—small and painful—on the forehead. **Nux v.**

Trembling of the head. (See Movements.)

HEAD.

Internal.

A. HEAD IN GENERAL.

Cold—liability to take. Baryt. c., **Bell.**

_____ sensitiveness to. **Bell.** Gratiola.

Coldness in and about the head. **Calc. c.**

Congestion. (See Pain.)

Confusion—intoxicated. **Nux v.**

Dulness. (See Headache.)

Giddiness. (See Vertigo.)

Heat. (See Pain.)

Intolerance to the least heat about the head. Glon.

————— or covering of the head. **Bell.**,
Ledum.

Noises in the. (See Pain in Head.)

Numbness in the brain—sensation of—and externally on the vertex. Plat.

————— forehead. Plat.

————— one side of the head, in the morning. **Graph.**

Sensitiveness of the—to noise. **Bell.**, Nitr. acid.

Pain, headache. (See the later Forehead, Temples, Vertex, etc.) **Plumb.**, **Sanguin.**, Secal. cor.

————, *aching*. Ipec.

————, dull—especially in the morning. **Graph.**

————, in sinciput and occiput, every day, especially when sitting in a warm room, with pressure on the eyes, which did not bear touch. Senega.

————, under the skull, all over the head. Lach.

———— all over the head, as if sore, worse when touched. Mosch.

————, with nausea and inclination to vomit.

Borax.

———— alternating with diarrhoea. **Podoph.**

———— as if from a blow, in small spots. **Plat.**

———— one had eaten too much, or as if the stomach had been disordered from too much fat meat. **Puls.**

———— she had not slept at night. **Nux v.**

———— ascending from the spine. **Silic.**

———— behind the eyes. Theridion.

————, bilious—especially in the morning. **Podoph.**

————, *bruised*—as if she had been beaten with an axe; mornings in bed. **Nux v.**

———— in the whole head. Niccol.

———— with nausea and vomiting.

Ipec.

————, burning in the brain (see Congestion and Heat in head), the body being cool. **Arnica.**

————, chronic. Amm. c., Silic. (mornings), Zinc.

————, with coldness of the painful parts, relieved by external warmth. **Kali hydr.**

————, worse from early morning after waking until afternoon. Calc. c.

Pain causing delirium; demented. Verat. alb.

—— commencing in the back part, spreading all over the head; nervous. **Gels.**

—— compression. Magn. m.

——; head feels as if in a vice; nausea. Merc. viv.

——; nausea. Alum.

——; constriction, especially in occiput. **Graph.**

—— concussion—painful—of the brain when walking, or when moving the head. Coccul.

——, confusion, cloudiness. **Bell., Bry., Coccul., Puls.**

——, as from intoxication or nightly revelling. **Nux v.**

——, coldness—icy—in and about the head. **Calc. c.**

——, **congestion.** (See Pulsating; Heat.) **Acon., Anacard., Asafœt., Bell., Bry., Calc. c., Carb. v., Elaps, Hyos., Iod., Kali c., Kali nitr., Lac can., Magn. c., Merc. viv., Millefol., Mosch., Nitr. acid, Phos., Puls., Sanguin., Sepia, Verat. vir.**

—— and chest—tendency to. **Acon.**

—— pain in the cerebellum. **Anacard.**

—— especially in the forehead. **Cinnabar.**

—— morning on rising from bed. **Lycopod.**

—— from suppressed menses. (See Part III.)

——, long-lasting, affecting the whole brain.

China.

——, nervous, with neither gastric nor bilious symptoms. **Glon.**

——, throbbing and pain as if the head would burst. **Bell.**

——, face bloated and red. **Bell., Cact. gr., Glonoin.**

—— with cold feet. **Sulph.**

—— flashes of heat in the face. **Ferr.**

—— humming, formication; and throbbing; face red; restless, moving about. **Rhus tox.**

—— menses. (See Part I.)

—— roaring in the ears and creeping in the face. **Sulph.**

—— whizzing in the ears and transitory feeling of heat, with sensation as if vomiting. **Sanguin.**

——, cutting. **Lach.**

Pain, darting (see Lancinating; Stitches), after vexation. Magn. c.
 ——— deep in the brain, and sensation as if the head were too large. Bovista.

—————, very severe. Canth.

—————, dragging—always with drowsiness. **Laurocer.**

—————, drawing. Kreosot.

————— slow—through the whole head. Dule.

—————, *dull*. Baryt. c., **Kali c.**, **Kalmia**, **Natr. m.**, **Nux v.**, **Phos.**,
 Rhus tox., Secal. cor., Sepia.

—————, aching, especially in the morning. **Graph.**

—————, and heaviness, relieved by frequent emissions of clear limpid urine. **Gels.**

————— pressing. Lachnanth.

—————, constant, though not severe. Argt. nitr.

—————, fears inflammation of brain; nosebleed relieves.

Psorium.

—————, giddiness. Kali bich.

—————, like a bruised sensation in the forehead. **Puls.**

————— on awaking, as if from sleeping too long. Bovista.

—————, oppressive. Caust.

—————, pressure, especially in the forehead. Sabina.

—————, stupid. Coccul.

————— stupefying. Bapt., **Phos.**, Senecio.

————— with buzzing in the head. Phos. acid.

————— cramplike pain in scalp and neck. Hydrast.

————— disinclination to serious labor. Iod.

————— pain behind the eyes; liver affections. Podoph.

————— perspiration on the forehead. Glon.

————— pressure and weakness of the eyes. **Senega.**

————— ringing in the right ear. Erigeron.

————— throbbing in the temples. Chelidon.

—————, emptiness—feeling of. Cupr. m.

—————, anguish. Natr. m.

————— extending into the nose. **Lach.**

————— eyes, so that they ache, in the evening.

Puls.

————— felt even during sleep. **Cham.**

————— from nervous exhaustion, worse by noise and motion; relieved by heat. Silic.

————— within outward. Cimicifuga.

Pain, fulness. **Acon.**, Amm. m., Calc. c., Caulophyl., Gratiola, Kali c., Nitr. acid.

_____ and neck. Ham.

_____ during mental labor. Psorium.

_____, **Heat**. (See Congestion.) **Acon.**, Hyos., Nitr. acid.

_____ and burning. Muriat. acid.

_____ as if the brain were agitated by boiling water. **Acon.**

_____ especially in left temple at night. Merc. viv.

_____ dizziness, early in morning in bed. Ol. an.

_____ in face in the afternoon. Carb. an.

_____ with cold hands and feet. Coccul.

_____ with cool body. **Arnica**.

_____, **Heaviness**. Calc. c., Castor., **Cicuta vir.**, **Croton tig.**, Hyperic., Kali hydr., Lach., Magn. s., Mangan., Mosch., Natr. m., **Nux v.**, Phos. acid, Puls., Ruta, Sabadilla, Secal. cor.

_____ and confusion. Nux jugl.

_____ drowsiness in the morning. Kali nitr.

_____ dulness. **Nux m.**

_____ followed chilliness of the body in the afternoon. Puls.

_____ giddiness. Bufo, **Nux v.**

_____ in the morning. Magn. c.

_____ in the morning at 5 A.M., better after rising. Kali hydr.

_____ loss of sight, fainting, ringing in the ears.

China.

_____ on stooping. Puls.

_____, pressure, after dinner, especially on moving the eyes. **Nux v.**

_____ hysterical. **Bell.**, Bry.

_____ in a small spot, above the left frontal eminence; pressure.

Nux m.

_____ paroxysmal. **Sanguin.**

_____ the evening, as in stopped catarrh. **Puls.**

_____ irritation—severe—of the brain. Zizia.

_____ jerks—through left temple, forehead and cerebellum, worse during rest, better from motion. Stan.

_____, jerking—violent, when walking fast or going rapidly up—

stairs, and where at every step there is a jolt downward, as if a weight were in the occiput. **Bell.**

Pain, lancinating. (See Darting, Stitches.) **Kreosot.**

_____, better when walking in open air. **Hep. s.**

_____ from below upwards. **Amm. c.**

_____ nervous. **Gels., Ignat.**

_____ and neuralgic. **Terebinthina.**

_____ **neuralgic**, from occiput to left ear. **Chelidon.**

_____ pupil of left eye to the occiput. **Cro-**
ton tig.

_____ in sensitive or hysterical persons. **Plat.**

_____, sick headache. **Hydrast.**

_____, violent, and very weakening. **Sulph.**

_____, with excessive nausea; when becoming cold, riding in a carriage, and on sitting up. **Coccul.**

_____ frontal headache especially, nausea, sometimes vomiting. **L. V. Deflor.**

_____ ; **noises in the head** ; nightly. **Caustic.**

_____, roaring in the head. **Cimicifuga.**

_____, boiling by the least motion. **Curare.**

_____ whirling in the head, like a millwheel. **Chin.**
sulph.

_____ oppressive, spasmodic tension of the brain. **Carb. veg.**

_____ **periodical.** **Ars., China, Cyclam., Sanguin.**

_____ appearing always at the same hour. **Dia-**
dema.

_____, **pressure**, as if the head would burst. (See Pain, Sen-
sation.) **Bry., Cham., China, Nux v.**

_____, great. **Ars., Kali bich.**

_____, now here, now there, which occupies each a
large area. **Bell.**

_____, weight. **Magn. s.**

_____, **pulsating, throbbing**, beating. (See Congestion.)

Calc. c., Ignat., Lach., Magn. m., Natr. s., Phos., Sepia.

_____, after every paroxysm of coughing. **Lyc-**
pod.

_____ excessive hæmorrhage. **China.**

_____ and buzzing, during menses. **Borax.**

_____, as if the head would burst. **Bell.**

_____, at every motion. **Iod.**

_____ night. **Sulph.**

Pain, pulsating, in the brain from behind forward and toward both sides; the throbbing ends on the surface in painful shootings. **Bell.**

_____ transient attacks, and only in one-half of the brain. **Cham.**

_____, on awaking. **Bovista.**

_____ leaning the head backward, during the day. **Lycopod.**

_____, undulating; most violent above the eyes. **Lach.**

_____, usually on one side, with one red cheek. **Cham.**

_____, violent. **Bell., China, Glon., Ledum.**

_____, with heat and pressure at vertex, often worse before menses. **Sulph.**

_____; *sensation* as if a band were tightly drawn around the head. **Acon., Brom., Iod., Merc., Plat., Spigel., Sulph., Terebinth.**

_____ nail were driven into the brain; worse in open air. **Coff.**

_____ everything in the head were alive. **Petrol.**

_____ from concussion of the brain when moving. **Mangan.**

_____ intoxicated. **Hydrast., Silic.**

_____ the brain were being torn or dashed to pieces. **Coff.**

_____, on awaking and opening the eyes. **Rhus tox.**

_____ head were tightly bound up. **Nitr. acid.**

_____ eyes would be torn out. **Coccul.**

_____ pressed out. **Nux v.**

_____ fall out. **Sepia.**

_____ head became suddenly elongated.

Hyperic.

_____ were numb and pithy. **Graph.**

_____ too large. **Nux v.**

_____ and split open with a wedge. **Lachnanth.**

_____ ; pain deep in the brain. **Bovista.**

Pain; sensation as if the head were too large; vertigo. *Argt. nitr.*

_____ small. *Coff.*

_____ would burst. *Bry., Cham., China, Nux v., Phos., Natr. m., Puls., Sepia, Verat. vir.*

_____ ; the brain beats in waves against the skull. *China.*

_____, when coughing. *Nux v., Natr. m.*

_____ fly to pieces. *Coff., Merc. viv.*

_____ of boiling and roaring upon the least motion. *Curare.*

_____ looseness of the brain. *Baryt. c., Natr. s.*

_____ and stitches. *Kali nitr.*

_____, when moving or shaking the head. *Crocus sat., Rhus tox.*

_____, as if the brain were striking against the skull. *Natr. m.*

when walking. *Caustic., Rhus tox.*

_____ reeling and giddiness in open air, when stooping. *Ol. an.*

_____ in the head, as if it were in a vice, with tremulous weakness. *Argt. nitr.*

_____ shaking of the brain, when making a mis-step. *Ledum.*

_____ walking in open air. *Nux v.*

_____, **sick headache** (see Headache, with Nausea and Vomiting), with vomiting, beginning in the morning, increasing during the day; worse from motion, stooping, noise, and light; better from lying still and after sleep. *Sanguin.*

_____ back part of head, rises and spreads over the head, and settles down over the right eye; has to be in the dark and perfectly still. *Sanguin.*

_____ ; worse on the right side; sight fails. *Iris ver.*

Pain, sick headache (see Headache, with Nausea and Vomiting), with vomiting; relieved by a profuse flow of urine. Verat. alb.

———, sharp—better from riding in a carriage. Kali nitr.

——— worse from riding in a carriage. Kali c.

——— **shocks**—electric-like—through the brain. Hellebor.

——— violent. Sepia.

———; soreness in the brain. Bapt., Gels., Mosch.

———, stinging, and tension; worse in open air. Kali c.

———, before menses. Ferr.

———, **stitches**. (See Darting, Lancinating.) Anacard., Magn. s., Natr. c.

———, and sensation of looseness of the brain. Kali nitr.

——— darting into the head from around the eyes. Caustic.

———, especially when near a warm stove. Baryt. c.

——— in the brain; nausea. Alum.

——— through the whole head. Merc. viv.

———, sticking, in different parts of the—frequently confined to one side of the head. Puls.

———, **stupefying**. Bapt., Calc. c., Guarea, Phos., Senecio.

———, heavy. Dulc.

———, with buzzing; worse when at rest, in the cold, in the morning, from beer; better from warmth and motion. Rhus tox.

———, with cough that awakens her at 3 A.M. Nitrum.

——— heat in temples, dryness of mouth and lips; worse from 4 to 8 P.M., from mental exertion, stooping or lying down, followed by great weakness. Lycopod.

——— humming in the ears; worse when lying or sitting quiet. Puls.

———, tearing, in every part and direction. Rhus tox.

———; tired feeling in the brain. Apis.

———, **violent**, after walking in the open air. Amm. c.

———, causing her to lie down. Phos. acid.

——— close the eyelids. Nitrum.

———; obstinate pain in the brain. Zinc.

———; unable to lie on the back of the head; is forced to lie on the side. Coccul.

Pain, violent; unable to raise the head. *Curare.*

_____, with flickering before the eyes, when rising in the morning. *Cyclam.*

_____ loss of reason. *Silic.*

_____ twitching of the eyelids and muscles of the forehead. *Millefol.*

_____, with aversion to all food. *Sepia.*

_____ bilious and offensive odor from the mouth. *Podoph.*

_____ blindness preceding the pain; the sight returns with the appearance of pain. **Kali bich.**

_____; nausea; vomiting. **Podoph.**

_____ roaring in the ears. *Gels.*

_____ cold feet; the latter are always worse during headache. **Sulph.**

_____ confusion and stupefaction; worse from eating or drinking. **Coccul.**

_____ cough. *Phos. acid.*

_____ countless stars before the eyes. *Cyclam.*

_____ empty eructations. **Calc. c.**

_____ flushed face (morning). *Podoph.*

_____ giddiness and heaviness. *Bufo.*

_____ genito-urinary disorders. *Puls.*

_____ hunger. *Elaps.*

_____ **nausea.** *Ipec., Kalmia, Lach., Natr. m.*

_____ and chilliness—mornings. *Silic.*

_____ giddiness. *Kalmia.*

_____ stitches in the brain. *Alum.*

_____ vomiting. **Coccul., Ipec., Natr. m.,**

Puls.

_____; pressing pain in vertex, as if a nail were driven in. *Nux v.*

_____, sour. *Sarsaparilla.*

_____ (beginning in the morning, increasing during the day, lessened toward night). **Nux v.**

_____; compressive. *Alum.*

_____, every morning. *Sepia.*

_____, great retching and straining. **Graph.**

_____, inclination to vomit. *Borax, Coccul., Ipec., Natr. m.*

_____ severe pain in the back, or followed by it. *Silic.*

Pain, with tightness at tip of nose. **Kali nitr.**

———— **vertigo**. (See Vertigo.) **Apis**, **Argt. nitr.**, **Hep. s.**

B. FOREHEAD ESPECIALLY.

(See Sides of the Head also.)

Pain in. **Ambr. gr.**, **Bapt.**, **Kali hydr.**, **Nux m.**, **Nux v.**, **Puls.**, **Psorium**.

————; above the left frontal eminence, in a small spot, pressive. **Nux m.**

Pain in, above the eyes, or in the eyes (see likewise the character of pains), or in the right or left only, extending along the back of the skull to the occiput. **Cimicifuga**.

———— and at the root of the nose. **Baryt. c.**

———— constrictive, worse by looking intently at anything. **Puls.**

————, dull and pressing. **Natr. m.**

————, extending towards the temples, with sensation as if the integument of the forehead were spasmodically contracted. **Arnica**.

———— to the root of the nose.

Lach.

————, immediately before breakfast. **Lycopod.**

———— (left). **Nux jugl.**, **Phos. acid**, **Sepia** (shooting), **Stan.**

———— extending over left side to the occiput. **Sepia**.

———— worse from shaking the head; better in open air. **Sepia**.

————, most violent, pulsating, undulating.

Lach.

————, neuralgic. **Calc. c.**

————, one eye especially. **Cimicifuga**, **Kali bich.**, **Phytol.**

———— (night), extending from the occiput; periodical; worse from noise; better from lying still in the dark; nausea; vomiting. **Sanguin.**

Pain in, above the eyes, pressing, especially left; after dinner; relieved in the open air. *Senega*.

_____, pressure. **Aloe., Kali c., Natr. m.**
 _____, involving the whole head.

Puls.

_____, stitches, left eye especially. *Phos. acid.*

_____, stitching, pressive; worse from motion in the house; better in open air. *Sepia*.

_____, tensive, drawing; worse on raising the eyes. **Puls.**

_____, when stooping; relieved by walking. *Drosera*.

_____ (eyebrows), with nausea, one-sided. **Phytol.**

_____, worse by lying down; better from walking and standing; right. *Ranuncul. bulb.*

_____, aching. **Murex purp., Sarsaparilla, Sepia.**

_____, as from a boil. *Hep. s.*

_____, left, spreading towards the left temporal region; worse from drinking wine. *Rhododen.*

_____, and **over the root of the nose.** **Ars., Baryt. c., Ignat.**

_____, cramplike, with feeling as though she would lose her senses. **Acon.**

_____; pressure upon a small spot. *Iod.*

_____, sting-
 ing. *Ignat.*

_____; worse from stooping. **Bell.**

_____, and temples, pressing; worse when riding and in a warm room; better from pressing the forehead together. *Apis.*

_____ tension, as if from a hoop or band. **Carbol. acid, Chelidon., Merc. viv.**

_____, an inch wide, drawn from temple to temple. *Helon.*

_____ it were in a vice. **Puls.**

_____, as if constricted; numb sensation. (In a warm room filled with people.) **Plat.**

_____ the brain had no space in the skull, on rising in

the morning; as if everything were pushed out; better after washing and breakfast. **Psorium.**

Pain in, boring—in the left frontal eminence; worse at night in bed. **Argt. nitr.**

———, burning—when walking. **Rhus tox.**

———, cold, congested sensation in—or of the whole head. **Cinnabar.**

———, **coldness** (within), pressure—and in left vertex. **Bell.**

———, sensation of—with sensation at forehead and vertex as if cold wind were blowing on it, descending even through the neck and back. **Laurocer.**

———, compelling her to make the eyes small. **Aloe.**

———, cramplike; drawing constriction in the head from time to time (especially in the forehead). **Plat.**

———, **darting**—from within outward. **Conium.**

———, drawing from both sides as far as the root of the nose. **Agaric. m.**

———, **dull** feeling. **Hydrast.**

———, with lassitude and desire to sleep. **Colinson.**

———; heaviness in the eyes, with nausea. **Aloe.**

———, worse from motion and reading. **Robinia, Sabina.**

———, heaviness. **Glon., Sabina.**

———, with sense of reeling. **Niccol.**

———, **lancinating.** **Ipec., Magn. s.**

———, with fulness in head. **Castor.**

———, jerks, shooting backward. **Prunus spi.**

———, **neuralgic**—and on the right side of face. **Bell.**

——— especially in the right supraorbital region. **Chelidon.**

—— and temple, with sensation as of a nail boring into the head; better from binding the head tightly; worse in the morning. **Hep. s.**

——; relieved only by holding the head tight to the floor. **Sanguin.**

———, **periodical**—fine drawing or beating to and fro, especially in young sensitive girls. **Natr. m.**

———, **pressing.** **Aloe., Asafoet., Bell., Bry., Colocynth., Elaps., Kalmia, Ol. an., Plat., Ranuncul. bulb.**

———, above the left eye for half an hour, fol-

lowed by a dull, pressive pain in the occipital protuberance, whence it spreads over the whole body, and continues more or less severe the whole day; after quick motion or eating, the pain becomes so severe that it seems to be a distinct pulsation within the head. **Bry.**

Pain in, pressing, and in the temples. **Rhus tox.**

_____ vertex. **Ignat.**

_____, as if it would burst open. **Bry.** (epistaxis; worse on stooping or coughing), **Ranuncul. bulb.**, **Sanguin.**

_____ and the brain start through the eyes. **Acon.**

_____ she had not slept enough. **Nux v.**

_____, better after rising in the morning. **Ranuncul. bulb.**

_____, from within outward. **Asafoet.**

_____, in the right side. **Chelidon.**

_____, so severe during motion that she has to close her eyes. **Bell.**

_____, stupefying. **Croton tig.**

_____, with photophobia. **Kali c.**

_____ vertigo. **Gratiola.**

_____, **pulsating.** **Kalmia**, **Magn. c.**, **Silic.**

_____, dull. **Robinia.**

_____, hammering—so that she has often to lie down. **Ferr.**

_____ (frontal sinuses), sneezing, lachrymation, injected eyes. **Kali hydr.**

_____ right frontal eminence, extending to temple, as if the parts were pressed asunder; it comes suddenly, disappears gradually, and returns often. **Sabina.**

_____, severe—from the—to the temples and vertex, with fulness, heat, and throbbing, when going upstairs; sensation as if the top of the head would fly off. **Cimicifuga.**

_____, sharp, beginning in the right side of—shooting like lightning through the brain, and coming out at the occiput. **Prunus spi.**

_____, stitches, with nausea; better when lying down. **Sepia.**

_____, stitching, drawing—from the—to the temporal bone. **Ruta.**

_____, with sexual excitement and ovaritis. **Plat.**

_____, tearing in left frontal bone in evening. **Puls.**

_____, tensive. **Nux v.**

Pain in, violent—frontal and temporal. *Sepia*.
 ———, **with catarrh**, coryza, profuse and acrid secretion
 from the eyes and nose, with inflammation. *Euphrasia*.
 ———, nasal. *Hydrast.*, **Kali bich.**
 ——— heat. *Nux v.*
 ——— and burning. *Phos.*
 ——— nausea. **L. V. Deflor.**
 ——— sensation as if at every step the brain rose and
 fell in the forehead. **Bell.**
 ——— of weakness in the forehead. *Psorium.*
 ——— vertigo. **Ars.**
 ——— on rising from sitting. *Sanguin.*
 ——— vomiting. *Stan.*

C. IN OCCIPUT ESPECIALLY.

Pain in—**aching**. *Kali c.*, *Nux v.*, *Sarsaparilla*.
 ——— extending to the vertex. **Cimicifuga**.
 ——— in the occipital protuberances. *Rhus tox.*
 ——— and nape of neck, worse by moving the head. *Ipec.*
 ———, coldness ascending from the nape of the neck, worse
 when moving, better when at rest. **Chelidon.**
 ———, as if ice were lying on the upper part. **Calc.**
phos.
 ———, better by reclining the head and shoulders on a high
 pillow. **Gels.**
 ——— constrictive—also more or less in the whole head.
Graph.
 ——— darting to the eyes. *Sarsaparilla*.
 ——— dull. **Æscul. hipp.**, **Carb. veg.**, *Cyclam.*
 ——— **heaviness**. **Chelidon.**, *Daphne*, *Muriat. acid.*
 ——— like lead. **Petrol.**
 ———, with drawing in the neck from above
 downward. **Chelidon.**
 ——— nervous. *Prunus spi.*
 ——— neuralgic, or in the neck, spreading from thence
 all over the head. **Gels.**
 ——— neuralgic—extending to the left ear. **Chelidon.**
 ——— periodical—extending to the forehead over the right
 eye, worse from noise, better when lying still. **Sanguin.**

Pain in—*pressive*, with drawing down into the neck, better toward noon. **Bry.**

————— toward the left ear. **Chelidon.**

————— pressure. **Petrol.**

————— relieved on bending the head backward. **Rhus tox.**

—————, sensation of blood rushing to the head, when entering a warm room. **Ol. an.**

————— weight at every step and jolt downward. **Bell.**

————— throbbing, dull. **Petrol., Sepia.**

————— with soreness in the whole brain. **Cimicifuga.**

————— throbbing in the vertex; worse from stooping; vertigo. **Helon.**

D. IN CEREBELLUM ESPECIALLY.

Pain in the—heaviness, worse in the forenoon, in cold air; better after dinner. **Carb. an.**

————— pressing, stinging. **Petrol.**

————— throbbing. **Petrol.**

—————, beginning in the morning, lasting till noon, sometimes till evening, worse from motion; when lying on the back, better when lying on the side, closing the eyes, at rest in a dark room. **Sepia.**

————— with congestion to the head. **Anacard.**

E. IN ONE OR BOTH SIDES OF THE HEAD.

(See Forehead, over the eyes; Temples.)

Pain in the. **Alum., Brom. (left), Cicuta vir., Colocynth.**

————— burning—ascending from the neck, with soreness and giddiness, worse in the morning and afternoon, better when walking or lying down. **Canth.**

————— drawing, tearing. **Cham.**

————— lancinating—also in the ears and teeth. **Puls.**

————— onesided, *left*—lancinating, drawing. **Colchic.**

————— pressive. **Thuja.**

————— sensitiveness. **Lach.**

————— stitches. **Sarsaparilla.**

Pain in the, onesided, *left*—throbbing. *Coccus cacti*.

———— usually, stinging pain from within outward, nausea, vomiting, contraction of pupils; worse indoors and when walking fast, better in open air, and when lying on the painful side. *Sepia*.

———— *right*—and face, not severe, but with a surging sensation in forehead, like waves of pain rolling up and beating against the frontal bone. *Sepia*.

———— of forehead especially, suddenly appearing and slowly disappearing. *Sabina*.

————, periodical attacks of pressure. *Natr. s.*

———— parietal bones—shooting to the temple. *Sarsaparilla*.

———— stupefying. *Daphne*.

———— (temple) from within outward, worse in the evening. *Lycopod*.

———— stitching. *Puls*.

———— with affection of one or both eyes; worse from motion, noise or stooping. *Spigel*.

———— dizziness. *Cyclam*.

———— nausea. *Kali c.*

———— stitches through the eyes and in the cheekbones. *Silic*.

———— uterine disorders. *Sepia*.

———— periodical. *Graph*.

————, pressing—constant—in one-half of the brain, as from a plug or nail. *Hep. s.*

———— dull, in one side or the other. *Bell*.

———— throbbing—with one red cheek. *Cham*

F. IN THE TEMPLES ESPECIALLY.

(See E, Sides of the Head.)

Pain in—as if a nail were driven or pressed from within outward; better from lying on the painful side. *Ignat*.

———— aching. *Sarsaparilla*.

———— bursting, with throbbing. *Puls*.

Pain in—as though the brain were pressed out; usually in the morning. **Lach.**

———— if constricted. **Puls.**

———— boring. **Cyclam.**

———— drawing—slight—in the bones of—from above downward to the zygoma. **Bry.**

———— heat and burning—especially in the left—at night. **Merc. viv.**

———— dryness of the mouth and lips, worse from 4 to 8 P.M. from mental exertion, stooping or lying down, and followed by great weakness. **Lycopod.**

———— throbbing of the temporal arteries, with pain in the eyeballs. **Podoph.**

———— nervous, acute, in right temporal bone; worse on pressure. **Prunus spi.**

———— numb sensation, as if too tightly bound. **Plat.**

————, pressing. **Kalmia.**

———— and drawing. **Hep. s.**

———— in the forehead, worse when rising and in a warm room; better from pressing the forehead together. **Apis.**

———— from within outward. **Lobelia.**

———— beneath the upper part of the right temporal bone. **Prunus spi.**

————, and extending to the frontal bone; worse from pressure. **Prunus spi.**

———— in a small spot, burning at the top and forehead, relieved by motion and mental exertion, but returns as soon as they cease. **Helonias.**

———— **right.** **Bapt., Lach., Sabina.**

————, drawing. **Nitr. acid.**

———— shattering—as from a shock (also in chest) when coughing. **Lycopod.**

———— stabbing—as if with a knife, from one temple to the other. **Bell.**

———— stitches. **Puls.**

———— in left—worse after eating, with nausea and sour vomiting. **Nux v.**

———— stitching. **Caustic., Graph.**

————, darting. **Cyclam.**

Pain in—stitching, mostly right side, from within outward; worse in the evening. **Lycopod.**

————— tearing, in left. **Rhododen.**

————— to the left upper side of head. **Sepia.**

—————, with noise in the head. **Conium.**

————— tense, numb sensation in the zygomata and mastoid processes, as if the head were screwed together. **Plat.**

————— throbbing. **Stan.**

————— with dull headache. **Chelidon.**

—————, tearing in great temporal bone, extending into the ear, causing earache. **Prunus spi.**

—————, with ringing in the ears. **China.**

G. IN THE VERTEX, TOP OF THE HEAD ESPECIALLY.

Pain in—as if from a nail being driven into it; nausea, vomiting. **Nux v.**

————— weight, worse from sound or talking. **Cact. gr.**

————— the skull were open. **Carb. an.**

————— boring. **Muriat. acid.**

————— **burning**—and forehead. (See Pain; Heat.) **Helon.**

————— round spots. **Graph.**

—————, **coldness** and—extending to the forehead and temples, worse when thinking of it. **Cham.**

————— sensation of—aggravated when moving the head and stooping, better at rest and in the open air. **Sepia.**

————— and on the forehead, as if cold wind were blowing on it. **Laurocer.**

————— every other day at 11 A.M., with nausea, retching, and anguish. (Uterine reflexion.) **Hydrast.**

—————, **heat** and burning. **Glon., Podoph., Sulph.**

—————, jerking. **Prunus spi.**

—————, lancinating—right side. **Bell.**

—————, pressive, in right side of top of head, as if a sharp corner were pressing against it. **Prunus spi.**

—————, **pressure** and weight. **Lach.**

————— also in the forehead. **Bell., Ignat.**

————— as from a band. **Niccol.**

————— painful. **Phellandrium.**

————— violent in left temple. **Puls.**

Pain in—pressure violent in stone. **Kali nitr.**

————— dull—in left side. **Anacard.**

————— outwards and upwards, as if there was not room enough in the upper portion of the cerebrum; the pains are oppressive and almost intolerable. **Cimicifuga.**

————— rising from the nape of the neck to the vertex (shooting). **Silic.**

—————, sensation as if the top of the head would fly off, with severe pain in the forehead and temples. **Cimicifuga.**

————— a lump of ice was on the top of the head. **Verat. alb.**

—————, sensitiveness to the touch. **Sabina.**

————— throbbing. **Silic.**

————— with headache in the occiput; worse from stooping; vertigo. **Helon.**

————— worse from walking. **Sarsaparilla.**

—————, tingling, crawling. **Cupr. m.**

—————, worse in the sun, better in the shade. **Brom.**

H. CAUSES OR AGGRAVATIONS OF HEADACHES.

(See Aggravation.)

After a meal—with red face. **Bry.**

———— breakfast. **Lycopod.** (immediately), **Nux m.**

———— dinner. **Berber., Nux v.**

———— eating. **Nux v.**

———— fat food. **Puls.**

———— immediately. **Rhus tox.**

———— too much. **Nux m., Nux v., Puls.**

———— getting wet. **Ledum, Phos., Puls., Sepia.**

———— hæmorrhage—profuse. **China.**

———— remaining in hot rooms. **Bell., Sepia.**

———— startings—when going to sleep. **Chelidon.**

———— taking cold. **Lach.**

Before, during, and after menses. (See Part I.)

Every seventh day. **Sanguin., Silic., Sulph.**

From anger. **Magn. c., Mezer., Petrol.**

———— drinking coffee. **Nux v.**

———— milk. **Brom.**

From drinking wine or liquors. **Nux v.**

———— in small quantities. Zinc.

———— every emotion; throbbing. Iod.

———— mental exertion or reflection. **Nux v.**

———— moving the eyes. Ignat.

———— head. Coccul., Crocus sat.

———— riding in a carriage. Kali c.

———— suppressed menses. (See Part III.)

———— sexual excitement. Puls.

In the afternoon. Berber., Carb. an., Kalmia.

———— morning. Hep. s., Kali bich., Kali nitr., **Nux v.**, Petrol., Podoph., Sepia, Silic., Stan.

———— after rising. **Bry.**

———— early. Dulc., Graph., Kali hydr. (5 A.M.), Lach., Magn. m., **Nux v.**

———— on rising. Nitr. acid.

———— awaking. **Graph.**, Ol. an.

————, even before opening the eyes (in the middle of the brain). **Nux v.**

————, relieved when walking about. **Natr. m.**

———— when first opening the eyes. **Bry.**

———— with flushed face. Podoph.

———— weakness in back. Pallad.

———— night. Caustic., Merc. viv.

On awaking. (See In the morning.) Bovista, Dulc., Kali bich., Murex purp.

Preceding coryza. Lach.

When coughing. **Nux v.**

———— in the sun. Lach., Natr. c.

———— lying. Phos.

———— rising from bed. Petrol.

———— stooping. **Nux v.**, Petrol.

———— walking. Caustic., Kali c.

———— in the open air. Amm. c., Coccul.

I. AGGRAVATIONS (IN GENERAL).

(See Causes.)

After drinking. Coccul.

———— eating. Coccul., **Nux v.**

After eating, but better while eating. **Chelidon.**

—————, especially after dinner. **Nux v.**

————— writing. **Ignat.**

Before, during, and after menses. (See Part I.)

————— eating. **Silic.**

From bright light. (See Sunlight.) **Bell., Cham., Coff., Nux v.**

————— coffee. **Ignat., Nitrum., Nux v.**

————— contact. (See Pressure.) **Bell., Mosch., Silic.**

————— even the slightest. **China.**

————— draft of air. **China.**

————— looking at an object fixedly. **Cham.**

————— mental exertion. **Lycopod., Nux v., Puls., Silic.**

————— motion. **Bell., Berber., Bry., Rhus tox., Sepia.**

————— moderate and gentle, but not from violent motion. **Glon.**

————— moving the head. **Ipec., Phos. acid.**

————— music. **Phos.**

————— noise. **Bell., Coff., Ignat., Nux v., Phos. acid, Silic.**

————— pressure. (See Contact.) **Lach.**

————— reading. **Cham., Ignat.**

————— stooping. **Bell., Bry., Colocynth., Helon., Ignat., Lycopod., Puls., Sepia.**

————— sunlight. **Brom., Cham., Ignat.**

————— tobacco. **Ignat.**

————— warmth. **Rhus tox.**

In the afternoon. **Canth., Lycopod. (4 to 8 P.M.)**

————— evening. **Kalmia, Lycopod., Puls.**

————— and after lying down. **Puls.**

————— morning. **Canth., Ignat., Rhus tox.**

————— early. **Lycopod.**

————— after waking until afternoon. **Calc. c.**

————— night. **Cham., Merc. viv.**

————— open air. **Cham., China, Coccul., Kalmia, Nux v.**

When coughing. **Bell.**

————— in a warm room. **Apis, Ars., Phos., Puls., Sepia.**

————— the cold. **Rhus tox., Silic.**

————— sun, better in the shade. **Brom.**

————— lifting up the eyes. **Puls.**

————— lying down. **Bell., Lycopod., Puls., Rhus tox.**

————— quietly. **Puls.**

————— upon the back. **Colocynth.**

- When** moving the eyes. **Bell.**, **Ignat.**, **Nux v.**
 ——— near a warm stove; stitching. **Brom.**
 ——— opening the eyes. **Bell.**, **Bry.**
 ——— riding in a carriage. **Coccul.**
 ——— rising. **Apis.**
 ——— in bed. **Lycopod.**, **Muriat. acid.**
 ——— rolling the eyes upwards. **Puls.**
 ——— sitting quietly. **Puls.**, **Rhus tox.**
 ——— thinking of it. **Cham.**
 ——— walking fast. **Sepia.**

K. AMELIORATION (IN GENERAL).

After eating. **Chelidon.**, **China**, **Laurocer.**, **Rhus tox.**, **Sabad.**, **Silic.**, **Spigel.**

- rising. **Cham.**, **Nux v.** (mornings.)
 ——— in the morning. **Kali hydr.**

By becoming warm in bed. **Coccul.**

- bleeding from the nose. **Ham.**
 —— changing position. **Ignat.**
 —— closing the eyes. **Bry.**, **Calc. c.**, **Sepia.**
 —— cold. **Cham.**

—— water. **Ars.**, **Cyclam.**, **Glon.**

- laughing. **Phos.**
 —— lying on the side. **Coccul.**
 —— motion. **Rhus tox.**

—— moving the head up and down. **China.**

—— pressure or contact. **Asafoet.**, **Cham.**, **Puls.**, **Sepia.**

—— firm. **Apis**, **Bell.**, **Bry.**, **China**, **Gels.**, **Glon.**

——, binding something tightly around the head. **Argt.**

nit., **Hep. s.**, **Magn. m.**, **Spigelia.**

—— reclining head and shoulders on a high pillow. **Gels.**

—— riding in open air. **Nitrum.**

—— sweating. **Cham.**

—— urination of clear urine—the relief followed at once. **Gels.**

—— copious urine. **Silic.**

From warmth. **Silic.**

In a warm room. **Apis**, **Coccul.**

—— open air. **Ars.**, **Berber.**, **Diadema**, **Hep. s.**, **Puls.**, **Sepia.**

When leaning the head against something. **Nux v.**

When lying down. Calc. c., Canth., Lach., Sepia.
 ————— on the painful side. Ignat., Sepia.
 ————— upon the back. Nux v.
 ————— pressing back up against something hard. Sanguin.
 ————— walking. Cham., Canth., Magn. c., Natr. m.
While eating; worse after it. Chelidon.

L. SYMPTOMS NOT MENTIONED BEFORE.

Sensation of a round ball in the forehead, sitting firm there, even when shaking the head. Staphis.

———— numbness in the brain. Plat.
 ————— intoxicated confusion. **Nux v.**
 ————— water in the forehead. Plat.
 ————— undulating. Hyos.
 ————— wavering. Rhus tox.

Shocks through the brain, arms, legs, which causes them to jerk suddenly. Cicuta vir.

———— on regaining consciousness. **Cannab.**
ind.

Stupefaction. Sepia.

Weakness in the head. Rhus tox.

M. VERTIGO, GIDDINESS, DIZZINESS.

Vertigo, giddiness, dizziness. Alum., Argt. nitr., **Bapt.**, Baryt. c., **Cannab. ind.**, Coccul., Curare, Cyclam., **Gels.**, Gossyp., Helon., **Kalmia**, **Kali bich.**, **Kali nitr.**, Magn. c., Magn. s., Prunus spi., Psorium, **Puls.**, Sabina, **Sanguinaria**, Secal. cor., Sepia, Trill.

———— after a meal. Natr. s., Puls.

———— dinner. **Nux v.**

————, as if from intoxication. Nux m., **Nux v.**, **Puls.**

————; the head feels hot inwardly, and the face is pale. **Puls.**

————, with dulness in the forehead, as if there were a board across the head. **Coccul.**

————, attacks of. Caulophyl., Cyclam.

————, sudden, transient. Kali bich.

———— *before, during, and after* menses. (See Part I.)

————, chronic. Sulph.

Vertigo; face suddenly becomes red and fierce, with ringing in ears, palpitation, dyspnœa. **Ferr.**

———, falling forward after stooping; rises from the neck into the head, with nausea. **Silic.**

———, followed by bleeding of the nose, in the morning. **Carb. an.**

——— vomiting. **Kali bich.**

———, *in the evening*. **Puls.**

——— *morning*. **Niccol.**

——— especially; fears she will fall; everything turns black before her eyes. **Sabina.**

———; she has to lie down, with weakness. **Nitr acid.**

———, increasing constantly, like a heavy pressing downward in the forepart of head. **Phos.**

——— on awaking. **Dulc., Lach.**

——— when rising. (See When rising.)

Bovista, Bry., Natr. m., Phos. (has to lie down again), **Puls.** (has to lie down again).

——— and after it, so that she reels back and forth. **Lycopod.**

———, with headache. **Argt. nitr., Borax.**

———, old people; worse when rising from lying, turning, or stooping. **Rhus tox.**

——— *on* closing the eyes. **Lach.**

——— looking upward. **Plumb., Puls.**

——— up when reading. **Cupr. m.**

——— moving. **Millefol.**

———, painful. **Phos.**

———, violent. **L. V. Deflor., Phos.**

———, so that she falls down. **Cicuta vir.**

——— *when* going downstairs. **Borax, Ferr.**

——— upstairs, ascending. **Calc. c.**

——— to stool. **Caustic.**

——— in the open air only. **Sepia, Stan.**

———, with unsteady gait. **Muriat. acid.**

——— looking at an object. **Sarsaparilla.**

——— lying down. **Conium.**

——— on the back, with dyspnœa. **Puls.**

——— raising the head. **Crocus sat., Stan.**

Vertigo, when reading—with loss of thought. Stan.

_____ rising. (See When rising in the morning.)

Acon., Guarea, Opi., Nux v.

_____, as if she were going to fall forward and backward. **Rhus tox.**

_____ from a recumbent position, usually with nausea; has to lie down again. **Acon.**, L. V. Deflor.

_____ bed. **Rhus tox.**

_____, with inclination to vomit; has to lie down again. **Coccul.**

_____ the chair. **Bry.**, Phos., Puls.

_____ seeing flowing water. **Ferr.**

_____ sitting especially. **Puls.**

_____ in a rocking-chair; the motion seems gigantic. **Coff.**

_____ ; relieved by walking or sitting in the open air. **Puls.**

_____ stooping. **Plumb.**, Puls.

_____ turning the head in bed, or when turning over.

Conium.

_____ quickly. **Calc. c.**, Carb. veg.,

Kali c.

_____ walking. **Arnica.**

_____, *with* almost all complaints. **Cyclam.**, Theridion.

_____ blackness before the eyes. **Acon.**

_____ congestion to the head. **Acon.**, **Bell.**, **Cact. gr.**

_____ dimness of sight. **Gels.**, **Phytol.**

_____ dulness in the head. **Croton tig.**

_____ enlarged feeling of the head, especially when she attempts to do anything, even to talk or to think. **Argt. nitr.**

_____ fainting. **Aletr. f.**, **Nux v.**

_____ followed with inclination to vomit. **Puls.**

_____ gradual rigidity and insensibility. **Nux m.**

_____ great debility of the limbs and trembling. **Argt. nitr.**

_____ headache. **Apis**, **Argt. nitr.**, **Ars.**, **Hep. s.**

_____ and nausea. **Kalmia.**

_____ hysterical woman. **Valerian.**

_____ icy coldness of the forehead. **Lachnanth.**

_____ inclination to fall forward. **Elaps.**

_____ ; pale face. **Agaric. m.**

Vertigo, with nausea. **Agaric. m.**, Lobelia.
 _____ and vomiting. Apocyn. can., Theridion.
 _____ when moving about, or on rising; re-
 lieved when lying down. Arnica.
 _____; worse on rising from sitting. **Acon.**
 _____ pressure in forehead. Gratiola.
 _____ sensation of falling to the left, when looking up.
Caustic.
 _____ fulness over the eyes. Podoph.
 _____ sleepiness, and even stupefaction. Aletr. f.
 _____ staggering, especially to the right. **Acon.**
 _____, when walking. Conium, Nux v.
 _____ stupefaction. Aletr. f., **Hyos.**, Ledum, Mosch.
 _____ vanishing of sight. Bell.
 _____, loss of hearing; whizzing
 in the ears. **Nux v.**
 _____ vomiting when eating. Magn. c.

Eyes.

A. EYES IN GENERAL.

Blear-eyed. **Puls.**

Blue rings around the. Ipec., Lycopod., **Phos.**, Phos. acid,
 Sabina.

_____; face pale and sunken; gray-yellow
 complexion. **China, Phos.**

_____; sunken eyes. **Secal. cor.**

_____; they look dull and lifeless. Sabina.

_____; yellow face. Hep. s.

Brilliant and dazzling appearance; pupils contracted. **Phytol.**

Conjunctiva of both eyes injected. **Cannab. ind.**

Convulsions of the. Ignat.

Corners of the—affections of the. Silic.

Discharge—stringy—from the. **Kali bich.**

Distortion of the. **Hyos.**

_____ with redness and swelling of the face. **Bell.**

Drawn together forcibly—as if long deprived of sleep. **Merc. sol.**

Dryness of the. **Bell.**, Magn. c., Natr. s., **Nux m.**

_____ burning. Sanguin.

Dryness of the, photophobia, with burning stinging as from needles. **Caustic.**

—————, pressure, heat. **Magn. s.**

—————, right—and a sensation as if mucus were hanging before the eye, that obscured the vision and that could be wiped away in the evening. **Puls.**

—————, sensation of. **Mezer., Nux m., Lycopod.**

—————, sensation as if from sand in the eyes. **Kali c.**

————— with heat. **Manganum.**

Dull, lifeless—without lustre—blue rings around them. **Sabina.**

—————, pale earthy face. **Kali c., Merc. viv., Sabina.**

Fatigued feeling, as after reading too long. **Ruta.**

Fistula lachrymalis. **Calc. c., Silic.** (if the bone is affected.)

—————, discharging pus on pressure. **Puls.**

Heat in the. **Bell., Sabina.**

Heaviness in the—as if from a weight. **Carb. veg.**

————— with tendency to keep them closed. **Sepia.**

Itching of the. **Muriat. acid, Natr. m., Niccol., Puls.**

————— inner canthi, and on the lower lids, that after rubbing became biting and filled the eye with water. **Ruta.**

—————, burning, smarting, lachrymation. **Merc. viv.**

—————, inducing her to rub and scratch incessantly, especially the canthi. **Puls.**

————— in the corners. **Calc. c.**

Inflammation of the. **Acon., Bell., Phos., Puls., Rhus tox., Sepia.**

————— after checked tetter. **Sarsaparilla.**

—————, lachrymation, and nightly agglutination. **Lycopod.**

—————, the canthi are red as blood, the caruncula lachrymalis is swollen, it stands out from the corner of the eyes like a lump of red flesh; clusters of intensely red vessels extend from the inner canthi to the cornea. **Argt. nitr.**

————— external canthus. **Graph.**

————— scrofulous. **Merc. viv., Sulph.**

—————, with extreme pain, that she wishes to die. **Acon.**

Lachrymation—burning water. **Lycopod., Natr. s., Phos., Puls.**

Lachrymation—burning acrid. *Euphrasia*.

_____, corrosive, makes the cheeks and lids sore. **Ars.**

_____ from the least pain felt in some other part of the body. *Sabadilla*.

_____ morning and night. *Sepia*.

_____ profuse. *Calc. c.*, *Psorium*, *Silic.*

_____, and hysterical dimsightedness. **Euphrasia**.

_____, inflammation, nightly agglutination. **Lycopod.**

_____ in the open air. *Phos.*, **Puls.**

_____, itching, burning, smarting in the. *Merc. viv.*

_____ with redness of the eyes. **Natr. m.**

Light—aversion to—pupils contracted. **Phos.**

_____ dazzles; burning in the eyes. *Graph.*, *Phos. acid*, *Silic.*

_____, fire, blinds the eyes very much in the evening. **Merc. sol.**

_____ intolerable—aversion to. **Bell.**, **Ignat.**, **Merc. sol.**, **Nux v.**, **Puls.**, *Rhus tox.*

_____, burning. *Castor.*

_____, especially daylight. **Graph.**, *Sepia*.

_____ sunlight. *Cham.*

_____ in the morning. **Nux v.**

_____ with dryness, burning, and stinging. **Caustic.**

_____ pressure in the forehead. **Kali c.**

_____ without inflammation of the eyes. **Conium.**

Pain—aching, dull, sore, persistent and intense in the eyeballs. **Cimicifuga**.

_____ as if the eyes were dry, with nightly agglutinations.

Lycopod.

_____ would be torn out; with headache. **Coccul.**

_____ biting. *Rhus tox.*

_____ burning. **Ars.**, **Bell.**, **Kali c.**, *Kali hydr.*, *Magn. m.*, *Natr. s.*, *Puls.*, *Sabina*, *Sanguin.*, *Sepia* (mornings), *Silic.*

_____ and aching, while reading (in the evening, by the light). **Ruta**.

_____ in the corners. *Amm. m.*, *Puls.* (has to rub incessantly.)

_____ (inner right corner). *Rhus tox.*

_____ pressure, as if a hair were in it. *Puls.*

- Pain**—burning, pressure, dryness of the. Magn. s.
 —————, smarting. Kali nitr.
 ————— smarting, itching, lachrymation. Merc. viv.
 ————— sore, rough, in the evening, after walking in the cold wind; worse by gaslight, and on attempting to read. **Sepia.**
 ————— stinging, dryness, photophobia. **Caustic.**
 ————— when reading or writing. Rhododen.
 ————— darting—with great dilatation of pupils and deprivation of sight. Phos.
 ————— in the inner canthus of the right eye, extending over the eye or around it, or across the brow. Cinnabar.
 ————— through the left eye. Brom.
 ————— and about it. Pains alternating between the eye and ovary. Sulph.
 ————— dull and heavy—in and behind the left eye. Pallad.
 ————— extending to the head. Rhus tox.
 ————— from reading. Lach.
 ————— in and over the—extending along the base of the skull to the occiput. Cimicifuga.
 ————— the eyeballs—and in the temples, with heat and throbbing of the temporal arteries. Podoph.
 ————— right, as if the inner portion of the eye would be torn out. **Prunus spi.**
 ————— eyeball, worse on moving the ball. **Bry.**
 ————— centre of the eyeballs; worse in the morning, lasting all day; worse going up stairs. Cimicifuga.
 ————— lacerating—under the eyes or in front of the ears, in the jaw or teeth. Kali hydr.
 ————— neuralgic—great soreness when touching the eye. Spigel.
 ————— in the centre, or above or below, from cold, in damp rainy weather. Spigel.
 ————— from the pupil of left eye to the occiput. Crot. tig.
 ————— in the right eye. Chelidon.
 ————— or over it. Sanguin.
 ————— pressure. Lachnanth., Ol. an., Puls.
 ————— as if sand were in them. **Caustic.**, Puls.
 —————; right; worse on rubbing, and especially on pressing the lids together. **Sepia.**
 —————, in the morning. **Natr. m.**
 ————— when reading. Puls.

- Pain**—pressure when looking intensely at anything. **Natr. m.**
 ——— smarting. **Ranuncul. bulb.**
 ——— dryness—sensation of—in the inner canthi, in the morning in bed. **Nux v.**
 ——— smarting in the right eye in the evening, with inclination of the lids to close against one's wish. **Sepia.**
 ——— sore, very, around the right. **Rhus tox.**
 ——— soreness, as if bruised. **Sepia.**
 ——— stitches around the—darting into the head. **Caustic.**
 ——— without any redness. **Lycopod.**
 ——— stitching. **Puls.**
 ——— weary while reading. **Ruta.**
 Photophobia. (See Light.)
 Projection of—with sparkling. **Bell.**
Pupils contracted. **Opi., Phos.**
 ——— dilated. **Acon., Bell., Cimicifuga, Cyclam., Hyos., Phos., Sanguin., Secal. cor.**
 ——— after having been contracted. **Cicuta vir.**
 ——— and immovable. **Bell.**
 ——— insensible. **Cicuta vir.**
 ——— constantly; mist before the eyes. **Calc. c.**
 ———; double vision (especially during pregnancy). **Bell., Cicuta vir., Gels.**
 Sensation of a foreign body in the eye. **Puls.**
 ——— when stooping as though the eyes would fall out. **Brom.**
 Small contracted appearance of—from pain in the forehead. **Aloe.**
 Sparkling. **Acon., Bell. (projection), Hyos.**
 Spots—yellow—in the white of the eye. **Phos. acid.**
 Staring. **Bell., Secal. cor.**
 ———, glistening eyes. **Mosch.**
 Stiffness—sensation of—in the parts about the eyes. **Kalmia.**
 Strabismus. **Cyclam., Hyos.**
 Sunken eyes with blue margins around them. **China, Phos.**
 Tears. (See Lachrymation.)
 Twitching of the—and lids. **Cham.**
 ——— they turn upwards. **Mosch.**
 Ulcers and pustules of the cornea without any redness. **Kali bich.**
 Water in the—when in the wind. **Puls.**
 Weakness of the—especially when reading. **Senega, Sepia.**
 Weariness of the—early in the morning. **Cina.**
 Weeping eyes. **Puls., Rhus tox.**

Wild wandering look. Bell.

Yellow color of the white of the eyes. **Chelidon.**, Conium, Nux v., Plumb., Sepia.

B. LIDS.

Agglutination in the morning. Magn. c., Phos., Puls., Rhus tox., Sepia.

_____ of the inner canthus in the morning. **Puls.**

_____ nightly. **Lycopod.**, Merc. viv., Silic.

Closing of the—(see Drooping) inclination to—or they close involuntarily. Caustic.

_____ spasmodic. **Hyos.**

Contraction of the—spasmodic—in the evening. Natr. m.

Cutting pain under the—as from a foreign body. Merc. viv.

Drawing up of the upper lids and eyebrows. Lachnanth.

Drooping of the. (See Closing.) **Gels.**

_____, from headache. Nitrum, Sepia.

_____ ; they feel weak and tired, heavy ; can hardly keep them open. Caustic.

Dry and scurfy. Puls.

Gummy. Psorium.

Heaviness of the upper lids, as if she could not raise them easily. **Caustic.**

_____, with frontal pain. Sepia.

_____ stiffness, like paralysis, as if it were difficult to move the lids. **Rhus tox.**

Induration of the. Thuja.

Inflammation of the margins. **Apis**, Graph., **Rhus tox.**

_____ and swelling, especially of the lower lid, with lachrymation in the morning. **Puls.**

_____ and ulceration. **Lycopod.**

Jerking—obstinate—of the left upper lid. **Mezer.**

Lashes turn inward. Borax, Puls., Silic.

Mucus—dry—on the. **Graph.**

Pain in the—burning, itching, in the evening. **Puls.**

_____ pricking in the swollen lids. **Rhus tox.**

_____ margins, as if rubbed sore, on touch and in the morning. **Nux v.**

Paralysis of the upper. Plumb.

Quivering of the. Ol. an.

_____ left upper. Arum triph.

Spasms of the lower. Ruta.

Styes—especially on the lower. Rhus tox.

_____ upper. Puls., Sepia.

_____ towards the inner canthus. **Lycopod.**

Swelling, œdematous, of the lids. **Apis, Ars., Kali bich., Kali hydr., Rhus tox.**

_____, as if a bag was hanging between the upper lids and eyebrows. **Kali c.**

_____, with lachrymation. Rhus tox.

_____, reddish-blue. Phytol.

_____ ; the margins are covered with ulcers and scurvy. Merc. viv.

_____, white, watery. Iod.

_____ sensation of. Rhus tox.

_____, chronic inflammation and hypertrophy, with itching, smarting, and purulent exudation. Sulph., Phos.

Twitching of the. **Crocus sat., Ipec., Phos., Plat.**

_____, and eyes. **Cham.**

C. SIGHT.

Amaurosis from masturbation. Gels.

_____, incipient. Ruta, Silic.

Better when the pupils are dilated and shading the eyes with the hand. **Phos.**

Cloudiness before the—inducing her to rub them. Plumb., Puls.

Black before the eyes—everything becomes. Kalmia.

_____ with menses—worse on going into a warm room. **Puls.**

Blindness—attacks of. Kali nitr., Silic.

_____, sudden ; sensation as if a gray cover were hanging over the eyes. **Phos.**

_____. **Gels.**

Blurring of letters or sewing when looking at them. **Cannab. ind., Natr. m., Senega, Silic.**

Bodies in the shape of serpents moving before the vision. **Argt. nitr.**

Dimsightedness. Dule., **Lach.**, Natr. m., Natr. s., **Ol. an.**, Puls., Ruta, Secal. cor., Sepia, Silic., Sulph., Trill.

—————, hysterical, and profuse lachrymation. **Euphrasia.**

—————, with burning in the eyes. **Magn. m.**, **Magn. s.**

————— dilated pupils and darting in the eyes. **Phos.**

————— lachrymation when in the open air. **Puls.**

————— much black flickering before the eyes, that seems very near. **Lach.**

————— spots before the eyes, especially on waking. **Cyclam.**

————— vertigo. **Gels.**

————— when in the evening light; she cannot see anything upon the table. **Lycopod.**

—————, with sensation as if hairs were in them. **Sanguin.**

Double sight (diplopia). **Aurum**, **Bell.**, **Cicuta vir.**, **Cyclam.**, **Gels.**, **Hyos.**, **Lycopod.**, Natr. m., Nitr. acid, **Phytol.**, **Puls.**, **Stram.**, **Sulph.**

————— of horizontal subjects at some distance. **Nitr. acid.**

—————; pupils dilated, especially during pregnancy. **Bell.**, **Cicuta vir.**, **Gels.**

Dizziness of sight, with nausea in the palate and throat after eating the least quantity. **Cyclam.**

Flashes before the—dazzling on looking at bright objects. **Phos. acid.**

————— when walking. **Natr. c.**

————— sudden. **Crocus sat.**

Flickering before the. **Ignat.**, **Lach.**, **Sepia.**

————— and running together of letters when reading. **Senega.**

Flitting before the. **Cyclam.**

—————, as of wavelets of light. **Caustic.**

Fiery circles before the eyes. **Puls.**

Gauze before the. (See **Mist.**)

Half-sightedness. **Sepia.**

Half-sightedness, as if the upper half of the vision were covered with a dark body. **Aurum.**

_____, perpendicular. **Muriat. acid.**

Halo around the light. **Phos., Sulph.**

_____ in the evening—green. **Phos., Ruta, Sepia.**

_____, partly colored, the red predominating; at times the light seems broken up in rays. **Bell.**

_____ rainbow-colored, in the evening. **Nitrum.**

If she attempts to look at anything, she cannot distinctly recognize it, and then the eyes are almost always involuntarily drawn together; the more she tries to restrain the contraction, the less able is she to prevent it; she is obliged to lie down and close the eyes. **Merc. sol.**

Illusions of sight. **Brom., Hyos., Laurocer., Nux m., Sarsaparilla, Spigel.**

_____ and disappearing on bending the head backward or closing the eyes. **Senega.**

Mist before the eyes. **Bufo, Crocus sat., Gratiola, Kalmia, Magn. c., Merc. viv., Phos., Puls., Ranuncul. bulb., Rhus tox., Sarsaparilla.**

_____, constant—pupils dilated. **Calc. c.**

_____, especially in the evening. **Niccol.**

_____ preventing her from seeing anything, especially during pregnancy. **Gels.**

_____, with pain above them. **Gels.**

_____ shining points. **Ol. an.**

_____, or before one eye only. **Merc. sol.**

Objects appear too distant. **Nux m.**

_____ large. **Hyos., Niccol., Nux m.**

_____ small. **Plat.**

_____ passing swiftly from left to right, or tossed from below upwards. **L. V. Deflor.**

Obscuration of sight. (See **Mist.**) **Caustic., Cina, Conium, Cyclam., Hyos., Ipec., Iod., Lachnanth., Laurocer., Nitr. acid, Puls., Sanguin.**

_____, as from feathers before the eyes. **Lycopod.**

_____ at reading. **Nitr. acid.**

_____; objects appear yellow. **Kali bich.**

Obscuration of sight; objects look red. **Bell.**, Hep. s., **Hyos.**

_____ transient. **Puls.**

_____ ; white paper looks red, in the evening.

Sarsaparilla.

_____, with vertigo and nausea. **Puls.**

Shortsightedness. Mangan., Phos.

Smoke before the eyes. (See Mist.)

Sparks before the eyes. **Bell.**, Elaps, Kali c.

_____ ; giddy and dizzy, on awaking in the morning. **Dulc.**

_____ fiery. **Psorium.**

_____ and intermittent thirst. **Cyclam.**

_____ with great weakness. **Sepia.**

_____, when in the dark. **Lycopod.**

Sparkling before the eyes. **Acon.**

Spots before the eyes. **Silic.**

_____ black. **Merc. v.**, **Nitr. ac.**, **Phos.**, **Sepia.**

_____ blue. **Kali c.**

_____ bright. **Kali bich.**

_____ gray. **Argt. nitr.**

_____ green. **Kali c.**

Stars all the time before the eyes. **Cyclam.**

Unsteadiness of sight; objects become confused on looking at them. **Natr. m.**

Vanishing of sight. **Mosch.**, **Sepia.**

_____, during menses. **Natr. m.**

_____, ringing in the ears, fainting, with heaviness in the head. **China.**

Weakness of sight. **Cinnabar**, **Conium.**

_____, after coition. **Kali c.**

_____ and dazzling, with giddiness and debility of the whole body, especially the muscles of the arms and legs, so that when an attempt is made to walk, she staggers like a drunken person. **Conium.**

_____ flickering before the eyes, especially when reading. **Senega.**

_____, as from too much reading. **Ruta.**

_____ ; the eyes give out when reading or writing.

Natr. m.

White paper looks red, in the evening. **Sarsaparilla.**

Ears.

Coldness—sensation of—with sensation of numbness, extending to cheeks and lips. Plat.

Deafness. Secal. cor.

———— sudden. Plumb.

———— with roaring, itching, and dampness in the ears.

Sulph.

Discharge from the. Carb. an.

————; bloody, offensive matter from the right ear. Merc. sol.

————, fetid. Ars., Aurum.

————, left. Psorium, Puls.

————, mucous. Puls. (left).

————, purulent. Merc. viv.

————, pus. Hep. s., Lycopod., **Psorium** (fetid),

Puls. (left), Rhus tox., Silic.

————, with headache. Psorium.

————, yellow—with dryness of the nose. Ars.

Dryness of the—want of wax; hardness of hearing. Lach.

Echo in the. (See Re-echo.)

Eruption—humid—and soreness behind the ears. **Graph.**, Petrol.

———— scurfy—on and behind the ears. Lycopod.

———— tetter—on the lobe of the ear, behind the ears, and in the nape of neck. Sepia.

Glands of the. (See Pain, Swelling.)

Hearing dull and indistinct. Carb. an.

————; relieved by blowing the nose; worse during cold and rainy weather. Mangan.

————, hardness of. China, Iod., Kreosot., Lach., Magn. m., Merc. viv., Petrol., **Phos.**, Puls., Silic.

————, as if the ears were closed with the hands. Mangan.

———— stopped up. Puls.

————; roaring like distant noise. **Puls.**

————, caused by humming, roaring in ears and head. **Caustic.**

————, especially in distinguishing the human voice. Ars., **Phos.**, Rhus tox.

Hearing, hardness of, from suppressed otorrhœa. Sulph.

_____ with buzzing, flitting, whizzing. Magn. c.

_____ dryness of the ears and want of wax. Lach.

_____ roaring in the ears. **Phos. acid**, Secal. cor.

_____, oversensitiveness and acuteness of—with noise in the ears. Muriat. acid.

_____ ; music especially affects her painfully. Lycopod., Phos. acid, Sepia.

_____, painful. Aurum, **Conium**.

_____ to noise. **Acon.**, **Bell.**, Ipec., Magn. c., Nux v., **Sanguin.**, Sepia.

Heat in the. **Sanguin.**

Inflammation of the external or internal ear, catarrhal. Puls.

_____, with pain partly cramplike, partly sticking, and a feeling as if stopped up by swelling. **Merc. sol.**

_____ internal, affecting the cellular tissue, deepseated. **Merc. sol.**, Rhus tox., Silic.

Itching of the. Phos., Puls.

Jerking in the. Puls.

_____ outer ear, followed by heat only in the ear. Puls.

Noise in the—buzzing. **Cannab. ind.**, Magn. c.

_____ cracking. **Kali c.**, Puls.

_____ croaking in the right ear when walking. Mangan.

_____ humming. Carb. an., **China**, **Kreosot.**, **Lycopod.**, Muriat. acid., Plat., Puls., Sepia, Sulph.

_____ and beating, with congestion. **Sanguin.**

_____ roaring. **Crocus sat.**, **Merc. viv.**

_____, like distant noise, with sensation as if the ears were stopped. **Puls.**

_____, buzzing, causing hardness of hearing. **Caustic.**

_____ of loud reports. Mosch.

_____ ringing. Ars., **Cannab. ind.**, **China**, **Merc. viv.**, Plat., Puls.

_____, as though there were bells before them. Coccul.

_____, before menses especially; the face turns suddenly fiery red, with vertigo and palpitation of heart. **Ferr.**

Noise in the—ringing, in the left especially. **Chin. sulph.**,
Magn. s.

————— right—with dull headache. Eri-
geron.

—————, loss of sight, fainting, heaviness in the
head. **China.**

————— roaring. Acon., Cham., Coccul., **Lycopod.**, Plat.,
Secal. cor., Sepia.

————— as of wind. Ledum, Puls.

————— during menses. (See Part I.)

—————, with hardness of hearing. **Caustic.**,
Magn. c., **Phos. acid**, Secal. cor.

————— paroxysms of pain. Ars.

————— rushing. Colocynth.

————— as if from water, or the sounds of wind.

Puls.

————— shrill sound when blowing the nose. Phos. acid.

————— singing. Kali c., Lach.

————— whizzing. Hep. s., Kali c., Lach., **Lycopod.**,

Mangan., Magn. c., Muriat. acid, Sepia.

Pains—boring. Kali hydr.

————— burning. Graph.

—————, and redness as if frostbitten. **Agaric. m.**

————— darting. Hep. s., **Kali hydr.**, Puls.

—————, sudden—in the deaf ear. Mangan.

————— drawing—in the meatus auditorius internus. Cyclam.

————— sudden. Rhus tox.

————— external—concentrate in the ears even from other parts.

Mangan.

————— intolerance and impatience to pain. Cham.

————— lacerating—in left ear. Muriat. acid.

————— violent—in front of the ears, under the
eyes, in the jaw or teeth. Kali hydr.

————— on swallowing, as from inward pressure. Nux v.

————— pressing—in spells—with tearing pain, extorting cries.

Cham.

————— outward, violent. **Puls.**

—————, pressure in the bone above the right ear. Puls.

————— shooting—in the parotid gland. **Bell.**

————— stinging. Puls.

————— stitching. Merc. viv., Sepia.

Pains—stitching, dull, when talking. **Mangan.**

—————, in the parotid gland. **Puls.**

—————, severe. **Kalmia, Natr. m.**

—————, tearing, left, outwards; worse in the evening.

Ars.

————— stitches—especially when stooping. **Cham.**

————— tearing. **Merc. viv.**

—————, extending from the zygoma. **Lach.**

—————, in the internal and external ear, in a downward direction. **Bell.**

—————, occasional. **Cham.**

————— throbbing. **Colocynth., Magn. m.**

—————, at night. **Rhus tox.**

—————, with fulness in both ears. **Cannab. ind.**

————— tightness—tensive—in the—or at the tip of the—with headache. **Kali nitr.**

————— when swallowing—excruciating shooting through both ears. **Phytol.**

————— with great restlessness and anxiety. **Ars.**

————— sore throat. **Lach.**

Pulsation in the right ear and scrobiculus, preventing sleep. **Cact. gr.**

Re-echo of words and steps. **Caustic.**

Reverberation of sounds. **Nux v.**

Sensation as if the ears were too open and air was pouring into them (right). **Mezer.**

Swelling of the glands below the right ear, with painfulness to touch. **Baryt. c.**

Wax of the—hardened and black. **Puls.**

White color of the. **L. V. Deflor.**

Nose.

Bleeding (epistaxis). **Acon., Amm. c., Bell., Bry., Carb. veg., Conium, Colchic., Ipec., Kali nitr., Kreosot., Magn. s., Millefol., Puls., Rhus tox., Sarsaparilla, Secal. cor., Sepia, Silic.**

————— after vertigo or headache. **Carb. an.**

————— at night. **Nitr. acid, Rhus tox.**

————— before menses. **Bry.**

—————, blood coagulated. **Puls.**

Bleeding, blood light red. *Erigeron*.

————— tenacious, dark, thick, and in long strings sometimes. **Crocus sat.**

————— daily several times, with great paleness of face before and after. **Carb. veg.**

————— during pregnancy. *Bry.*, *Sepia*

————— sleep. **Merc. sol.**

—————, followed by aching in the vagina. *Calc. phos.*

————— frequent. *China*, *Kali c.*, *Merc. cor.*

————— from straining at stool. *Carb. veg.*, **Rhus tox.**

————— in the morning especially. *Ambr. gr.*, *Bry.*, *Magn. c.*

—————, at 9 A.M. *Carb. veg.*, *Kali c.*

————— of dark blood. *Lach.*

—————, after rising. **Bry.**

—————; pressure at the root of the nose. *Ruta.*

————— profuse. *Kali hydr.*, *Secal. cor.*

—————, either idiopathic or vicarious. **Ham.**

————— slow. **Phos.**

————— uterine. *Chin. sulph.*

————— when blowing the nose. *Phos.*, *Sulph.*

————— exerting herself. **Rhus tox.**

————— washing the face. *Kali c.*

—————, which relieves the headache. **Ham.**

—————, with anæmia. *Puls.*

————— feeling of tightness at the bridge of nose, and pressure in forehead between the eyes. **Ham.**

————— dry coryza. *Magn. c.*, *Natr. m.*, *Puls.*

————— hæmorrhoids. *Sepia.*

————— headache, as if the forehead would burst. **Bry.**

————— violent coryza. **Nitr. acid.**

Blowing of blood from the—frequent. **Phos.**

Burning and griping around the wings of the nose. **Kali nitr.**

————— crusts in the nose. *Magn. m.*, *Nitr. acid.*

————— redness, as if frostbitten. **Agar. m.**

————— of the tips of the nose. *Ol. an.*

Catarrh, coryza (see Stoppage of Nose, Discharges, Sneezing), dry. *Ambr. gr.*, *Carb. an.*, *Carbo veg.*, *Magn. c.*, **Phos.**, *Puls.*, *Sarsaparilla*, *Sepia*.

————— dry. *Sepia.*

————— at night, fluent in daytime. **Caustic.**

————— during evening and night. *Nux v.*

Catarrh, coryza, dry painful. Kali bich.

_____ with dryness in the throat. Nitr. acid.

_____ epistaxis. Magn. s., Natr. m.

_____ stoppage of nose. Aurum, Castor.,

Kali c., **Lycopod.**, Muriat. acid, Rhus tox., Sepia.

_____, she cannot get her breath at night; scurfs in the nostrils. **Lycopod.**

_____, the root of nose especially. **Lycopod.**

_____ worse at night. Nux v.

_____ fluent. Agaric. m., Merc. viv., **Nux v.** (sudden), **Puls.**

_____ acrid; a like discharge from the eyes; pain in frontal sinuses. **Euphra.**

_____, from the anterior and posterior nares. Ars. iod.

_____ frequently. **Ars.**

_____ watery, corrosive. **Ars.**, Magn. m., Mur. acid, **Merc. sol.**

_____ yellow mucus. Magn. m.

_____ with paroxysms of sneezing, worse in the open air. **Ars.**, Iod.

_____ better in the open air. **Ars.**

_____ from the first discharge of thick yellow mucus. **Puls.**

_____ in daytime, dry at night. **Caustic.**

_____, worse in a warm room, better in cold air. Nux v.

_____, stopped at night. **Nux v.**

_____ the evening. Carb. veg.

_____ morning and after dinner. **Nux v.**

_____ ; scraping in the throat, crawling and creeping in the nose, sneezing. **Nux v.**

_____ watery. Castor.

_____ with stoppage of nose. Ipec., Nitr. acid.

_____ worse in the open air. Kali bich.

_____, headache, heat in face, chilliness. **Nux v.**

_____ long-continued, obstinate, with soreness beneath the nose, and on the margin of the nose. **Brom.**

_____ suppressed—with headache. **China.**

_____ violent. **Merc. cor.**

Catarrh, violent, from the least cold; repeated attacks. **Kali hydr.**
 ————— with catarrhal fever, especially during menses.

Graph.

————— loss of smell and taste. **Puls.**, **Magn. m.**

————— soreness of the nose. **Lach.**

————— and bleeding of the nose. **Nitr.**

acid.

————— swelling of the nose. **Lycopod.**

————— thick mucous discharge. **Baryt. c.**

————— yellow discharge. **Mur. acid.**

————— fetid discharge; loss of smell

and taste. **Magn. m.**

Coldness—constant—of the nose. **Murex purp.**, **Silic.** (more or less).

Crusts in the nose. **Ars. iod.**, **Kali c.**, **Lycopod.**, **Magn. m.**,
Nitr. acid.

Discharge of—(see **Catarrh**) blood and pus. **Lach.**

————— elastic plugs; stringy mucus. **Kali bich.**

————— green fetid pus. **Puls.**, **Rhus tox.**, **Silic.**

—————, or yellow, fetid plugs. **Sepia.**

————— mucus. **Phos.**

————— mucus from both nostrils, that seem to be ob-
 structed by dry catarrh; frequent. **Nux v.**

————— one nostril, that seems to be ob-
 structed by dry catarrh; profuse. **Nux v.**

————— through the posterior nares. **Merc. prot.**,
Natr. c., **Nitr. acid**, **Plumb.**

————— purulent. **Calc. c.**

————— thick—tenacious, dark blood, sometimes com-
 ing away in long black strings. **Crocus sat.**

————— tough mucus—through the posterior nares.
Plumb.

————— white, thick, constant, with frontal headache.
Hydrast.

————— yellow. **Phos.**, **Rhus tox.**

—————, fetid mucus. **Magn. m.**, **Nitr. acid**,

Puls.

Dryness of the—great—with feeling of pressure in the nasal
 bones. **Kali bich.**

————— and obstinate. **Baryt. c.**

————— with swelling; cannot draw air through it.

Phos.

Eruption. (See Face.)

Inflammation of the mucous membrane. **Kali hydr.**

_____, septum destroyed entirely, and the whole nasal mucous membrane in a state of purulent inflammation. **Kali bich.**

_____, swelling, nostrils sore, ulcerated, scabby.

Sepia.

Itching in the nose. **Ol. an., Silic.**

_____ of the nose—violent. **Nitr. acid.**

_____ tip of nose. **Silic.**

Motion—fanlike—spasmodic—of the alæ nasi. **Lycopod.**

Numbness in the nose. **Plat.**

Odor. (See Smell.)

Pain in the nose. **Graph., Kali nitr., Rhus tox.**

_____ ; hot, burning beneath the left nostril, so that the breath seemed to come out of it hot. **Rhus tox.**

_____ root of the nose. **Hep. s., Niccol.**

_____, pressive. **Kali bich.**

_____, stinging, tearing. **Niccol.**

_____, violent, crampy. **Plat.**

_____ of the nasal bone, when taking hold of. **Merc. sol.**

_____ and malar bone, violent, lacerating. **Aurum.**

_____ right nasal bone and adjoining parts of upper jaw to touch. **Aurum.**

Polypus. **Calc. c., Marum verum, Thuja.**

Pores—black—on the nose and face. **Graph., Sabina.**

Redness and burning of the nose as if frostbitten. **Agaric m.**

_____ swelling of the nose. **Magn. m.**

_____ tip of the nose. **Niccol., Rhus tox.**

_____, painful to touch, as if it would suppurate. **Rhus tox.**

_____ of the tip of the nose. **Borax, Carb. an., Sepia, Silic.**

_____, scurfy. **Nitric acid.**

Sensation as if the bones of the nose were loose when blowing it. **Kali bich.**

Smell acute and very sensitive. **Acon., Aurum, Bell., Phos.**

_____ ; cannot bear the odor of flowers.

Graph.

_____ tobacco.

Nux v.

_____ disagreeable, on inhaling air. **Nitr. acid.**

Smell, fetid—before the nose. Aurum, Kali bich., Plumb., Puls., Sepia, Sulph.

———— from the—as in violent coryza. **Merc. sol.**

———— of food and drink. **Nux v.**

———— imaginary. **Bell., Phos.**

———— loss of. **Ipec., Kali bich., Puls., Rhus tox., Sepia.**

———— with dryness of the nose. **Graph.**

———— of old catarrh; stench from the nose **Puls.**

Sneezing. (See Catarrh, Coryza, Dryness.) **Carb. veg., Puls., Sepia.**

———— frequent. **Nux v., Silic.**

———— in the morning in bed, but after rising sudden fluent coryza. **Nux v.**

———— painful—profuse lachrymation, injected conjunctiva, and throbbing distress in the frontal sinuses. **Kali hydr.**

———— spasmodic. **Rhus tox.**

Soreness and cracking of the nostrils and lips as from a cold. **Graph.**

———— external and internal. **Puls.**

———— in both nostrils. **Aurum.**

———— on blowing it. **Graph.**

Stoppage of the—as from catarrh, in the evening, on going to bed; and in the morning a thick, yellow, opaque mucus, as in old catarrh, is blown from the nose. **Puls.**

———— partly right—not relieved from blowing or sneezing. **Marum ver.**

———— left. **Rhododendron.**

Swelling of the (see Redness). **Merc. viv., Phos.**

———— (ears and neck). **Rhus tox.**

———— with painfulness to touch. **Phos.**

Tight feeling at the bridge of the nose and between the eyes. **Carbol. acid., Ham.**

Ulceration of the nose. (See Catarrh, Discharge.) **Puls.**

————; corners. **Nux v.**

————; external ring. **Puls.**

————; painful agglutination. **Aurum.**

————; septum destroyed. **Kali bich.**

Yellow saddle across the nose. **Sepia.**

Face.

Acne rosacea. (See Eruptions.)

Appearance—(see Color, Expression) changed features. Cupr. m.

_____ hippocratic. **Ars.**, Phos., **Secal. cor.**

_____ of extreme anxiety and suffering. Plumb.

_____ much suffering; sunken face. Lach., **Manganum.**

_____ sickly. **Argt. nitr.**, **Ars.**, **China**, Phos., Phos. acid, Phytol.

_____, as after excesses. **China.**

_____, cachectic. Graph.

_____, especially around the eyes. **Cina.**

_____, wretched, pale, yellow complexion. Canth.,

Caustic., **Podoph.**

Bloated, swollen. Bell., China, Kali c., Kali hydr., Lachnanth., Ledum, Plumb., **Rhus tox.**, Sepia.

_____ all over. **Rhus tox.**

_____ around the eyes. Phos.

_____ early in the morning. Nitr. acid.

_____ nightly—with violent itching. Lach.

_____ of left side and lower jaw; sensitiveness to touch.

Lach.

_____ pale. **Ars.**, Calc. c., Ferr., **Merc. viv.**

_____ red. **Bell.**, China, Elaps, Glon., Hyos., Stram.

_____, lips dry, coated, black, wrinkled; chapped. China.

_____, with congestion and throbbing in head. **Bell.**,

Cact. gr., Glon.

_____, yellow. **Nux v.**, Puls.

_____ under the eyes. **Apis.**

Burning. Amm. m.

_____ and redness. **Bell.**, **Conium**, Hyos., Kreosot., Natr. c.

_____ heat in the—but it feels cold to the hand. **Gratiola.**

_____, right side. Niccol.

_____, violent thirst, especially toward evening.

Plat.

_____ of the cheeks. Murex purp.

_____ as if frostbitten, with redness. **Agaric. m.**

Cheeks—circumscribed redness of the—with pale face. **Lycopod.**, Phos.

Cheeks—circumscribed bright redness of the—especially in the afternoon. **Sanguin.**

————— dark-red. **Chelidon.**

————— one red, the other pale. **Cham.**

————— and hot. **Stan.**

—————, the other pale and cold. **Acon., Kali c.** (redness of the right).

————— (left). **Natr. m.**

————— (right) without heat, the other pale, but with heat. **Mosch.**

————— red, even when the skin is cold. **Ol. an.**

—————; hot, cold feet, chilliness along the back, with retarded menses in young women. **Puls.**

—————, with sensation as if the face was growing larger. **Acon.**

—————; round hot spots on the—over the malar bone. **Bry.**

—————; the left more so than the right. **Phos.**

—————, with yellow complexion. **Lach.**

—————, especially around the eyes.

Nitr. acid.

Coldness of the—sensation of—creeping, numbness in the whole right side of the face. **Plat.**

Color (see Cheeks; burning, bloated), bluish. **Ars., Cupr. m., Lach., Lachnanth., Verat. alb.**

—————, brown, dark. **Iod.**

————— red. **Hyos.**

—————, brownish. **Calc. phos.**

—————, cadaverous. **Plumb.**

—————, changeable. **Phos.**

—————, dirty-white. **Calc. phos.**

—————, **earthy.** **Carb. an., China, Cupr. m., Ferr., Magn. c., Mosch.**

—————, gray. **Mezer.**

—————, jaundiced. **Ferr.**

—————, pale. **Ol. an.**

—————, eyes dull, without lustre; bloated. **Merc. viv.**

—————, yellow. **Crocus sat., Nux v.**

—————, with deep furrows; blue circles around the eyes; blue lips. **Lycopod.**

—————, gray-yellow. **Lycopod.**

Color gray-yellow, blue circles around the eyes. **China.**

—————, sunken face. **Laurocer.**

—————, greenish. **Carb. veg., Ferr.**

—————, livid. **Bell.**

—————, dry lips. **Kreosot.**

—————, yellow—sunken face. **Laurocer.**

—————, **pale.** **Ars., Bell., Calc. c., Carb. veg., Cupr., Curare, Cyclam., Hyos., Lach., Lachnanth., Ledum, Magn. c., Natr. m., Natr. s., Nitrum, Opi., Phos., Phytol., Plumb., Psorium, Puls., Rhus tox., Sabina, Secal. cor., Sepia.**

————— and bloated; cold. **Bell.**

—————, also of the lips, with anæmia. **Cyclam., Ferr.**

————— red alternately. **Bovista, Iod., Lycopod., Magn. c.**

————— ashy. **Ferr.**

—————, blue circles around the eyes. **China, Ipec., Lycopod., Phos., Phos. acid, Rhus tox., Sabina.**

—————, deadly. **Ars., Cicuta vir.**

—————, earthy. **Ol. an.**

—————, eyes dull, without lustre. **Kali c., Merc. viv.**

—————, in the morning especially. **L. V. Deflor.**

—————, sudden appearance of it on rising. **Acon.**

—————, sunken face. **Mangan., Plat., Rhus tox., Secal. cor., Stan.**

—————, nose pointed, blue rings around the eyes. **China.**

—————, wax-colored. **Apis, Ars.**

—————, white, almost transparent, with ovarian dropsy. **Apis.**

—————, with circumscribed redness of cheeks. **Lycopod., Phos., Sanguin.**

————— even sensation of internal heat. **Puls.**

————— flashes of heat. **Lycopod.**

————— redness of one cheek. **Cham.**

————— sweat. **Mosch., Kali c.**

————— yellow. **Bry., Canth., Kali bich., Kali c., Lach., Magn. m., Nux v., Petrol.**

—————, earthy. **Crocus sat.**

—————, jaundiced, especially of forehead, nose and cheeks. **Chelidon.**

- Color** gray-yellow, sickly. **Ars., Caustic., China.**
 _____, with redness of cheeks. **Lach.**
 _____ sunken eyes. **Puls.**
 _____, *red.* **Acon., Bell.,** Carbol. acid, Conium, **Ferr., Hyos.,**
Opi., Rhus tox.
 _____ and fiery—suddenly appearing, with vertigo, ringing
 in the ears, palpitation, dyspnœa. **Ferr.**
 _____ flushes of heat in the face. **Sepia.**
 _____ pale alternately. **Bovista, Iod., Lycopod., Magn.**
c., Zinc.
 _____ swollen. **Bell., China, Elaps, Glon., Stram.**
 _____ with throbbing in the head. **Bell., Cact.**
gr., Glon.
 _____ bloated. **Opi.**
 _____ brown. **Hyos.**
 _____, covered with sweat, without thirst. **Rhus tox.**
 _____ flashes of heat. **Asafoet.**
 _____, from the least emotion or exertion.
Ferr.
 _____, with morning headache. **Podoph.**
 _____ vivid. **Sulph.**
 _____ with headache after a meal. **Bry.**
 _____, sallow. **Natr. m., Podoph.**
 _____, *yellow.* **Calc. c., Canth., Ferr., Natr. m., Plumb.,**
Sepia.
 _____ almost brown, with sunken eyes. **Nitr. acid.**
 _____ and white of the eyes. **Sepia.**
 _____ around nose and mouth. **Nux v., Sepia.**
 _____ the eyes and cheeks especially. **Nitr.**
acid, Sepia.
 _____, earthy. **Crocus sat., Nux v.**
 _____, florid. **Nux v.**
 _____, pale. (See Pale-yellow.)
 _____ red and bloated. **Nux v., Puls.**
 _____, sickly appearance, pale bluish lips. **Caustic.**
 _____, sunken face. **Nux v.**
 _____, with blue rings around the eyes. **Hep. s.**
 _____ red cheeks. **Lach.**
Condylomata. Thuja.
Convulsive movements of the facial muscles. (See Twitch-
 ing.) **Bell., Cham., Ipec.**

Convulsive movements of the facial muscles, with distortion of the mouth. **Bell.**

Corners of the Mouth. (See Eruption, Ulcers, Nodosities.)

Drawn face. **Secal. cor.**

Emaciation of the—great. **Daphne.**

Eruption. (See Lips, Ulcer.) **Aurum, Magn. m.**

————, acne rosacea; yellow pimples, full of yellow pus. **Calc. phos.**

———— around the mouth. **Ars., Calc. c., Carb. an., Lycopod., Magn. c., Natr. m., Nitric acid, Petrol., Rhus tox., Sepia.**

————; black pores on the face. **Nitr. acid, Sepia, Sulph.**

———— and nose. **Graph., Sabina.**

————, copper-colored. **Carb. an.**

————, elevated—over the whole face, causing burning pain when touched. **Cicuta vir.**

————, erysipelatous—with intense fever. **Bell.**

———— of cheeks (left). **Lach.**

———— vesicles, containing yellow matter, from left to right. **Rhus tox.**

————, erythema. **Ars. jod.**

————, freckles. **Lycopod.**

————, humid—on the cheeks. **Dule.**

———— and forehead, itching, scurfy.

Calc. c.

———— on the chin. **Rhus tox.**

———— tip of nose—painful. **Sepia.**

———— scrofulous. **Silic.**

————, papulous—on face and shoulders, profuse. **Kali hydr.**

————, pimples—numerous. **Aurum, Carb. an., Kali c., Muriat. acid, Natr. m., Phos. acid, Sarsaparilla.**

———— on face and forehead. **Nitr. acid.**

———— red and small. **Graph.**

————, pustules—on cheeks and nose, which rapidly fill with pus and become covered with a crust. **Bell.**

———— pimples—red—on nose and cheeks. **Silic.**

———— small. **Kali nitr.**

————, scabby—under the nose about the nares. **Rhus tox.**

————, scaly. **Phytol.**

————, dry. **Ars.**

————, scurfy—around the mouth. **Petrol.**

- Eruptions**, scurfy—very painful to touch. Hep. s.
 ——— spots—yellow. **Laurocer.**, **Sepia**, Sulph.
 ———, on forehead. **Caulophyl.**, Natr. c.,
 Nitr. acid.
 ———, and a yellow saddle
 across the upper part of the cheeks and the nose. **Sepia**.
 ———, tettery. **Ledum**, **Lycopod**.
 ———, around the mouth. **Magn. c.**, **Sepia**.
 ———, dry. **Niccol**.
 ———; ulcers on the. **Phytol**.
 ——— corners of the mouth. **Nitr. acid**,
Rhus tox.
 ———; vesicles on the lips. **Carb. an**.
 ——— like pearls. **Natr. m**.
 ———, gums, tongue, inside of cheeks,
 burning. **Magn. c**.
 ——— under the nose. **Rhus tox**.
Expression—drowsy and stupid. (See Appearance.) **Can-**
nab. ind.
 ——— anxious. **Plumb.**, **Secal. cor**.
 ——— of anxiousness during downward motion. **Borax**.
 ——— real mental agony. **Ars**.
 ——— sadness and dejection. **Cupr. m**.
Flashes of heat into the face. **Asafoet.**, **Kreosot.**, **Lycopod.**,
Sulph.
 ——— and rush of blood to the head.
Ferr.
 Greasy, shining face. **Plumb**.
Heat. (See Burning, Flashes, Redness, Cheeks, and Heat, under
 Fever.) **Carbol. acid**, **Lach**.
 ———, feeling of. **Brom**.
 ———, great. **Conium**.
 ——— of face and head in the afternoon. **Carb. an**.
 Itching of the. **Natr. s.**, **Phos**.
 ———, frequent and violent. **Kali nitr**.
Lips—bluish. **Cupr. m.**, **Phos**.
 ——— brown, black. **Psorium**.
 ——— burning. **Psorium**.
 ——— cracked. **Bry.**, **Carb. veg.**, **Graph.**, **Natr. m.**, **Nitr. acid**,
Ol. an.
 ———, dry, swollen. **Natr. m**.

Lips—dry. **Bry.**, **Cannab. ind.**, **Hyos.**, **Phos.**, **Psorium**, **Sanguin.**, **Sepia**.

_____ and rough. **Plat.**

_____, chapped, wrinkled, black; face bloated and red. **China.**

_____, livid complexion. **Kreosot.**

_____, parched, with shrivelled skin. **Mangan.**

_____; red ulcers on the red part. **Nitr. acid.**

_____ eruption on the. (See Eruption.)

_____ glued together. **Cannab. ind.**

_____ pale. **Ferr.**

_____, bluish, with sickly countenance. **Caustic.**

_____, white. **L. V. Deflor.**

_____ peeling off—painful. **Nux v.**

_____ spasmodic sensation in the. **Kali c.**

_____ swelling of the—and tenderness. **Merc. cor.**

_____ under. **Sepia.**

_____, and burning, followed by appearance of a large vesicle, that next day formed a scab and desquamated. **Natr. m.**

_____ upper. **Hep. s.**

_____; it feels tender on opening the mouth. **Bell.**, **Hep. s.**

_____ twitching of the. **Cham.**

_____ upper. **Niccol.**

_____ ulcerated—thick. **Kali c.**

Nodosities—hard—little—on both corners of the mouth. **Magn. c.**

Pain in the facial bones. **Natr. m.**, **Nitr. acid.**

_____ lacerating. **Kali nitr.**

_____ when touching them. **Hep. s.**

_____ intermittent prosopalgia, with congestion of eyes and head; jerking pains like electric shocks. **Sepia.**

_____ neuralgic. **Amm. m.**, **Colocynth.**

_____, after abuse of Quinine. **Stan.**

_____, from debilitating causes. **Baryt. c.**, **China.**

_____, in right side of face and forehead. **Bell.**

_____, under the eyes, or in front of the ears, in the jaw and teeth. **Kali hydr.**

_____, worse from the slightest touch or draft of air. **China.**

_____ talking, chewing hot or cold things in the mouth. **Puls.**

Pain—shooting—in the left maxillary bone. **Kali bich.**

————— tearing—of the zygoma, extending into the ear. **Lach.**

Perspiration of. (See Perspiration, under Fever.)

Redness of. (See Color.)

Sensation of a cobweb on the—constantly. **Graph.**

————— numbness, crawling; coldness in the whole right side of the face. **Plat.**

————— of swelling and heaviness of the. **Niccol.**

Spasms of. (See Convulsions of.)

Swelling of. (See Bloated.)

—————, chronic—also of nose and lips. **Sulph.**

————— lower—which is cracked in the middle. **Puls.**

Tension of the—as if the white of an egg had dried on it. **Magn. c.**

Twitching of the facial muscles. (See Convulsions, Lips.) **Agaric. m., Mezer.**

—————, spasmodic, convulsive. **Ignat., Lycopod.**

Ulcers on the corners of the mouth. (See Eruption.) **Hep. s., Merc. viv., Nitr. acid, Nux v., Phos.**

—————, especially if they were very painful and sore. **Merc. sol.**

—————, with sticking pain. **Nitr. acid.**

Mouth.

Accumulation of saliva or water. (See Saliva, Water.)

Aphthæ in the. (See Tongue, Vesicles.) **Ars., Merc. sol.**

Bluish-red appearance of the mucous membranes in one or more places; they become spongy. **Merc. viv.**

Breath. (See Odor.)

Burning in the—and throat. **Canth.**

————— and pit of stomach. **Ars.**

————— violent. **Lach.**

Canker. (See Vesicles.)

Coldness—sensation of—in the. **Plat.**

Corners of the. (See Face.)

Dryness of the. **Acon., Bell., Bry., Cannab. ind., Kali bich., Laurocer., Mosch., Nux m., Nux v., Plumb., Psorium, Rhus tox.**

————— and pharynx, covered with tasteless, insipid mucus in the morning, with an offensive odor from the mouth, that is not perceptible to herself. **Puls.**

Dryness of the—and throat. **Bell.**, **Lycopod.**, **Ol. an.**, **Sabina**, **Sepia**.

—————; difficulty to swallow. **Bell.**

—————, tongue, and lips. **Natr. m.**

—————; tongue coated thick yellow. **Kali bich.**

—————, during fevers. **Bapt.**

—————, throat, that it seems as though the tongue would remain hanging to the palate, without real thirst, when sleeping especially (during menses). **Nux m.**

—————, excessive—at night. **Antim. crud.**, **Coff.**

—————, feeling of. **Puls.**

—————, as though moistened with an oily saliva, and excessive thirst. **Cubeb.**

—————, with violent thirst. **Rhus tox.**

—————, drinking but little at a time. **Ars.**

—————, sticky. **Berber.**

—————, with bitter taste, especially in the morning; offensive breath. **Carbo an.**, **Puls.**

————— empty eructations, gulping up sour, bitter fluid. **Caulophyl.**

————— soreness and bloody saliva. **Nux v.**

————— thirst. **Ars.**, **Laurocer.**, **Nitr. acid**, **Rhus tox.**

—————, without thirst. **Nux m.**

Eruption about the. (See Face.)

Foam at the—especially with delirium. **Bell.**, **Hyos.**

Gangrenous conditions. **Silic.**

Glands—swelling of the submaxillary. **Baryt. c.**, **Calc. c.**, **Merc. viv.**, **Nitr. acid**, **Sepia**.

—————, painful. **Merc. sol.**

Inflammation and swelling of—and fauces. **Bell.**

Jaws—contraction of the—like lockjaw. **Nux v.**

————— cracking in the articulation of the—when chewing and eating. **Nitr. acid**, **Rhus tox.**

————— cramplike pain and stiffness; jaw easily dislocated. **Rhus tox.**

————— fine beating on the under surface on the corner of the left lower—in the left tonsil and behind the latter, unaffected by contact, but violent when swallowing. **Bell.**

————— left—benumbing, dull pressure—cramplike. **Plat.**

Jaws—sensation of tightness and pain in the—causing difficulty in opening the mouth; could not eat well, because a tooth seemed too long. **Caustic.**

———— violent pain in the—and nasal bones. **Aurum.**

Lips. (See Face.)

Mucus in the—abundant—white, tough. **Magn. c.**

———— adhesion of—to the posterior surface of the soft palate, necessitating hawking. **Psorium.**

———— tenacious, in the morning (preceded by great dryness of the mouth on waking from sleep). **Puls.**

Neuralgia in the upper jaw, extending to nose, eye, ear, neck, and side of head, shooting, burning; must kneel down and hold head tightly to the floor. **Sanguin.**

Numbness of the—as if burnt. **Kali c.**

Odor—fetid. **Arnica, Iod., Merc. viv., Natr. m., Niccol., Plumb., Puls., Sabina, Secal. cor., Sepia, Rhus tox.**

————, putrid; bloody saliva. **Kali hydr.**

———— like urine. **Graph.**

———— offensive. **Bapt., Bufo, Carb. an., Castor, Ledum, Nitr. acid.**

———— at night. **Puls.**

————, especially at night, and perceptible to the patient, with bilious headache. **Podoph.**

————, in the morning. **Nux v., Puls.**

———— sweetish. **Merc. viv.**

Open mouth—she sleeps with. **Rhus tox.**

Paleness of the mucous membranes. **Ferr., Phos.**

Ptyalism. (See Saliva.)

Redness around the. **Ipec.**

———— of the roof of the. **Bell. (dark), Cupr. m.**

Saliva—accumulation of. (See Water.) **Iod., Ipec., Nux v., Puls., Secal. cor.**

———— acidulated. **Laurocer.**

————, and matter. **Rhus tox.**

————, day and night; ptyalism. **Merc. sol.**

————, with great weakness, especially of the stomach. **China.**

————, of a sweetish taste. **Puls.**

————; ptyalism, acrid, putrid; taste like rotten eggs. **Muriat. acid.**

Saliva—accumulation of, ptyalism, constant, stringy. **Carb. veg.**

_____, salty taste. **Kali hydr.**

_____, profuse. **Ipec., Iris ver., Nitr. acid, Sepia, Silic., Verat. vir.**

_____, flowing from the mouth, clammy. **Lobelia.**

_____ during the afternoon nap, while sitting. **Rhus tox.**

_____, in the fauces (dryness of mouth). **Nux v.**

_____, mercurial odor. **Merc. sol.**

_____, sometimes. **Colchic.**

_____, tenacious, ropy, yellow, white, metallic taste. **Phytol.**

_____, with violent stomatitis. **Merc. viv.**

_____, ropy, thick, tough; can be drawn out in long strings. **Kali bich.**

_____, watery, with painful dryness of throat.

Merc. viv.

_____, with nausea. **Petrol.**

_____ thirst. **Merc. viv.**

_____ bloody—fetid odor from the mouth; sweetish taste. **Kali hydr.**

_____ in the morning especially. **Nitr. acid.**

_____ with dryness and soreness of the mouth.

Nux v.

_____ frothy, white, thick, sticky. **Cannab. ind.**

_____ oily, with feeling of dryness in the mouth and excessive thirst. **Cubeb.**

_____ salty taste of—which is communicated to all food eaten.

Cyclam.

_____ slimy. **Phos.**

_____, much—particularly in the back part of the mouth. **Lach.**

_____, oily and—in the morning. **Phos. acid.**

_____ in the morning, with headache; both of short duration. **Bell.**

_____ sticky. **Nux m.**

Smarting sensation in—and on the margin of the tongue. **Ipec.**
 Stammering. **Bovista.**

Talking—difficulty of. **Mezer.**

_____, on account of the trembling of mouth and tongue. **Merc. viv.**

A. TASTE.

Taste, acrid, burning, with loss of appetite. **Lobelia.**

_____, of everything she vomits. **Ferr.**

_____, with ptyalism. **Muriat. acid.**

_____ and odor of what has been eaten. **Puls.**

_____ bad in the morning, though food and drink have a natural taste. **Nux v.**

_____, **bitter.** **Amm. m., Cham., Chelidon., China, Colocynth.,**
Conium, Curare, Drosera, Ignat., Kali c., Kali hydr., Ledum, Lycopod.,
Magn. c., Magn. m., Magn. s., Merc. cor., Merc. viv., Natr. m.,
Nux v., Petrol., Rhus tox., Sabina, Sepia, Verat. alb.

_____, after drinking milk. **Phos.**

_____ eating. **Asar. europ., China, Nitr. acid,**
Puls.

_____ or drinking. **Ars., Phos., Puls.**
 (though food has a natural taste).

_____ smoking. **Puls.**

_____, with aversion to food. **Cham.**

_____, even of food. **Puls.**

_____, followed by chilliness, with cold sweat. **Puls.**

_____, in the back part of throat of everything. **China.**

_____ evening, 6 P.M. **Puls.**

_____ morning. **Carb. an., Cham., Lycopod.,**
Puls., Sarsaparilla, Sepia, Silic.

_____ night, with sensation of dryness in the mouth; frequently awoke her at night. **Rhus tox.**

_____, of beer or bread. **Puls.**

_____ everything. **Puls.**

_____ except water. **Acon.**

_____, offensive. **Lach.**

_____, on the tongue. **Bry.**

_____, relieved by drinking cold water; inclination to vomit. **Bry.**

- Taste, bitter*, remains after drinking beer. Puls.
 ———, when not eating. Psorium.
 ———, with yellow tongue. Collinson.
 ———, bloody, sweetish. Ipec.
 ———, rising from the stomach. Zinc.
 ———, chalklike. Ignat.
 ———, clammy. Puls., Sulph.
 ———, *coppery, metallic*. Coccus cacti, **Cupr. m.**, Curare, Hep. s., Kali bich., **Merc.**
 ———, with loss of appetite. **Coccul.**
 ——— profuse flow of tenacious, ropy, yellowish saliva. Phytol.
 ———, fatty, oily, greasy. Caustic., Cubeb., Cyclam., Ol. an., Sabina.
 ———, *flat*. China, Ignat., Lycopod., Petrol., Puls., Staphis., Valerian.
 ———, bad. Alum., Puls.
 ———, of food. Cyclam.
 ———, *horribly bad*—in the morning when awaking; has to rise to cleanse her mouth; white tongue. **Puls.**
 ———, *loss of*. Coff., **Natr. m.**, Phos., Puls., Silic.
 ——— of the food she took long after eating. **Puls.**
 ———, *perverted*. Alum., Cicuta vir., Puls.
 ———; food tastes too salty. **Puls.**, Sepia.
 ———; nothing tastes good to her. **Puls.**
 ———; sweet articles taste bitter, followed by burning in the fauces. Sanguin.
 ———; water tastes bad. Ars., **Natr. m.**, Silic.
 ———, pungent. Lobelia.
 ———, *putrid*. Hep. s., Merc. viv., Mosch., Nux v., Podoph., Rhus tox., Sepia.
 ———, as if from putrid meat in the mouth, with inclination to vomit. **Puls.**
 ———, from an old catarrh. Sepia.
 ———, especially of the water she drinks. **Natr. m.**
 ———, from low down in the pharynx when hawking up mucus. Nux v.
 ———, like rotten eggs, with ptyalism. Muriat. acid.
 ———, with a white fur on the tongue. **Podoph.**
 ———, in the morning; it nauseates her. Graph.

Taste, salty. Cyclam., Iod., Merc. cor., Natr. m., Phos., Puls., Sepia.

_____, of food. Carb. veg.

_____, on tip of tongue. Iod.

_____, slimy. Prunus spi.

_____, and qualmish nausea, in the morning. Puls.

_____, **sour.** China, Curare, Ignat., Kali bich., Lycopod., Magn. c., Merc., Natr. m., Nux v., Petrol., Phos., Puls., Silic., Sulph., Sulph. acid.

_____, after drinking milk. Phos.

_____, and vomiting when eating. Nitr. acid.

_____, in the morning on awaking. Sepia.

_____, on tip of tongue. Iod.

_____, with burning in the throat. Nitr. acid.

_____ coated tongue. Natr. c.

_____, **sweet.** Coccus cacti, Kali bich., Merc. v., Merc. sol., Phos., Puls., Sabina.

_____, on tip of tongue. Iod., Plat.

_____, sweetish. Plumb.

_____, bloody. Ipec.

_____, sulphurous—in the morning. Coccul.

B. TONGUE.

Tongue—biting her—involuntarily at night. Phos. acid.

_____ **black.** Ars.

_____ blackish—with red edges. Merc. viv.

_____ blisters on the. (See Vesicles on the.)

_____ brown. Ars., Bapt.

_____ **burning** of the—and lips. Hyos.

_____ tip of. Colocynth. Natr. m., Sabadilla.

_____ coated. Iod., Psorium.

_____, showing the impress of the teeth upon the margin. Merc. viv.

_____ with fever. Merc. viv.

_____ cold. Laurocer.

_____ covered with tenacious mucus, as if with a membrane.

Puls.

_____ crawling on the. Plat.

Tongue dry. **Ars.**, **Bapt.**, **Bry.**, **Iod.**, **Kali bich.**, **Lach.**, **Phos.**, **Rhus tox.** (with thirst).

_____, and lips, with burning. **Hyos.**

_____ and mouth. **Natr. m.**

_____ mouth and throat when sleeping, during menses. **Nux m.**

_____ during fever. **Bapt.**

_____ in the morning. **Puls.**

_____ throat, interfering with speech. **Bell.**

_____, without thirst. **Palladium.**

_____, brown. **Ars.**, **Coccus cacti.**

_____, clean. **Rhus tox.**

_____, hard, cracked. **Merc. viv.**

_____, coated black, almost immovable.

Phos.

_____, glossy. **Phos.**

_____ *red*, cracked at the tip of, especially. **Lach.**

_____, dark. **Bell.**

_____, painful, at the tip of. **Argt. nitr.**

_____ when awaking, also of mouth and throat. **Nux m.**

_____ white. **Kalmia.**

_____ without thirst, especially in the morning. **Puls.**

_____ *feels as if* burned. **Prunus spi.**, **Sanguin.**, **Sepia** (at the tip).

_____, with numbness. **Laurocer.**, **Plat.**,

Puls.

_____ numb. **Gels.**

_____ scalded. **Sanguin.**

_____ heavy, with difficulty in speaking. **Natr. m.**,

Nux v.

_____ thick, can hardly speak. **Bapt.**, **Gels.**

_____ furred and pasty. **Bapt.**

_____ *indentation of the teeth* in the upper border.

Merc. viv.

_____ pain at the root of—when swallowing. **Phytol.**

_____ painful—as if sore. **Sepia.**

_____ paralysis of—partial. **Hyos.**

_____ right side. **Bell.**

_____ preventing speech. **Plumb.**

_____ *red* and swollen. **Merc. viv.**

_____ at the margin (brown fur down the centre). **Plumb.**

Tongue red at the tip of. **Ars.**, **Phytol.**

_____, painful. **Argt. nitr.**

_____ smooth. **Kali bich.**

_____ sensitiveness of the. **Nitr. acid.**

_____ **stiffness** of the—with difficulty to speak. **Niccol.**,
Sepia.

_____ ; dryness,
especially in the morning. **Lycopod.**

_____ ; left side;
swelling. **Laurocer.**

_____ stitches in the. **Kalmia.**

_____ swelling and redness of the—with difficulty to move
it. **Merc. viv.**

_____ of the—softness of the margins; it showed
imprint of the teeth in scallops, which look ulcerated. **Merc. sol.**

_____ taste on the tip of—salty, sour or sweet. **Iod.**

_____ trembling of the, and difficulty in putting it out, or
widely opening the mouth. **Lach.**

_____ hands. **Merc. viv.**

_____ ulceration of the. **Kali hydr.**

_____ **vesicles** on the. **Lycopod.**, **Nitr. acid.**, **Phytol.**
(margins), **Sepia.**

_____ and its margins, with burning pain
when touched. **Nitr. acid.**

_____ burning; small. **Kali nitr.**

_____ tip of. **Lycopod.**

_____ ; lower side; burning. **Graph.**

_____ **white.** **Bry.**, **Chelidon.**, **China**, **Graph.**, **Ipec.**, **Magn.**
c., **Natr. m.**, **Nux v.**, **Phos.**, **Podoph.**, **Sanguin.**, **Sepia**, **Sulph.**

_____ covered with tough mucus. **Puls.**

_____ cracked. **Calc. phos.**

_____ fur on the—with putrid taste. **Podoph.**

_____ in the morning. **Nux jugl.**

_____ milky. **Antim. crud.**

_____, viscid mucus in the mouth, in the morning.
Podoph.

_____ with whitish swollen gums, that bleed when
touched. **Merc. sol.**

_____ **yellow.** **Bry.**, **Chelidon.**, **China**, **Ipec.**, **Sulph.**

_____ bitter taste. **Collinson.**

_____ covered with tough mucus. **Puls.**

Tongue yellow, dirty, thick coating upon the back part of the. **Merc. prot.**

_____, thick felt upon it. Kali bich.

Ulcers in the mouth and fauces. **Nitr. acid.**

_____, fetid. Nux v.

_____ mercurial, syphilitic. **Nitr. acid.**

_____ on the inner surface of the cheeks, with sticking pains as from a splinter. **Nitr. acid.**

_____ spreading rapidly in extent, without penetrating into the flesh. **Merc. viv.**

Vesicles and cankers. (See Aphthæ; Tongue.) Canth., Rhus tox.

_____, burning. Natr. s., Sepia.

_____ in the mouth and on the tongue, gums, and lips. Magn. c.

_____, painful. Kali c.

_____ on the side of tip of tongue. Puls.

Water in the—accumulation of—(see Saliva) like waterbrash; nausea. Cyclam.

_____ with dryness in throat, and constant desire to swallow. **Merc. sol.**

_____ sudden, like saliva. Ledum.

_____ rising of. Magn. s.

C. TEETH AND GUMS.

Black—or getting to be so. Argt. nitr., **Merc. viv.**, Plumb., Staphis.

_____ streaks running through them. **Staphis.**

Bleeding from the cavities of the—profuse. Erigeron, Ham.

Bluntness of the—they feel elongated. **Mezereum.**

Caries of the—rapid. Fluor. acid.

_____ they become loose, black, and laid bare. **Merc. viv.**

Decay and crumbling of the. Lach., Sepia.

_____ emitting an offensive odor. Plumb.

_____ sudden. Carb. veg., Mezereum.

_____ sycotic, commencing close at the gums; pains worse at night. **Thuja.**

_____ they become loose in succession.

Merc. viv.

Grinding of the. **Cina**, *Cicuta vir.*, *Phytol.*

Looseness of the. *Nitr. acid*, *Stan.*

_____, chronic—gums recede from them, and bleed easily. **Carb. veg.**

_____, sensation of. **Merc. sol.**

_____ and of elongation. *Niccol.*

_____, which are very painful when touched by the tongue. **Merc. sol.**

Sensation as if they were too long. *Niccol.*, *Nitr. acid*, *Stan.*

_____ the upper cuspidati were too long. *Magn. m.*

_____ they were being grasped to be pulled out. *Nux m.*

Sensitiveness of the—when chewing and when touched. **Lycopod.**

_____ extreme. *Natr. m.*

_____ to cold air or any other coldness. **Calc. c.**

_____ touch, food or drinks, they may be sound or not. *Staph.*

Yellowness of the—or getting to be so. *Lycopod.*, *Nitr. acid*, *Phos.*, *Thuja*.

Toothache—a pulselike jerking from the teeth of the lower jaw into the ear, and from the upper jaw into the head, with painfulness of the gums, from 9 P.M. on (relieved by lying down and going to sleep). **Merc. sol.**

_____ *after* suppression of menses. *Sabina*.

_____ washing clothes. *Phos.*

_____, all the teeth; the whole row feel too long and tender; cannot bite. **Carb. veg.**

_____ always preceding a thunderstorm, or cloudy, windy weather; the pain is drawing, aching, or cutting. **Rhododen.**

_____ *at night* especially; burning in the front teeth. *Phos. acid.*

_____ ; darting. *Nitr. acid*, **Puls.**

_____ ; drawing, dull—in the upper right row. **Bell.**

_____ ; jerking. **Merc. sol.**

_____ only. **Lycopod.**

_____, violent—and as it disappears great chilliness over the whole body. **Merc. sol.**

_____, with pain in the jaws and head; the teeth are denuded of the gum and turn black. **Merc. viv.**

Toothache, burrowing slight pain extending to the malar bone.
Mezereum.

_____ in some of the back teeth,
which seems intolerable, causing much peevishness. **Cham.**

_____ darting, jerking, stinging, extending to the ears and
eyes. **Puls.**

_____, tearing, as if the nerve were drawn tense,
and then suddenly let go. **Puls.**

_____ digging, worse in the evening or early night. **Puls.**

_____ drawing—jerking in the teeth and jaws. **Lycopod.**

_____ in a hollow tooth, extending to the ear.

Sepia.

_____ the upper molars. **Sepia.**

_____ during pregnancy. **Magn. c.**

_____, in the front teeth; on inhaling
cold air, from damp weather or washing, better from warmth. **Nux m.**

_____ extending to the nose and eyes from lower back
teeth. **Caustic.**

_____ temples of left side and face.

Kreosot.

_____ from eating, or whenever anything quite warm is
taken into the mouth. **Puls.**

_____ excessive use of tea. **China, Lach., Puls., Se-
len., Thuja, Verat. alb.**

_____ cold air and cold drinks. **Calc. c.**

_____ in the lower jaw. **Natr. c.**

_____ roots of the lower teeth, often extending through
the upper jaw, to the ear, always after waking from sleep, soon after
eating, or from warm and cold drinks. **Lach.**

_____, jerking—after eating. **Stan.**

_____, especially in the morning, that is relieved
when the cold water taken into the mouth becomes warm. **Puls.**

_____, neuralgic. **Prunus spi.**

_____, *relieved* from cold water. **Puls.**

_____ but returns as soon as the
water gets warm. **Coff.**

_____ momentarily. **Bry.**

_____ walking about. **Puls.**

_____ warm water in the mouth. **Merc.**

_____ in the cold air. **Puls.**

Toothache, stitching—worse in the evening or early night. Puls., Sepia.

—————, throbbing. Natr. m., Sepia.

—————, teeth feel too long. **Caustic.**

—————, violent—suddenly going from one place to another. angan.

————— with swelling of the gums and salivary glands. **Merc. viv.**

————— when eating only. **Kali c.**

————— warm food. Prunus spi., Puls., Silic.

————— cold air gets into the mouth. Silic.

—————, while nursing. China.

—————, with sensation as if the tooth were being crowded out by the alveoli. **Caustic.**

————— swelling of the cheek; skin feels tense and hot, as if it would crack; throbbing in the cheek. Lach.

—————, *worse* from cold and better from warm drinks.

Castor.

————— hot substances. **Caustic.**

————— food or drink. Cham., Merc.

————— eating. **Caustic., Puls.**

————— lying on the painless side, relieved from lying on the painful side. **Bry.**

————— picking the teeth. Puls.

————— warm drinks. **Cham., Puls.**

————— warmth of any kind, warm room, warm bed at night, relieved by uncovering in bed, and by a draught of air. **Puls.**

D. GUMS.

Bleeding of the. Carb. veg., Erigeron, Ham., Merc. viv., Natr. m., Sepia.

—————, easy—at the slightest contact; sometimes spontaneously. **Merc. cor., Merc. sol., Merc. viv.**

————— they are spongy. **Merc. viv.**

————— swollen. Phos., Phos. acid., Sepia.

—————, profuse—after the extraction of teeth. Arnica, Erigeron, Ham.

Blue line along the margin of the—distinct and dark. **Plumb.**

Bright-red margins of the. **Merc. viv.**

Painfulness of the—when touched and on chewing. **Carb. veg., Merc. sol., Puls., Sepia.**

Paleness of the. **Cyclam.**

_____, and swelling. **Nitr. acid, Plumb.**

_____, they bleed when touched. **Merc. sol.**

Purple-colored—thin-bordered on the—nearest the teeth. **Plumb.**

Receding from the—they are swollen. **Carb. veg., Merc. viv.**

Scorbutic. Caustic., **Merc. sol.,** Muriat. acid, **Natr. m.**

Spongy and swollen. **Merc. cor.**

Swelling of the. Caustic., **Lycopod., Niccol., Phos., Sepia.**

_____ and soreness. **Nux v.**

Ulcers—small—on the—at intervals. **Merc. viv.**

Throat and Œsophagus.

Ball rising in the throat. (See Sensation.)

Burning in the throat. **Acon., Laurocer., Lobelia, Merc. cor.**

_____ and fauces. **Mosch.**

_____ mouth. **Canth.**

_____, with redness. **Carb. veg.**

_____ œsophagus, worse from the slightest external pressure. **Merc. cor.**

_____ pharynx. **Mezereum.**

_____ with dryness in the œsophagus. **Asafoet., Coccul.**

_____, without thirst. **Magn. m.**

Choking in the throat. (See Constriction.)

Constriction of the fauces, with choking, as from hasty swallowing. **Chelidon.**

_____, difficulty of breathing and irritable cough. **Coccul.**

_____ pharynx. **Mezereum.**

_____ a morsel sticking in it, while eating.

Nitr. acid.

_____ throat. **Cact. gr., Iod., Hyos., Plumb.**

_____, frequently, with dryness. **Natr. s.**

_____, nothing goes down; food and drink regurgitate through the nose. **Lycopod.**

_____, spasmodic—which causes her to cough. **Ignatia.**

Constriction of the throat, with anguish, she shrinks from help. **Ignat.**

_____ inability to swallow, especially fluids. **Hyos.**

_____ œsophagus. **Alum., Bell.**

_____ from above down to the stomach; can only swallow water. **Bapt.**

_____ below upwards—sensation of. **Lobelia.**

_____ sensation, as if one had swallowed too large a morsel of food. **Puls.**

_____ when swallowing food, it is felt until it enters into the stomach. **Alum.**

Contraction in the throat and chest—spasmodic—sensation of. **Ipec.**

_____ œsophagus—spasmodic. **Laurocer.**

Dartings to the œsophagus from the chest. **Asafoet.**

Deglutition. (See Swallowing.)

Desire to swallow. (See Swallowing.)

Drinking—when—water descends with a gurgling noise. **Cupr. m.**

Dryness of the throat. **Bell., Bufo, Phytol., Podoph., Rhus tox., Sabadilla, Sabina, Secal. cor., Sepia.**

_____ and mouth. **Bell., Lycopod., Ol. an.**

_____ and tongue, when sleeping (during menses). **Nux m.**

_____, with difficulty to swallow. **Bell.**

_____ œsophagus, with sensation of burning. **Coccul.**

_____ tongue, interfering with speech. **Bell.**

_____ without thirst. **Palladium.**

_____ at night. **Cinnab.**

_____ on awaking, with thirst.

Lach.

_____ constantly; it hurts as if too tight posteriorly; a pressure is felt in it if she swallows, yet she is constantly obliged to swallow, because the mouth was always full of water. **Merc. sol.**

_____ day and night. **Phos.**

Dryness of the throat in the evening, which induces frequent clearing of the throat. **Alum.**

_____ morning. **Puls.**

_____ intolerable—extending as far as the tip of the tongue, with thirst (without visible dryness), but can drink only a little, because it causes distress internally and qualmishness. **Puls.**

_____, parched, with internal thirst for cold water. **Cannab. ind.**

_____ with a constant desire to swallow in order to moisten the affected parts. **Sulph.**

_____ burning, stinging, without thirst. **Magn. m.**

_____ difficult swallowing. **Alum.,**
Cimicifuga (but constant inclination to it).

_____ dry coryza. **Nitr. acid.**

_____ frequent constriction. **Natr. s.**

_____ spitting. **Lobelia.**

_____ great heat. **Nitr. acid.**

_____ nausea and distension of abdomen. **Ipec.**

_____ rough scraping, acrid sensation and thirst. **Natr. c.**

_____ roughness. **Phytol.**

_____ scraping. **Psorium, Puls.**

_____ tickling cough. **Sanguin.**

_____ without thirst. **Phos. acid.**

Dysphagia. (See Swallowing.)

Erosions—sycotic—of the fauces. **Thuja.**

Food seems to stop in the oesophagus. **Lach.**

_____ ; she has to drink water to wash it down. **Curare.**

Fulness in the throat, causing a constant desire to swallow. **Cinnab.**
Globus hystericus. (See Sensation.)

Hawking. (See Mucus.)

Heat and scraping in the fauces. **Mezereum.**

_____ rising in the throat, as if from hot vapor. **Merc. viv.**

_____, with anguish and oppression. **Hyperic.**

_____ constant nausea. **Nitr. acid.**

Inflammation of the throat. (See Sore Throat, Tonsils.)

Lumps in the throat—sensation of. (See Sensation.)

Mucus—accumulation of—in throat and trachea; worse at night.
Tart. emet.

_____, which she cannot loosen by hawking, but is obliged to swallow it. **Caustic.**

_____ descends from the nose into the posterior nares. Bufo, Coral. rub., Euphorbium, Euphrasia, Hydrast., Merc. prot., Nitr. acid, Plumb., Spigel., Thuja.

_____ hawking up—in the morning. Phos., Sepia.

_____, thick, gelatinous. Kali bich.

_____ thick — that constantly collects again.
Natr. c.

_____, tenacious. **Argt. nitr.**, Phos. acid.

_____ with rawness in the throat, after a nap in the daytime. **Lach.**

_____ rotten, putrid taste in the pharynx.

Nux v.

_____ rattling of. Podoph.

_____ tenacious—covers the throat, in the morning. Puls.

_____ in the posterior part of the pharynx. Kali c.

Nausea in the throat. Bell., Mezereum, Valerian.

_____ and chest, as if she should vomit. Crocus sat.

_____ mouth after eating the least quantity, with dizziness of vision. Cyclam.

_____, ascending from the stomach. Cupr.

_____ from mucus, which cannot be hawked up.

Caustic.

Pain in the throat (see Sore Throat) connected with those in the ear. **Lach.**

_____ and pharynx, even on bending the head backward. **Lach.**

_____, sticking, as if there were a splinter or fishbone in it. **Argt. nitr.**, Hep. s., Kali c.

_____, rawness, soreness, at the palate. **Nux v.**

_____, soreness, extending to the ears. Podoph.

_____, stitches or sticking—relieved when swallowing. **Ignat.**

Plug in the throat—sensation of. (See Sensation.)

Pressure in the throat. (See Sensation.)

Rawness in the throat. **Argt. nitr.**, Carb. veg., Puls., Sepia.

_____, causing cough. **Nux v.**

Redness of the throat (see Sore Throat), dark—fauces, and uvula.

Argt. nitr.

Roughness of throat. Baryt. c., Carb. veg.

_____ and fauces, rawness, smarting. Muriat. acid.

_____ pharynx, with dryness of the throat.

Phytol.

_____ from catarrh. **Nux v.**

_____, which provokes cough. **Nux v.**

_____, with hoarseness, in the morning. Carb. an.

_____ scraping. Kali nitr.♦

_____, dryness, acidity, and great thirst. Natr. c.

Scraped feeling in the—as after heartburn. **Nux v.**

_____ rawness. Puls., Sepia.

_____ worse from hawking. Sepia.

Sensation in the throat as if two lumps as large as the fists came together, only on empty swallowing, not on eating, which later, on account of this sensation, seemed to do good; the throat seems somewhat swollen. **Lach.**

_____ a thread were hanging down the Œsophagus from the pharynx. Valerian.

_____ worm were creeping up. Puls.

_____ something had remained adhering to the Œsophagus after eating. **Lach.**

_____ warm were rising in the throat, arresting breathing. Valerian.

_____ the throat were tied around the larynx with a napkin, impeding swallowing. Chelidon.

_____ constant—of something she cannot swallow. **Lach.**

_____ of a ball, lump, rising from the stomach (globus hystericus). **Asafoet.**, Coccus cacti, Ignat., Kalmia, **Lycopod.**, Magn. m., Natr. m., Plumb.

_____ ; relief by eructation. Magn. m.

_____, felt more when not swallowing than when swallowing. **Ignat.**

Sensation in the throat of a ball, lump of mucus, that can neither be swallowed nor hawked up. **Lach.**

_____ were lodged there. **Sababilla, Sabina.**

_____, when swallowing. **Cham., Graph., Hep. s., Sepia.**

_____; on swallowing, the lump descends, but returns at once. **Lach.**
_____, which is not relieved by swallowing; relaxed uvula. **Kali bich.**

_____, with constant effort to swallow. **Phytol.**

_____ pit of throat of a ball or lump, impeding deglutition (with chronic dyspepsia or oppression of chest). **Lobelia.**

_____ of pressure in the œsophagus. **Asafoet.**

Sensitiveness of the throat to the least external pressure; she feels as if she would suffocate; when lying down, even the touch of her bedclothes cannot be borne and would aggravate pain. **Lach.**

Sore throat (see Tonsils) after cold, with inflammation, swelling, and suppuration of tonsils. **Baryt. c.**

_____ ; a sore rawness in the fauces. **Nux v., Sepia.**

_____, commencing on the left side and going to the right. **Lach., Podoph. (Lycopod., right to left).**

_____, extending up into the nose. **Nitr. acid.**

_____ ; fauces congested and dark red; dryness; the tonsils a little swollen. **Phytol.**

_____ from evening till morning. **Niccol.**

_____, inclination to. **Merc.**

_____ ; inflammation of throat and mouth. **Bell.**

_____, painless. **Bapt.**

_____, painful in the back part, as if raw. **Puls.**

_____, right side, burning in fauces. **Psorium.**

_____, sticking pain. **Nitr. acid.**

_____ in it when not swallowing, and even somewhat while swallowing; the more she swallows, however, the more it disappears; if she swallows anything solid, like bread, it seems as though the sticking entirely disappears. **Ignat.**

_____ when the suppurating gland will not heal. **Silic.**

_____, with dark redness of uvula and fauces. **Argt. nitr.**

_____; congestion of the isthmus; dryness and some swelling of the tonsils. **Phytol.**

Sore throat, with fine stinging pain. **Ledum.**

_____ pain in the ears. **Lach.**

_____ patches of mucus and small spots which look ulcerated. **Merc. prot.**

_____ scraping and stinging, worse on swallowing.

Phos. acid, Sepia.

_____ stitching pain as from a splinter on swallowing, and extending towards the ear on yawning. **Hep. s.**

_____, and external great swelling.

Rhus tox.

_____ white patches appeared, first on the tonsils, then on the back part of the throat, and finally inside of mouth and lips. **Nitr. acid.**

_____ tenderness of the throat and larynx to touch.

Lach.

_____ burning pain.

Carb. veg.

_____ pricking. **Nitr.**

acid.

_____ swelling so great as to threaten suffocation.

Merc. cor.

_____ ulcers in fauces and mouth. **Nitr. acid,**

Nux v. (fetid).

_____, making swallowing very difficult and painful. **Lach.**

_____ increased painfulness from empty swallowing, then from swallowing food. **Lach.**

Soreness of the Œsophagus, preceded by burning. **Asafoet.**

Stitches in the throat when swallowing. **Niccol.**

_____, going into the ear. **Petrol.**

Submaxillary glands—swelling of. (See Mouth.) **Rhus tox.**
(and Parotid.)

Swallowing—constant urging or desire to. **Cimicifuga, Cinnab., Lach.**

_____ difficult. **Hyos., Kali c., Merc., Nitr. acid,**
Rhus tox.

_____, can only swallow small morsels at a time. **Alum.**

_____, fluids regurgitate through the nose.
Lach.

- Swallowing* difficult, from dryness of mouth and throat. **Bell.**
 _____ paralysis. **Silic.**
 _____ sensation of a lump in throat. (See Sensation.) **Lobelia.**
 _____; the throat feels as if it were too narrow, and nothing could pass properly. **Bell.**
 _____ with frequent inclination to—dry pharynx. **Cimicifuga.**
 _____ sensation as if the larynx was pressed back against the œsophagus. **Chelidon.**
 _____ of different kinds. (See Sensation.)
 _____ empty—aggravates the pain in the throat more than swallowing food. **Baryt. c., Lach.**
 _____ frequent—as if she had to swallow something down the throat. **Cina.**
 _____ inability to—especially fluids, from constriction of the throat. (See Constriction.) **Hyos., Lach.**
 _____ the throat seems to close. **Cicuta vir.**
 _____ painful—without inflammation; in hysteria. **Silic.**
 _____ saliva—constantly obliged to. **Ipec.**
 _____ when—excoriating shooting pain through both ears. **Phytol.**
 _____ pain at the root of the tongue. **Phytol.**
 _____ between the shoulders. **Rhus tox.**
 _____ in the throat extending to the left ear. **Lach.**
 _____ as from a splinter or fishbone. **Argt. nitr.**
 _____ sensation as if the back part of the throat were narrower than usual, or closed by swelling. **Puls., Hep. s.**
 _____ with smarting pain in throat, more so when swallowing empty. **Baryt. c.**
 _____ stitches in the throat. **Niccol.**
Swelling of the right sublingual glands. **Merc. viv.**
 _____ externally, as the maxillary and parotid glands were greatly enlarged. **Rhus tox.**
 _____ sensation of. **Sabina, Sanguin.**
Taste—bitter—in the back part of throat. **China.**

Taste—putrid—low down in the pharynx, with hawking of mucus. *Nux v.*

————— sour—in the throat, with burning. *Nitr. acid.*

Tickling in the throat and tingling—intolerable. *Iod.*

————— causing cough. *Bry., Kali c., Valerian.*

————— with slight cough and headache. *Sanguin.*

Tonsils—swelling of. *Phos.*

—————, and glands of neck. *Hep. s.*

————— inflammation (see Sore throat) generally beginning on the left side, extending to the right; when swallowing pain extends to left ear. **Lach.**

————— and induration. *Plumb.*

————— suppuration, with sharp sticking pain in the fauces when swallowing. **Merc. scl.**

————— causing great dryness when sleeping.

Merc. viv.

————— chronic—and induration. *Baryt. c., Calc. c., Phytol.*

————— obstructing respiration. *Merc. viv.*

————— left—fine tearing pain behind the tonsil, and on the inner surface of the corner of the lower jaw, unaffected by contact, but violent during deglutition. **Bell.**

Uvula—swelling and elongation of the. *Calc. c., Capsic., Hipp. m. (great), Hyos. (great), Iod., Kali c. Merc. cor. (great), Millefol., Phos., Sulph.*

————— sensation of. *Coccus cacti, Crocus sat.*

————— relaxed—with sensation of a plug in throat, which is not relieved from swallowing. *Kali bich.*

————— ulcer or excavation on root and right side of—size of a pea split, with reddish areola, containing yellow tenacious matter. *Kali bich.*

Appetite and Thirst.

(See Hunger, under Stomach.)

Appetite diminished. *Coff., Ol. an.*

—————, but does not know for what. **Puls.**

————— **changeable**, capricious. *Kali bich., Podoph., Puls.*

————— with thirst. *Kali bich.*

Appetite good, but a small quantity satisfies; feels full and bloated after eating; eructation. Calc. c.

————— feels inclined to eat too often and too much.

Ars., Iod.

—————, feels better after eating. Iod.

—————, with emaciation. Iod., Lycopod.

————— increased. Cannab. ind., China.

————— *lost*. Canth., Carb. an., Colchic., **Ferr.**, Ignat., Lach., L. V. Deflor., Magn. c., Magn. s., Natr. m., Nux v., **Plumb.**, Podoph., Puls., Rhus tox., Sanguin., Sepia, Silic.

————— completely. Cyclam., **Kali bich.**

————— after the first mouthful. Caustic.,

Lycopod., Rhus tox.

————— as soon as she sees or smells the things she wanted. **Colchic.**

————— from a constant sense of satiety; she cannot eat because she feels too full, up to the throat; whatever she eats goes against her, even to vomiting. **Lycopod.**

————— indifference to eating or drinking. China.

————— with acrid burning taste in the mouth. Lobelia.

————— clean tongue. Digital., Laurocer.

————— emaciation. Ars.

————— hunger. **Gratiola**, Nux v.

————— metallic taste. **Coccul.**

————— violent thirst. Nitrum.

————— *poor*. Magn. c., Nux v., Plumb., Puls.

—————, she relishes nothing. Merc. viv.

—————, with continually sensation of satiety. **China**,

Lycopod.

————— loaded feeling. Nux v.

————— thirst. Kali nitr.

————— *ravenous*. (See Hunger.) Calc. c., Cannab. ind., China, Coccus cacti, Ignat., Iod., Kali nitr., **Lycopod.**, Merc. viv., Natr. m., Nux v., **Phos.**, Podoph. (at times), **Secal. cor.**, Sepia, Silic., Stan., Verat. alb.

————— and emptiness in the stomach, with loss of appetite in the palate and throat. Rhus tox.

————— even after eating. Merc. viv., Sepia, Staphis.

————— followed by distension of abdomen. **Lycopod.**

Appetite ravenous, greediness, cannot eat fast enough. Zinc.
 _____ (dur-

ing contemptuous mood). **Plat.**

_____ with emaciation. **Iod.**

_____ nausea in the morning. **Cyclam.**

_____ unnatural, even when dying from exhausting dis-
 charges from the bowels. **Secal. cor.**

Aversion to all fluids, with thirst. **Canth.**

_____ *kinds of food*. Aletr. f., Aloe, Ars., Bry.,
Canth., Chin. sulph., **Coccul.**, **Ferr.**, Ipec., Mosch., **Nux v.**, Sepia.
 _____ because she is low-spirited.

Plat.

_____ ; bitter taste in the mouth.

Cham.

_____ extreme. **Coccul.**

_____, with good taste. **Gratiola.**

_____ hunger. **Nux v.**

_____ loathing, satiety. **Po-**

doph., **Plumb.**

_____ brandy. **Ignat.**

_____ beer. **Rhus tox.**

_____ bread. Curare, Kali c. (rye) Lycopod., Natr. m.,

Nitr. acid, **Nux v.**

_____ during pregnancy. **Sepia.**

_____ butter. **Sanguin.**

_____ cheese. **Chelidon.**

_____ cold drinks. **Carb. an.**

_____ fat food. **Carb. veg.**, Hep. s., Petrol., **Puls.**

_____ fish. **Zinc.**

_____ meat. Aloe, Ars., **Calc. c.**, **Carb. an.**, **Ferr.**,
Graph., **Ignat.**, Niccol., Nitr. acid, Petrol., **Puls.**, Sabadilla, Sepia,
Silic., **Sulph.**

_____ soup. **Silic.**

_____ milk. **Ignat.**

_____, it turns sour when taken. **Carb. veg.**

_____ puddings. Phos. (opposite to Sabadilla).

_____ salt. **Carb. veg.**, **Graph.**

_____ smoking tobacco—extreme. **Ignat.**, **Puls.**

_____ solid food. Antim. crud., **Carb. veg.**, Lycopod.

_____ sweet things. **Caustic.**, **Graph.**

_____ the smell of cooking meat. **Colchic.**

Aversion to the smell of food. **Colchic.**

————— usual food and drink, and the customary tobacco and coffee. **Nux v.**

————— vegetables. Curare, Hellebor., Magn. c. (green food).

————— warm food. **Calc. c., Ignat., Petrol.**

Desire for acids. Antim. crud., Bry., Chelidon., **Hep. s., Kali c., Phos., Podoph., Sabina, Tart. emet., Verat. alb.**

—————, drinks. **Hep. s., Magn. c., Magn. m., Sepia.**

—————, fruits, nuts, and other delicacies. Cubeb., Ipec., Verat. alb.

—————, but hardly knows what. China.

————— alcoholic drinks. Puls.

————— apples. Tellurium.

————— beer. Merc. viv., Mosch., Petrol., Rhus tox.

—————, especially in the morning. Puls.

————— bitter food or drinks. Natr. m.

————— brandy. Cubeb., Mosch., Nux v.

————— bread. Natr. m.

————— and butter. **Merc. sol.**

————— cakes. Plumb.

————— chalk, coal, starch, etc. **Alum., Cicuta vir., Nitr. acid, Nux v.**

————— cheese. Ignat.

————— cold food. **Calc. c.** (opposite to Chelidon.).

————— coffee. Antim. crud., Carb. veg., Cham.

————— fat things. Nitr. acid, **Nux v.**

————— food, with hunger, but does not know for what. Magn. m.

————— hard-boiled eggs. Calc. c.

————— herring. Nitr. acid.

————— hot drinks or food. Chelidon. (opposite to Calc. c.)

————— ice-cream. Eupat. perfol.

————— lemonade. Sabina.

————— liquid food. Merc. viv.

————— meat. Curare, **Magn. c.**

————— milk, which agrees. **Chelidon.** opposite to Carb. veg.).

————— cold. **Rhus tox.**

————— onions. Cubeb.

————— puddings. Sabadilla (opposite to Phos.).

Desire for salt. Calc. c., Natr. m.

———— smoked things. **Caustic.**

———— something juicy and refreshing. **Phos. acid.**

————, knows not what; loss of appetite. Puls., Sanguin.

———— sour things. (See Desire for Acids.) **Hep. s.**

———— spiced food. Sanguin

———— sweet things, sugar, etc. Argt. nitr., Calc. c., Ipec., Kali c., Lycopod.

———— things that cannot be had, or which are refused, or not wanted when obtained. Bry.

———— vegetables. Magnesia.

———— vinegar. Sepia.

———— wine. Calc. c., Hep. s., Sepia.

Disgust for food. (See Aversion.)

Hunger after eating. (See Hunger under Stomach, Ravenous Appetite.) Aloe.

————, with feeling of emptiness. Calc. c., China, Cina, Gratiola, Laurocer., **Lycopod.**

———— gnawing. Alum., Argt. nitr., Bovista, Lycopod., Phos., Strontiana.

———— and desire to eat, without knowing what. Magn. m., Puls.

———— at night on waking. **Lycopod.**

————, but cannot get down the food. Silic.

————, great. **Psorium.**

———— to fainting, at about 11 A.M. every day. **Sulph.**

————, with aversion to food, especially bread and coffee.

Nux v.

———— nausea, in the morning. **Cyclam.**

————, without appetite. **Gratiola.**, Psorium, Puls.

Satiety—sensation of constant. **Lycopod.**, **Podoph.**, Puls.

————, from a small quantity of food, followed by nausea and vomiting. **Podoph.**

———— sudden—with great thirst. **Lycopod.**

Thirst. (See Desire.) Berber., Magn. s., Ol. an.

———— at night, disturbing sleep. Bry.

———— especially. Rhus tox.

————, constant. Calc. c., Kali hydr. (day and night), **Nitr. acid.**, Secal. cor.

————, drinks hastily. Ars., Bell., Hep. s.

Thirst, drinks often, but little at a time. **Ars.**, **China**, **Tart. emet.**

_____, and vomiting it up immediately. **Ars.**

_____ from dryness of throat. **Rhus tox.**, **Secal. cor.**

_____, great. **Colchic.**, **Colocynth.**, **Lachnanth.**, **Opi.**, **Podoph.**, **Rhus tox.**, **Sepia.**

_____, at long intervals, for large quantities. **Bry.**

_____, especially towards evening, with burning heat in the face. **Plat.**

_____, for cold water. **Acon.**, **Ars.**, **Curare**, **L. V. Deflor.**, **Merc. viv.**, **Verat. alb.**

_____ at night. **Magn. c.**

_____ large quantities of cold water. **L. V. Deflor.**

_____ ; wants it often.

Ars.

_____, in the morning. **Sepia.**

_____, with rough, dry, acrid sensation in throat. **Natr. c.**

_____ satiety. **Lycopod.**

_____, intermittent. **Cyclam.**

_____ violent. **Agaric. m.**, **Bell.**, **Gratiola**, **Hyperic.**, **Merc. sol.**, **Natr. m.**, **Secal. cor.**

_____, at 3 A.M. **Magn. m.**

_____, day and night. **Niccol.**

_____, for beer. **Petrol.**

_____ cold water. **Dulc.**, **Merc. viv.**, **Natr. s.**, **Plumb.**

_____ ; drinks but little at a time, but wants it often. **Ars.**, **China.**

_____ ; it does not agree ; it chills the stomach, and lies there like a stone ; she is afraid of it. **Ars.**

_____, from a sensation of dryness in the whole body. **Phos. acid.**

_____, morning, noon, and night. **Kali c.**

_____, with dry mouth. **Laurocer.**, **Nitr. acid.**

_____ want of appetite. **Kali nitr.**, **Nitrum.**

_____, unquenchable—but drinking does not refresh. **Ars.**

_____ especially in the forenoon, with frequent micturition. **Castor.**

_____ night and day, especially for beer or cold drinks. **Merc. viv.**

Thirst unquenchable, with feeling of dryness in the mouth, as though moistened with an oily saliva. **Cubeb.**

———, with aversion to all fluids. **Canth.**

——— capricious appetite. **Kali bich.**

——— longing for something refreshing. **Phos.**

Thirstlessness. **Apis**, **Coff.**, **Natr. m.**, **Plat.**, **Puls.**, **Sabadilla**, **Sepia.**

——— the whole day. **Cyclam.**

———, with dryness of tongue and throat. **Palladium.**

——— heat. **Apis**, **Puls.**

Stomach and Epigastrium.

(See Abdomen.)

Acidity of the stomach. (See Waterbrash.) **Alum.**, **Hydrast.**, **Silic.**, **Sulph. acid.**

——— and nausea from fat food. **Nitric acid**, **Puls.**

———, excessive. **Robinia.**

Ball in the stomach—sensation of a large. **Curare.**

——— rising to the throat, with suffocation. **Plumb.**

Belching. (See Eructation.)

Bloatedness of the stomach. **Bry.** (sensation of), **Calc. c.**, **Graph.**, **Puls.**

——— after a meal. **Carb. an.**, **Borax**, **Iod.**

——— and after drinking. **Nux v.**

——— from flatulency. **Borax.**

———, no matter how small, up to the throat. **Lycopod.**

——— and abdomen, with drawing in the right hypogastrium. **Caulophyl.**

——— pressure as from a stone, especially after eating. **Nux v.**

——— at the pit of stomach. **Bovista**, **Prunus spi.** (shortness of breath).

Bloatedness of the stomach, as though it would burst from wind. *Argt. nitr.*

_____, like an inverted saucer. **Calc. c.**
 _____, painful. **Hyos.**
 _____ with bruised pain. *Asafoet.*
 _____ cramplike pains. **Lycopod.**
 _____ flatulency. **Colchic., Graph.,**

Nux m.

_____ pain and sensitiveness. *Lach.*

Cancer of the stomach. *Ars., Kreosot.*

Cardialgia. (See Pain.)

Coldness in the stomach and pressure when drinking cold water.

Ars.

_____, icy. *Colchic.*
 _____, from eating fruits or drinking cold drinks. **Elaps.**

Constriction of the stomach, extending to chest and throat. *Alum.*

_____, painful. **Graph.**

Derangement of the stomach. (See Nausea, Vomiting, Pain, Digestion.) **Antim. crud., Hep. s., Puls.**

_____ from fruit or ice-cream. **Ars.**
 _____ fat food. *Nitr. acid, Puls.*
 _____ milk. **Carb. veg., Kali c.**
 _____ overeating, or high living.

Nux v.

_____ warm food. *Kali c.*
 _____ with great depression of spirits.

Podoph.

_____ nausea and disgust of food; obstinate. *Aletr. f.*

Digestion—slow. **China, Lycopod., Puls.**

_____ weak and difficult. *Kali bich., Lach., Natr. m.*
 _____, the plainest food distresses her. *Carb. veg.*
 _____, with continuous hunger. *Merc. viv.*
 _____ hypochondriac mood. *Natr. c.*

Dyspepsia—chronic. **Podoph.**

_____, with the sensation of a lump in pit of throat, and oppression of chest. *Lobelia.*

_____ especially with pains that are relieved by eating. *Chelidon.*

Dyspepsia—especially with pains that are worse after eating.
Nux v.

Empty, weak feeling in the stomach. (See Hunger.) Carb. an., Cimicifuga, Gels., Hydrast., Ignat., Ipec., Lobelia, Magn. c., Natr. m., Niccol., Oleander, Phos., Podoph., Sepia, Sulph.

_____ after eating. Sanguin.
_____, with hunger. Calc. c., China, Cina, Gratiola, Laurocer.

_____ and faintishness, almost constant. Cimicifuga.

_____ as if she had been fasting too long. Ignat.

_____ at 11 A.M. she must eat.
Sulph.

_____ ceasing after supper.

Sepia.

_____, from anxiety, grief, nightwatching, fasting, with fetid breath and dry tongue. Bapt.

_____ in the morning, with lassitude and debility. Crocus sat.

_____ painful. Sepia, Trill.

_____ relieved by eating.

Alum.

_____, trembling. Calc. c.

_____, with eructation. Kali c.

_____ faint, feverish feeling. Sanguin.

_____ violent and long-continued palpitation of heart. Hydrast.

_____ at the pit of stomach. Carb. an.

_____ after eating, especially after breakfast. Digital.

_____, painful. Sepia.

_____ with any kind of dropsy. Apocyn. can.

_____ pale face. Ignatia.

Eructation. (See Gulping, Hiccough, Rising of fluid.) Acon., Dulc., Plumb., Puls., Silic.

_____ after a meal especially. Argt. nitr., China, Sepia.

- Eructation after* a meal, or drinking, even a little. *Sepia*.
 _____ dinner. *Kreosot*.
 _____ eating—constant—tasting of the food, with
 qualmishness. *Puls*.
 _____ as if from rotten eggs. *Arnica*, *Brom.*, *Bufo*, *Coff.*,
Magn. m., *Magn. s.*, *Petrol.*, *Psorium*, *Sepia*, *Stan.*, *Sulph.*, *Vale-*
rian.
 _____ bad meat after dinner; the same taste
 afterwards remains in the mouth, with qualmish nausea. *Puls*.
 _____ *bitter*. *Arnica*, *Laurocer.*, *Magn. m.*
 _____, after eating, or empty. *Sepia*.
 _____; sometimes sour. *Phos. acid*.
 _____, bilious, in the evening. *Puls*.
 _____ at night. *Puls*.
 _____, relieved by eating. *Amm. m.*
 _____, with burning in the stomach. *Ars*.
 _____ *burning*. —nausea, pain between the shoulders
 during and after eating. *Rhus tox*.
 _____, causing a burning in the pharynx for several
 hours. *Lycopod*.
 _____, continual. *Muriat. acid*.
 _____, empty—from morning till evening, as
 if all the food she took was turned into gas. *Iod*.
 _____ *empty*. *Bell.*, *Berber.*, *Cauloph.*, *Daph.*, *Iod.*,
Merc., *Mezer.*, *Phos.*, *Plat*.
 _____ and sour. *Phos*.
 _____ spasmodic. *Coccus cacti*.
 _____ tasteless. *Daphne*.
 _____ with burning. *Iod*.
 _____ feeling of discomfort and pressure in
 the stomach. *Bismuth*
 _____ headache. *Calc. c*.
 _____ nausea, preceded from the stomach,
 and accumulation of saliva. *Ipec*.
 _____ fetid, cadaverous. *Bismuth*.
 _____ frequent. *Arnica*, *Bry.*, *Daphne*, *Kali c.*, *Natr. c.*,
Phos.
 _____, tasting of the food. *Puls*.
 _____ violent. *Borax*, *Carb. veg*.
 _____, with nausea. *Erigeron*, *Kali nitr*.
 _____ ineffectual. *Puls*.

- Eructation** ineffectual, with pain. Carb. an.
 _____ of bitter fluid. Nux v., Puls.
 _____, with vertigo. Cauloph.
 _____ food, a long while after eating. Caustic.
 _____ gas. Lobelia, Puls.
 _____, affording much relief. Argt. nitr.
 _____ in large quantities, after eating. Phos.
 _____, it never passes downward. Asafoet.
 _____ hot flatus. Podoph.
 _____ mucus, tough and glairy, which runs continually
 from the mouth. Carb. veg
 _____ sour fluid, with vertigo. Cauloph.
 _____ putrid. Arnica, Merc. viv., Plumb.
 _____ relieving nausea. Cinnab.
 _____; rising of water in the mouth. Magn. s.
 _____ sour. Acet. acid, Cham., Ferr., Hep. s., Magn.
 c., Magn. m., Natr. c., Nitr. acid, Phos., Podoph., Sepia, Silic.
 _____, after eating. Kali c., Phos. acid.
 _____, with fulness and sour vomit-
 ing. Calc. c.
 _____, burning, spasmodic, violent. Coff.
 _____, exciting pain, and aggravated by it. Cham.
 _____ following vomiting. Caustic.
 _____ frequent, with hardness and distension of
 abdomen. Conium.
 _____ in the morning. Puls.
 _____ of ingesta. Phos.
 _____ sour fluids. Cauloph., Hydrast., Nux v.
 _____, the taste of which does not remain in the
 mouth, but the acid gnaws in the stomach. Lycopod.
 _____; waterbrash; heartburn. Lycopod.
 _____ with nausea. Niccol.
 _____ smelling like garlic. Asafoet.
 _____ sweet. Plumb.
 _____ tasting of food. Antim. crud., Carb. veg., Puls.
 _____ eggs. Sulph.
 _____ garlic or musk; violent. Mosch.
 _____ old rancid tallow, after eating cakes.
 Puls.
 _____ that seem to become incarcerated in right chest.
 Rhus tox.

Eructation violent. Argt. nitr., Mosch.

————— which afford great relief of all the symptoms.

Argt. nitr.

————— with empty weak feeling at the stomach. Kali c.

————— hot saliva in the mouth. Mosch.

————— uprising of food. Phos.

————— violent convulsive cough. Ambr. gr.

————— without affording any relief. China.

Fermentation in the epigastric region. Plat.

Fulness of the stomach. (See Bloatedness, Pressure.) Asafoet.,
Rhus tox.

————— after eating, with excessive languor.

Nitr. acid.

————— and chest. Castor.

————— pressure at the pit of stomach.

Bovista.

—————; loaded feeling. Coff., Nux jugl.

—————; poor appetite. Nux v.

—————, sudden—after eating a small quantity
of food. Nux v.

————— at the pit of stomach. Lachnanth.

Gagging, with inclination to vomit. Bell.

Gastric symptoms—violent. Natr. m., Nux v., Podoph., Puls.

Gnawing in the stomach. (See Pain.)

Goneness at the stomach. (See Empty Feeling.)

Gulping up fluids (see Vomiting, Rising of fluids), bitter.
Cauloph., Sarsaparilla (during and after eating).

—————, saltish. Carb. an.

—————, sour. Cauloph., Nux v., Plumb.

—————, burning. Lobelia.

—————, during and after eating. Sarsapa-
rilla.

————— water. Lach., Natr. s.

—————, sweetish water. Plumb.

—————, tasting of ingesta. Antim. crud.

—————, water, preceded by trembling of the stom-
ach. Magn. s.

Hardness in the pyloric region. Sepia.

Heartburn. (See Waterbrash.)

Hæmorrhage of the. (See Vomiting of blood.) Secal. cor., Stan.

—————, from a ruptured bloodvessel. Erigeron.

Hæmorrhage of the—of large quantities of dark-colored blood.
Ham.

Hiccough. (See Eructation.) **Iod.**, **Lycopod.**, **Niccol.**, **Plumb.**

———, after a meal. **Cyclam.**, **Lachnanth.**

———, long-lasting, at the hour when the fever ought to have come. **Ars.**

——— and frequent. **Amm. m.**

——— painful. **Hyos.**, **Phos.**, **Ratanhia.**

———, with pain in the stomach and vomiting. **Hyos.**

——— spasms and rumbling in the abdomen. **Hyos.**

Hunger. (See Appetite.)

Irritability of the stomach; cannot retain a mouthful of water.

Apocyn. can.

Lumps—hard—in the stomach, with chocolate-colored vomiting.

Mezer.

Movements in the stomach—strange. **Curare.**

——— pit of stomach, as from something alive, also in the arms, abdomen, etc. **Crocus sat.**

Nausea. (See Vomiting.) **Acon.**, **Ars.**, **Bell.**, **Cubeb.**, **Dros.**, **Ipec.**, **Merc. viv.**, **Nux v.**, **Plumb.**, **Puls.**, **Sanguin.**, **Secal. cor.**

——— after a meal immediately. **Natr. m.**, **Nux v.**

——— dinner. **Amm. m.**, **Nux v.**

——— eating. **Nux v.**, **Sepia.**

——— or drinking. **Rhus tox.**

——— rising in the morning. **Magn. m.**

——— and acidity from fat food. **Nitr. acid.**, **Puls.**

——— anxiety when exerting the eyes. **Sepia.**

——— qualmishness all day. **Petrol.**, **Puls.**

——— vomiting. **Æscul. hipp.**, **Cimicifuga**, **Hyos.**, **Ipec.**, **Lach.**, **Lac can.**, **Merc. viv.**, **Natr. c.**, **Secal. cor.**, **Silic.**, **Sulph.**, **Verat. alb.**

——— during vertigo. **Theridion.**

———; inclination to the latter. (See the same under Vomiting.) **Coccul.**, **Colchic.**, **Magn. c.**, **Podoph.**, **Psorium**, **Puls.**

——— before breakfast. **Gossypium.**

———, especially at night. **Magn. s.**

——— when riding in a carriage. **Coccul.**

Nausea. Vomiting in the morning of sour, bilious, slimy substances. **Hep. s.**

_____ sometimes. **Puls.**

_____, straining. **Hedeoma.**

_____, violent—in woman having scirrhusities.

Conium.

_____ with cramps in the stomach and extremities. **Cupr. m.**

_____ when smelling food. **Colchic.**

_____ thinking of food. **Drosera, Sepia.**

_____, with stitching through the abdomen.

Kali c.

_____ vertigo. **Apocyn. can.**

_____ waterbrash, caused by fresh meat; smoked meats agree. **Caustic.**

_____, as if from the stomach, with empty eructations and accumulation of much saliva. **Ipec.**

_____ she should faint. **Cham., Kali c.**

_____ at the sight of food. **Mosch.**

_____, *constant*. **Castor, Ipec., Nux v.** (want of appetite),

Petrol.

_____ and violent. **Ipec., Lobelia.**

_____, with great weakness, anxiety, and trembling sensation through the whole body. **Plat.**

_____, with heat in stomach, rising into the throat.

Nitr. acid.

_____, distressing. **Ipec.**

_____ during menses. (See Part I.) **Kali bich.**

_____, extreme. **Podoph.**

_____, with salivation and constant spitting. **Sanguin.**

_____ very little vomiting of dark-brown coffee-grounds fluid; debility. **Secal. cor.**

_____, frequent momentary attacks of. **Hep. s.**

_____, with inclination to vomit. **Coccul.**

_____ from colic. **Nux v.**

_____ smell of food. **Sepia.**

_____ thought of food. **Sepia.**

_____ *in the morning*. **Anacard., Gossyp., Hep. s., Nux v., Sepia.**

Nausea in the morning after rising. Magn. m.

_____ and after dinner. **Nux v.**

_____, as if all the viscera were turning inside out. **Sepia.**

_____ before breakfast. **Lycopod., Spigel.**

_____, disappearing after a swallow of water. **Lobelia.**

_____ eating. **Sepia.**

_____ early—attacks of. **Laurocer.**

_____, when rising up in bed especially.

Acon., Bry.

_____, with accumulation of water in the mouth. **Petrol.**

_____ faintness. **Conium.**

_____ unusual hunger. **Cyclam.**

_____ *in the stomach.* **Arnica, Bell., Ipec.**

_____, or proceeding from there. **Ipec.**

_____, with inclination to vomit. **Puls.**

_____ ; qualmishness in the pit of stomach; cramplike pain in left side of abdomen. **Nux v.**

_____ *in the throat.* **Bell., Mezer., Valerian.**

_____ and chest, as if she would vomit.

Crocus sat.

_____ palate after eating the least quantity, with much dizziness of vision. **Cyclam.**

_____, ascending from the stomach. **Cupr.**

_____ from mucus, which cannot be hawked up. **Caustic.**

_____, sudden. **Apis.**

_____ not relieved by vomiting. **Sanguin.**

_____ qualmish—in the upper abdominal region, especially after eating and drinking. **Puls.**

_____ *relieved* by eructation. **Cinnab.**

_____ when falling asleep, but returns on waking.

Colocynth.

_____ resembling seasickness, as if the stomach heaved up and down; inclination to vomit. **Coccul.**

_____, waterbrash, disagreeable risings. **Puls.**

_____ *when* becoming cold. **Coccul.**

_____ eating. **Puls.**

_____ in the open air. **Amm. c.**

Nausea when moving about. Kali bich.

_____ riding in a carriage. **Coccul.**, Petrol., Sepia.

_____ sitting up. **Acon.**, Bry., **Coccul.**

_____ thinking of food. Bry., Graph., Magn. c., Mosch., Sarsaparilla, **Sepia**, Sulph.

_____, with accumulation of water in the mouth like water-brash. Cyclam.

_____ anxiety and trembling. Nitr. acid.

_____ chilliness. Bovista.

_____ colic. **Puls.**

_____ countless stars before the eyes. Cyclam.

_____ distension of abdomen and dryness of throat.

Ipec.

_____ fainting; after it, very pale and sick at the stomach as soon as she closes her eyes, with vanishing of thoughts.

Theridion.

_____ frequent eructation. Erigeron, Kali nitr.

_____ sour eructation. Niccol.

_____ headache. Kalmia, Lach., **Natr. m.**

_____ indigestion and disgust for food. Aletr. f.

_____ almost any affection; it predominates continually.

Ipec.

_____ spasmodic uterine pain (pregnancy). Cupr. ars.

_____ umbilical pain. Phytol.

_____ uncomfortable sensation in the abdomen. Cyclam.

_____ vertigo and tendency to faint. **Coccul.**

Oppression of the stomach. Mosch.

_____ and distress. Secal. cor.

_____, sudden—she has to loosen her clothes. Zinc.

Pain from the stomach to the small of back during menses. Borax.

_____ groins and legs. Plumb.

_____ shoulders; colic, pressure.

Nux v.

_____ spine or between the shoulder-blades, aching, gnawing, pressing. **Bell.**

_____ uterus and back. Hedeoma.

_____ *in the* stomach. (See Pressure, Spasms.) **Hyos.**

Pain in the stomach, aching—or burning, contractive (cardialgia). Carb. veg.

_____ dull—causing a very weak, faintish feeling. Hydrast.

_____ after eating, in weakly women. Mangan.

_____, an hour after. Puls.

_____ the simplest kind of food. Sepia.

_____ as from a bruise. Magn. m., Ol. an.

_____, with bloatedness or feeling of fulness. Asafoet.

_____ if cut to pieces, with extreme sensitiveness of the epigastrium. Kali c.

_____, *burning*. Ars., Bry., Calc. phos., Carb. veg., Colchic., Crocus sat., Hyos., Kali nitr., Magn. s., Niccol., Nitr. acid, Nux m., Phos., Sanguin., Secal. cor., Sepia.

_____, gnawing. Ruta, Sanguin. (nausea).

_____, of long duration, chronic Erigeron.

_____, pressure. Bismuth, Cicuta vir.

_____, rising up into the throat. Mangan.

_____, with bloatedness and fulness. Asafoet.

_____ bitter eructation. Ars.

_____ empty eructation. Iod.

_____, cardialgia. (See Gastralgia.)

_____, colic, and pressure, extending to the shoulders. Nux v.

_____, constrictive. Graph.

_____, extending to the chest and throat. Alum.

_____, contractive. Carb. an., Carb. veg., Graph., Magn. c., Natr. c.

_____, *cramps*. Cupr. m., Sepia.

_____, also in the extremities; violent nausea and vomiting. Cupr. m.

_____, contractive—even at night, extending into the chest, with distension of abdomen. Carb. veg.

Pain in the stomach, cramps, with distension of the stomach. **Lycopod.**

_____ hysterical lymphatic women. Valerian.

_____, cramplike, with pressure. **Nux v.**

_____, relieved by eating. **Petrol.**

_____ from the least food. Aletr. f.

_____, gastralgia—relieved by eating. **Chelidon.**

_____, or attacks prevented when they are felt to come on, with an empty stomach. **Petrol.**

_____ worse from food or drink.

Nux v.

_____, gnawing. **Lycopod.**, Nitr. acid.

_____, like ravenous hunger. **Puls.**

_____, relieved by eating. **Chelidon.**

_____, with hunger. Alum., Argt. nitr., Bovista, **Lycopod.**, Stront.

_____, but no desire for food. **Puls.**

_____, griping, clawing. **Carb. an.**, Graph., **Puls.**

_____, indescribable—and sick feeling. **Ipec.**

_____, **neuralgic** (cardialgia). Argt. nitr., **Cimicifuga.**

_____, contractive. **Carb. an.**, Carb. veg., Graph., Magn. c., Natr. c.

_____, periodical. **Ignat.**

_____, pinching. **Asar. europ.**

_____, **pressing**. Bell., Cicuta vir., Dulc., Ferr., Kali c., Kali nitr., Lach., Mezer., Nitr. acid, Plumb.

_____, after eating. **Gratiola**, Hep. s., Merc. viv., Rhus tox., Sepia.

_____, and a metallic, herby taste returns. **Nux v.**

_____ a little. **Lycopod.**

_____ in the morning. **Nux v.**

Pain in the stomach, pressing, after eating the least food or drink. Ferr.

_____, immediately ; the food lies in the stomach like a heavy load. Kali bich., Nux v. (one or four hours after eating).

_____ and burning. Bismuth, *Cicut. vir.*

_____, as from a stone. Acon., Brom., Bry., Kali bich., **Nux v.**, Phos., Phos. acid, Puls., Rhus tox., Sepia.

_____, above the pit of stomach. Phos.

_____, after drinking cold water. Ars.

_____ eating. Bismuth, Kali bich., **Nux v.**

_____, which makes her fretful. Bry.

_____ overloading the stomach, immediately after eating. **Nux v.**, Silic.

_____, as though she had been eating too much. **Lycopod.**

_____, in the evening when lying down. Carb. an.

_____ morning when awaking. Carb. an.

_____, violent—after eating the most simple things ; constipation. Daphne.

_____, shooting—and abdomen. **Argt. nitr.**

_____, stitches—violent—single. **Crocus sat.**, Sepia.

_____ when coughing. Podoph.

_____, stitching—worse when walking or making a misstep. Puls.

_____, tensive—with sensitiveness to touch. Coff.

_____, throbbing. Natr. s.

_____, perceptible to the hand laid thereon. Puls.

_____, twisting—paroxysms of—and rising towards the throat. Sepia.

_____, violent—with great debility. Calc. phos.

- Pain in the stomach**, when touching it. **Phos.**
 _____ walking. **Phos.**
 _____, with fainting. **Laurocer.**
 _____ vomiting and hiccough. **Hyos.**
 _____ **in the pit of stomach especially.** (Compare also
 the preceding symptoms.) **Cannab. ind.**, **Kali nitr.**
 _____, aching. **Kali nitr.**, **Sarsapa-**
rilla.
 _____, as from a stone, after
 every meal. **Cham.**
 _____ and anxiety. **Ars.**
 _____ sensitiveness. **Merc. cor.**
 _____, **burning.** **Ars.**, **Calc. phos.**,
Ham., **Kali hydr.**, **Silic.**
 _____, mouth, and phar-
 ynx. **Ars.**
 _____; cannot bear anything around
 her waist. **Lach.**
 _____, caused by coughing. **Lycopod.**
 _____, drawing, early in the morning.
Puls.
 _____ during inspiration. **Puls.**
 _____, extending to the back. **Sabina.**
 _____, **pressive.** **Kalmia**, **Magn. s.**,
Ranuncul. bulb., **Rhus tox.**
 _____, and fulness. **Bo-**
vista.
 _____, after every meal.
Puls.
 _____, as from a stone.
Acon., **Cham.** (after meal, **Stan.**).
 _____, in the morning,
 followed by cutting in abdomen and constant nausea. **Nux v.**
 _____, screwing. **Nux v.**
 _____, stitches. **Kali c.**, **Lamium**
alb., **Nitr. acid**, **Sabina.**
 _____, from the—through
 the body to the back. **Chelidon.**
 _____, tenderness. **Sepia.**
 _____, **throbbing.** **Asafoet.**, **Lach-**
nanth., **Magn. m.**, **Puls.**, **Sepia.**

Pain in the pit of stomach, throbbing, and right ear, preventing sleep. *Cact. gr.*

_____ followed by burning heat of face and body, without perceptible outward heat or redness, without thirst. *Sepia.*

_____, sensible. *Puls.*

_____ to touch. *Lach., Sepia.*

_____, with swelling. *Argt. nitr.*

Pressure as from a stone in the epigastrium, in the morning; worse by walking, relieved by sitting. *Nux v.*

Qualmishness. (See Nausea.)

Regurgitation of food—sour. *Podoph., Puls.*

_____ undigested, soon after swallowing it. *Phos.*

_____ or sour vomiting, especially after eating sour food. *Calc. c.*

Retching continually—spasmodic. *Baryt. m.*

_____ empty. *Asar. europ.*

_____ while hawking the mucus from the fauces. *Nux v.*

Rising of fluid from the stomach—bitter. (See Eructation, gulping.) *Nux v., Puls.*

_____ salty. *Carb. an*

_____ sour. *Nux v.*

_____ after drinking coffee.

Puls.

Rumbling in the stomach. *Phos. acid.*

Scraping sensation in—and œsophagus, like a heartburn. *Puls.*

Sensation as if the stomach were constantly full of water.

Kali c.

_____ one had eaten too much; food rises up into the stomach as if one would vomit. *Puls.*

_____ something indigestible were lying in the stomach. *Coccus cacti.*

_____ of flabbiness in the stomach. *Ignat.*

_____ something twisting about the stomach, and rising toward the throat. *Sepia.*

_____ warm rising from the stomach, arresting breathing, with tickling deep in the throat and cough. *Valerian.*

_____ rotation at the pit of stomach, with uneasiness, anxiety, and sighing. *Gossyp.*

Sensation as weakness in the epigastric region and pit of stomach—peculiar. **Ignat.**

Sensitiveness of the epigastrium to touch. **Bry.**, **Magn. c.**, **Merc. sol.**, **Ruta**, **Secal. cor.**, **Sepia**.

_____ and intestines, in spite of their debility and total prostration of digestive power. **Carb. veg.**

Sinking at the stomach. (See Empty, weak feeling.)

Spasms of the stomach. (See Pain.) **Coccul.**, **Collinson.**, **He-deoma**, **Kali nitr.**

_____ and flatulency. **Collinson.**

_____ during and after a meal, with griping and lacerating pain. **Coccul.**

Stitches in the stomach. (See Pain.)

Swelling of the stomach. (See Bloatedness.)

Tension above the stomach. **Nux v.**

_____ of—relieved by drinking milk. **Ruta.**

Throbbing in the stomach. (See Pain.)

Trembling and sinking feeling at the stomach. **Calc. c.**

_____ of the stomach with subsequent gulping up of water. **Magn. s.**

Vomiting. (See Nausea, Gulping, Retching, Rising of Water, Eructation, etc.) **Acon.**, **Phos.**, **Secal. co.**

_____ *after* drinking, as soon as the drink has become warm in the stomach. **Phos.**

_____ ever so little, from irritability of the stomach. **Apocyn. can.**, **Bismuth.**

_____, of green substances.

Ars.

_____ immediately. **Ars.**

_____ of that which has been drunk. **Arnica**, **Bry.**, **Cham.**, **China**, **Dulc.**, **Ferr.**, **Nux v.**, **Puls.**, **Silic.**

_____ eating. **Puls.**

_____ ever so little of green substances. **Ars.**

_____ immediately. **Ars.**, **Ferr.**

_____ though the food is relished. **Bry.**

_____ the least quantity of food. **Verat. vir.**

_____ giddiness. **Kali bich.**

_____ *as soon* as she eats. **Ferr.**

_____, suddenly. **Rhus tox.**

_____ *at* or *immediately after* midnight. **Ferr.**

Vomiting at night. Puls.

———— *bile.* Acon., Antim. crud., Bell., Cham., Cupr., Kali bich., Merc. viv., Phos., Podoph., Puls., Sepia (mornings).

———— *bitter.* Nitr. acid, Nux v., Sanguinia,

———— especially after drinking beer. Mezer.

———— at night. Lycopod.

———— water. Magn. c.

———— with colic. Iod.

———— black pitchlike substances. Ipec.

———— *blood.* Arnica, Ferr., Phos., Secal. cor., Stan.

———— chocolate-colored, with hard lumps in the epigastrium. Mezer.

———— chronic. Sulph.

———— during menses. (See Part I.)

———— pregnancy. Kreosot., Lach., Sepia.

———— fecal matter. Plumb.

———— followed by sour eructations. Caustic.

———— frequent or constant. Plumb.

———— from stooping. Ipec.

———— *food.* Ipec., Kali c., Merc. viv., Phos., Plumb., Sepia (mornings), Silic.

———— an hour after eating (with putrid taste and odor). Podoph.

———— as soon as the first spoonful reaches the stomach. Zinc.

———— at night. Lycopod.

———— especially at night or in the evening. Puls.

———— that had been eaten a long time before. Puls.

———— undigested. Kali bich.

————, violent, and of discolored substances. Plumb.

———— hot, sour, bilious matter. Podoph.

———— *inclination to.* (See the same by nausea.) Iod., Plumb., Verat. alb.

———— as soon as she rinses her mouth out. Sepia.

———— constant. Ipec.

———— early in the morning especially. Cham.

———— or evening, with inability to do so. Mosch.

———— when coughing. Puls.

Vomiting, inclination to, with taste as from putrid meat in the mouth. Puls.

_____ incessant—green bilious. **Merc. cor.**

_____ in the evening, frequent and violent eructations.

Carb. veg.

_____ forenoon of sour mucus. **Nux v.**

_____ morning. Sepia.

_____ when rising up in bed. **Bry.**

_____ liquid—glairy. Kali bich.

_____ milky water. Sepia.

_____ **mucus**. Antim. crud., **Bell.**, Kali bich., **Puls.**,

Tart. emet.

_____ in large quantities. Ipec., Tart. emet.

_____ the morning. Dule.

_____ milky. Sepia.

_____ preceded by anxiety. Sanguin.

_____ purulent matter. Silic.

_____ **relieved** by drinking cold water. Cupr. m.

_____ saltish water. Magn. c.

_____ **sour**, acrid substances. Ferr., Kali c., Nitr. acid,

Nux v. (mornings), **Podoph.**, Sulph.

_____ especially of sour food. **Calc.**

c., Cham.

_____ water. **Calc. c.**

_____ sweetish water in the morning. Kreosot.

_____ sympathetic—from uterine irritation. Kreosot.

_____ violent. Phytol.

_____ and long, without much nausea. Verat. vir.

_____ in women having scirrhusities. Conium.

_____, retching, severe colic. **Canth.**

_____, with cramps in the stomach and extremities.

Cupr. m.

_____ **water**. Cupr. m.

_____, as soon as it gets warm in the stomach. **Phos.**

_____ **when** eating, with sour taste. Nitr. acid

_____ vertigo. Magn. c.

_____ smelling of food. Colchic.

_____ thinking of food. Dros., **Sepia.**

_____ **with** continual dry, hawking cough, and arrest of breathing. **Alum.**

_____ diarrhoea. Antim. crud.

Vomiting, with pain in stomach and hiccough. Hyos.

_____ the uterus, caused by pessaries. Nux m.

_____ vertigo. Apocyn. can.

_____ yellow substances. Gratiola.

Waterbrash. (See Rising of Fluids.) Dros., Lycopod., Magn. s., Puls., Sabina, **Secal. cor.**, Sepia.

_____ and nausea—constant—caused by fresh meat; smoked meat agrees. **Caustic.**

_____ heartburn, violent—after eating sweet things. Zinc.

_____, with heat in the stomach. **Podoph.**

Abdomen in General.

Affections mostly of the left side of—and right side of the back.

Fluor. acid.

Ascites. (See Dropsy.)

Ball in the—sensation of the rolling of a. Lach.

Bloatedness of the. (See Distension.)

Borborygmus. (See Rumbling.)

Burning in the. (See Pain in the Abdomen and its different anatomical regions.)

Cold feeling in the. **Ambr. gr.**, Gratiola, Petrol., Phos.

_____ and back. **Secal. cor.**

Colic. (See Pain.)

Congestion of the portal circulation. Asafoet., Ham., Podoph., **Sepia**, Sulph.

Distension of the. (See Flatulency, Colic, Dropsy, Fulness, Hardness, Rumbling.) Aloe, Apocyn. can., **Ars.**, **Calc. c.**, **Coccul.**, Graph., Kali c., L. V. Deflor., Magn. c., Merc. viv., Natr. m., **Phos. acid**, Rhus tox., Sabina, **Secal. cor.**, Sepia, Thuja, Zinc.

_____ after eating. **Kali c.**, **Lycopod.**, Rhus tox.

_____ but a little—immediately—great, with fulness and heat. **Kali c.**, **Lycopod.**

_____ ; flatulency. Borax, **Lycopod.**

Nux v.

_____ as though the bowels would burst. **Carb. veg.**

_____ ; great apprehension after breakfast. **Caustic.**

_____ ; great and enormous. Nux m.

- Distension of the***, and fulness of. Anacard., **Coccul.**
 _____ hardness. **Baryta c., Calc. c., Hep. s.,**
Kali c., Merc. sol., Magn m.
 _____ with emaciation and good ap-
 petite. **Calc. c.**
 _____ frequent sour eructations.
 Conium.
 _____ flatulent. (See the same after eating.) **Aloe,**
Borax, Carb. veg., Lycopod., Nux m., Sepia.
 _____ after a stool. **Lycopod.**
 _____, relieved by emission of flatus. **Ly-**
copod.
 _____ in the evening; escape of flatus from the
 vagina. **Sanguin.**
 _____ morning. **Sanguin.**
 _____ painful. **Berber., Colocynth.**
 _____ and oppressive. **Argt. nitr.**
 _____ and sudden. **Kali hydr.**
 _____ to touch. **Acon., Bell., Lach.**
 _____ with sensation as if the contents of
 the bowels was to be pressed up into the chest. **Cham.**
 _____; cramps in the stomach, extending into the
 chest. **Carb. veg.**
 _____; nausea and dryness of throat. **Ipec.**
 _____, with colic. **Sepia.**
 _____, without accumulation of wind. **Amm. m.**
 Dropsy of the. **Ars., Prunus spi.**
 _____ with great soreness of the abdominal walls, and
 stinging, burning pains. **Apis.**
 Emptiness in the—sensation of. **Calc. phos., Phos., Sepia.**
 Enlargement of the. (See Potbellied.) **Sepia.**
 Eruption on the—itching. **Sulph.**
Fermentation in the—from eating fruit. **China.**
 _____ sensation as if from. **Lycopod.**
Flatus, Flatulency. (See Distension; Colic.) **Amm. m., Man-**
gan., Nitr. acid.
 _____, accumulation of—incarcerated—left side. **Iod.**
 _____ very painful. **Lycopod.**
 _____ here and there in the abdomen, in the
 hypochondria, even in the back, in the region of the ribs and chest,

causing tension and bubbling; which is always relieved by empty eructations. **Lycopod.**

Flatus, emission of—large and easy. **China, Phos.**

—————, when at stool. **Aloe, Calc. phos.**

—————, inodorous. **Agaric m., Carb. veg., Plat.**

—————, putrid. **Carb. veg.**

—————, with tendency to diarrhoea. **Carb. veg.**

————— small quantities; distended abdomen, colic.

Cham.

————— up and down, affording no relief. **Carb. veg.**

————— in the right abdomen, with palpitation. **Podoph.**

————— moves from one side to the other, with loud rumbling, griping, especially in evening, in bed. **Puls.**

—————, offensive. **Arnica, Bry., Carb. veg.**

—————, smelling like rotten eggs. **Arnica.**

————— very—and burning. **Aloe.**

————— presses upon the bladder, and causes cramp in the bladder, that doubles him up. **Prunus spi.**

————— with spasms of the stomach. **Collinson.**

Fulness of the—and hardness. (See Distension; Hardness.)

Graph.

————— heaviness, after eating but little. **Lycopod.**

————— as from a weight in the pelvis. **Pallad.**

—————, weight and dragging in the pelvis, worse from standing and cold washing. **Sulph.**

—————, better from cold washing. **Aloe.**

—————, during motion. **Sepia.**

————— with ice-coldness of hands and feet. **Aurum.**

————— repletion after a moderate meal. **Muriat. acid.**

————— tightness as if stuffed, no relief from eructation. **China.**

Gurgling in the. (See Rumbling.)

Hardness of the—and fulness. (See Distension.) **Graph.**

————— retraction towards the spine. **Plumb.**

Heat in the—sensation of. **Phos.**

————— with anxiety. **Bell.**

Heaviness. (See Fulness.)

Heaviness, as from a stone, just before menses. **Puls.**, **Sepia**.

Movements in the—as if from something alive; bounding.
Crocus sat., **Thuja**.

_____ ; quivering.
Sabina.

_____ ; shaking.
Curare.

Navel seems to adhere to the spine. **Plumb**.

Numbness in the—right side—extending into the thighs, or to the ribs. **Apis**

Pain across the—left to right. **Carb. veg.**, **Lach**.

_____ right to left—cutting. **Lycopod**.

_____, tenderness. **Sepia**.

_____ in the—and weight. **Sepia**.

_____ as if *bruised*—and in the hypochondriac region, worse on the side on which she lies; worse on turning, and worse when beginning to move. **Rhus tox**.

_____, especially in the cœcal region and following the course of the transverse colon; the cœcal region and transverse colon are painful to moderate pressure, as though they had been bruised. **Merc. cor**.

_____ from inclination to hernia. **Coccul**.

_____ internal ulceration, on sitting down, bending, or any other kind of motion. **Coccul**.

_____ the intestines in the whole abdomen were squeezed between stones. **Colocynth**.

_____ parts were clutched by a hand; or a sensation as if the finger-nails were dug into the parts; the pains are transient. **Bell**.

_____ bearing down. (See Laborlike.)

_____ *burning*. **Acon.**, **Canth.**, **Puls.**, **Sepia**.

_____, all through and through the pelvis.

Lac can.

_____, and through the whole intestinal canal, with unquenchable thirst, and disgust for drinks of any kind. **Canth**.

_____ *colic*—after anger; green stools. (Compare all the kinds of pain.) **Cham**.

_____ suppression of hæmorrhoids. **Nux v**.

_____ as if a diarrhoea from taking cold were coming on. **Dulc.**, **Nux v**.

_____ every afternoon. **China**.

Pain in the—colic at night, pressure here and there as if from incarcerated flatus, not relieved by emissions. Puls.

_____ the appearance of menses without diarrhoea. Caustic.

_____ comes and goes suddenly. Bell.

_____ compelling her to walk bent. Rhus tox.

_____ continual; lancinating in the side of the abdomen. Cham.

_____ cramping. Coccul., Dros., Natr. m., Prunus spi., Puls., Sepia.

_____, has to walk very carefully, to avoid pain or urinary troubles. Prunus spi.

_____, violent—with retraction of the abdominal muscles. Podoph.

_____ with rumbling in abdomen. Puls.

_____ **cutting**. Cupr. m., Kali c., Magn. c., Opi., Puls.

_____ and pinching—with feeling of fulness after a moderate meal. Muriat. acid.

_____ tearing, especially at night. Merc. viv.

_____, as if from flatulency. Puls.

_____ down low in the pelvis. Hyos.

_____ every morning. Natr. m., Nitr. acid.

_____ in the left side of the upper abdomen. Kali c.

_____ preceding a soft stool. Niccol.

_____ sharp, sometimes with sour vomit. Phos.

_____ with eructations and desire to vomit. Nux v.

_____ qualmishness. Nux v.

_____ drawing, tensive, like labor pains. Puls.

_____ extending to all parts of the body; excessive. Plumb.

_____ **flatulent**. (See Distension.) Ignat., Ipec., Natr. m., Phos.

_____, aggravated from wine, and towards evening. Zinc.

Pain in the—colic, flatulent, as if the abdomen would burst.
Brom.

so painful, as to drive her wild. Coff.

after eating especially. Carb. veg.

worse from eating the least thing, or tightening the clothing. Caustic.
_____, bladder and rectum were pressed out with a sharp instrument. **Nux v.**

_____ at midnight; abdomen distended. **Coccul.**

_____ ; distended abdomen; emission of flatus in small quantities. Cham.

_____ ; incarcerated flatus. Iod., **Lycopod.**

_____ ; in weak and emaciated persons. Aletr. f.

_____ moving about the abdomen (in evening, in bed). **Puls.**

_____ with cramps; emission of flatus preceding a stool. Caust.

_____ pinching. Asafoet.

_____, especially after supper or at night. Puls.

_____ protrusion of transverse colon, relieved by stooping forward, or pressing upon it. **Bell.**

_____ followed by diarrhoea early in the morning. **Nux v.**

_____ griping, followed by a green, thin diarrhoea, without tenesmus. **Magn. c.**

_____ kidneys and legs. Plumb.

_____ *pinching*. Bovista, **Hyos.**, **Magn. c.**, Mosch., Natr. s., **Opi.**

_____ and cutting; feeling of fulness after a moderate meal. Muriat. acid.

_____ uneasiness with uterine cramps. Bry.

_____, before a leucorrhœal discharge. **Conium.**

_____, followed by pressing down in

the groins, attended by a pressure in the pudendum, and an increased discharge of menstrual blood. **Plat.**

Pain in the—colic, pinching, from the left to the right side. **Carb. veg.**

_____ griping. **Ipec.**

_____ in epigastrium, taking away the breath. **Coccul.**

_____ hindering respiration. **Amm. m.**

_____ lacerating—violent—in the whole abdomen **Castor.**

_____ **violent.** **Kali nitr., Plumb.**

_____ before stool. **Bapt.**

_____ every morning. **Podoph.**

_____ **with** diarrhoea after taking the least nourishment. **Colocyath.**

_____, which is often violent. **Mezer.**

_____ nausea. **Puls.**

_____ pressing towards the genitals, and sensation as if menses would appear. **Crocus.**

_____ retraction of the umbilical muscles.

Podoph.

_____ tenesmus; stools of mucus, black, fecal matter. **Collinson.**

_____ vomiting and violent retching. **Canth.**

_____ constant—frequently with affection of the ovaries. (Right.) **Natr. m.**

_____ constrictive, transversely across the umbilicus, as if the abdomen were constricted by a string. **Chelidon.**

_____ contractive. **Kreosote, Natr. m.**

_____ cramplike—left side—with qualmishness at pit of stomach. **Nux v.**

_____ digging. **Natr. s.**

_____ drawing. **Sepia.**

_____ from the navel especially to the back.

Plumb.

_____, pelvis and loins. **Carbol. acid.**

_____ and thighs. **Ferr.**

_____ during stool, worse in the morning. **Nitr. acid.**

_____ every evening. **Ledum.**

Pain in the—extending from the abdomen to the small of back; can hardly get up and walk after sitting. *Æscul. hipp.*

————— in the abdominal ring, in the morning, as if a hernia would become incarcerated. **Nux v.**

————— *laborlike*—(compare Part I) and in the hypogastric region. **Bell., Calc. c., Camph., Canth., Cham., Cimicifuga, Drosera, Graph., Iod., Kreosot., Lach., Nux v., Podoph., Sabina, Secal. cor., Sepia, Stan., Sulph., Terebinthina.**

————— after a leucorrhœal discharge. **Lilium.**

————— and pressure while standing. **Rhus tox.**

————— small of back; limbs feel heavy, torpid. **Cimicifuga.**

————— weight in the pelvis. **Kreosot.**

————— as if menses would appear, with aching and pressure in hypogastrium. **Apis.**

————— colic, with pain like a weight in small of back; leucorrhœa. **Kali c.**

————— contractive, from both sides of the abdomen. **Conium.**

————— cutting. **Asafoet.**

—————, drawing, like false labor-pains. **Kali c.**

————— drawing and pressing towards the uterus, every morning. **Puls.**

————— especially in women suffering from menstrual suppression. **Drosera.**

————— extending down into the legs. **Aloe.**

————— to the back. **Kali ferro-cyan.**

————— in the genitals, worse when riding in a carriage. **Asafoet.**

————— loins and groins, worse when standing, with fulness and heaviness in the uterine region. **Cimicifuga.**

————— pelvis. **Caulophyl., Cimicifuga, Plat.**

————— and sacrum; burning in the thighs, with slimy, bloody discharge; great debility; cancer uteri. **Carb. an.**

Pain in the—laborlike, in pelvis and small of back, during climaxis. Plumb.

_____, towards the genitals. Sulph.

_____, with congestion of uterus. Nux v.

_____, worse while standing. Aloe, **Sulph.**

_____ slight dragging pain from the sacrum. **Sepia.**

_____ uterine region, while standing. Rheum.

_____ or walking; backache, relieved by lying on something hard. Rhus tox.

_____, irritable, or low-spirited, weeping, apprehensive. Lilium.

_____, opposite and contradictory mental state. Lilium.

_____ over the symphysis. Sulph.

_____ periodical, severe, worse from movements, with weakness or paralysis of the legs. Hedeoma.

_____ *pressing, as if prolapsus would occur.* Antim. crud., Copaiva, Natr. c., Pallad., **Sepia**, Ustilago.

_____, worse when standing or walking, before and during menses. Conium.

_____ and the internal organs would issue from the vagina, hence the difficulty of standing. Calc. c.

_____, during stool. Podoph.

_____, every morning; has to sit down to prevent it. Natr. m.

_____, frequently relieved by standing up or sitting erect, particularly felt in the morning, or on walking or sitting bent; the pains often come and go suddenly. **Bell.**

_____ in any position. **Natr. m.**

Pain in the—laborlike, pressing, as if prolapsus would occur, particularly during menses. Plat.

_____, relieved by sitting, lying down, or pressing with the hand upon the vulva. **Lilium.**

_____; she must lie down and cross her limbs to prevent it, with oppression of breathing. Sepia.

_____, with backache and pain through the hips and thighs; abdomen feels swollen. **Nitr. acid.**

_____, towards the genitals. Kreosot.

_____, early in the morning, in bed or during a walk, with sensation of contraction in the abdomen. **Nux v.**

_____sharp, severe, extending to back and hips. Gels.

_____spasmodic. **Nux m.**

_____toward the sacrum, with ineffectual urging to stool. **Nux v.**

_____violent, followed by purulent, corrosive leucorrhœa. Ignat.

_____, intermittent. Asafoet.

_____will bear no contact, not even her clothing; the uterine region feels swollen. **Lach.**

_____with anorexia. **Lilium.**

_____bloated feeling. **Lilium.**

_____cold, clammy limbs. **Lilium.**

_____fainting in a close room when standing: **Lilium.**

_____frequent desire to urinate. Cham.

_____, scanty, burning urine. **Lilium.**

_____sensation as if menses would appear; colic. **Crocus.**

_____tearing pains in the veins and frequent discharge of coagulated blood from the vagina. Cham.

_____tenderness over the uterine region. Apis, **Lach.**

Pain in the—laborlike, with backache and urgent desire to stool. **Lilium**.

————— neuralgic. **Verat. vir.**

————— periodical—setting in after meal. **Nux v.**

————— pressing. **Zinc.**

—————, and fulness—as if it would burst, worse from eating the least or from tight clothing. **Caustic.**

—————, in the small of back, as from a stone, with disposition of the legs to go to sleep when sitting; ineffectual desire to stool. **Puls.**

—————, as from a stone. **Coccul., Pallad., Puls.**

—————, just before menses. **Puls.**

—————, towards the groins and anus. **China.**

————— pressive—as if the intestines would be cut to pieces. **Opi.**

————— pressure as if from something heavy in the left side, not affecting the breathing, but constantly felt while walking, sitting, or lying. **Lycopod.**

————— running from the os ilii forward and downward. **Bry.**

————— severe—in the lower part, worse from motion. **Cimicifuga.**

————— sharp—bearing down in the uterus, with aching below it. **Ferr.**

————— intermittent, across the lower bowels. **Lilium.**

————— severe, extending to the back and hips. **Gels.**

————— **shooting**, sharp. **Kali bich.**

—————; abdomen is tender to touch.

Acon.

—————, and stomach. **Argt. nitr.**

—————, stitching, especially in the left side.

Asafoet.

—————, with frequent emissions of large quantities of pale urine. **Cham.**

————— spasmodic. (See Cramplike.)

————— spasms—hysterical. **Mosch., Sabina.**

————— sticking—with nausea, vomiting, and great weakness. **Kali c.**

————— **stitches** and soreness. **Bell.**

Pain in the—stitches, arresting breathing. **Crocus sat.**

_____, extending to the right side of chest.
Conium.

_____ spine. **Kali bich.**

_____ vagina. **Ars.**

_____, left side. **Sepia.**

_____, sometimes in the right, sometimes in the left flank, apparently connected with the ovaries. **Colocynth.**

_____ stitching—with pressure in the region of the last true rib, arresting the breathing, with stitches and pressure on the top of right shoulder. **Ranuncul. bulb.**

_____ *tenderness*; can't bear any pressure, even in bed she is obliged to rise and loosen the nightdress; she dares not lay the arms across the body. **Lach.**

_____ painful. **Puls., Sepia.**

_____ throbbing. **Ignat., Iod.**

_____, and in pelvic cavity. **Æscul. hipp.**

_____ thrusting like a knife. **Lach.**

_____ violent and distressing, in the left iliac region when walking or riding; she must lie down to get relief. **Thuja.**

_____ in the vagina. **Amm. c.**

_____, radiating thence to all parts of the body.

Plumb.

_____ *with* extreme anxiety. **Ars.**

_____ rumbling in the transverse colon (followed by diarrhœa). **Podoph.**

_____ soreness — great — when being touched.

Acon., Bell., China, Ferr., Lach., Merc. viv.

_____ walking. **Ferr.**

_____ *worse* after eating. **Lobelia.**

_____ when lying on the back. **Podoph.**

_____ riding in a carriage. **Asafœt., Thuja.**

Painfulness of the whole abdomen, long lasting, as if it were all sore and raw. **Bell.**

Potbelliedness—irritable and faint from the least exertion. **Sepia.**

Pressure of the external—making her feel very uncomfortable.

Lach.

Retraction of the abdominal muscles against the spine. **Plumb.**

Rumbling in the. **Amm. m., Hep. s., Lycopod., Muriat. acid, Puls.**

_____, after eating especially. **Sepia.**

Rumbling in the, and pain in transverse colon. **Podoph.**

_____ as if water were running out of a bottle.

Aloe.

_____ audible. Carb. an., Phos.

_____, particularly in the left hypochondrium. **Lycopod.**

Rolling over of something from left to right, when turning to lie on the right side, with inability to do so. Lach.

Sensation in the—as if menses would appear. Crocus sat., Sulph. acid.

_____ painful—passing off in the evening, but appearing again in the morning. Plat.

_____ as if the bowels would drop when walking. Merc.

_____ of a lump in the left side of abdomen. Nux m.

_____ emptiness. **Sepia.**

_____ want of room in the abdomen, during pregnancy.

Plumb.

Spots—brown—on the abdomen. **Sepia.**

_____ yellow—on the abdomen. **Phos.**

Swashing in the intestines as from water. **Croton tig.**

Swelling of the. (See Distension.)

Tenderness of the. (See Pain.)

Throbbing in the. (See Pain.)

Tingling in the—voluptuous—and pudendum. **Plat.**

Torpor of the portal circulation. **Asafoet., Podoph., Sepia.**

Tumors of the—circumscribed, changing localities, caused by shifting flatus, but which may also answer for phantom tumors in hysteria. **Lycopod.**

Weak feeling in the. Magn. m., **Phos.**

_____ as if diarrhoea would occur. Aloe

_____ from emptiness. **Phos.**

_____ it would drop. Staphis.

_____, she has to keep it up. Merc.

_____, sensation of—in the abdominal ring, as if a hernia would occur. **Nux v.**

_____ sinking feeling in the—with prolapsus. Calc. phos., **Phos.**

Weight in the (see Fulness)—on rising in the morning. **Sepia.**

B. EPIGASTRIC REGION.

(See Stomach.)

C. HYPOCHONDRIAC REGION.

Engorgement of the spleen. **Chin. sulph.**Oppression in the—with dry hawking cough. **Nux v.****Pain** in the—both—with painfulness when touched. **Ranuncul. bulb.**————— and in lowest ribs in chest—bruised—in the evening. **Ranuncul. bulb.**————— bruised. **Carb. veg.**————— burning in the right. **Terebinthina.**————— crest ilium, either in one or both sides, worse from motion. **Terebinthina.**————— cutting, pressing, violent—here and there. **Bell.**————— drawing in the right—with distension of abdomen and stomach. **Cauloph.**————— dull—at night. **Kali bich.**————— left—shooting from the navel to the pelvis. **Pallad.**————— with profuse, pale urine. **Sanguin.**————— pressive—left—from below upwards, with anxiety and nausea in chest. **Rhus tox.**————— pressure and tension in the left. **Nitr. acid.**————— stitches. **Natr. m., Sepia.**————— after dinner. **Ranuncul. bulb.**Rumbling in the left—especially. **Lycopod.**Sensitiveness of the—extremely great. **Kali c.**Tight clothing around the waist is unbearable. **Bovista, Calc. c., Kreosot., Lach., Nux v.**Tightness of the—sensation of—as if from her clothing, has to loosen them. **China, Nux v.**

D. LIVER REGION.

Distension in the. **Laurocer., Natr. m., Nitr. acid.**—————, and aching after eating. **Natr. m.**————— spleen. **Nux m.****Pain** in the. **Chelidon.**—————, aching, gnawing. **Ruta.**

Pain in the, and soreness. Lach.

————— relieved by rubbing the part; fulness.

Podoph.

————— burning. Kali c.

—————, **pressure** and soreness as from a blow, worse from touch. **Lycopod.**

————— tension. Nitr. acid, Sepia.

—————, with heat. Aloe.

————— on breathing. **Lycopod.**

—————, stitching. Ol. an.

————— pricking. Æscul. hipp.

————— sticking, especially when walking. Puls.

————— **stitches.** Carb. veg., Mosch., Sepia.

————— and hardness. Magn. c.

————— from the liver to the spine. Kali bich.

————— when riding. Sepia.

—————, worse in cold air. Kali c.

————— and pressure—and at the top of right shoulder. **Ranuncul. bulb.**

————— when eating to satiety. **Lycopod.**

E. SPLEEN REGION.

Pain in the—stitches. Psorinum.

F. UMBILICAL REGION.

Pain in the—aching. Verat. vir.

————— as if a blunt plug were squeezed into the intestine.

Anacard.

————— and other parts, drawing to the vagina. Calc. phos.

————— burning. **Acon.**

————— **colic.** Æscul. hipp.

—————, has to bend double, being worse in any other position; worse at intervals. **Colocynth.**

————— constrictive—immediately after dinner. **Colocynth.**

————— cutting—preceding a leucorrhœal discharge. Silic.,

Sulph.

————— distress about. **Ipec.**

————— lancinating, stinging, boring, tearing, aching, gnawing—on one side, pressing to the lumbar region. **Berber.**

Pain in the, pinching. Colocynth., Laurocer., Magn. c., Plat.

_____ cutting—worse towards evening. Puls.
 _____ day and night, preceding a leucorrhœal discharge. **Amm. m., Natr. c.**

_____ preceding a stool. **Amm. m.**

_____ worse from eating fruit. **Colocynth.**

_____ retractive, the navel seems to adhere to the spine.

Plumb.

_____ shooting—extending to the pelvis, with swelling and induration of the right ovary. **Pallad.**

_____ spasmodic retraction of the navel, with colic and nausea. **Chelidon.**

_____ tearing, with flatulence. **Natr. s.**

_____ with choking sensation around the umbilicus.

Kali nitr.

_____ nausea. **Phytol.**

_____ writhing. **Natr. c.**

G. HYPOGASTRIC AND PELVIC REGION.

(Compare A. Abdomen in General; Uterus.)

Fulness and heat in the. **Apis.**

_____ heaviness in the. **Gels., Hyperic.**

_____ with laborlike pain in the groins and loins, worse when standing. **Aloe.**

_____ tension in the—with sensation of congestion of the uterus. **Cauloph.**

Heaviness, weight in the. (See Pain.)

Pain in the. **Cepa, Cimicifuga, Leptand.**

_____, aching, burning—sore sensation. **Conium.**

_____, over the pubes and in the knees. **Lilium.**

_____, as if swollen. **Lach.**

_____ too full (in the pelvis). **Bell.**

_____, ***bearing down.*** (See Laborlike Pain, under Abdomen in General.)

_____, ***bruised,*** sore—cannot walk erect on account of it. **Arnica.**

_____, aching—across the—from ilium to ilium. **Mel cum sale.**

Pain in the, bruised, with shooting or drawing. Aurum.

_____, ***burning***. Bell., Canth., Conium.

_____, and pressing. Nux v.

_____, on both sides of uterus, bladder, vagina, burning like fire up into the chest Calc. phos.

_____, throbbing, lancinating. Ars.

_____, violent—and in the whole pelvis, as from red-hot coals, with a discharge of clotted blood of foul smell from the vagina. Kreosot.

_____, clutching, clawing—parts sensitive; cannot bear the least jar. Bell.

_____, colic—severe—and every few minutes; has to sit down to get relief. Collinson.

_____, sharp, cutting, affecting the bladder, urethra, perinæum, anus, preventing her to walk or to walk erect, speedily disappearing during rest, while sitting or lying. Nux v.

_____, contractive. Cact. gr.

_____, and around the pelvis, extending gradually towards the stomach, causing a sensation as of a great blow in the region of the kidneys or in the veins, making her cry out. Cact. gr.

_____, cutting—across the—from right to left. Lycopod.

_____, dragging, around the loins, making her feel faint. Puls.

_____, low down in the abdomen; a forcing down into the pelvis; violent. Puls.

_____, distress and weakness, with uterine displacement; worse after a stool or micturition. Calc. phos.

_____, dragging—and around the pelvis. Ignat.

_____, drawing from right to left over the pubes, with discharge of some blood, followed by earache, first left, then right. Calc. phos.

_____, dull, heavy—in the right especially. Kali bich.

_____, pressing, wedgelike—from the right ovary to the uterus. Iod.

_____, ***laborlike***. (See Abdomen in General.)

_____, low down, as if from incarcerated flatus, with pain in the small of back, in the morning. Nux v.

_____, oppression and heaviness. Sabina.

_____, pelvis—crampy, stitching. Nux v.

Pain in the pelvis, deep, sore—with dragging in the loins.
 Merc

_____, pinching—especially in the pubic region. Psorin.

_____, pressive—and in the genitals, as if menses would appear. Calc. phos., Muriat. acid.

_____, throbbing, stinging, tickling, sore, aching, with drawing upwards in the symphysis and downward in the thighs. Calc. phos.

_____ constrictive—like a stone, in the lower abdomen, extending down to the bladder. Puls.

_____, pressure. Bell., Plat.

_____ over mons veneris. Calc. phos.

_____, pulling downward above the genitals, with pulling pain in both thighs, as if the muscles and tendons were too short.
 Merc. viv.

_____, sensation as if she was falling to pieces, also in the back; wants to be held up. Lilium.

_____ the menses would appear. Plat.

_____, sensitiveness and continual pressure in the region of mons veneris and genital organs; body, except the face, feels cold.
 Plat.

_____, shooting across the—laterally. Cimicifuga.

_____, soreness across the pubes. Nux v.

_____ and heaviness. Helon.

_____, stinging. Apis.

_____, stitches—transient—parts sensitive; cannot bear the least jar. Bell.

_____ in right side of mons veneris. Cannab. sat.

_____, stitching—arresting the breathing. Canth.

_____, tearing—across the pubes, and then through the pudenda as far as the anus. Carb. an.

_____, **tenderness**. Kali ferrocyan., Lilium.

_____ ; cannot bear the weight of her clothes. Lach.

_____, great, on pressure. Cimicifuga.

_____, with bearing-down pain.

Apis.

_____, tensive. Lycopod.

_____, **throbbing**. Æscul. hipp.

Pain in the, thrusting, drawing, especially in the inguinal region, preceding a leucorrhœal discharge. *Coccus cacti*.

_____, twisting in pelvis. *Tarantula*.

_____, uneasiness. *Bell*.

_____, ***uterine—running*** downward. *Æscul. hipp.*, *Ipec.*, *Nux v.*

_____ from the abdomen to the back. *Tilia*

_____ back to the groins and pubes. ***Sabina***.

_____ front backward and upward, cutting. *Gels*.

_____ groins outward and backward. *Sepia*.

_____ os iliac forward and downward. *Bry*.

_____ uterus to the neck of bladder and abdomen. *Nux v.*

_____ upward towards the umbilicus, loins, stomach, chest. *Lach.*, *Lycopod.*, *Phos.*, *Sepia*.

_____, violent—burning sensation deep in the pelvis, with constant whining and moaning. *Kreosot*.

_____, pinching—with heaving down toward the genitals. *Canth*.

_____, ***weight***. *Bell*.

_____ (with pain in loins and groins). *Aloe*.

_____, after lifting heavy loads (prolapsus), with ischuria and constipation; worse during menses. *Aurum*.

_____ and pressure above the pubes in almost any position, in dwarfish women. *Baryt. c.*

_____ ; every motion is painful; worse when exercising or standing; better when lying on the left side. *Pallad*.

Swelling of the—sensation of—will bear no contact, not even the clothing. ***Lach***.

_____ and pelvic region, aching apparently around the, but not in the uterus. *Lilium*.

Turning in pelvis. *Tarantula*.

Weakness and distress in the—and uterine displacement; worse by a passage of stool or urine. ***Calc. phos***.

Weight in the. (See *Pain*.)

H. GROINS AND OVARIAN REGION.

(See Ovaries.)

Heaviness, pressure in the left—or above it. Eupat. purp.

———, weight in the—sensation of. Apis.

Lumps—knotty—above the right groin; even a bandage hurts.
Psorium.

——— in both groins, hard and painful. Puls.

Numbness, worse in the groin. Eupat. purp.

Pain in the—aching. Conium, Podoph.

———, violent. Kali nitr.

——— and loins, with weight in the uterine region. Aloe.

——— boring, intense—causing her to draw up double,
with great restlessness. **Colocynth.**——— burning and cutting — with uterine cramps.
Natr. m.

——— tenderness. Conium, Canth.

——— from groin to groin, with morning stool.

Lilium.

——— cramplike, as though the parts were squeezed in a
vice. **Colocynth.**

——— down into the inner side of the thigh. Phos.

——— dragging. Podoph.

——— (from the hip to the groins, as if every-
thing would be pressed out). Oxalis.

——— laborlike. Magn. m.

———, and loins, with fulness and heaviness in
the uterine region; worse while standing. Aloe.

———, pinching. Canth.

——— **left.** Bovista.———, stinging, with voluptuous itching in vagina
and feeling of fulness in the parts. Lilium.———, stitching—when drawing in the abdomen or
pressing upon it. Ambr. gr.——— like from spraining, preventing her to walk erect.
Amm. m., **Arnica.**

——— pressing—and anus. China.

——— succeeding a pinching in the abdomen,
attended by a pressure in the pudendum, and increased discharge of
blood. Plat.

Pain in the—pulsating—extending down the thighs; returns periodically at the same time each day. Cact. gr.

———— pushing. Capsic.

———— **right.** Natr. m., Podoph.

————, as from a sore spot, causing irritation and dragging pain, extending down to the thighs, when at rest; aggravated by touch. Bry.

———— groin—into the left hip. Calc. phos.

————, of long standing, extending to the genital organs, or upwards to the liver or chest. Lach.

————, stitching, pressing. Ars.

————, throbbing—come and go suddenly. Bell.

———— running outward and backward. Sepia.

———— to the back. Sulph.

———— sharp. Lilium.

————, lancinating—extending down into the thighs; worse on the right side; numbness in the sides and limbs. Apis.

———— shooting—with desire to press upon the parts. Curare.

———— tenderness. Bry.

———— sticking. Capsic.

———— stitches. Carb. an.

————, arresting breathing. Canth.

———— in the groins. Arundo an.

———— stitching and drawing—extending into the thigh, which feels numb and lame; worse from motion, bending, or sitting bent. Ars.

———— **tenderness**—after menses has been checked by a bath. Antim. crud.

———— worse from being touched. Antim. crud.

————, with or followed by shooting pains. Bry.

———— thrusting, drawing—vesical and pubic region, preceding a leucorrhœal discharge. Coccus cacti.

———— with bloatedness of both. Kali c.

Swelling of the glands. Calc. c., Nitr. acid.

———— with circumscribed redness. Merc. sol.

———— of the ovarian region. Brom.

Tumors (see Lumps) in the right iliac fossa, size of an orange, also a similar one in the left; both hard, round, slightly movable; not painful to pressure, nor producing inconvenience from weight. Graph.

Stool.

(See Rectum and Anus.)

Desire to—after a pappy offensive stool. Lach.

————— each meal. Aloe.

————— and urging, with prolapsus of the rectum. Ruta.

————— anxious. Nux v.

————— as if a diarrhoea would set in. Dulc., Nux m.

—————, but does not. Puls.

————— constant. Aloe.

————— but unsuccessful. Nux v., Puls., Anacard., Carb. an., Caustic., Conium, Lach., Lycopod., Merc., Nitr. acid, Stan., Sulph.

————— after the usual evacuation.

Nux v.

————— frequent. Phos. acid.

————— sudden. Aloe.

During—pain in the back. (See Rectum and Anus.) Carb. an.

————— great—lasting long after stool; very exhausting; profuse discharge of blood. Nitr. acid.

————— rectum, as if it were torn asunder. Nitr. acid.

————— sensation of contraction in rectum; blood and fæces.

Nux v.

————— shuddering. Bell.

————— violent pain; she has to desist, and cannot pass the stool; pain in anus worse during motion. Thuja.

After—(see Rectum and Anus) and after micturition, feeling of great weakness in the sexual organs. Calc. phos.

————— burning in the anus. Caustic, Kali bich., Natr. s.

————— contractive pain for many hours in the perinæum. Lycopod.

————— great weakness. Podoph.

————— long-lasting pain, very exhausting; profuse discharge of blood. Nitr. acid.

After palpitation of heart, oppressive anxiety; burning in anus. **Caustic.**

———— pain in abdomen and back; chilliness. **Puls.**

———— sensation as if something remained behind; with sensation of constriction in rectum. **Nux v.**

———— tremulous weakness. **Conium.**

A. CONSTIPATION.

Constipation. Aletr. f., **Alum.**, Ambr. gr., Amm. c., Amm. m., Antim. crud., **Ars.**, Aurum, **Bry.**, Carb. veg., Caustic, Chelidon., **Graph.**, **Hydrast.**, Hyperic., Kreosot., Lac can., L. V. Deflor., Magn. c., Magn. m., Merc. viv., **Natr. m.**, Niccol., **Nitr. acid**, **Nux v.**, **Phos.**, **Phytol.**, Plat., **Plumb.**, Podoph., Prunus spi., Psorinum, **Puls.**, **Sepia**, **Silic.**, **Sulph.**, Thuja, Zinc.

———— and diarrhœa alternately. Antim. crud., Coff., Iod., **Lach.**, **Natr. m.**, **Nux v.**, Podoph., Sulph.

———— as from want of action of the bowels; no desire for stool. **Bry.**, **Hydrast.**, Verat. alb.

———— causing tearing in the anus and pains as if sore. **Natr. m.**

———— chronic. **Bry.**, Conium, Kali bich., **Lach.**, **Nux v.**, **Opi.**, **Phytol.**, **Plumb.**, **Puls.**, Psorinum, Sarsaparilla.

————, from inertia and dryness of the rectum.

Alum.

———— with hæmorrhoids. Caustic, **Collinson.**

———— every other day. Kali c.

———— frequent urging to stool; stools small. **Nux v.**

———— great—before and during menses. **Silic.**

————, *ineffectual urging* to stool. Anacard., Caustic, Conium, **Hep. s.**, **Lach.**, Lycopod., Magn. s., **Nitr. acid**, Stan., Sulph.

————, only offensive flatus passes away. Carb. an.

————, vertigo when lying down. Conium.

————; with sensation as if the anus was contracted. **Natr. m.**, **Nux v.**

———— worse at night. Merc. viv.

Constipation, painful. **Nitr. acid.**

_____, the stool comes to the verge of the anus, and then slips back again. **Silic.**

_____ *while* travelling. **Plat.**

_____ *with* ascarides. **Magn. c.**

_____ coldness of the body. **Bufo.**

_____ pain from the back through to the pubis.

Sabina.

_____ constant, but ineffectual desire. **Nux v.**

_____ sensation, as if much remained in the rectum after stool. **Graph., Nux v.**

_____ of excoriation in the rectum.

Alum.

_____ when straining, as if the contents of abdomen would issue from rectum and vagina. **Kali c.**

_____ shuddering during stool. **Bell.**

_____ sticking in the anus. **Graph.**

_____ tenesmus. **Alum.**

_____ violent griping. **Opi.**

_____ pain and pressure in the stomach, after eating the most simple things; like bread, broth, milk, etc. **Mezer.**

_____ want of appetite. **Opi.**

Stools—character of—and when occurring:

_____ after a meal—soon. **Aloe.**

Balls—large—connected with each other by strings of yellowish or white mucus. **Graph.**

_____ *little*. **Nux v., Opi.** (discharge only by means of a clyster).

Bloody. **Merc. viv., Natr. m., Nitr. acid, Nux v.**

_____ bright red, with fæces, sensation of contraction in rectum during stool. **Nux v.**

_____ with heat in the rectum. **Phytol.**

_____ menses. **Amm. c., Amm. m.**

_____ solid excrement. **Antim. crud.**

Blood-streaked. **Natr. s.**

Clay-colored. **Hep. s.**

Crumbling when escaping. **Amm. m., Magn. m., Merc. viv., Natr. m.**

_____, large and difficult. **Magn. m.**

Dark. **Iod., Nux v., Opi., Sulph.**

Difficult and slow. Æscul. hipp., Amm. c., Carb. an., Kali hydr., Magn. m., **Natr. m.**, Nitr. acid, Nux m., **Nux v.**, Ol. an., **Plumb.**, Puls., Prunus spi., **Ruta**, Silic., Sulph., Zinc.

———— even when natural. **Alum.**, Ol. an.

Dry. Hep. s., Kreosot., **Natr. m.**, Nitr. acid, Phos., Zinc.

———— as if burnt. **Bry.**

Frequent, several a day, but natural; very weakening. **Podoph.**
Glutinous. Plat.

Hard. Æscul. hipp., **Alum.**, Amm. m., Berber., Bry., Carb. an., Carb. veg., Conium, Hep. s., Iod., Kali hydr., Kreosot., Laurocer., Lycopod., Magn. c., Magn. m., **Natr. m.**, Natr. s., Nitr. acid, **Nux v.**, **Opi.**, Pallad., Phos., Prunus spi., **Puls.**, Sulph., Zinc.

———— lumps and soft alternately. Magn. s., Natr. m., **Nux v.**

———— at first, afterwards they are soft. **Lycopod.**

———— watery. Bovista.

———— in a liquid stool. **Antim. crud.**, Conium.

———— involuntary, they fall out unnoticed. Aloe.

———— preceded by colic. Ranuncul. bulb.

———— with burning at the anus. Castor.

Involuntary. Aloe, Laurocer.

Irregular. Nitr. acid.

Knotty. Æscul. hipp., Carb. an., **Graph.**, Iod., Kali bich., Magn. m.

————, lumpy, with threads of mucus, or as if being smeared over with tallow. **Graph.**

Large. Æscul. hipp., Bry., Conium, **Graph.**, Magn. m., **Nux v.**, Puls.

————, with or without frequent desire to stool. **Nux v.**

Like sheepdung. Chelidon, **Kali nitr.**, **Lach.**, Magn. m., Natr. m., Plumb., Sepia.

Long, slender, hard, dry, evacuated with great difficulty. **Phos.**

Offensive—excessively. **Lach.**

Pale. Hydrast.

Pieces. Plat.

Scanty. **Alum.**, Amm. m., Berber., Carb. an., Carb. veg., Hep. s., Hydrast., Kali bich., Nitr. acid, **Nux v.**, Plat., Zinc.

———— black. **Plumb.**

———— like pebbles. **Nux v.**

———— with sensation as if much remained undischarged. **Lycopod.**

Soft and difficult. Nux m.

_____, adhering like clay to the rectum and anus.
 Plat.

_____ slow to expel. **Hep. s., Sepia.**

Tenacious. Plat.

Tough. Carb. veg.

Undigested. **Calc. c.**

White. **Æscul. hipp.**

_____ like chalk. **Pallad.**

B. DIARRHŒA.

Diarrhœa. Alum., Antim. crud., Arnica, Aurum, Bell., Bovista, Carb. veg., Colchic., **Colocynth., Croton tig.,** Ferr., Granat., **Ipec.,** Kali hydr., Kali nitr., Ledum, Lycopod., Magn. c., **Merc. cor., Merc. viv.,** Muriat. acid, Natr. s., **Nux v.,** Petrol., Plat., **Phos., Phos. acid, Puls.,** Rhus tox., Sabadilla, Sabina, Sanguin., Secal. cor., Sepia, **Verat. alb.**

_____ after breakfast—daily. Thuja.

_____ dinner. **Nux v.**

_____ drinking milk. **Niccol., Sepia.**

_____ eating. Ars., Cina, **Colocynth., Ferr.**

_____ fat food. **Puls.**

_____ fruit. **China.**

_____ and milk together. **Podoph.**

_____ or drinking immediately. Croton tig.,

Podoph.

_____ ill-treatment. Colocynth.

_____ taking cold, during hot weather especially;
 green. Dule.

_____ very exciting news. **Gels.**

_____ vexation. **Colocynth.**

_____ and constipation alternately. (See Constipation.)

_____ **at night.** Chelidon, Dule.

_____ green, bilious, with movements in the intestines before every stool. **Puls.**

_____, mucous stool. **Puls.**

_____, with burning in the rectum. Aurum.

_____ thirst for cold water. Antim. crud.

_____ **before, during, or after** menses. (See Part I.)

Diarrhœa, chronic. Calc. c., **Phos.**, Sulph., Terebinthina, Trill.
 _____, after parturitions. Collinson.
 _____, worse in the morning. **Podoph.**
 _____, debilitating—very. **Phos.**
 _____, with cutting pain. Podoph.
 _____ dysenteric. Canth., Nux v.
 _____ *followed* by burning and pulsating in the rectum.

Aloe.

_____ sensation as if something remained behind. **Nux v.**

_____ throbbing as with little hammers in the anus. **Lach.**

_____ *from* grief. Colocynth., Gels.

_____ imagination. **Colocynth.**

_____ indigestion. Colocynth.

_____ weakness. Nux m.

_____ *in* damp weather. Dulc.

_____ daytime only. Coccul., **Petrol.**

_____ scrofulous persons. Carb. veg.

_____ the morning. Lilium (sudden call for), Podoph.,

Puls., Sulph.

_____ about 4 A.M., with yellow, undigested fæces, mixed with mucus, and very offensive. **Podoph.**

_____ early, preceded by colic. **Nux v.**

_____, which continues through the forenoon, followed by a natural stool in the evening. **Podoph.**

_____, driving her out of bed; painless.

Sulph.

_____ at 6 A.M.

Aloe.

_____, with pain and heat in anus. **Podoph.**

_____ urging pains. **Bovista.**

_____, inclination to. Nitr. acid, Puls.

_____ *preceded* by cramps and rumbling in the abdomen.

Aloe.

_____ cutting in the abdomen. Niccol., Psorium.

_____ pains in the groins and hypogastrium.

Natr. s.

_____ rumbling and cutting in the abdomen, followed by tenesmus. Millefol.

Diarrhœa, preceded by rumbling and griping in the abdomen. **Magn. s.**

————, stools coming out like a shot. **Croton tig.**

————, when passing urine. **Aloe.**

———— with cold extremities. **Ars.**

———— great distension of abdomen. **Magn. c.**

———— emission of much flatus. **Aloe, Argt. nitr.,**
Calc. phos., Ferr., Niccol., Nux m.

————; painless. **China.**

———— discharge at every motion, as if the anus were constantly open. **Apis.**

———— gagging. **Podoph.**

———— likewise appearance of piles. **Collinson.**

———— nausea. **Prunus spi.**

———— **pain.** **Plumb.**

———— and profuse hæmorrhage; pains protracted and exhausting. **Nitr. acid.**

———— soreness in the lumbar region. **Baryt. c.**

———— burning. **Apis, Ars., Canth.**

———— and protrusion of anus. **Merc. sol.**

———— smarting in rectum and anus; violent. **Muriat. acid.**

———— tenesmus. **Ars.**

———— in stomach and rectum. **Hep. s.**

———— colic, after taking the least nourishment.

Colocynth.

———— and tenesmus. **Collinson.**

————, severe and continual. **Mezer.**

————, thirst, bitter taste, and bitter eructation. **Cham.**

————, drawing and aching, around the anus. **Cyclam.**

———— during and after stool, violent, as though the anus was fissured. **Nitr. acid.**

———— extending from the back through to the pubes. **Sabina.**

———— heat and pain in anus in the morning.

Podoph.

———— in the small of back, **Kali hydr.**

Diarrhæa, preceded by tearing down the legs. **Rhus tox.**

_____ palpitation of heart. Tart. emet.

_____ prolapsus ani at every stool. **Podoph.**

_____ shuddering during stool. **Bell.**

_____ sudden urging. **Podoph., Sulph.** (in the morning early).

_____ tenesmus. Alum., Ars., Collinson., Hep. s., **Merc. cor., Nux v., Rhus tox.**

_____ two pasty offensive stools in the afternoon, followed by burning in anus. **Bry.**

_____ weakness and fainting; three stools a day. Borax.

_____ prostration. Ars., Borax, Ferr., Podoph., Sepia, Terebinthina.

_____ ; cramps. Podoph.

_____ ; painful. Cupr. m.,

Secal. cor., Sepia.

_____ worse after drinking. Crot. tig., **Ferr., Podoph.**

_____ milk, especially boiled milk.

Sepia.

_____ eating. **Colocynth., Ferr.**

_____ walking or standing. Aloe.

_____ from vinegar. Aloe.

_____ in hot weather. **Podoph.**

_____ damp weather. Aloe.

_____ the morning. **Podoph., Sulph.**

_____ night. **Merc., Podoph., Rhus tox.**

Stools—character of—and when occurring:

Acrid. Ars.

Black. Ars., Brom., Collinson., Cupr. m., Leptandria.

Bloody. Ipec., Kali nitr., Muriat. acid, Nitr. acid.

_____, bright red. Merc. viv.

_____, before, during, and after menses. (See Part I.)

_____, like pitch. Nux v.

_____, scrapings from the intestines. **Canth.**

_____, mingled with stringy substances. Colchic.

_____, mucous. Cast., Dros., Kali bich., Ledum, Magn. m., **Merc. cor., Petrol., Rhus tox., Trill.**

_____, thin. **Nux v.**

_____, tinged. Natr. c., Natr. m., Rhus tox.

Brown. Acon.

Brown, frothy water. **Kali bich.**

———, like yeast. **Arnica.**

———, mucous, thin. **Nux v.**

Chalklike. **Podoph.**

Changeable. **Podoph., Sulph.**

Claylike. **Calc. c., Hep. s., Podoph.**

Dark. **Æscul. hipp., Asafœt., Cina, Graph., Kali bich., Nux v., Podoph., Psorium.**

Fecal. **Agaric. m., Alœ, Alum., Amm. m., Apis, Bapt., Borax, Brom., Calc. c., Carb. veg., Caustic., Cina, Coff., Cubeb., Gels., Hep. s., Iod., Leptand., Lycopod., Mezer., Muriat. acid., Natr. c., Niccol., Nux v., Phos. acid, Plumb., Podoph., Sulph., Tart. emet.**

———, mixed with yellow, whitish, and cheesy masses. **Phos.**

Fermented. **Ipec., Sabadilla.**

Frothy. **Iod., Kali bich.**

Gray. **Aloe, Kali c., Phos., Phos. acid.**

Green. **Dulc., Merc. sol., Podoph., Puls.**

———, dirty. **Croton tig.**

———, frothy. **Magn. c.**

———, like spinat flakes. **Argt. nitr.**

——— grass. **Ipec.**

———, mucous. **Ipec., Laurocer., Merc. sol., Phos., Puls., Sepia.**

———, excoriating; worse in the evening. **Sulph.**

———, mixed with fæces. **Cham.**

——— olive. **Sabina.**

——— scum, like that of frog pond. **Magn. c.**

———, smelling sour, putrid. **Sepia.**

———, watery. **Cham., Dulc., Magn. c., Verat. alb.**

———, very offensive. **Ars.**

———, with hot head, cold feet, profuse urine. **Bell.**

——— painful vomiting. **Cupr. ac.**

Greenish. **Cina.**

———, mucous, fetid, with emission of noisy flatus. **Argt. nitr.**

Half-digested. **Graph.**

Hot. **Aloe, Podoph.**

Intermittent. **Ambr. gr.**

Involuntary. **Bell., China, Ferr., Laurocer., Phos. acid, Sulph.**

———, and of urine. **Hyos.**

———, as soon as anything entered the rectum. **Phos.**

———, burning, offensive. **Ars.**

Involuntary, when asleep. **Arnica.**

————— in bed. **Hyos.**

————— passing flatus. **Aloe.**

————— urine. **Aloe.**

Jellylike. **Colchic.**, Kali bich., Sepia.

Large. Cupr. m., **Leptand.**, **Podoph.**, Prunus spi., Tart. emet.

Light. **Æscul. hipp.**, **Aloe**, **Borax**, **Calc. c.**, Carb. veg., **Hep. s.**, Kali c.

Mucous. Antim. crud., **Borax**, Chelidon., **Cina**, Collinson., Ferr., Graph., Ignat., Ipec., Iod., Natr. m., Niccol., **Nux v.**, **Podoph.**, **Psorium**, **Puls.**, Sulph.

—————, thin, and bloody. **Nux v.**

————— brownish. **Nux v.**

—————, with sensation as if the anus remained open. **Phos.**

Offensive—very. **Argt. nitr.**, **Ars.**, **Asafœt.**, **Bry.**, **Cham.**, **Crot. tig.**, Graph., Lach., **Leptand.**, Plumb., **Podoph.**

—————, sour. Sepia.

—————, odor like carrion. **Podoph.**

Painless. **China**, Ferr., **Podoph.**

Profuse. (See Large.)

Shreddy particles, white—in large quantities. **Canth.**, **Colchic.**

Slimy. Argt. nitr., **Borax**, Carb. veg., Cina, Ferr. iod., Petrol.

Small. Graph., Kali c., Lycopod., **Nux v.**

Soft, pasty. **Æscul. hipp.**, **Aloe**, **Borax**, **Bry.**, Coccul., **Crot. tig.**, Cyclam., Graph., Hep. s., Kali c., Lach., Magn. s., Niccol.

—————, in pieces. Guaiacum.

—————, involuntary, while passing wind or urine. **Aloe.**

—————, mushlike. **Aloe**, Kalmia.

Thin. **Æscul. hipp.**, Amm. m., Baryt. c., Carb. veg., Chelidon., Ferr., Kali nitr., **Nux v.**, **Podoph.**, **Puls.**, Sabina, Sanguin., Thuja.

—————, at first, followed by a hard portion. Sabina.

—————, containing portions of solid matter. **Antim. crud.**, Conium.

—————, in gushes, especially in the morning. **Phos.**

—————, passing out like a shot. **Crot. tig.**

Undigested. **Aloe**, **Calc. c.**, **China**, Conium, Ferr., Sanguin., Sulph.

Watery. Acon., Castor, Colchic., Conium, Iod., **Iris ver.**, Kali bich., Kali nitr., Muriat. acid, **Podoph.**, Tart. emet., **Verat. alb.**

————— and mucous, at first, then bilious, and lastly bloody.

Colocynth.

—————, green. **Cham.**, Dulc., Magn. c.

Watery, whitish. Calc. c., Phos. acid.
 ———, with little grains like tallow in it. **Phos.**
 ——— lumps of mucus. **Phos.**
 ———, yellow. **China, Croton tig.**, Dulc., Hyos., Plumb.
White. **Æscul. hipp.**, Canth., Graph., Phos., Sulph.
 ———, like scraping of intestines. **Canth.**
 ———, slimy. Ferr. iod.
 Whitish. Calc. c., Caustic., Iod.
 ——— gray. **Phos., Phos. acid.**
Yellow. Asafoet., Coccul., Dule.
 ———, bright. Aloe, **Borax.**
 ———, mucous, expelled with great force, and much flatulency. Niccol.
 ———, pasty. Chelidon.
 ———, undigested. **Podoph.**
 ———, watery. **China, Croton tig.**, Dulc., Hyos., Plumb.
 Yellowish-gray. Calc. c.

Rectum; Anus; Perinæum.

(See Stool.)

A. RECTUM.

(Compare Anus.)

Bloody discharge from the. Lach.
Constriction of the. Ignat., **Lach.**, Laurocer., Lycopod.
 ———, and anus, fulness, aching, pinching, itching. **Æscul. hipp.**
 ——— (not of the anus); after a stool it seemed as if some remained behind and could not be evacuated. **Nux v.**
 ———, that it frequently protrudes during a hard stool. **Lycopod.**
 ———, sensation of. Cact. gr.
 ———, as though one side had grown up. Rhus tox.
 Creeping in the. Hep. s.
 Desire for stool. (See Stool, Tenesmus, Urging.)
Dry, uncomfortable feeling in the—as if filled with small sticks.
Æscul. hipp.

Dryness and heat of the—excessive. *Æscul. hipp.*

Furuncles at the verge of the. *Petrol*

Heaviness in the. (See Pressure.)

Hæmorrhage from the. *Collinson.*, *Erigeron*, *Phos.*, *Sabina*, *Terebinthina* (in typhoid).

_____, and pain, worse when the stools are loose. *Ignat.*

_____, chronic. *Sulph.*

_____, during stool. *Puls.*

Hæmorrhoids. *Graph.*, *Hep. s.*, *Hydrast.*, *Kali c.*, *Podoph.*, *Sepia*, *Sulph.*

_____ appear while suffering from diarrhœa. **Collinson.**

_____, bleeding and painful; rawness of anus; portal congestion. **Ham.**

_____; blood black, venous. **Sepia**, *Sulph.*

_____ but little, with bruised feeling. **Æscul. hipp.**

_____, old tumors, secreting much slime. **Nitr. acid.**

_____ or not, always with constipation. **Collinson.**

_____, with pain from the back through to the pubes; blood bright red or dark venous. **Sabina.**

_____, blind. **Nux v.**, *Podoph.*, **Puls.**, *Sulph.*

_____, with itching in the evening; tumors protrude and are very painful. **Puls.**

_____, blue, purple, not bleeding, protruding, with sharp, shooting pains running up into the sacrum. *Æscul. hipp.*

_____, protruding, burning, excessively sore to the least touch. **Muriat. acid.**

_____, burning. *Carb. veg.*, *Graph.*

_____, swollen, worse when walking. **Carb. an.**

_____ discharging a watery fluid all the time. *Calc. phos.*

_____, painful, chronic, around the anus. **Podoph.** **Puls.**

_____, much worse on walking. **Caustic.**

_____ prickling in the rectum. **Nitr. acid.**

_____, rawness. *Petrol.*

Hæmorrhoids, stitches in the. **Ignat.**

_____, every time she coughs or sneezes.

Lach.

_____, suppression of. **Sulph.**

_____; the tumors prolapse. **Æscul. hipp.**, **Lycopod.**, **Puls.**, **Sepia.**

_____ during micturition.

Kali c.

_____ in bunches; relieved by cold water. **Aloe.**

_____ with every stool, and have to be replaced; they are sore as if excoriated. **Ignat.**

_____, with constriction of the sphincter. **Lach.**

_____, with constipation. **Caustic.**, **Collinson.**

_____ great agitation, ill-humor, and weakness.

Curare

_____ lancinating pains all night. **Sulph.**

_____ painfulness of the anus to the touch.

Lycopod.

_____ prolapsus of rectum after motion, sneezing, or mental excitement. **Podoph.**

_____ rather loose or frequent stools, pale or dark. **Æscul. hipp.**

_____ shocks in the loins; contractive pains preventing her from rising up. **Nux v.**

_____, worse during menses. **Amm. c.**

_____ from cold water; the pain increases.

Brom.

Inactivity of the. **Muriat. acid.**

_____. much straining, even with a soft stool.

Alum.

Irritation of the—and bladder. **Erigeron**, **Leptand.**

Lump, plug in the—sensation of—not relieved from evacuation.

Sepia. (**Kali bich.** in anus.)

Mucous discharge from the. **China**, **Kali hydr.**, **Sepia.**

_____, increased—with soreness. **Æscul.**

hipp.

Pain in the—(see **Hæmorrhoids**) as from blind piles, with contraction and soreness. **Ignat.**

_____ beating, hammering. **Lach.**

- Pain** in the—burning. Alum., Calc. c., **Nitr. acid**, Sepia.
 _____, as if boiling lead was passing through it.
 Thuja.
 _____, and heat. **Aloe**.
 _____, during stool. Conium.
 _____ in the stomach, with diarrhœa. Hep. s.
 _____ itching—after stool—and in anus.
 Natr. s.
 _____ pulsation, after stool. **Aloe**.
 _____ smarting—and anus, during and after
 stool. **Natr. m.**
 _____ with diarrhœa. **Muriat.**
acid.
 _____ stinging—and anus. Carb. an., Carb.
 veg., Petrol.
 _____ extending to the genitals. Sepia.
 _____ itching, pinching, violent. Æscul. hipp., Calc. c.,
 Granat., **Nitr. acid**, Ratanhia.
 _____ pressing, cramplike, as from an angular body
 pressed in toward right side. Prunus spi.
 _____ pressing downwards towards the genitals, as dur-
 ing menstruation. **Plat.**
 _____ sharp—with pressure, after stool. Ignat.
 _____, after a meal,
 especially after mental exertion. **Nux v.**
 _____ soreness. Amm. m.
 _____, without reference to stool. **Ignat.**
 _____, with increased secretion of mucus. Æscul.
 hipp.
 _____ spasmodic—and bladder. **Erigeron**.
 _____ sticking—spasmodic constriction in anus, during a
 stool, lasting many hours. **Nitr. acid**.
 _____ stitches—dull. Puls.
 _____ sharp—coming from the anus. **Ignat.**
 _____ when laughing or sneezing. **Lach.**
 _____ tearing—and urethra, between the acts of mictu-
 rition. Ruta.
 _____ stinging. Sepia.
 Paralysis. Secal. cor.
Pressure in the. Kali nitr., Lycopod.
 _____, and heaviness. **Aloe**.

Pressure in the and weight, with uterine irritation and itching; sensation as if sticks, sand, or gravel were lodged in it. Col-
linson.

_____, as from a lump (retroversion), not
relieved by stool. **Sepia.**

_____, from retroversion of uterus; can neither stand
nor walk. Ferr. iod.

_____, with almost constant desire to go to stool.
Lilium.

Prolapsus of the. Elaps., Lach., Merc., Mezer., Nitr. acid,
Sepia.

_____, after delivery, or with frequent urging to
stool; stools hard or soft. Ruta.

_____, during a hard stool. Lycopod.

_____, from only a moderate pressure at stool.

Ignat.

_____, sensation of. Æscul. hipp.

_____, with contracting pains in the rectum, run-
ning along the perinæum, with exudation of fluid. Sepia.

_____ urgency to stool, in the evening; felt
mostly in the middle of abdomen, but no stool follows, only the rec-
tum protrudes. Ignat.

_____, while urinating. Muriat. acid.

_____, with frequent urging to stool, with or with-
out stool. Ruta.

_____ much pain and smarting in rectum
and anus. Nitr. acid.

_____ prolapsus uteri, especially after de-
livery. Podoph.

Pulsation in the. Lach., Natr. m.

_____, after a stool, lasting the whole day. Sulph.

Tenesmus. Alum., Ferr. iod., Granatum, Hyperic.

_____ after stool. Canth., Magn. s., Millefol., Sulph.

_____, even unto fainting. Coccul.

_____, for an hour. Sulph.

_____, with chilliness. Canth.

_____ and itching. Æscul. hipp.

_____, burning. Coff.

_____ getting worse all the time; nothing passed but
mucus tinged with blood. **Merc. cor.**

Tenesmus, with constant ineffectual urging to stool. **Merc. sol.**

————— violent pain in the anus; can neither stand, sit, or lie down. **Æscul. hipp.**

————— worse at night, with ineffectual pressing to stool. **Merc. viv.**

Weight in the. (See Pressure.)

B. ANUS.

(Compare Rectum.)

Condylomata. **Nitr. acid, Thuja.**

—————, with intolerable itching and burning in them; broad. **Sabina.**

Constriction of the—painful. **Lycopod.**

—————, returning every evening at about the same hour; worse when walking. **Ignat.**

————— after a stool. **Ignat., Lach., Sepia, Sulph.**

————— painless—a kind of shrinking, lasting many days. **Ignat.**

————— sensation of—with constipation. **Natr. m.**

————— violent—and in the rectum, followed by tearing pains as if in the bowels. **Thuja.**

Crawling and itching at the. **Calc. c., China, Crocus sat.**

Excoriation of the. **Baryt. c., Sulph.**

————— caused by the stool. **Ars.**

————— with scurfs. **Petrol.**

Exudation from the—and perinæum, of a sticky, inodorous humor. **Carb. an.**

————— acrid, fluid. **Sulph.**

————— moist. **Sepia.**

Fissure and rhagades. (See Pain.) **Caustic., Graph., Hep. s., Mercur., Mezer., Muriat. acid, Natr. m., Pæonia, Nux v., Petrol., Silic., Sulph.**

————— during climaxis. **Lach., Sepia.**

—————; the anus studded with little cracks. **Graph.**

————— when in connection with hæmorrhoids. **Ignat.**

————— syphilis. **Merc. Nitr. acid.**

Fissure and rhagades, with herpes around the anus and perinæum. **Petrol.**

———— tendency to dry up; little discharge, but pain and bleeding when exercising. **Caustic.**

Fistula in ano. Calc. phos., Silic.

Herpes around the—and perinæum. **Natr. m., Petrol.**

Itching at the. Calc. c., Carb. veg., **Graph.**, Kali c., Muriat. acid., **Petrol.**, Phos.

———— and burning. **Æscul. hipp.**

———— after stool. **Bovista**, **Natr. m.**, **Natr. s.**, **Niccol.**

———— not relieved by scratching. **Muriat. acid.**

———— stinging, burning. **Ambr. gr.**, **Carb. veg.**

Open—wide. **Secal. cor.**

Pain at the—**after** stool—which is not even very hard—lancinations from the anus to the rectum, so violent as almost to cause syncope, afterwards still and prostrate. **Sulph.**

———— burning. **Caustic.**, **Iris ver.**, **Kali bich.**, **Magn. m.**, **Magn. s.**, **Natr. m.**, **Natr. s.**, **Prunus spi.**

————, itching. **Bovista**, **Natr. s.**, **Niccol.**

———— like that precedes blind piles or lancinations. **Ignat.**

———— at first effort to stool, has to desist. **Sulph.**

———— during stool; burning. **Canth.**

———— **burning.** **Æscul. hipp.**, **Berber.**, **Zinc.**

————, itching. **Æscul. hipp.**, **Carb. veg.**

———— with tenesmus. **Coff.**

————, pricking—violent. **Thuja.**

————, smarting—and rectum—during and after stool. **Natr. m.**

———— as from excoriation, during and after stool. **Magn. m.**

————, stinging—and rectum. **Carbo an.**, **Carb. veg.**, **Petrol.**

———— violent—and soreness, with smarting pain in vagina. **Berber**

———— with hard stool. **Castor.**

———— palpitation of heart, oppression, anxiety. **Caustic.**

———— cutting—before and after stool. **Sulph.**

Pain at the—drawing. Nitr. acid.

————— from pressing upon the umbilicus. **Crot. tig.**

————— lacerations and smarting at night, can neither rest in a lying or sitting position. Sulph.

————— preventing sitting down. Sulph.

————— **soreness**—feeling of. Iris ver., Sepia.

————— from piles or fissures, with excessive tenderness to touch. **Muriat. acid.**

————— swelling. Sulph.

————— when walking. Natr. m.

————— wiping it. **Graph.**

————— stinging. Phos.

————— stitches between the stools. Conium.

————— long, dull, from time to time. Crocus sat.

————— stitching. Sulph.

————— violent—aching. Sepia.

————— can neither stand, sit, nor lie down; with lameness. **Æscul. hipp.**

————— writhing or cringing—intolerable—affecting the whole nervous system. Crocus sat.

Pimples—ulcerated—about the. Kali c.

Pressure—outward—at the—and pain, when pressing upon the umbilicus. **Crot. tig.**

————— from the—toward the vulva and groins; painful. China.

Rhagades. (See Fissures.)

Sensation as if drops of cold water were falling from the anus. Canab. sat.

————— of plug in the. Kali bich. (Sepia in rectum.)

————— throbbing or beating, as from little hammers in the.

Lach.

Sensitiveness of the—to slightest touch; with hæmorrhoids or fissures. **Muriat. acid.**

Tetter. (See Herpes.)

Tingling in the. China.

Urinary Organs.

A. BLADDER.

Bladder. Bleeding. Phos.

Constriction—sensation of. **Cact. gr.**

Distension—but no power to expel the urine, and a catheter has to be used. **Opi.**

Dragging in the—and uterus. Copaiva.

Irritation of the. Cact. gr.

Pain in the—aching distress, with inclination to urinate every half hour. Euphra.

———— burning. **Berber.**

———— neck of the bladder—while urinating.

Nux v.

————, violent, cutting in the neck of. **Canth.**

———— with desire to urinate. **Canth.**

———— with desire to pass urine. Sepia.

———— cutting—in left side, extending into the urethra, coming from the left kidney, along the course of the ureter. **Berber.**

———— pressure upon the—without desire to urinate. Puls.

———— drawing, sticking—in one or the other side, extending down in the urethra, often arising in the lumbar region, and extending along the ureters. **Berber.**

———— spasmodic—irritability of bladder and rectum.

Erigeron, Leptand.

———— spasms—worse at night. Prunus spi.

———— sticking—violent—extending from the kidneys.

Berber.

———— tenesmus. **Canth., Prunus spi., Puls.**

Paralysis. Secal. cor.

Pressure of urine upon the. Apocyn. can., Aurum, Coff., Lilium, Lycopod., Sulph.

————, violent. Amm. c., Natr. c.

———— upon the bladder and rectum. **Lilium.**

———— continual—with constant desire to urinate. **Lilium.**

———— as if the bladder were too full, and its contents would fall out over the pubis, with constant desire to press them back. Sepia.

———— with burning after micturition. Sepia.

Prolapsus of the—after parturition. Caustic.

Sensation as if drops came out of it. Sepia.

———— of a ball rolling in the. Lach.

Sensitiveness—great—of the region of the bladder to external touch. Puls.

Wind from the. Sarsaparilla.

B. MICTURITION AND URINE.

Desire to pass urine—anxious—great distress, fever, and restlessness. **Acon.**

_____ at night. Carb. veg., Graph., Magn. s., Nitr. acid, Sanguin., Silic., Sulph.

_____ during pregnancy. Podoph.

_____ 4 A.M. Amm. m.

_____, but controllable to one's will.

Lilium.

_____ continually. Asar. europ., Kali bich., Merc. viv., **Puls.**

_____ instantaneous, violent.

Borax.

_____, with continual pressure upon the bladder. **Lilium.**

_____ *frequent.* Alum., Ambr. gr., Apocyn. can., **Baryt. c.**, **Bell.**, Berber., **Bovista**, Cannab. sat., **Canth.**, Carb. an., Carb. veg., Caust., Cham., Cimicifuga, Coccus cacti, **Colocynth.**, **Conium**, Drosera, Euphra., Guaiacum, Hep. s., Hydrast., Hyperic., **Ignat.**, Ipec., Kreosot., Lamium alb., **Lilium**, Merc., Millefol., Murex purp., Natr. c., Natr. m., Nitr. acid, **Nux v.**, Petrol., Phos. acid, Phytol., Plat., Podoph., **Prunus spi.**, **Puls.**, Rhus tox., Sabina, Sarsap., Sepia, Sulph., Thuja.

_____ almost continual, with bearing down in the pelvis. **Sepia.**

_____ at night. Amm. c., Antim. crud., Calc. c., Carb. veg., Conium, Graph., Lycopod., Magn. s., Nux m., Nux v., Phos. acid, Podoph. (during pregnancy), Rhus tox., Sarsaparilla, Sepia.

_____, with mucous discharges and pain in back. Antim. crud.

_____, but difficulty to do so, with pressure of the bladder a long time before the urine comes; even at night she is obliged to rise several times on account of it, though she drinks but little. **Kali c.**

_____ during the day, with smarting in urethra when passing it. **Lilium.**

_____ every half hour, with aching distress in the bladder. **Erigeron.**

Desire to pass urine, frequent, every quarter of an hour.
Lilium.

_____ ten minutes, but
 only a little passed. **Merc. sol.**

_____ from pressure upon the
 bladder. **Sepia.**

_____ in the evening. **Guarea.**
 _____; painful. **Apis, Caustic.,**
Kali hydr.

_____ and ineffectual.
Nux v.

_____, the emission propelled
 with force. **Cicuta vir.**

_____ which relieves headache.
Gels.

_____ with abdominal pains.
Cham.

_____ anxious urging.
Acon., Carb. veg.

_____ burning and cut-
 ting. **Canth., Carbol. acid, Lilium, Thuja.**

_____ little
 discharge at a time. **Nux v.**

_____ smart-
 ing in urethra after the discharge. **Lilium.**

_____ continuous pressure
 upon the bladder. **Amm. c.**

_____ copious emissions.
 (See Urine, copious.)

_____ discharge of much
 watery urine. **Ignat.**

_____ drawing in the ab-
 domen. (Pregnancy.) **Puls.**

_____ great pressure upon
 the bladder. **Sulph.**

_____ and tension in the lower abdomen. **Sepia.**

_____ itching in the me-
 atus. **Petrol.**

_____ painful bearing-down
 in the pelvis. **Sepia.**

Desire to pass urine, frequent, with scanty emissions.
(See Urine, scanty.)

_____ suddenly and irresistibly. Phos. acid,
Prunus spi., Sulph.

_____ urgent. **Nux v.** (thinks she would
feel better after it). Sepia.

_____ in the morning, urine passing
only after waiting several minutes. Sepia.

_____ violent, ineffectual, straining, without
passing a single drop. **Nux v.**

_____ with violent burning in the bladder.
Sepia.

_____ without any emission. Nux v., Silic.

Discharge of mucus from the urethra. Mezer., Thuja.

Inability to retain the urine. (See Involuntary Discharge.)
Ars., Laurocer., Magn. c., Natr. m., Puls., Ruta, Sulph., Tabac.

_____ constant dribbling. Petrol.

Involuntary discharge of urine. Guarea, Phos., Rhus tox.

_____ and stool. **Hyos.**

_____ at night. Amm. c., Ars., Bell.,
Cham., Ferr., Hyos., **Petrol.**, Podoph., Puls., Silic.

_____ at night, in bed. **Puls.**

_____ chronic— from paralysis of the
sphincter vesicæ. Thuja.

_____ when blowing the nose. **Caustic.**

_____ coughing. **Caustic.**, Natr.
m., Puls.

_____ emitting flatus. Puls.

_____ laughing. Natr. m.

_____ sneezing. **Caustic.**

_____ standing. Bell.

_____ walking. Calc. c., Natr.
m., Puls.

_____ while sitting, or walking, the
urine dribbles away. Puls.

Micturition—*before*—severe pains in the back, with relief as
soon as the urine begins to flow. Lycopod.

_____, during, and after—burning and scalding.
Cannab. ind.

_____ near the orifice
of the urethra. **Capsic.**

- Micturition—*before*—during and after—cutting fearful. **Canth.**
 ————— stinging. **Cannab. ind.**
 ————— *between the acts of*—burning in urethra. Thuja.
 ————— stitches. **Capsic., Natr. m.**
 ————— tearing—and in rectum. Ruta.
 ————— at the commencement of—pain. Clematis.
 ————— *during*—burning. Acon., Apis, **Ars.**, Cact. gr.,
 Calc. c., **Cannab. sat., Canth.**, Carbol. acid, **Caustic., Dulc.**, Hede-
 oma, Hep. s., Kreosot., Liliūm, Magn. m., **Merc. sol.**, Nitr. acid,
Nux v., Puls., Sabina, Sepia, Tart. emet., Taxus bacc., Terebinthina.
 —————, but especially after it. **Cannab.**
sat.
 —————, itching, titillation in urethra and
 vulva. Ambr. gr.
 ————— cutting. Puls., Sepia.
 ————— burning; the urine escapes in drops
 or in a feeble stream; intense suffering. **Canth.**
 ————— itching in urethra. **Lycopod.,** Sarsaparilla.
 ————— the meatus urinarius, with strong
 desire to urinate. Petrol.
 ————— pain across the back. Antim. crud., Kali
 bich.
 ————— in the abdomen. Cham.
 ————— protrusion of piles. Kali c.
 ————— scalding. Nux v.
 —————, slow, weak stream. Sulph.
 ————— smarting and cutting, passing only a few
 drops. **Canth.**
 —————, moderate; frequent desire to uri-
 nate. **Cannab. sat.**
 ————— *after*—burning. **Canth.,** Conium (immediately), Le-
 dum, Natr. m.
 ————— cutting. **Natr. m.,** Sarsaparilla.
 ————— dropping of blood. Puls.
 ————— dribbling of urine. **Cannab. ind.**
 ————— immediately—fine stinging in the orifice of
 urethra. **Capsic.**
 ————— itching. Lycopod.
 ————— it seems as if a drop were remaining back in
 the urethra, which it is impossible to expel; this drop burns and wor-

ries patient for a long time with fruitless efforts to expel it. **Kali bich.**

Micturition *after*—mucous discharge. Murex purp.

_____ pains in neck of bladder, extending to pelvis and thighs. **Puls.**

_____ smarting. **Lilium.**

_____, unbearable. **Sarsaparilla.**

_____ when one thinks to have finished, suddenly a quantity of urine will pass involuntarily in drops. **Clematis.**

_____ with stool; great weakness of the sexual organs.

Calc. phos.

_____ at the close of—sharp pains. **Sarsaparilla.**

_____ *difficult.* Curare, Kali c., Merc. cor. **Plumb.**

_____, can only pass water when at stool, and must strain at stool in order to urinate. **Alum.**

_____, has to cross her legs and bend forward, still only a little urine escapes, although she feels full to bursting. **Zinc.**

_____ press a long time. **Prunus spi.**

_____ wait awhile before effected, and then it flows slowly for many days. **Hep. s.**

_____ the urine is only emitted by a strong bearing down of the abdominal muscles. **Magn. m.**

_____ passes in drops, with much pain.

Canth., Merc. cor., Nux v., Plumb.

_____ with chilliness; discharge of milky leucorrhœa. **Kreosot.**

_____ pinching pain. **Calc. c.**

_____ imperfect, never finished; it seems as though some urine always remained behind in the bladder. **Hep. s.**

_____ profuse—always with great heat. **Kreosot.**

_____ retarded—and backache relieved by the flow. **Lycopod.**

_____ so easily, that she is hardly sensible of it. **Caustic.**

_____ *with* intermittent flow of urine; the flow starts and stops repeatedly. **Conium.**

_____ pain, cutting burning in the vulva. **Conium, Kreosot.**

_____ sticking or itching in the pudenda. **Carb. veg.**

Renal colic. **Nux m.**

Suppression and **retention** of urine. (See Urine, scanty.)

Ars. (after delivery), Aurum, **Bell.**, Cupr. m., Hedeoma, **Hyos.**, Iod., Laurocer., **Opi.**, Plumb., Podoph., Puls., Secal. cor., Stann.

Suppression and *retention* of urine and stool. Sulph. acid.
 _____ inability to pass a drop
 of urine for a long time, finally a few drops pass away without pain.
Clematis.

_____ obstinate, with stitches
 and pulsation in the bladder, as if she had bruised herself. Curare.

_____ painless. Nitr. acid.
 _____, weakness of expulsive
 power. **Opi.**

_____ with a dull pain in the
 small of back. Kali bich.

URETHRA.

Urethra—aching at the orifice of the. **Nux v.**

_____ burning. Puls.

_____ in the forepart. Sepia.

_____ dragging in the—with sense of soreness after mictu-
 rition. Argt. nitr.

_____ gonorrhœa, after the acute symptoms have subsided.
 Sepia.

_____ inflammation of the—with frequent desire to urinate,
 and burning, smarting pain. **Cannab. sat.**

_____ meatus urinarius externus, with
 redness and heat. **Sulph.**

_____, gonorrhœa, greenish, painless;
 worse at night. **Merc. sol.**

_____, yellowish, thick.
Merc. cor.

_____ needlelike stitches in the orifice of the. **Nitr. acid.**

_____ sensation in the—as if a drop of urine were passing
 along the urethra from the neck of the bladder, sometimes with
 drawing and cutting pains. **Thuja.**

_____ it was closed, not allowing a
 free flow of urine. Argt. nitr.

_____ tearing in the—and rectum, between the acts of mic-
 turition. Ruta.

URINE.

Acrid, corrosive. Laurocer., Zinc.

Albuminous. Bovista, Glon., **Helon.**, **Plumb.**

—————, flakes of albumen precipitated by heat and Nitric acid. **Merc. cor.**

Black. Hellebor.

————, almost. Lach.

Bloody. Canth., Copaiva, Curare, Ipec., Nux v., Rhus tox., Sabina, Thuja.

Brown. Apis, Arnica, Bufo, Calc. c., Merc., Nitr. acid, Prunus spi., **Puls.**

Clayey. Sarsaparilla.

Clear. **Cham.**, **Gels.**, Ol. an.

Cloudy. Curare, Sulph.

———— white. Plat.

Cold—sensation of—when passing. Nitr. acid.

Copious. Alum., Amm. m., **Cannab. ind.**, Caulophyl., L. V. Deflor., Ledum, Magn., c., Natr. m., Natr. s., Ol. an., Oxalis, **Phos. acid**, Phytol., Podoph., **Puls.**, Sabina, Sarsaparilla, Sulph., Thuja.

———— and colorless, after the termination of a hysterical spasm. Sulph.

————, frequent discharge, with bearing-down pains. Cham.

————, or pale. Sarsaparilla.

———— especially at night. Amm. m., Ledum, Phytol.

———— frequently discharged. Agn. cast., Ambr. gr., Antim. crud., Apocyn. can., Baryt. c., Calc. phos., **Cham.**, Cimicifuga, Cina, Cinnab., Drosera, Glon., Helon., Kalmia, **Kreosot.**, **Lach.**, Lycopod., Mezer., Muriat. acid, Natr. c., **Natr. m.**, Natr. s., Nitrum, Nux jugl., Phos. acid, Sanguin., Stann., Sulph.

————, especially at night. Amm. m., Antim. crud., Sanguin., Sulph. (after midnight).

Dark. Acon., Agn. cast., Antim. crud., **Apis**, Apocyn. can., **Bry.**, Calc. c., China, Colchic., Curare, Hedeoma, Hellebor., Iod., Lach., L. V. Deflor., Pallad., **Plumb.**, Rhus tox., Sabina.

————, red. Benzoic acid, Cupr. m., Ferr. iod., Lobelia.

————, turbid. Ambr. gr., Apocyn. can., Berber., Bry., Iod., Merc., Rhus tox.

Foaming. Lach., Lycopod.

Greenish. China, Magn. c., Magn. s., Ruta.

———— tinged. Chelidon.

Hot. Acon., Bry., Ham., Hep. s., Lilium, Mezer.

Jellylike. Cina, Colocynth.

Loam-colored. Zinc.

Milky. Iod.

————, after standing a little. Cina.

Odor—fetid. Calc. c., Carb. an., Colocynth., Kreosot., Nitr. acid, Sepia, Sulph.

———— like horse urine. Nitr. acid.

———— valerian. Murex purp.

———— violets. Nux m.

———— offensive. Bufo.

———— pungent. Calc. c., Merc.

———— sour. Ambr. gr., Merc.

———— strong. Apis, Benzoic acid, Calc. c., Kali bich., Merc., Nitr. acid, Nux v., Sulph.

Oily. Curare.

Pale. Ambr. gr., Amm. c., Caulophyl., Cham., Chelidon., Coccul., Helon., Lilium, Lycopod., Magn. c., Mezer., Ol. an., Sarsaparilla.

————, especially at night. Lycopod.

———— yellow. Magn. m.

Pellicle—gray—on the surface of urine. Lycopod.

———— slimy—on the surface of urine. Petrol.

Profuse. (See Copious.)

Red. Acon., Antim. crud., Bry., Kali bich., Kali hydr., Merc. cor., Merc. viv., Plat., Rhus tox., Sarsaparilla, Tart. emet.

———— blood. Berber.

————, dark, leaving a deep-red stain in the vessel. Phytol.

————, deep. Carb. veg., Cupr. m., Ham., Hep. s., Kali bich.,

Puls., Sepia.

————, fiery. Kali c., Merc., Sarsaparilla.

———— with white clouds. Plat.

————, without sediment. Acon.

Reddish. Chelidon., Mezer., Taxus bacc.

————, cloudy. Nitrum.

Sandy. Sarsaparilla.

Scanty. Acon., Apis, Ars., Bry., Castor, Ferr. iod., Gratiola, Ipec., Kali nitr., Lilium, L. V. Deflor., Magn. m., Merc., Nux m., Plumb., Podoph., Prunus spi., Puls., Rhus tox., Sarsaparilla.

Scanty, a few drops only at a time. Argt. nitr., Cact. gr., **Canth.**, Coff., Colchic., **Drosera**, Dule., Ol. an., **Plumb.**, Ratanhia, Rhus tox., Sabina.

—————, with sensation of swelling in the urethra. Argt. nitr.

—————, but frequently discharged. Anacard., Bell., **Canth.**, **China**, Coccul., Colocynth., Cyclam., Drosera, Helleb., Kali c., Kreosot., **Lamium alb.**, Magn. m., Pallad., **Ruta**, **Sarsaparilla**.

—————, difficult discharges. **Canth.**, Curare, Merc. cor., Taxus bac., Zinc.

—————, slow discharge. Muriat. acid
Slimy. Sarsaparilla. **Sepia**.

Staining the linen brown. Nitr. acid.

————— saffron. **Bell**.

————— yellow. **Chelidon**.

Thick. Curare. **Sepia**.

—————, dark. Apocyn. can.

—————, white. Conium.

Turbid. Alum., Aurum, **Berber.**, Conium, Cupr. m., **Dulc.**, **Graph.**, **Gratiola**, **Ipec.**, Iod., Natr. c., Rhus tox., Sabadilla, Sarsaparilla, **Sepia**, Zinc.

—————, dark. Ambr. gr., Iod., Merc.

—————, on passing it, like brown beer. **Chelidon**.

————— buttermilk. Aurum.

—————, white. **Dulc**.

Viscous—white. Colocynth., Curare.

Watery, colorless. Alum., **Cannab. ind.**, **Caustic.**, **Cham.**, Cinnab., **Gels.**, Ignat., L. V. Deflor., Murex purp., **Natr. m.**, Phos. acid, Puls., Sulph.

—————, forming a white cloud at once after discharged. Phos. acid.

—————, frequently discharged. **Ignat**.

White, cloudy. Plat., Phos. acid.

—————, like curdled milk, soon becoming turbid, with brickdust sediment. **Phos**.

Yellow. **Bell.**, Caulophyl., China, Kalmia, Lach., Natr. s.

—————, dark. **Berber.**, **Chelidon.**, Magn. m.

—————, light, pale. Apocyn. can., Hep. s.

SEDIMENT.

- Black, like coffee-grounds. **Apis, Helleb.**
Brickdust-like. **Arnica, Chin., Coccus cacti, Ipec., Natr. m., Natr. s., Nux v., Pallad., Phos., Sepia.**
 —————, adhering to the vessel. **Pallad., Puls., Sepia.**
 Brownish. **Puls.**
 Chalklike. **Phytol.**
Clay-colored. **Berber.**
 Flakes—long. **Sarsaparilla.**
 Flocculi. **Berber., Mezer., Phos.**
 Mealy. **Berber.**
Mucous. **Berber.**
 —————, bright-red. **Berber.**
 —————, deep-red. **Aurum.**
 —————, yellow. **Natr. c.**
 Of different colors. **Petrol.**
 Profuse. **Berber.**
Red. **Lilium, Lobelia, Puls.**
 ——— sand. **Lycopod.**
 Reddish. **Bry., Laurocer., Sepia.**
Sandy. **Amm. c.**
 ——— grayish. **Lycopod., Phos., Sarsaparilla.**
 ——— red. **Lycopod.**
White. **Berber., Calc. c., Colchic., Graph., Magn. c., Merc., Murex purp., Rhus tox.**
Yellow—mucous. **Natr. c.**
 ——— viscous, offensive. **Cuor. m.**

SEXUAL ORGANS.

(Compare the General Organs in the different Parts.)

Vulva.

(See Pelvis under Abdomen.)

Aphthæ of the. (See Eruption.)

Blisters of the. (See Eruption.)

Clitoris erect after urination, with sexual desire. **Calc. phos.**

Condylomata. **Cubeb., Nitr. acid, Thuja.**

Condylomata, dry, painless, pediculated. Lycopod.

—————, long and thin. Thuja.

—————, moist, suppurating, stinging, and bleeding.
Thuja.

—————, with burning, sore pain. Sabina.

————— stitches and itching, especially when walking. Euphrasia.

Cysts—sensitive, or with tearing pain, during rest. Sabina.

Discoloration—anæmic—of all the mucous membranes, externally and internally. Calc. c.

Drawing in the—from the anus, before stool. Carb. an., China, Natr. m., Phos., Puls., Sepia.

Dryness—great—of—and vagina, causing a disagreeable sensation when walking, after menses. Sepia.

Eruption—(see Pruritus, Itching) aphthæ. Carb. veg., Cubeb., Helon.

————— blisters. Phos., Sulph.

————— closing the urethra by swelling. Rhus tox.

————— corrosive, itching. Nux v.

————— erythematous. Helon.

————— herpetic—itching, gnawing. Nux v.

————— on the labia majora. Conium.

————— with intense itching, worse from cold or getting wet, better from wrapping up warm. Silic.

————— worse from every cold change of the weather, or by exposure to cold or dampness. Dulc.

————— miliary—with heat. Sarracenia.

————— outside—innumerable, pale, somewhat reddish granules. Gossypium.

————— **pimples**. Æthusa, Graph., Merc. sol., Sepia.

—————, like little ulcers. Cubeb.

—————, on inside of labia, itching. Graph.

————— left labia majora, itching, especially when the menses have been retarded; they burn when urinating; larger pimples on the labia minora, that itch when touched. Angustura.

————— mous veneris, large, painful to touch.
Conium, Natr. m.

—————, vesicles on the labia, which smart and are painful. Graph.

Eruption—pimples, with itching and burning in vagina; is hardly able to sit still. **Sulph.**

————— **pruritus**—(see Itching, Pruritus) in pregnant women, violent itching, parts swollen, dark red, protruding; she cannot lie down. **Collinson.**

————— violent, always towards evening, or sometimes when walking. **Nitr. acid.**

————— worse from taking cold. **Nitr. acid.**

————— **pustules** (external). **Tart. emet.**

————— hard, black, on a small portion of the left labia. **Bry.**

————— **rashlike**. **Graph., Lycopod.**

————— scabby. **Kali hydr.**

————— soreness—and between the legs. **Caustic.**

————— spots—bright-red, with itching and smarting, on the inside of the labia majora and at the entrance of the vagina. **Allium sat.**

————— burning and red. **Copaiva.**

————— red, sore places, looking like ulcers (don't pain but itch). **Carb. veg.**

————— stinging like bee-stings. **Apis.**

————— tubercles, on the margin of the labia, stinging, burning. **Calc. c.**

—————, pimples, more troublesome at night. **Merc. sol.**

————— vesicles—like lentils, filled with purulent matter; vulva swollen and inflamed. **Natr. s.**

————— on the outside, painless. **Sepia.**

Epidermis—every morning the—falls off in thin transparent exfoliation. **Helon.**

Excoriation. (See Pain.)

Hair falling off—itching externally. **Natr. m.**

Heaviness—feeling of—in the labia majora and vagina. **Murex purp.**

Induration of the—from injuries. **Conium.**

Inflammation of the. (See Swelling, Eruption, Pruritus.) **Apis, Bell., Borax, Calc. c., Lilium, Lycopod., Merc. cor. (great).**

—————, and swelling. **Asafoet., Calc. c.**

—————, covered with vesicles, filled with purulent matter. **Natr. s.**

Inflammation of the, and vagina, with much irritation.
Nitr. acid.

_____, erysipelatous. **Rhus tox.**

_____, heat; swelling of the labia. **Bell.**,
Carb. veg., Lach., Merc. viv., **Sepia.**

_____ labia and soreness, also of the peri-
næum, and between the thighs. **Sepia.**

_____, with dryness and heat to touch. **Bell.**

_____ falling off of the hair; pimples
on mons veneris and the borders of the hair on the nape of neck.
Natr. m.

_____ rheumatic conditions of the whole
body. **Rhus tox.**

_____ terrible itching and burning.

Helon.

Itching. (See Pain.)

Moisture—much—(see Perspiration) between the labia and thighs.

Calc. c., Petrol.

Œdema. (See Swelling.)

Pain above the pubes—(See Pelvic region, under Abdomen)
aching—with pain in the knees. **Lilium.**

_____ *in the*—and genitals; throbbing, itching, tickling, sore,
aching, pressing, or drawing upwards in the symphysis, downward
in the thighs. Calc. phos.

_____ perinæum. **Thuja.**

_____ as if menses would appear. **Sulph. acid.**

_____ biting. Calc. c., Carb. an., **Kali hydr.**, **Merc.**,

Zinc.

_____, and soreness between the pudenda.

Kreosot.

_____, as if from salt, during and after mictu-
rition. **Caustic.**

_____, from the menstrual discharge. **Rhus tox.**

_____ *Burning.* Alum., Amm. c., **Ars.**, Aurum,
Bovista, Calc. c., **Canth.**, Carb. an., Carb. veg., Castor, Caustic.,
Conium, Cubeb., Hædema, Kali c., **Kreosot.**, Magn. s., Merc., Nux
v., Petrol., Puls., Silic., Sulph., Sulph. acid, **Thuja.**

_____, and itching at the fossa navicularis.

Cubeb.

_____ mons veneris,
with watery vesicles and stitching in the vagina. **Rhus tox.**

Pain in the—burning and itching, soreness, gnawing. Kali c.
 _____, swelling. Amm. c.,
 Kreosot.

_____, throbbing, with great sensi-
 tiveness—sudden. Coccus cacti.

_____, between the pudenda on urinating.
 Conium, **Kreosot.**

_____; biting, smarting, itching in mons
 veneris. Berber.

_____, like salt. Sulph.

_____; stinging in the labia and vagina.
 Puls.

_____, with desire for an embrace. Nux v.

_____ leucorrhœa. **Puls.**

_____ prurigo; relieved by washing
 with cold water. Merc. viv.

_____ sense of dryness. Lycopod.

_____ *clitoris*, deep and penetrating, extending down
 into the vagina. Apis.

_____ cramplike—and in perinæum when rising from a
 seat, frequently extending up into the abdomen, with ulcers on the
 internal surface. Thuja.

_____ cutting between the labia, when urinating.
 Conium.

_____ drawing. Aurum.

_____ in mons veneris. Aurum.

_____ *heat*. Aurum, **Bell.**, Calc. c., Carb. veg., Merc.
 sol.

_____ inside of the labia. Cimex.

_____, with miliary eruption. Sarracenia.

_____ swelling and redness of the labia.

Merc. viv.

_____ *itching*. (See Eruption, Pruritus.) Alum.,
 Ars., Aurum mur., Calc. c., **Carb. veg.**, China, Copaiva, Ferr.,
 Hedeoma, Kali c., **Kali hydr.**, **Kreosot.**, Lycopod., Magn. c., Merc.,
Natr. m., Phos. acid, Sabina, Sepia, Silic., Staphis., Zinc.

_____, and anus. **Carb. veg.**

_____ irritation, with strong desire for
 an embrace. Agaric. m.

_____ perinæum. **Carbo veg.**

Pain in the—itching, and soreness. **Carb. veg.**, **Merc.**, **Nitr. acid.**

_____, worse from scratching.

Anacard.

_____ urethra, burning during micturition. **Ambr. gr.**

_____, before menses. **Graph.**, **Merc.**

_____, causing onanism. **Nux v.**

_____ pollutions. **Bufo.**

_____, corrosive—and in vagina, so that she has to scratch, followed by a feeling of burning and swelling in the pudenda. **Kreosot.**

_____, during menses. **Lycopod.**

_____, externally and internally, worse from scratching. **Agaric. m.**

_____, with falling off of the hair.

Natr. m.

_____, in delicate women, with red face.

Ferr.

_____, internally, with burning at mons veneris; watery vesicles and itching pain in vagina. **Rhus tox.**

_____ of mons veneris. **Amm. c.**, **Berber.**, **Eupat. perfol.**

_____, relieved by great scratching. **Crot. tig.**

_____, violent. **Agaric. m.**, **Ambr. gr.**, **Amm. c.**, **Collinson.**, **Kreosot.**

_____, and vagina. **Conium.**

_____, between the labia and thighs. **Kreosot.**

_____, compelling her to scratch, voluptuous. **Caladium.**

_____, followed by pressing down in the uterus. **Conium.**

_____, in the evening or when walking. **Nitr. acid.**

_____, of clitoris. **Sulph.**

_____, with pimples all around. **Sepia.**

_____ swelling of the labia and humid eruption. **Sepia.**

Pain in the—itching, voluptuous—inducing onanism, or longing for an embrace. **Agaric. m.**, Caladium, Canth., Hep. s., **Nux v.**, Plat., Zinc.

_____ but parts too sensitive to be touched. **Coff.**

_____, when urinating. Carb. veg. (or sticking).

_____, worse from contact of urine. Merc.

_____ **pinching** at the clitoris, especially at night. Borax.

_____ pricking. Arundo m.

_____ **sensitiveness**—tenderness. Merc. sol., Plat., Sepia, Zinc.

_____ ; cannot bear to touch it. **Coff., Muriat. acid.**

_____, painful, during coition. Plat.

_____, and constant pressure in mons veneris and genitals. **Plat.**

_____, when sitting especially. Staphis.

_____ sharp—running occasionally around the labia. Lycopod.

_____ shooting—like electric shocks. Coccus cacti.

_____ **smarting**. Aurum, Cham., Conium, Curare, Ferr., Helleb., Hep. s., Kreosot., Lach., Lamium alb., Magn. c., Merc., Silic., Sulph.

_____, after taking sour things. **Silic.**

_____ micturition, as if from salt.

Caustic.

_____, during micturition especially. Zinc.

_____, itching—within the vulva, and biting between the labia and thighs, with great burning and soreness after micturition. Kreosot.

_____, particularly in the forepart of pudendum, with inclination to scratch, which is followed by violent burning. Merc.

_____ sore, aching in the labia. Calc. phos.

_____ soreness—and of anus, especially painful on urinating. Amm. c.

Pain in the—soreness, redness—of the labia, perinæum, and between the thighs. Sepia.

————— with leucorrhœa, before menses. Sepia.

————— spasmodic—and vagina. Staph.

————— contractive—of the inner parts.

China.

————— stinging, itching. **Apis**, Staph.

—————, when walking especially. Zinc.

————— **stitches**—severe. Conium.

————— left side—extending to the chest.

Alum.

————— paroxysms of—from the vulva to the right thigh, as if a knife were thrust into it now and then suddenly. Crocus sat.

————— stitching in the inner labia. Calc. phos.

————— swelling, without voluptuous sensation. Angustura.

————— tearing—at intervals. Baryt. c.

—————, dull—in the labia, during or after walking in the open air. Phos.

————— in mons veneris, while sitting. Conium.

————— violent—on going to bed, so that she is obliged to sit up in bed and go to sleep in that position. Coccus cacti.

————— relieved by scratching until it draws blood. Angustura.

————— **with excoriation.** Æscul. hipp., Alum., Amm. c., Ars., Bovista, Carb. veg., **Carbol.** acid, Caust., Cham., Conium, Ferr., Graph., Hedeoma, Hep. s., Ignat., Iod., Kali c., Kali hydr., Kreosot., Lilium, Lycopod., Merc., Phos., Prunus spi., Ranunculus bulb., Robinia, Ruta, Sabina, Sarsaparilla, Sepia, Silic., Sulph., Sulph. acid.

—————, and of the whole perinæum. Lilium.

—————, even between the thighs. Caust., Graph.

————— soreness and moisture. Petrol.

————— rawness. Carb. veg., Graph.,

Kali bich., Merc.

Perspiration—feeling as of. Eupat. perfol.

Perspiration, very offensive and fetid, also of the axilla and soles of feet. **Sepia**.

Pimples. (See Eruption.)

Polypus. Lycopod.

Pressure and bearing down into the genital organs. (See Labor-like or Bearing-down Pains and Pressure, under Abdomen.)

Pruritus; prurigo. (See Eruption; Pains—itching, burning, smarting.) Bufo, **Carb. veg.**, **Collinson.**, **Cubeb.**, Hydrast., **Kali brom.**, Plat., Sabina, Sulph., Tarantula, Urtica urens.

———— always worse from cold or getting wet. **Nitr. acid.**

———— and burning, relieved by washing with cold water. Merc. viv.

———— causing sexual mania. Zinc.

———— during leucorrhœa (profuse), with sexual excitement.

Hep. s.

———— menses. Hep. s.

———— pregnancy especially. Helon.

————, parts badly swollen, dark red, protruding, she cannot lie down; violent itching. Collinson.

———— induces even onanism. **Agaric. m.**, Calad., Canth.,

Hep. s., **Nux. v.**, Plat., Zinc.

———— in the evening. Nitr. acid.

———— near the change of life. Puls.

———— when walking. Nitr. acid.

———— with vaginitis and vaginismus. Ham.

Redness. (See Inflammation; Eruption; Pruritus.)

Sensation as if the genital organs would fall out. Podoph.

Swelling. (See Inflammation; Eruption; Itching; Pruritus.) Angustura, Borax, Calc. c., Kali bich., Kreosot., Lilium, Merc., **Puls.**, Thuja.

———— and irritation. Canth., Calc. c.

———— burning, itching. Amm. c., Canth., Nitr. acid.

———— excessive. Asafoet.

———— of the labia. Apis, Sepia.

————, during pregnancy especially. Podoph.

————, great and rapid, with sensation of dragging and increased warmth in the vagina. Colocynth.

———— painful. Arnica, Mephites.

———— redness, covered with curdy deposit like aphthæ. Helon.

Swelling of the labia, soreness, itching. Ambr. gr.

_____ with constant dragging in the vagina.

Colocynth.

_____ labia majora—left. Bry.

_____ redness, burning. Aurum.

_____ minora, feels dry, hard, covered with a crust, hindering passing urine, until relieved by cold water. Apis.

_____ and heat. (See Inflammation.)

_____ great—which is very sensitive; micturition causes severe burning. Coccus cacti.

_____ with discharge of mucus. Lach.

_____ in vagina when awaking. Calc. phos.

_____ with milky leucorrhœa. Puls.

Tickling—(and thighs). Alum.

_____ disagreeable. Angustura.

Tingling in the—and itching—causing onanism. Nux v.

_____ voluptuous—and abdomen. Plat

Tubercles. (See Eruption.)

Tumors—erectile. Lycopod., Phos.

_____, blue, hard, pricking. Carb. veg.

_____ burning. Thuja.

_____ soft—between the vulva and thighs, secreting a watery fluid, with stitching pain as from a needle. Gossypium.

Ulcers on the inner surface of the labia—small, diphtheritic. Sulph.

_____ white at first, causing a sore pain when touched, and afterwards smarting. Zinc.

_____ with cramplike pain in vulva and perinæum, when rising from a seat, extending into the abdomen. Thuja.

_____ outer surface of the labia, discolored and rapidly spreading. Secal. cor.

_____ of the—painless, but itching. Carb. veg.

_____ superficial. Merc. sol.

_____ syphilitic. Merc. sol., Nitric acid.

_____ primary—phagedenic—with profuse and bad suppuration. Merc. cor.

_____ with tendency of rapid destruction of tissue, grayish or greenish in color, irregular shaped, and very offensive discharge. Nitr. acid.

Varices of the. Arnica, Calc. c., **Carb. veg.**, Ham., Lycopod., Nux v., Zinc.

—————, external—with fidgets of feet. **Zinc.**

—————, itching of vulva and anus. **Carb. veg.**

Voluptuous crawling in the—and in the genital organs and abdomen. **Plat.**

————— sensation in the—and the genital organs in general. Bovista.

as if all the parts were filling up with blood; she felt the pulse in all the parts. Calc. phos.

Weakness—feeling of—in the sexual organs, after a stool or after micturition Calc. phos.

—————; pressure on the parts. Sulph.

Uterus.

(Compare Uterine Region, under Abdomen; also the Uterus in all the different parts of this work.)

Abortion. (See Part VI.)

Affections of—from frequent exposure to damp or wet weather.

Rhus tox.

————— treated formerly with external application of nitrate of silver. **Natr. m.**

————— with sympathetic affections of the digestive organs. Hydrast.

Aggravation of uterine symptoms in general, when lying down. Ambr. gr.

Anteflexion of the—the uterus feels as if squeezed by a hand. Gels.

Anteversion of the. Lilium, Nux m.

—————, the finger passes only with difficulty between the os and rectum. Helon.

————— reaches the os with difficulty. Graph.

Atony of the. Cimicifuga, Helon., Trill.

————— cervix. Squilla.

Cancer; cancerous ulceration. (See Scirrhus. For the character of the discharges, see Fluor Albus, Part VI; Pains of the Uterus; of Vagina; Ulceration of the Uterus.) Acetic acid, Ars.

(Ars. iod.), Bell., Carb. an., Conium, Graph., Hydrast., Magn. m., Phytol., Sabina, Secal. cor., Sepia (Sulph. iod.), Thuja.

Cancer with bruised pain, shooting and drawing; uterus usually prolapsed and indurated. Aurum.

————— excessively burning pains and putrid discharges. Ars.

————— development during the climaxis; hæmorrhages. Lach.

————— hæmorrhages—free—ceasing for a day and reappearing again. Phos.

————— long-lasting. Iod.

————— lancinating pains from the uterus to the umbilicus; putrid discharges. Sepia.

————— periodical pains, causing anguish and screaming. Ars.

————— preceded by induration. Iod.

————— prolapsed vagina. Merc.

————— sore, burning pain. Calc. c.

————— stitches, burning; stinging. Conium.

————— shooting into the vagina. Kreosot.

————— syphilitic taint. Merc., Nitr. acid, Staphis., Thuja.

————— violent burning in the vagina. Sulph.

Congestion of the. Aloe, Argt. nitr., Bell., Cimicifuga, Ferr., Hep. s., Lach., Nux v.

————— a yellowish leucorrhœa pouring from it; beginning of prolapsus; slightly displaced. Sepia.

————— active and painful. Helon., Sabina.

————— and right ovary, they are very sensitive to the touch. Secal. cor.

————— chronic—of the cervix. Tarantula, Trill.

—————, fulness, pressing, and heaviness, worse when walking. China.

————— passive. Iod.

————— with pain in the loins. Puls.

————— sensation of—with fulness and tension in the hypogastrium. Cauloph.

————— with prolapsus. Lach.

Dilatation of the os; discharge of flatus from the vagina. Sanguin.

—————, wide open, almost everted, its inner surface like cauliflower. Kreosot.

Dilatation of the os, wide open, with hæmorrhage; the blood looks red, the discharge is profuse and paroxysmal, especially during motion. **Sabina**.

Discharges from the—(see Ulcers, Fluor albus, Part VI) fetid, after metritis. **Opi**.

_____ of dark blood, with small coagula, for days. **Ustilago**.

_____ blood, during new and full moon. **Crocus sat**.

Displacements, with rheumatic pains; worse in damp weather, or in changes from warm to cold. **Calc. phos**.

_____ too profuse menses. **Nux m**.

Distension of the. (See Swelling.)

Distinct feeling of the womb. **Murex purp**.

Dropsy of the. **Apis**, **Ars.**, **Bell.**, **Calc. c.**, **Canth.**, **China**, **Conium**, **Digital.**, **Dule.**, **Hell.**, **Kali c.**, **Lactuca**, **Ledum**, **Lycopod.**, **Merc.**, **Rhus tox.**, **Sepia**, **Sulph**.

_____, face flushed. **Ferr**.

_____, following a sudden suppression of menses.

Colchic.

_____, red, sometimes greenish urine, with thick sediment; urine passes slowly, the bladder being nearly paralyzed; body cold. **Camph**.

_____, swelling increases during the day, and diminishes at night. **Bry**.

Erosions of the. **Phytol**.

_____ like aphthæ. **Thuja**.

_____ sycotic. **Thuja**.

Excrescences of the. **Nitr. acid**.

_____ bleeding—on the os. **Merc**.

_____ cracked, on the cervix and os.

Cubeba.

_____ cauliflower or wart-shaped. **Graph.**, **Kreosot**.

_____, bleeding easily; offensive. **Thuja**.

_____ wart-shaped; upon the os, with stinging when urinating. **Thuja**.

Flatus from the—especially in the evening. **Sanguin**.

_____ loud emissions of. **Brom**.

Hardness of the. (See Induration.)

Hæmorrhage from the—(see Parts II and IV) internal—during climaxis. Trill

Heaviness in the cervix—sensation of—which causes discomfort when rising or sitting down. Nux v.

Hypertrophy. Phytol., Ustilago.

———— prolapsus and ulceration. Podoph.

Induration of the. Amm. m.

———— and prolapsus. Aurum, Conium.

———— swelling—and of the ovaries. Iod.

———— painless. China.

———— scirrhus. (See Scirrhus, Cancer.)

———— with sharp and cutting pains. Kreosot.

———— cervix. Aurum m., Aurum muriaticum natronatum, Sepia.

———— and swelling. Nux v.

————; burning. Carb. an.

————; tender and painful. Kreosot.

————; with deformed os. Natr. c.

———— stitching pain in it, extending upwards. Sepia.

———— os. Ustilago.

Inflammation of the. Acon., Arnica, Bell., Bufo, Lilium, Merc., Sabina, Terebinthina.

———— after frequent pregnancy. Phos.

———— and ovaries. Merc. viv.

———— from debilitating influences.

Phos. acid.

———— cervix—with spongy enlargement. Murex purp.

———— cessation of the lochia; fever. Secal. cor.

———— chronic. Aurum m., Cimicifuga.

———— and hypertrophia. Aurum muriaticum natronatum.

————; cutting as from knives in the bowels, great distress, distension of abdomen. Colocynth.

———— from indignation; colicky pains bend her double. Colocynth.

———— sharp, shooting pains; abdomen very tender. Acon.

———— sudden—with prolapsus, bitter vomiting, cold sweat, or dry hot skin. Acon.

Inflammation of the, with burning, throbbing pains. Hep. s.
 _____ fits of vomiting, delirium, anxiety;
 body hot, limbs cold. Verat. alb.

_____ hæmorrhages. **Sabina.**

_____ typhoid symptoms. **Hyos., Rhvs**
tox.

Irritability of the. Hyos., Phos.

Lumps—hard—at the cervix—with ulcerative pains during coition. Kreosot.

Menstruation. (See Part I.)

_____ suppressed. (See Part III.)

Metrorrhagia. (See Part V.)

Moles—tendency to. Calc. c., Natr. c., Secal. cor., Silic.

_____ to promote the expulsion of. **Cauloph., Ferr., Kali c.,**
Puls., Secal. cor., Sabina, Sulph.

Mortification—gangrene—tendency to. Ars., Kreosot., **Secal. cor.**

Pain in the—aching. (See Abdomen in General and the Hypogastric Region.) Calc. phos. (morning).

_____ after touching the os during coition. Merc.
 cor.

_____ constant—referred to the os. Ustilago.

_____ acute—right side—which crossed the entire body,
 and extended upwards to the left breast. **Murex purp.**

_____ and about it. Kali c.

_____ its ligaments, returning every evening, getting
 worse all the time until 11 P.M., then it ceases, until next evening.
 Cact. gr.

_____ ovary—left. Sepia.

_____ ovaries, relieved by a flow of blood. **Lach.**

_____ as if squeezed by a hand; anteflexion. Gels.

_____ bruised—tumefaction of the cervix. Robinia.

_____ *burning*—terrible. Terebinthina.

_____ with great bearing-down pain, causing
 heat all over her; thirst. Terebinthina.

_____ in the cervical canal. Calc. c.

_____ of the cervix. Bufo, Sepia.

_____ sticking, heaviness. Nux v.

_____ with distension, hardness, and sensitive-
 ness to touch. Secal. cor.

_____ *constrictive*—with feeling of dryness in the
 uterus. Murex purp.

Pain in the, contractive. Sabina.

_____ and in the intestines. Nicotin.

_____ left side, like labor pains; obliging her to bend double. **Puls.**

_____ crampy. Bufo.

_____ **cramps**—extending into the thighs, preceding a leucorrhœal discharge. Magn. m.

_____ with burning and cutting in the groins. Natr. m.

_____ pulling in the loins and small of back; irritable uterus. Hyos.

_____ lacerations, worse from touching the parts. Ignat.

_____ pinching and uneasiness in the abdomen. Bry.

_____ **cutting**—and through the sacrum. Calc. phos.

_____, tensive—with tenderness of uterus to touch or during coition. Puls.

_____ digging. Bufo, Curare.

_____ distensive—and ovaries. Curare.

_____ dragging—and in the bladder. Copaiva.

_____ drawing, pressive pain, extending towards the uterus, like labor pains, with qualmishness, towards morning. Puls.

_____ expulsive. **Secal. cor.**

_____ griping, pinching—with drawing from the small of back forwards, followed by discharge of large clots of blood. Cham.

_____ in the os. Ferr.

_____ **laborlike**. (See Laborlike Pains in the Abdomen, as well as in the different parts of this work.) Aralia, **Asafoet.**, Calc. c., Canth., Cham., Ferr., Graph., Nitr. acid, **Secal. cor.**

_____ and left ovary and left mamma. Lilium.

_____ extending to the back, with weakness and nausea. Graph.

_____, oppressing the breathing. **Sepia.**

_____ pressing, as if everything would come through the vulva, every afternoon. **Sepia.**

_____, preventing locomotion. Asterias rubens.

_____, with aching below it, and sharp pains in abdomen. Ferr.

_____ profuse discharge of clotted blood and tearing pains in legs. Cham.

Pain in the, violent, when washing herself with cold or warm water. *Crotalus cascavella*.

—————, near the os; when lying down. *Ferr.*

—————, **neuralgic**—severe—cannot bear touch, not even the weight of clothes or a slight jar; anteversion. *Lilium*.

————— **pressure**—as if something would come out. **An-tim. crud.**, *Copaiva*.

————— aching—and in the vagina. *Calc. phos.*

————— with cramps in the chest and fainting nausea. *Coccul.*

————— pricking. *Arundo m.*

————— pulling—especially in the uterine ligaments. *Copaiva*.

————— pulsating. *Murex purp.*

————— and in the ovaries, as if from suppuration; the pain extends to the thighs, becomes insupportable, then it ceases completely, and occurs again on the next day at the same time, and so on. **Cact. gr.**

————— with swelling as from dropsy. *Sarracenia*.

————— rheumatic. *Cimicifuga*.

————— **shooting**. *Curare*, *Sepia*.

————— at every step. *Bell.*

————— lancinating—extending to the umbilicus and pit of stomach. *Sepia*.

————— stitches—violent—extending down to the legs. *Graph.*

————— with tumefaction and bruised feeling in the cervix. *Robinia*.

————— soreness and weight—consciousness of uterus. *Helon*.

————— as if cut by an instrument. **Murex purp.**

————— **spasmodic**. *Nux m.*, *Sarracenia*.

————— contractive. *Cauloph.*, *China*.

————— with discharge of coagula.

Nux v.

————— laborlike. **Puls.**

————— violent—at the cervix. *Coccul.*

—————, with aphthous vaginitis. *Cauloph.*

————— great debility. (*Pregnancy*.)

Cupr. ars.

————— stinging in the os. *Calc. c.*

————— with induration and scirrhusities. *Conium*.

Pain in the, **stitches** in the cervix. **Conium**, Plat.

_____ and deep in the vagina. **Co-paiva**.

_____ shooting upwards. **Borax**.

_____ os. **Calc. c.**

_____ like stabs. **Bufo**.

_____ of rapid succession, relieved by bathing with cold water. **Angustura**.

_____ stitching—and about it. **Kali c.**

_____ shooting. **Ferr.**

_____ ulcerative—in cervix. **Kreosot**.

_____ violent—in the right side of uterus, extending through the abdomen, upwards to the chest and left breast. **Murex purp.**

_____ the uterus feels as if clutched, and then suddenly released, causing nausea. **Sepia**.

_____ when reaching high with the arms. **Graph.**

_____ touched, tenderness. **Kali ferrocyanuret.**

_____, vomiting, caused by pessaries. **Nux m.**

Painlessness of the os, although affected otherwise. **Phos. acid.**

Polypus of the. **Bufo**, **Calc. c.**, **Calc. phos.**, **Conium**, **Ledum**, **Plat.**, **Rhus tox.**, **Sanguin.**, **Secal. cor.**, **Thuja**.

Prolapsus of the. (See Laborlike Pains, under Abdomen.) **Aloe**, **Angustura**, **Argt. nitr.**, **Aurum**, **Bell.**, **Benzoic acid**, **Kreosot.**, **Lilium**, **Mezer.**, **Natr. chlor.**, **Plat.**, **Secal. cor.**, **Sepia**, **Stan.**, **Trill.**

_____, **after** cessation of menses. **Agaric. m.**, **Kreosot**.

_____ miscarriage. **Nux v.**

_____ parturition especially. **Bell.**, **Nux v.**, **Podoph.**, **Rhus tox.**, **Secal. cor.**

_____, and flexion. **Lilium**.

_____ vagina. **Nux m.**, **Nux v.**, **Sepia**.

_____ ; feels better after coition. **Merc.**

_____ from straining or lifting. **Aurum**, **Nux v.**

_____, as well as other displacements; worse during a passage of stool or urine, and during menses. **Calc. phos.**

_____, at climaxis, with morbid debility and profound mental gloom. **Helon**.

Prolapsus of the, cannot walk erect on account of a pain, as from a sprain in the groins. **Amm. m.**

_____ bruised feeling in the uterine region, caused by concussion. **Arnica.**

_____, *from* chronic diarrhoea, which only occurs in daytime; great debility. **Petrol.**

_____ fright. **Opi.**

_____ hot weather, apparently. **Kali bich.**

_____ loss of blood or sexual excesses.

China.

_____ muscular atony. **Aletr. f., Cimicifuga, Helon.**

_____ myelitis. **Silic.**

_____ reaching high. **Aurum, Nux v.,**

Sulph.

_____ straining or lifting. **Nux v., Podoph.,**

Rhus tox.

_____, of long standing, accompanied with dry cough and sense of constriction around the hypochondria. **Nux v.**

_____ sudden occurrence, with inflammation, bitter vomiting, cold sweat, or dry, hot skin. **Acon.**

_____, the os protrudes, even externally. **Helon.**

_____ uterus disposed to fall very low, even painfully so. **Podoph.**

_____, *when* connected with climaxis. **Lach.**

_____, *with* aching in the lumbar region; better lying on the back; also with cutting in urethra after micturition.

Natr. m.

_____ amenorrhoea and melancholy. **Aurum.**

_____ anteversion; the finger passes with difficulty between os and rectum. **Helon.**

_____ bearing-down pains (see Laborlike Pains, under Abdomen) and pressure, as if to have a passage from the bowels. **Lilium.**

_____ chronic inflammation. **Aurum mur. natr.**

_____ congestion. **Lach.**

_____ consequent menorrhagia. **Trill., Ustilago.**

_____ constipation. **Sepia.**

Prolapsus of the, with dragging and weakness in the sacral region. Helon.

_____ dryness of mouth, tongue, and throat, especially when sleeping. **Nux. m.**

_____ feeling as if the abdomen would drop when walking. **Merc.**

_____ fetid urine. Benzoic acid.

_____ hæmorrhage during menses. **Ipec., Ustilago.**

_____ hypertrophy and ulceration. **Podoph.**

_____ inclination of the fundus to the left side, producing a numb feeling in the entire lower half of the left side of the body, with dull aching pain constantly; also the same aching pain in the pelvic region, somewhat relieved by the recumbent posture, especially when lying on the right side; tenderness of the os uteri. **Sepia.**

_____ induration. **Aurum, Bell., Carb. an., Conium, Sepia.**

_____ and pain — bruised — shooting and drawing. **Aurum.**

_____ lumbar backache after washing.

Podoph.

_____ pains in the hypogastrium. **Acon., Bry., Cimicifuga, Nux v., Sepia, Sulph., Verat. alb.**

_____ ovaries (left). **Argt. m.**

_____ ovarian region (left);

heat running down the left thigh. **Podoph.**

_____ sacrum; (flatulence infrequent, muco-gelatinous stools). **Podoph.**

_____ side (left). **Lach., Nux v., Stram.**

_____ (right). **Æscul.**

hipp., Apis, Ferr., Sulph.

_____ pressure in the abdomen and back, as from a stone; limbs tend to go to sleep; ineffectual urging to stool.

Puls.

_____ procidentia of uterus, chronic metritis, cervicitis, induration, ulceration. **Sepia.**

_____ rheumatic women, whose pains compel them to shift about in order to obtain relief. **Rhus tox.**

_____ sensation of pressure on it. **Calc. c.**

Prolapsus of the, with severe backache. Nux v.

_____ ulceration, induration, profuse fluor albus. Conium.

_____ of cervix; flooding on lifting a weight and on the least exertion; face sallow, having an expression of suffering; great vaginal irritation; pain in the small of back. Helon.

_____ urging to stool. Nux v.

_____ weak, sinking feeling in the abdomen.

Calc. phos., Phos.

_____, worse during menses. Aurum, Calc. phos.

Retroversion of the. Liliun, Sepia.

_____, and pressure upon the rectum, that she can neither stand nor walk. Ferr. iod.

_____, with menstrual colic. Cauloph

Rigidity of the os. Bell., Conium, Gels.

Scirrhusities. Ars., Conium, Magn. m., Phytol., Plat., Thuja.

Scirrhus, induration (see Cancer), with discharge of black blood. Magn. m.

_____ softened—with lancinating pains and corrosive discharges. Clemat.

Sensation as if something rose from the uterus to the stomach, with nervous agitation and spasms. Bufo.

Sensitiveness of the—to touch or during coition, with tensive, cutting pains. Puls.

_____ and ovaries. Terebinthina.

Softness of the. Aurum mur. natr., Opi.

Spasms of the broad ligaments. Cimicifuga.

_____, extending to the thighs. Magn. m.

Spongy appearance of the cervix, deeply corroded. Argt. m.

Sterility. (See Part I.)

Swelling of the—after parturition. Kali brom.

_____ and hypertrophy. Phytol.

_____ ; prolapsus, induration.

Podoph.

_____ as from a tumor; painful. Cubeb.

_____ or dropsy, especially in right side, with pulsating pain. Sarracenia.

_____ (fibroid enlargement). Terebinthina.

_____ from inflation of gas. Nux m., Phos. acid.

_____ fundus—sensitiveness to pressure. Kreosot.

Swelling of the neck. **Canth.**, Iod.

_____, with bruised feeling. Robinia.

_____ burning pain; it feels hard, and is sensitive to touch. Secal. cor.

_____ hardness; ulcers on the os. Natr. m.

_____ heat. Sarracenia.

_____ heaviness. Nux v.

_____ inflammatory, spongy tumefaction.

Murex purp.

_____ tumefaction; bleeds when touched.

Ustilago.

_____ os—with hardness. Iod., Nux v.

_____ heat. Camph.

Tumors of the—fibroid. Ustilago

_____ hard. Bufo.

_____ with constant hæmorrhage. Kreosot.

_____ tumefaction or dilatation of cervix. Ustilago.

Ulcers of the os or cervix. Alum, Antim. crud., **Ars.**, **Ars. iod.**, Bapt., Bell., **Calc. c.**, Conium, Curare, **Graph.**, **Hydrast.**, Iod., Lep-
tand., Muriat. acid, Phos. acid, Phytol., Sabina, Sanguin., Secal. cor.,
Sepia, Silic., Sulph., Thuja.

_____ and fissures. Bufo.

_____ vagina. Bapt.

_____, fiery red-looking. Cinnabar.

_____ bleeding easily; edges high and hard;
sensitiveness to touch; discharge profuse, greenish, thin, offensive.
Asafoet.

_____, tendency to. Arnica, Phos.

_____, the hæmorrhage being of short
duration. Argt. nitr.

_____ bloody suppuration, smelling like old
rotten cheese; edges are sensitive; discharge is corroding, and the
ulcers itch much. Hep. s.

_____ burning, smarting, pricking; discharge
albuminous, sometimes tinged with blood. Mezer.

_____ cancerous. (See Cancer.) **Hydrast.**,
Iod., **Kreosot.**, Phytol., Secal. cor., Thuja.

_____, deep, with ragged edges.
Merc.

Ulcers of the os or cervix, cancerous discharge acrid, bloody; ulcer destitute of feeling; at times a violent and obstinate pain in the brain; this pain may be intermittent. **Zinc.**

_____ bloody, dark, fetid, constant. **Helon.**

_____ profuse acrid water, containing portions of pus. **Antim. crud.**

_____ purulent, ichorous, sometimes bloody, filling the room with an unbearable stench. **Argt. m.**

_____, putrid, profuse, bloody, itching, corroding pain, or entire absence of feeling. **Phos. acid.**

_____, bloody, thin, gangrenous or painless; it feels as though it had been burnt. **Secal. cor.**

_____, ulcer and anus are sensitive. **Muriat. acid.**

_____ flat—resembling aphthæ. **Nitr. acid,** **Sepia, Thuja.**

_____ indolent. **Phos. acid, Zinc.**

_____ itching much. **Hep. s.**

_____ malignant. **Hydrast.**

_____, with foul discharge. **Carb. an.**

_____ or simple abrasion. **Hydrast., Merc. cor.**

_____ sensitive and painful. **Asafoet.**

_____ small. **Lycopod.**

_____ superficial. **Hydrast., Merc. sol., Nitr. acid, Sepia, Thuja.**

_____, swelling and hardness of the cervix. **Natr. m.**

_____ sycotic. **Thuja.**

_____, syphilitic. **Lach., Merc., Nitr. acid, Thuja.**

_____ with condylomata. **Lach., Merc., Nitr. acid, Nux v., Thuja.**

_____ little pimples around them; itching. **Hep. s.**

_____ ovarian irritation. **Plat.**

Ulcers of the os or cervix, with prolapsus. (See Prolapsus) Helonias.

_____ and hypertrophy. Podoph.

_____ sensation of coldness in them. **Ars., Bry., Merc., Rhus tox., Silic.**

Weak feeling in the—genital organs in general. Sulph.

Ovaries and Ovarian Region.

(See Groins.)

Affections of the—in general. Acon., Æscul. hipp., Aloe, Ambr. gr., Amm. m., Antim. crud., **Apis, Argt. m.,** Argt. nitr., Arnica, Ars. (uterus), Arum triph., Aurum mur. natr., **Bell., Brom.,** Bry., **Cact. gr.,** Canth., Capsic., **Carb. an.,** Cham., China, Cimicifuga, Coccus cacti, Colocynth, **Conium,** Curare, Eupat. purp., Ferr., Gels., Glon., **Graph., Ham., Helon.,** Hep. s., **Iod., Kali c.,** Kali nitr., Lac can., **Lach., Lilium,** Lycopod., Magn. m., Merc. viv., Natr. m., **Pallad., Phos., Phytol., Plat., Podoph.,** Psorium, Ranunc. bulb., Rhododen., Rhus tox., Sabadilla, Sac lac., **Sepia, Staphis.,** Stram., **Sulph., Thuja, Ustilago, Zinc,** Zinci valerianas, Xanthox.

_____ analogous to those of the testicles. Puls. and Rhododendron have been found serviceable.

_____ *right.* Æscul. hipp., **Apis,** Ars., Argt. nitr., Bell., Bry., Ferr., Glon., Graph., Ham., Iod., Lach., Lac can., Lycopod., Natr. m., **Pallad., Podoph.** (uterus), Psorium, Rhus tox., Sac lac.

_____ *left.* Ambr. gr., **Argt. m.,** Bovista, **Brom.,** Eupat. purp., Graph., Lac can., Lach., **Lilium,** Merc. viv., Natr. m., Podoph., Psorium, Rhus tox., Silic., Stram., Thuja, Ustilago, **Zinc.**

_____ *before and during menses.* (See Part I.) Æscul. hipp., Apis, Argt. m., Argt. nitr., Brom., Cact. gr., Capsic., China, Graph., Lac can., Lach., Lilium, Phos., Thuja, Zinc, Xanthox.

_____ *during menses.* (See Part I.) Apis, Bell., Brom., Cact. gr., Canth., Capsic., Cham., Colocynth., Graph., Iod., Lac can., Lach., Lilium, Phos., Thuja, Xanthox.

_____ *after menses.* (See Part I.) Graph., Zinc.

Affections of the, with amenorrhœa. (See Part III.) Acon., Antim. crud., Apis, Cimicifuga, Conium, Lilium, Phytol., Podoph., Ustilago.

_____ metrorrhagia. (See Part V.) Argt. nit., Helon., Lach., Lycopod., Plat., Sepia, Ustilago.

_____ fluor albus. (See Part VI.) Helon., Iod., Lycopod.

_____ lochia—(see Part VII.) if suppressed or too scanty. Hedeoma.

_____ pregnancy. **Podoph.**

_____ gonorrhœa, or succeeding it. **Co-**
paiva, Merc. sol., Thuja.

_____ rheumatic tendency. **Bry., Cimi-**
cifuga, Phytol., Rhus tox.

_____ syphilitic taint. **Aurum, Kali. iod.,**
Merc. iod., Merc. sol., Nitr. acid.

_____ *preceding* abortion. Apis, Lach., Lycopod., Podoph.

_____ *from* disappointed love. Ignat., Phos.
acid, Staphis.

_____ mechanical injury. **Arnica, Ham.,**
Psorium.

Atrophy with sterility. (Baryt. iod.) Conium, Iod., Plumb.

Dropsy. **Apis** (right), **Brom.** (left), China, Lycopod., Terebinthina.

_____ or dropsical tumors, with stinging or bruised sore pain.
Apis.

_____ with general dropsy or ascites. Apocyn. can. (to begin
with, afterwards) Apis, etc.

_____ great bearing-down pain. Iod.

Heat—and uterine region—usually with menses. Lac can.

Hydatids. Bufo, Canth.

Induration. (See Swelling; Tumor.) **Apis, Ars.** (Baryt.
iod., Baryt. m.), Graph.

_____ and pain—left—from a blow, followed by itching
eruption on body and face. Psorium.

_____ swelling. **Apis, Conium, Iod., Lach.**

_____, with cancerous degeneration—right.
Iod.

_____ lancinating pains. **Conium.**

_____ soreness and shooting pains

from the navel to the pelvis; worse from exertion or while standing, better when lying on left side—right. Pallad.

Induration and swelling—worse from moral emotions, or great exertions—right. Lach.

————— with crampy pains, and bearing down, with clawing and cutting pains. Bell.

————— suppuration, nausea, vomiting, eructation of wind, expectoration of phlegm. Conium.

Inflammation and congestion: (See Pain.) **Acon.**, **Apis**, **Bell.**, Bry., Cact. gr., Canth., China, Cimicifuga, Cubeba, Graph., Ham., Hedeoma, Iod., Kali hydr., Lac can., **Lilium**, Phytol., **Plat.**, Rhus tox., Sabina, Sepia, Thuja, Zinc.

————— before menses—worse right —with extreme soreness and sensitiveness, which makes every motion and position, even breathing, painful. Lac can.

—————, chronic—usually with fluor albus. Iod.

————— young women, who have had no children. Brom.

—————; constant pain in the ovary, with sharp pain pressing down the leg with great rapidity; swelling and tenderness. Ustilago.

————— from hæmorrhages or too frequent coitus; cannot bear the least touch upon the parts. China.

—————, passive—and of uterus—with lochial disorders. Hedeoma.

————— right—and of uterus, they are very sensitive to touch. Secal cor.

—————, swelling —sensation of—with pains as from a corrosive tumor there. Kali iod.

—————, with amenorrhœa. **Apis**.

————— great tenderness —right. Bell.

————— irritable uterus. **Cimicifuga**.

—————, worse from taking cold or getting her feet wet. Graph.

Knotty lumps above right groin, even a bandage hurts. Psorium.

Motion—quick jerking—in and above left ovary. Eupat. purp.

Numbness in right ovarian region to the hip, extending to the

ribs and down over the whole thigh; better when lying upon it. Apis.

Inflammation, worse in right groin. Eupat. purp.

Obliteration—almost entire. Carbonium sulfuratum.

Pain. (Compare Inflammation; Induration; Swelling; Tumor.)

———, **aching**—dull. Hydrocotyle.

———, dragging—left—with heat down the thighs (third month of pregnancy). Podoph.

——— sore—burning. Conium.

——— and in the uterus. Secal cor.

———, as if from a sprain, obliging her to walk bending. **Amm. m.**, Apis, **Arnica**.

———, **bearing-down**. Magn. m.

———, also in groins and loins, with fulness and heaviness in uterine region; worse while standing. Aloe.

———, great—with dropsy of ovaries. Iod.

———, right—with menses. Apis.

———, when standing—relieved when sitting down; shooting pain—left. **Lilium**.

———, with clawing and cutting pains. **Bell**.

———, **boring—dull**—drawing—left. **Lilium**.

——— stitching—relieved by urinating. **Lycopod**.

——— violent—causing her to bend double, with much restlessness and moaning. **Colocynth**.

——— increasing more and more until relieved by a discharge of blood from the vagina—right. **Lach**.

——— left—relieved from pressure and during menses, when all symptoms generally disappear, but return at its expiration. Zinc.

———, **burning**. **Ars.**, **Bell.**, **Canth.**, **Lilium**, **Plat.**, **Thuja**, **Ustilago**.

———, and tenderness. **Canth**.

———, from groin to groin, with morning stool. **Lilium**.

———, heat—stitches. **Bufo**.

———, in paroxysms—right—with stitches in forehead and excessive sexual desire. **Plat**.

——— the morning—in both—with burning high up into the abdomen. **Lilium**.

———, sore—aching. **Conium**.

- Pain, burning**, tearing—twisting—right especially. Kali iod.
 ———, with amenorrhœa. Lilium.
 ———, worse from walking, riding, and at every menstrual period; left. Thuja.
 ———, colic—menstrual—beginning in left ovary. Lach.
 ——— come and go. Gossypium.
 ——— suddenly. Bell.
 ———, crawling sensation, with apprehension of suppuration. Hep. s.
 ———, **cutting**—above left ovary. Eupat. purp.
 ——— and back—right. Argt. nitr.
 ——— as from knives. Sabadilla.
 ——— fine—left—across to the right, when stretching in bed; first faint, but growing stronger after every repeated stretching; four or five times the same, then ceasing. Apis.
 ——— (right), or left. Arum triph.
 ——— sharp, in the right ovary. Apis.
 ———, shooting—left to right across the pubis (Lach.), frequently down the leg; better from rubbing with a warm hand. Lilium.
 ———, dragging, in the left ovary. Silic.
 ———, drawing—as if something was pulling the ovaries down. Cubeba.
 ——— down and forward—right—relieved by rubbing. Pallad.
 ——— dull—left—relieved by gentle pressure with the hand. Lilium.
 ——— right. Apis.
 ———, dull—constant—left. Brom.
 ——— heavy, in the lower part of the—and pressure to pass water. Sepia.
 ——— **extending** all over the abdomen—soreness. Ham.
 ——— **from** the groin to the left ovarian region—violent. Alumen.
 ——— left to right—shooting. (Apis), Lach., (Lilium.)
 ——— right to left—shooting—sharp. Lycopod.
 ——— **outward** and backward. Sepia.
 ——— **to the** abdomen and back—during menses. Phos.

- Pain extending to the* back. Sulph.
 _____, during menses. Iod.
 _____ genital organs, or upwards to liver
 and chest—right. Lach.
 _____ groins and loins—inflammation and
 swelling—throbbing, lancinating pains. Cubeba.
 _____, cramps. Bufo.
 _____, hip, and ribs, down over the
 whole thigh—numbness—dulness—right—better when lying on it.
 Apis.
 _____ iliac region, sometimes into
 the left leg—left—inflammation—frequently worse from walking or
 riding, so that she has to lie down, with or without menses. Thuja.
 _____ hip and back—right. Æscul. hipp.
 _____, shooting. Bry., Merc. viv.
 _____ legs—shooting—intermittent—swell-
 ing—worse in the left. Ustilago.
 _____ sacrum and thighs—with metrorrha-
 gia. Argt. nitr.
 _____ side—shooting. Cimicifuga.
 _____ thighs and crural region. Staphis.
 _____, inner side. Phos.
 _____, during menses.
- Lilium.*
 _____ left. Phos.
 _____, numbness. Podoph.
 _____, pulsating—like an internal tu-
 mor suppurating—intermittent—with or without menses. Cact. gr.
 _____, soreness—like a sore spot,
 causing irritation and dragging pain; worse while at rest and from
 touch—right. Bry.
 _____, which feel numb and lame—
 stitching—drawing—worse from motion, bending, or sitting bent.
 Ars.
 _____ uterus—along the broad ligaments.
 Ham., Iod.
- _____ and back—severe. Ustilago.
 _____ pressing, dull, wedgelike—
 right—with or without menses. Iod.
 _____ right. Lach., Sac lac.
 _____ shooting — lancinating —

throbbing—with heat and dryness in throat and twitching in the breast. *Cubeba*.

Pain extending to the uterus—violent — frequently with fluor albus. *Helon*.

_____ vesical and pubic region—before leucorrhœa—thrusting—drawing. *Coccus cacti*.

_____ ***upwards***—even to the shoulders. *Podoph*.

_____ to liver and chest. *Lach*.

_____ in—and eye—alternately. ***Sulph***.

_____ ***left***—and left mamma—severe bearing down in uterus.

Lilium.

_____ loins. *Argt. m*.

_____ for a short time, when walking in the open air.

Carbol. acid.

_____ with prolapsus uteri—during menses. ***Argt. m***.

_____, returning night after night, disturbing sleep, until symptoms of abortion set in. ***Podoph***.

_____ ***right***—and groin. *Natr. m.*, *Podoph*.

_____ uterus. ***Podoph***.

_____ with metrorrhagia. *Ustilago*.

_____ pain in left pectoral region and cough.

Apis.

_____, *with* constant inclination to stretch the upper and lower limbs. *Plumb*.

_____ inverted nipples. *Apis*, *Silic*.

_____ swelling in both groins. *Kali c*.

_____ urinary difficulty, especially during menses.

Canth.

_____, ***irritation***. *Kali brom*.

_____, constant feeling of. *Lilium*.

_____, producing amenorrhœa, dysmenorrhœa, metrorrhagia, in rheumatic women. ***Cimicifuga***.

_____, sensitiveness—right—before and during menses. *Rhus tox*.

_____, uterus and back—severe. *Ustilago*.

_____, with amenorrhœa. *Cimicifuga*, *Phytol*,

Podoph., *Ustilago*.

_____ pain in forehead and vertex—head feels enlarged—blurred vision. ***Gels***.

_____ spasmodic contraction of cervix uteri.

Vibur. opul.

Pain, lancinating. (See Stitches.) Absinthum, **Conium**, Lach.

_____, crampy—mostly right side. Cubeba.

_____, in left ovarian region. Artemisia abrotanum.

_____, shooting—bearing down in uterus, severe—when standing. **Lilium**.

_____ from left to right. **Lach**.
(**Lilium**.)

_____ right to left. **Lycopod**.

_____ to the hips. Bry., Merc.

_____ with desire to press upon the parts. Curare.

_____ great tenderness. Staphis.

_____, throbbing—with heat and dryness in throat and twitching in the breast. Cubeba.

_____ inflammation, swelling—extending to the groins and loins. Cubeba.

_____, **neuralgic**. Lach. (left), **Sac. lac.** (right), Ustilago.

_____, intermittent—left—with swelling like a hen's egg, very tender to touch. Ustilago.

_____, with great nervousness, even sleeplessness; hysterical symptoms, frequently at the same time severe neuralgic headache. Zinci valerianas.

_____, **pressing**—groins and anus. China.

_____ pinching—or in groins—or in pudendum—or alternating between the two. Plat.

_____ right. Ars.

_____, pressure, and weight—right. Apis.

_____, heavy—above left ovary—during the day. Eupat. purp.

_____ weight in the ovaries, and a pressure to pass water. Sepia.

_____, short-lasting—right. Angustura.

_____, rawness. Merc. viv.

_____, **sensitiveness**—and of uterus, which latter may be enlarged. Terebinthina.

_____ before and during menses. Rhus tox.

_____ during menses—right. **Apis**.

Pain, sensitiveness—during menses—deepseated tenderness; stinging and frequent micturition. **Apis.**

_____ and after menses—right. Iod.
_____ to pressure—left—grasping pains across the lower part of abdomen, relieved by rubbing and moderate pressure—bearing-down pain so great, that she has to support the parts by pressure with the hand upon the vulva. **Lilium.**

_____ right—slight. **Lilium.**
_____ with swelling and bearing-down pain. **Pallad.**

_____ ; white tongue. **Antim. crud.**
_____ with sharp, shooting pains. **Staphis.**
_____ worse from touch, after menses has been checked by a bath. **Antim. crud.**

_____, soreness—especially with fluor albus. **Helon.**
_____, sticking. **Carb. an.**
_____, pushing—left. **Capsic.**
_____, **stinging.** **Apis** (right), **Sepia.**
_____, after coition. **Apis.**
_____, and irritability—with amenorrhœa. **Apis.**
_____, darting. **Lilium.**
_____, followed by labor-pains—preceding abortion.

Apis.

_____, grasping—from left ovary across the pubes, down the thighs, bearing down when standing. **Lilium.**

_____, in both ovaries, with drawing towards the uterus, lasting about ten minutes at a time. **Gossypium.**

_____, when taking a deep inspiration; cannot bear to have the parts touched. **Bry.**

_____, with amenorrhœa. **Lilium.**

_____ voluptuous feeling in the vagina and feeling of fulness in the parts—left. **Lilium.**

_____, **stitches.** (See Lancinating.) **Carb. an., Conium, Cu-rare.**

_____, and burning heat. **Bufo.**

_____, arresting the breathing. (Bry.), **Canth.**

_____, on taking a deep inspiration (Canth., Graph.); cannot bear to have the parts touched. **Bry.**

_____, when drawing in the abdomen or pressing upon it. **Ambr. gr.**

_____, with induration. **Conium, Carb. an.**

Pain, stitches, with induration and swelling—violent. Graph.
 ———, **stitching**—and uterine appendages. **Kali c.**
 ——— left. Merc. viv.
 ——— pressive—tensive—swelling—left. Lach.
 ——— relieved by urinating. **Lycopod.**
 ——— with amenorrhœa. Conium.

———, strained—left—worse when walking, evenings, followed after several hours by a bearing down in right side and lame feeling in the shoulderblades; when walking, she is compelled to bend forward. Apis.

———, tearing—grinding—wringing—twisting—right—as if it would burst, followed by a discharge of bloody pus. Graph.

———, tensive—as if from distension of ovaries and uterus. Curare.

——— with great restlessness; some relief from constantly moving the feet. **Ars.**

———, **throbbing**—in the ovaries and uterine region, like an internal tumor suppurating; the pain extends to the thighs and becomes insupportable, then it ceases completely, and occurs on the next day at the same time, and so on. Cact. gr.

——— lancinating—inflammation and swelling. Cubeba.

——— sticking. Bell.

——— when standing—right. Copaiva.

———, with weak back. Artemisia abrotanum.

——— **worse**—after menses, until it appears again. **Zinc.**

——— during menses—likewise other ovarian affections.

Thuja.

——— from bending or sitting bent. **Ars.**

——— changes of the weather. **Rhododen., Rhus tox.**

——— coitus. **Apis.**

——— getting her feet wet. Graph.

——— great exertions. Lach.

——— inspiration. **Bry., Canth., Graph.**

——— mental excitement; from being in society; from hearing music; from conversation. Pallad.

——— emotion. Lach.

——— motion. **Bry., Ars., Pallad.**

——— rest. **Bry.**

——— riding. Thuja.

Pain, worse—from standing. Aloe.

_____ stretching when in bed. Apis.

_____ taking cold. Graph.

_____ thinking on sexual subjects. Staphis.

_____ touch. Antim. crud., **Bry.**, Graph., Lilium.

_____, even the slightest. **China.**

_____ walking. Thuja.

_____, in the evening. Apis.

_____ windy, rough weather. **Rhododen.**

_____ **better**—after a discharge of blood from the vagina.

Lach.

_____ urinating. **Lycopod.**

_____ during menses. **Zinc.**

_____ when constantly moving the feet. **Ars.**

_____ lying upon the affected side. Apis.

_____ painless side. Pallad.

_____ pressing upon the affected parts. Zinc.

_____ rubbing the parts. Pallad.

_____ with a warm hand.

Lilium.

Scirrhus. (See Tumor; Scirrhus of the Uterus.) Ars.

Sensation as of a **ball** in the ovarian region, causing her constant pain. Calc. c.

Suppuration—after pus has been formed—it will promote its discharge. Lach.

_____ discharged under the influence of Lachesis. Plat.

_____ apprehension of—with crawling sensation in the parts. Hep. s.

_____ with shooting pains towards the hips. Merc. viv.

Swelling. (See Inflammation; Induration; Dropsy; Tumor.)

Apis, Kali brom.

_____ and great sensitiveness. Bufo, Ustilago.

_____ hardness after menses. Graph.

_____ left—violent pains; partly when touched, and partly even on inspiration (Bry., Canth.) or hawking, when the most violent stitches shoot in it, so that she is beside herself, with profuse general perspiration, and continued loss of sleep. Graph.

_____ before and during menses. **Apis.** (right), **Brom.** (left).

_____ enormous. Aurum mur. natr.

_____ to nearly the size of a child's head. Lilium.

Swelling, left—with pressing, stinging pains. **Apis.**

———, pain, tenderness, especially after a blow. **Ham.**

——— right—with pain in the left pectoral region, with cough.

Apis.

——— stitching, pressive, tensive pain—left. **Lach.**

———, throbbing pain. **Bell.**

——— tenderness to touch—right, with bearing-down pain.

Pallad.

——— throbbing and lancinating pain—inflammation. **Cubeba.**

Tumors. (See Swelling; Induration.) **Apis** (N. A. Journal, 21, page 553; Raue's Annual Record, 1872, page 173; A. Observer, 4, page 251; Allgemeine Hom. Zeitung, 83, page 91; Helmuth's Surgery), **Ars.** (Helmuth's Surgery; U. S. Med. Investigator, II, 416); there may be a sense of burning in the tumor; **Baryt. c.** and **Baryt. m.** (Hale's New Remedies), **Calc. c.** (N.Y. Transactions, 1871, page 312), **Carb. an.** (Med. Investigator, XI, page 528); **Colocynth** (M. Investigator, 10, page 632; N. Engl. M. Gazette, 4, page 311, and 5, page 561), **Graph.** (British Journal of Hom., 22, page 93), **Kali brom.** (Hale's New Remedies, A. Hom. Observer, 7, page 556; British Journal of Hom., 1869), **Lach.** (British Journal of Hom., 1873, page 133), **Lycopod.**, **Platina** (N. A. J. of Hom., 22, page 93), **Plumb.** (U. S. M. Investigator, 2, page 416), **Podoph.** (Trans. Am. Invt. 1857, p. 81, and 1869, U. S. M. Investigator, 2, 416), **Psorium** (Hering's M. M.), **Rhus tox.**, **Stram.** (U. S. M. Investigator, 2, 416).

——— *hard, encysted.* **Carb. an.**

——— in right and left iliac fossa, size of an orange; both hard, round, slightly movable, not painful to pressure, nor causing inconvenience. **Graph.**

——— *soft, encysted.* **Apis.**

——— tensive pain—and pain in the leg of the affected side, cannot keep the foot still. **Ars.**

——— when the left ovary was first affected, with tendency towards the right. **Lach.**

Twitching in both ovarian regions, seemed to extend to the back. **Artemisia abrotanum.**

Vagina.

Aphthæ in the. **Cauloph.**, **Helon.**

Atony of the. **Cauloph.**, **Ham.**

Coldness of the. Graph.

Cysts of the—serous. Rhododen., Silic.

Discharge of blood from the. (See Menses, Part I.)

———— a few drops, fifteen days before the time of menses. Sepia.

———— after a discharge of leucorrhœa, immediately. Magn. m.

———— intercourse. Sepia.

———— and slime. Sepia.

———— between the menstrual periods, not depending on tumors. (See Part I.)

———— almost black, fluid, fetid. Secal. cor.

———— green-red fluid, during pregnancy. Sepia.

———— mucus, etc. (See Fluor albus, Part VII.)

———— wind. (See Wind.)

Dryness of the. Natr. m.

———— and heat. Bell.

———— vulva, causing a very disagreeable sensation when walking, after menses. **Sepia.**

———— long-lasting. Lycopod.

———— which makes coition painful, and causes aversion to it. Ferr., Natr. m.

Excrescences—granular. Staphis.

———— warty—with great burning and smarting.

Thuja.

Excoriation of the. Graph.

Fistula. Asar. europ., Puls.

———— with burning pain. Carb. veg.

Flatus from the—loud discharge of. **Brom.**

Gangrene. Secal. cor.

Heat and dragging in the—with swelling of the labia. Colocynth.

———— dryness. Bell.

———— in the bottom of the—pricking, itching at its orifice. Hydrocotyle.

Heaviness in the—sensation of—and of the labia majora; especially with colic. Murex purp.

Induration of the. Aurum mur. natr., Puls.

———— and swelling. Bell., Ferr.

———— painful. China.

Inflammation of the—acute—with spasmodic actions and pains. Ham.

Inflammation of the—and heat. Cubeba.

_____ labia majora, with much irritation. Nitr. acid.

_____ swelling. Bell., Merc. sol.

_____ the whole sexual apparatus. Lili-
um, Merc.

_____ aphthous—and spasmodic pain in
uterus. Cauloph.

_____ with vaginismus and prurigo of the
vulva. Ham.

Irritable—with spasmodic intense pains. Cauloph.

Itching in the. (See Pain.)

Pain in the. Calc. phos.

_____, *aching.* (See Fluor albus, Part VII.) Calc. c.

_____ after nosebleeding. Calc. phos.

_____ pressure—and in the uterus. Calc.
phos.

_____ and clitoris. Apis.

_____ *burning.* Calc. phos., Merc. sol., Nux v.

_____ and itching pimples around the vulva;
is hardly able to sit still. Sulph.

_____ pinching. Aurum.

_____ soreness—frequently very sensi-
tive, especially in the anterior portion, extending even to the labia
and region of the orifice of the urethra. Berber.

_____ stitching—and of the labia. Puls.

_____ swelling. Nux v.

_____ as from ulcers. Nitr. acid.

_____ if excoriated. Cham.

_____ daily at the same hour. Chelidon.

_____ smarting—violent—and anus. Berber.

_____ concentrating here from other parts. Calc. phos.

_____ crampy constriction. Puls.

_____ *itching.* Alum, Aurum, Sepia.

_____ after an embrace, and increase of leu-
corrhœa. Cannab. ind.

_____ and of mons veneris, with watery vesi-
cles. Rhus tox.

_____ heat. Aurum mur.

_____ corrosive—and between the pudenda, so
that she is obliged to rub them. Kreosot.

Pain in the—itching, deep in. Conium.

_____ great. **Canth.**

_____ from before backwards. Sabina.

_____ inducing rubbing in the even-

ing. Kreosot.

_____ violent—she is forced to rub it; poste-
riorly there is smarting, the vulva becomes swollen, hot, and hard;
on urinating the vagina pains as if sore in the evening. **Kreosot.**

_____ voluptuous. Lilium:

_____ after coitus. Nitr. acid.

_____ deep in the. Kreosot.

_____ like the tick of a watch, on left side of the vagina,
with throbbing as if from an ulcer. Alum.

_____ **pressing** down. Cannab. ind., Silic.

_____ on stooping. Lycopod.

_____, parts tender to touch. **Silic.**

_____ when walking. Silic.

_____ sensitiveness—extreme—hindering coition. Thuja.

_____ shooting—violent—extending towards the left
ovary. Cimex:

_____ smarting—usually on one side. Berber.

_____ **soreness**. Argt. nitr., Brom., Cimicifuga, Ham.,
Kali bich., Nitr. acid, Robinia, Rhus tox.

_____ and stitches. Rhus tox.

_____ hindering an embrace. Rhus tox.,
Sulph.

_____ spasmodic—and vulva, especially when sitting.
Staphis.

_____ contractive. Sepia.

_____ violent. Cauloph.

_____ **stitches**. Muriat. acid.

_____, almost constant. Sepia.

_____, coming from above, causing her to start.

Kreosot.

_____ the abdomen. Ars.

_____ deep in—and in the neck of the uterus.

Copaiva.

_____ from the front backwards. Sa-
bina.

_____ followed by leucorrhœa. Ambr. gr.

Pain in the—stitches from below upward. Phos., Nitr. acid (when walking in open air).

_____ without inward, when walking in open air. Nitr. acid.

_____ in left side—extending to the chest. Alum.

_____ especially, fine, dull, or violent; they appear mostly sudden, so as to frighten her, ending at times in the urethra. Berber.

_____, shooting to the uterus. Phos.

_____ tearing—violent—and in the abdomen. Amm. c.

_____ **tenderness.** Berber., Merc. sol., Nux v., Silic.

_____ at the entrance of—and vulva, and for some distance internally. Sepia.

_____ during an embrace. Berber., Coccus cacti, Ferr., Merc. sol., Nux v., Sepia.

_____ in the extreme lower part of—when passing water. Coccus cacti.

_____ throbbing—left side especially. Alum.

Polypus of the. Puls.

_____, creeping sensation around the. Marum ver.

Prolapsus of the. Ferr., Granat., Merc.

_____ after parturition especially. Podoph.

_____ and uterus. Nux m., **Nux v.**, Sepia.

_____, feels better after coition. Merc.

_____, from straining or lifting. Aurum, Nux v.

_____ during stool; feels so weak, that she drops down suddenly, but can get up quite readily. Stan.

_____, parts look greenish and smell badly. Sulph. acid.

_____, which is strangulated, with cold sweat, exhausting vomit and diarrhoea. **Verat. alb.**

_____ with constipation. Sepia.

Pruritus of the—induces onanism. Caladium.

Scirrhus of the—painful to slight touch. Kreosot.

Swelling of the—and induration. Bell., Ferr.

_____ inflammation. Bell., Merc. sol.

_____ burning—rendering contact impossible. Nux v.

_____ on one side, with burning and stinging pain. Nux v.

Swelling of the—with burning and itching, also of the vulva.
Nitr. acid.

Ulceration of the. Bapt., **Nitr. acid.**

_____, diphtheritic—small. Sepia.

_____, fiery and red-looking—and uterus. Cin-
nabar.

_____ from induration. Aurum mur. natr.

_____ superficial. **Hydrast., Merc. sol.**

_____ syphilitic. **Merc. sol.**

_____ primary; phagedenic, with profuse
suppuration. **Merc. cor.**

_____ with tendency to rapid destruction
of tissue; gray or greenish in color, irregular shaped, with very of-
fensive discharges. **Nitr. acid.**

Vaginismus. Plumb.

Vesicles in the. Graph.

_____, watery—with stitching pains—and itching and
burning at the mons veneris. Rhus tox.

Wind from the—discharges of. Brom., Lycopod., Nux m.,
Phos. acid, Sanguin.

_____ loud. Brom., Sanguin.

_____, passing out from the wide-
open os. Sanguin.

Worms in the. Cina.

Sexual Desire.

Decrease of. Agn. cast., Hep. s., Kali hydr.

_____ or suppressed, with long-delayed thrill, and fre-
quently cutting or stitching in the parts during coition. **Berber.**

_____ from onanism. Zinc.

_____ with sterility. Ferr.

_____ widows. Apis.

Desire during a morning sleep, but no pleasure during an em-
brace. Cannab. ind.

Increase of. Apis, Asafoet., Baryt. c., **Cannab. ind.,** Cannab.
sat., **Canth., Conium,** Cubeb., Hydrast., Ignat., **Kali brom., Lach.,**
Lilium, Nux v., Phos., **Sabina, Silic.**

_____ after urination, with erection of the clitoris.
Calc. phos.

Increase of—but remaining under the control of the will by keeping busy. *Lilium*.

———— **excessive.** *Arundo m.*, **Murex purp.**

———— especially in virgins, with voluptuous tingling in the external and internal parts, even in the abdomen. *Plat*

———— excited by the least contact of the parts. **Murex purp.**

———— **nymphomania.** *Bell.*, **Cannab. ind.**, *China*, **Lach.**, *Lycopod.*, **Murex purp.**, **Plat.**, *Phos.*, *Robinia*.

———— from ascarides. *Sabadilla*.

———— in lying-in women. *Gratiola*, **Plat.**

———— with plethora. *Asafoet.*, *Silic.*

———— loud talking and singing; body smells of semen. *Stram.*

————; obscene. *Lilium*.

———— with intolerable titillation in the sexual organs. *Mosch.*

———— excitement, without desire, afterwards out of humor, with aversion to intercourse. *Cannab. ind.*

————, she feels the pulse in all parts. *Calc. phos.*

———— strong. *Ars.*, *Coff.*, *Crocus sat.*, *Lilium*.

———— in hysterical women. *Apis*.

———— with burning in the pudendum. *Nux v.*

———— itching and irritation of the parts.

Agaric. m.

———— pains from the sacrum to the pubis.

Sabina.

———— **with** discharge of blood between the periods.

Sabina.

———— mucus. *Ars.*

———— pruritus. *Caladium*, *Canth.*

———— spinal affections. **Silic.**

———— voluptuous dreams at night. *Nux v.*

Loss of—and power—from sexual abuse. *Phos.*

———— with relaxed genitals. *Calc. c.*

———— or without sterility. **Helon.**

Coitus.

After—itching in the vagina and increased leucorrhœa. Can-
nab. ind.

Aversion to. Arundo m., Caust., Graph., Natr. m., Petrol.

————— in consequence of dryness of the vagina, which
renders it painful. **Ferr., Natr. m.**

————— great sensitiveness of the sex-
ual organs. Coff.

————— soreness in the vagina. Rhus
tox.

Coitus causes stinging in the ovaries. **Apis.**

———— followed by irritability of mind. **Natrum. m.**

———— with almost total insensibility during the act. Borax.,
Ferr.

———— nausea. Silic.

Painful. Ferr., Kali c., Nux v.

————, after touching the os. Merc. cor.

————, burning during and after. Lycopod.

———— followed next day by a discharge of black
blood. Kreosot.

———— followed by violent bleeding. Argt. nitr.

———— from dryness of the vagina. **Bell., Ferr., Natr. m.**

———— pain at the extreme lower part of vagina. Coccus
cacti.

———— entrance and for some distance into the
vagina. **Sepia.**

———— sensitiveness—extreme—of the vagina. **Thuja.**

———— soreness of the vagina. Rhus tox., Sulph.

———— violent—preceded by anxiety or trembling. Kreosot.

———— with cutting or stitching in the parts; suppressed
desire. **Berber.**

Breasts.

Abscesses of the. (See Ulceration.)

Atrophy of the. Kali hydr. **Nitr. acid.**

———— flabbiness, hanging down heavily. **Iod.**

Cancer of the. Kreosot., **Psorium.**

———— aggravated during every menstrual period. **Co-
nium.**

Cicatrices from former ulcers. **Graph.**

Crawling as if from insects above the left breast. **Tart. emet.**

Hardness of the—(right) with painfulness to touch, and nightly stitches. **Conium.**

Hypertrophy of the. **Phytol.**

Induration of the. **Bry., Cistus can., Cupr.**

Inflammation and swelling of the. **Bell., Bry., Carb. veg., Curare.**

_____ with suppuration. **Phytol.**

Lumps in the. (See Nodosities.) **Bry.**

_____ hard. **Conium, Nitr. acid, Silic.**

Milk in the—in those who are not pregnant. **Asafoet.**

_____ profuse flow of. **Lac can.** (serviceable in almost all cases where it is required to dry up the milk).

_____ want of in nursing mothers. **Agnus cast., Calc. c., Secal. cor.**

_____ watery in women not pregnant. **Cyclam.**

Nodosities in the—(see Lumps) blue, red, hard, size of a hazelnut; dry black points at the tips. **Iod.**

_____ hard and burning. **Lycopod.**

_____ painful. **Carb. an., Colocynth.**

_____ like scirrhus. **Curare.**

Pain in the—acute—as if sore and ulcerated. **Iod.**

_____ and soreness, at every menstrual effort. **Conium.**

_____ swelling before menses. **Calc. c.**

_____ as if suppurating, when touched especially. **Calc. c.**

_____ burning between the. **Daphne.**

_____ and stinging below the. **Laurocer.**

_____ constant—between the menstrual periods, under left breast at the margin of the ribs. **Ustilago.**

_____ and increasing, extending to the stomach, causing a sickening sensation. **Sanguin.**

_____ excruciating—from the nipple through to the shoulderblade, every time the child draws the breast. **Crot. tig.**

_____ extending to the axilla; can't bear pressure. **Brom.**

_____ left breast. **Lilium.**

_____ while the child nurses from the right.

Borax.

_____ and left ovary. **Lilium.**

_____ as from needles. **Conium.**

Pain in the—periodical. Merc. viv.

————— right—extending to the shoulder, and so severe that it is difficult to raise the hand to the top of the head; in the afternoon. Sanguin.

————— when touched. Amm. c.

————— sharp, piercing, in right breast, just beneath the nipple; very difficult to take a deep inspiration, with some dyspnœa, in the afternoon. Sanguin.

————— shooting, piercing, pinching, lancinating—extending to the armpits. Curare.

—————, sticking. Ol. an.

————— soreness and tenderness, especially during menses.

Helon.

————— stitch—a violent—through the right mamma near the sternum, extending to the back between the shoulders, then downwards into the right side of sacrum, very painful on breathing.

Phellandrium.

————— stitches. Sanguin.

————— and violent. Murex purp.

————— as with needles; left. **Conium.**

————— in one of the. Sepia.

————— night; right, with hardness. **Conium.**

————— sharp—left. Brom.

—————, extending inward to the back, between the shoulders, not affected by breathing. **Phellandrium.**

————— under either nipple; pregnancy. Spigel.

————— tenderness, cutting pain through the scapulæ.

Lilium.

————— under the breasts. Hyperic.

————— left breast, and misery constant between the periods. Ustilago.

Sensation as of a hot stream from the breast to the liver. **Sanguin.**

Shivering over the. Coccul.

Shuddering in the. Digital.

Swelling of the—(see Pain, Inflammation, etc.) hardness, with severe pains or suppuration. Merc. viv.

————— and tenseness. Puls.

————— turgid with milk, as if in the ninth month of pregnancy, without being pregnant. Asafœt.

Swelling of the—with secretion like pus. Cyclam.

Tumors in the. (See Lumps, Nodosities.)

Ulcers of the. **Phytol.**

—————, scirrhus—with stinging and burning edges. Hep.
s., **Hydrast.**

—————, threatening. Phos., **Phytol.**

—————, with hardness. Phos.

NIPPLES.

Cracks upon the. Castor equi., Graph.

Inverted. Apis, Silic.

—————, with ovarian disease. Apis.

Itching of the. Puls.

—————, with mealy covering. Petrol.

Pain in the—and glandular swelling about the. **Merc. cor.**

————— as if milk would be secreted in breast. Nux v.

————— burning, sore. Sanguin.

————— when breathing. Eupator. per.

Sensation as if air streamed from the. Cyclam.

Sensitiveness to touch. Nux v.

Soreness of the—with small corrosive blisters. **Graph.**

—————, with stinging. Lycopod.

Ulceration of the. **Merc. viv.**

—————, with fissures. Curare.

Vesicles upon the. Graph.

Larynx and Trachea.

(For many Laryngeal Symptoms see Cough, as connected therewith.)

Aphonia. (See Hoarseness, Voice.) Baryt. c., Bell.

—————, catarrhal. **Caustic.**, Cham., **Merc. viv.**

—————, complete—is unable to speak a loud word in spite of every exertion. **Caustic.**, Rumex crisp.

—————, hoarseness, with sneezing. Kali c.

—————, with swollen larynx. Sanguin.

Burning in trachea and bronchia. Kali bich.

————— the right side of larynx. Lachnanth.

Catarrh—laryngeal or tracheal. Hep. s.

Cold sensation in the larynx, with a cold, when inspiring. **Brom.**
Constriction of the larynx. Plumb.

_____ and heat in. **Iod.**

_____ trachea—sensation of. **Brom.**

_____ spasmodic **Laurocer.**

Cough—(see Hoarseness and Cough, under Chest) barking.
 Nitr. acid.

_____ causing an acrid sensation in the throat. **Nux v.**

_____ a headache, as if the skull would burst.

Nux v.

_____ continual inclination to. **Coff.**

_____ **dry.** **Podoph.**

_____, as if it came from the larynx. **Lachnanth.**

_____, caused by a dry spot in the larynx, where there
 is a crawling and almost constant irritation. **Conium.**

_____, at night; ceases when sitting up in bed. **Puls.**

_____ ; ceases as soon as flatus passed up and down.

Sanguin.

_____, fatiguing— with shaking and constriction in
 fauces; irritation and dryness of larynx. **Coccul.**

_____, from midnight until daybreak. **Nux v.**

_____ violent tickling and scraping in larynx,
 bringing tears into the eyes. **Puls.**

_____, hacking—as from dust. **Acon.**

_____ from constant tickling in larynx, as
 from dust. **Calc. c., Coccus cact., Coff., Sabina.**

_____ crawling in the larynx. **Psorium,**
Sabina.

_____ itching sensation in the upper
 part of trachea. **Nux v.**

_____ touching the throat. **Lach.**

_____ with great exhaustion. **Plumb.**

_____ rawness in the larynx and tra-
 chea. **Phos.**

_____ worse at night, even in sleep. **Cham.**

_____, hollow—with sore sensation in a streak down
 along the trachea, where it pains every time she has a coughing
 spell; almost prevents breathing. **Caustic.**

_____, hard—with great soreness in abdomen, or a
 bruised pain in the epigastrium. **Nux v.**

_____, hoarse, and loud. **Acon.**

Cough, dry, spasmodic, like the early stage of whooping-cough; dry at first, in paroxysms; preceded by tickling in throat-pit a few minutes after lying down at night. **Rumex crisp.**

_____, with burning from the pit of stomach to the larynx. **Magn. s.**

_____ scraping and rawness in larynx. **Puls.**

_____ tickling in the throat-pit, and a crawling sensation extending down beneath the sternum. **Sanguin.**

_____ **from** accumulation of mucus in the larynx, in the morning. **Natr. m.**

_____ trachea, with great oppression, especially about midnight. **Tart. emet.**

_____ constriction of the larynx. **Coff.**

_____ laughing. **China.**

_____ pressure on the larynx. **Lach.**

_____ roughness and scraping in the larynx. **Nux v.**

_____ scraping in the larynx, in the evening. **Brom.**

_____ tickling in the larynx. **Brom., Coff., Ipec., Kali bich., Lach., Magn. m.**

_____ and dryness of—violent paroxysms periodically occurring. **Drosera.**

_____, as from dust in the larynx. **Calc. c.**

_____, violent, waking at 11.30 P.M.; expectoration of much tenacious mucus for ten minutes. **Coccus cacti.**

_____, with slimy expectoration. **Sabina.**

_____ sulphur fumes.

Lycopod.

_____, in the evening before going to sleep, with scanty expectoration. **Lycopod.**

_____ morning. **Iod.**

_____ throat and chest.

Phos.

_____ trachea, nightly.

Niccol.

_____ ; irritation at the lower part of the larynx. **Cimicifuga.**

_____, with hoarseness. **Merc. viv.**

Cough—hacking—from accumulation of mucus in the larynx. Kali bich., Rumex crisp.

———— incessant—from a sensation as from a feather down in larynx or throat, at night especially. Amm. c.

———— loose. Podoph.

———— *in the* evening, without expectoration. Carb. veg.

———— when lying down—continuous. Conium, Hyos., Puls.

———— morning after sleep at night. Lach.

———— short—as from constriction of larynx. Coff.

———— when waking from sleep. Puls.

———— violent, hollow—in paroxysms, from heat in the trachea. Chelidon.

————, with little expectoration; worse by pressure, talking, at night, and especially by inhaling cold air. Rumex crisp.

———— *when* first lying down, during the day or evening; she is obliged to sit up and cough it out, after which she has rest. Conium.

———— *with expectoration*, in the morning, greenish, purulent, sometimes brownish. Carb. veg.

———— of large quantities of viscid albuminous mucus. Coccus cacti.

———— little granules, like shot, which, when broken up, smell very offensive, with sore throat. Silic.

————; hot feeling in throat. Phos.

———— occasionally bright-red blood. Acon.

———— thick mucus. Sanguin.

———— very tough mucus, so viscid that it draws in strings down to the feet. Kali bich.

———— hoarseness all the time. Hep. s.

————, hollow. Bell.

———— paroxysms, as from taking cold; sensitiveness of the nervous system as soon as only the slightest portion of the body becomes cold. Hep. s.

———— of suffocation—suddenly on swallowing. Brom.

———— rattling in the larynx. Brom.

Cough worse after sleep. **Lach.**, Lachnanth.

_____ at night. Conium (pregnancy), Nitr. acid.

_____ in bed. Lachnanth.

_____ when lying down. **Conium**, **Puls.**

Dryness of the larynx. Nitr. c., Phytol., Sepia.

_____ ; hoarseness. Nitr. m.

_____ ; irritation. Coccul.

_____ painful. **Bell.**

_____ trachea. Acon.

Hoarseness, acute and chronic. (See Cough, Aphonia, Voice.)
Acon., Baryt. c., **Bell.**, Calc. c., **Caustic.**, Iod., Kali c., **Lach.**, Nitr.
acid, **Phos.**, Phytol., Psorium, **Puls.**, Rumex crisp.

_____ and dryness of larynx and trachea. Nitr. m.

_____ roughness of throat in the morning. **Carb. an.**

_____ , can hardly speak above a whisper. **Phos.**

_____ catarrhal. **Cham.**

_____ coming and going—capricious. Puls.

_____ constant, with soreness and rawness in the larynx
and behind the sternum, and a weight upon the chest. Phos.

_____ especially noticed when crying. **Bell.**

_____ from 5 P.M. to midnight, or it may get worse at
that time, with dry, teasing cough. **Caustic.**

_____ great. Phos. acid.

_____ and long lasting. **Carb. veg.**

_____ *in the* evening, with scraping in throat. **Caustic.**

_____ morning. **Phos.**

_____ and evening. Carb. veg., **Caustic.**

_____ with roughness of voice. Mangan.

_____ painless. **Calc. c.**

_____ roughness of the larynx. Silic.

_____ scraping in the larynx. Rhus tox.

_____ sudden—after exposure to wind. **Niccol.**

_____ and equally sudden relief. Puls.

_____ , which does not allow to speak a loud word.

Brom., Puls.

_____ ;
the larynx seemed to be coated, especially towards evening. **Phos.**

_____ *with* altered voice. **Bell.**, Murex purp.

_____ cough all the time. Hep. s.

_____ dry cough from titillation in the throat,
Sepia.

Hoarseness, with dry cough, expectoration, lassitude after a leucorrhœal discharge. **Conium.**

_____ pain in chest. **Kali hydr.**

_____ rough voice. **Bell., Phos.**

_____ stitches and soreness in chest. **Nitr. acid.**

_____ ulcerative soreness in the larynx and a burning pain in lungs after a hard cough. **Carb. veg.**

Inflammation and swelling of larynx—sensation of. **Bell.**

Irritation of the mucous membranes—great. **Rumex crisp.**

Loss of voice. (See Aphonia, Hoarseness.)

Mucus in the larynx, with a constant desire to hawk and raise it, but without relief; worse at night, but troublesome all day. **Rumex crisp.**

Pain in the larynx. **Iod.**

_____ as if from ulceration. **Kali bich.**

_____ mostly left side. **Rumex crisp.**

_____ scratching. **Nitr. acid.**

_____ with dryness. **Bell.**

_____ tenderness—likewise of the throat, when touched; cannot bear anything tight around the neck. **Lach.**

Phthisis—laryngeal and tracheal. **Carb. veg.**

Rattling and wheezing of mucus in trachea. **Cham.**

Rawness—sensation of—in trachea. **Coff.**

_____ with hawking. **Phos.**

Roughness—great—in the larynx, with deep rough voice, which fails when exerted, but without pain in the throat. **Carb. veg.**

Scraping in the larynx. **Laurocer., Puls.**

_____ and roughness, provoking cough. **Nux v., Puls.**

Sensation as if the larynx were pressed back against the œsophagus, impeding deglutition. **Chelidon.**

_____ pit of throat were pressed against the trachea.

Brom.

Sensitiveness of the larynx to inspired air. **Acon.**

_____ touch. **Acon., Lach.**

Spasms—hysterical—of larynx and chest. **Cauloph.**

Suffocating fits after midnight, from spasmodic constriction in the larynx. **Nux v.**

Suffocation and crawling sensation in larynx, causing paroxysmal, dry, hawking cough. **Psorium.**

Tickling and crawling in larynx, causing cough and slimy expectoration. *Sabina*.

———— scraping—violent—in the larynx, bringing tears into the eyes and causing dry cough. **Puls.**

———— tingling—intolerable—in the larynx. *Iod.*

Voice—(see Aphonia; Hoarseness; Cough) husky. **Phos.**

———— loss of. *Plat.*

———— roughness of the. **Phos.**

———— weakness of. *Caustic.*

Chest.

Anxiety and pressure—distressing—in the chest, amounting to real suffocation, so that deep inspiration was difficult but not impossible. **Phos.**

———— rapid palpitation, want of breath, when lying upon the left side. **Puls.**

Asthma. (See Dyspnoea; Breathing; Oppression.) **Ars., Silic.**

———— attacks of—at 4 or 5 A.M., preceded by symptoms of ordinary cold; increase and decrease gradually. *Stan.*

———— at night. *Coff.*

————, makes her jump up at midnight. **Ars.**

———— great suffocation, anguish, and oppression about the heart. *Verat. alb.*

———— hay. *Aralia.*

———— humid. *Aralia.*

———— hysterical—developed at every little excitement. **Ars.**

———— is afraid to lie down, for fear to suffocate. **Ars.**

———— periodical attacks of. *Lach.*

———— spasmodic. *Asafoet., Caustic., Lobelia.*

———— with which a peculiar kind of wheezing noise is heard. **Ipec.**

Amelioration of chest symptoms, by the pressure of the hand upon the chest. *Sepia.*

Beating and throbbing in the—violent. *Bell.*

———— through the chest interrupts the sleep; with old maids. **Puls.**

Blood—spitting of—by mouthfuls after eating. **Phos.**

Breath—disposition to take a deep—feels light after it. *Stan.*

———— very offensive. *Merc. viv.*

Breathing (see Asthma; Dyspnœa; Oppression; Cough) accelerated. Asafoet.

————— always short after coughing. **Phos.**

————— anxious, difficult. **Phos.**, Plat.

—————, short. **Prunus spi.**

—————, sighing, hiccough. **Secal. cor.**

—————, wheezing. Hep. s.

—————, arrest of—from pressure in the chest. Mosch.

————— deep and frequent. Hep. s.

————— sighing. **Opi.**

—————, frequent, involuntary. **Opi.**

—————, inclination to. China, **Lach.**, Natr. s.

————— difficult. **Phos.**

—————, which increases the constriction of chest, causing tearing pains; worse right side. Sanguin.

————— and heavy. Plumb.

————— impeded by rapid walking. **Phos.**

————— irregular, frequent, and unequal. Gels.

————— long, with sighing. **Opi.**

————— painful; even contact is painful. **Ranuncul. bulb.**

—————, panting. Laurocer., **Phos.**

—————, snoring. **Opi.**

————— short. **Phos.**

Bronchitis—chronic. **Kali bich.**, **Phos.**, **Stan.**

—————, with profuse rattling of mucus in the lungs. **Cact. gr.**

————— tickling deep in the chest. Hep. s.

Burning in the. (See Pain.)

Congestion to the **Acon.**, **Cact. gr.**, China, Kali nitr., **Phos.**, Sanguin., Sepia.

—————, acute—with nausea and vomiting. Verat. vir.

—————, and head—tendency to. Acon.

————— heart, at night—with anxious dreams. Puls.

Constriction of the. **Aurum**, **Cact. gr.**, Laurocer., Magn. m., Mosch., Rhus tox., Sanguin.

————— across the. Puls.

—————, and suffocation. Mosch.

————— tightness in the right side. **Coccul.**

Constriction of the—and tightness, with short panting breathing. **Ipec.**

————— asthmatic—worse from motion. **Ledum.**

————— every evening. **Puls.**

————— in the region of the heart. **Kali c.**

————— with cough. **Rhus tox.**

Contractive sensation in chest and hypochondria, impeding respiration. **Puls.**

————— spasmodic sensation in the. **Phos.**

————— and throat. **Ipec.**

Cough after going to bed. (See Cough, under Larynx and Trachea, Dyspnœa, Oppression, Breathing.) **Natr. m., Puls., Sanguin.**

————— as if the chest would fly to pieces. **Zinc.**

————— **at night.** **Bell., Calc. c., Conium, Hyos., Kali carb., Puls.**

—————, bloody. **Ferr.**

————— causing dryness of throat. **Puls.**

—————, dry. **Carb. an., Hyos.**

—————, frequent—which always awakens her, after which she falls asleep. **Hyos.**

————— preventing sleep. **Puls., Sepia.**

—————, with burning in the throat. **Castor.**

————— **at 3 A.M.** commencing. **Kali c.**

—————; it awakens her, with a violent, stupefying headache. **Nitrum.**

————— before a chill—dry and teasing—continuing during the chill. **Rhus tox.**

—————, **bloody.** **Acon., Ferr., Natr. m.**

————— caused by tickling, low down in the chest, just above the pit of stomach. **Phos. acid.**

————— in the throat. **Phos.**

—————, **croupy.** **Iod.**

————— **continual**, almost; hawking; worse at night and when lying down. **Conium, Hyos., Puls., Sanguin., Sepia.**

————— day and night. **Kali nitr.**

—————, short, hollow, with inability to expectorate what is raised; it is swallowed. **Caustic.**

—————, with or without expectoration. **Sanguin.**

—————, convulsive—in long continual paroxysms, and vomiting of mucus. **Cupr.**

Cough, dry. Bry., Kali c., Silic.

_____, after every sleep. Puls.

_____, as if coming from the stomach. Bry.

_____, at night, loose by day. Puls.

_____ ; it disappears on sitting up in bed, but returns on lying down. Puls.

_____, during a thunderstorm. Phos.

_____, fits of—in the evening. Hep. s.

_____, from crying. Phos.

_____ drinking, eating, laughing, talking, lying on back, lying on the left side. Phos.

_____ midnight till daybreak. Nux v.

_____ tickling in throat and chest. Phos.

_____ pit. Silic.

_____, hard, tight—which racks her, and is very exhausting. Phos.

_____ towards evening. Puls.

_____, *hacking*. Podoph.

_____, continual—with vomiting and arrest of breathing. Alum.

_____, followed by a profuse greenish expectoration. Kali hydr.

_____, with great exhaustion. Plumb.

_____ oppression in the hypochondria.

Nux v.

_____, worse at night, even in sleep. Cham.

_____, in the evening when in bed. Sepia, Stan.

_____ short, which seems to come out of the stomach.

Sepia.

_____, with anxiety and palpitation of heart. Plat.

_____ tightness of chest. Ars. iod.

_____, spasmodic—in rapid succession—till the breath is exhausted ; seems to come from the stomach ; worse in the evening.

Sepia.

_____, tearing. Nux v.

_____, teasing. Thuja.

_____, troublesome—causing soreness in the forepart of the chest. Phos.

_____, violent, racking. Merc. viv., Phos.

_____, when reading aloud. Phos.

_____, with difficult expectoration. Puls.

- Cough, dry**, with eruptions on the face. **Sepia**.
 _____ roughness of throat. **Kali nitr.**
 _____ scanty expectoration. **Phos.**
 _____, *fits* of—short—followed by a dull aching pain in the chest. **Magn. m.**
 _____ *from* constrictive sensation about the throat. **Ignat.**
 _____ becoming warm in bed. **Nux m.**
 _____ choking sensation in the fauces, with oppression.
- Coccul.**
 _____ coming into a cold room from out of a warm one. **Phos.**
 _____ warm room from out of the fresh air.
- Bry., Brom., Natr. m.**
 _____ drinking anything warm. **Stan.**
 _____ getting any part of the body cold, in paroxysms.
- Hep. s.**
 _____ irritation at the pit of stomach. **Puls.**
 _____ lying on the right side. **Stan.**
 _____ putting the hand out of bed. **Rhus tox.**
 _____ sensation of crawling behind the sternum, moist.
- Kreosot.**
 _____ dust in the throat. **Hep. s.**
 _____ talking or singing. **Alum., Stan.**
 _____ titillation in the throat. **Bry., Kali c., Sanguin.,**
- Sepia.**
 _____ under the sternum. **Rhus tox.**
 _____, *hacking*—constantly in the evening and in bed. **Ignat., Sanguin., Sepia.**
 _____ difficult expectoration, raising only a little phlegm at a time. **Lach.**
 _____ loose. **Podoph.**
 _____ short. **Kali c.**
 _____, harassing, with considerable inflammatory action (chronic bronchitis; incipient tuberculosis). **Sanguin.**
 _____ *in the evening*—dry. **Puls.**
 _____ mostly before sunset, affecting stomach and diaphragm. **Lycopod.**
 _____ until midnight. **Hep. s., Sepia.**
 _____ with expectoration. **Carb. veg.**
 _____ *morning* after rising, with expectoration of

transparent mucus (sensation in the middle of the sternum as if something were torn loose). **Phos.**

Cough in the morning, at first dry, then followed by expectoration of viscid mucus. **Coccus cacti.**

_____ before rising, violent, with expectoration of clotted blood and soreness in chest. **Nux v.**

_____ very early. **Nux v.**

_____, with greenish, purulent, sometimes brownish, expectoration. **Carb. veg.**

_____ inclination to vomit, loose.

Sepia.

_____, rough—scratching the breast immediately under the sternum. **Cannab. ind.**

_____, *spasmodic*. **Ipec., Kali c., Magn. c., Sepia.**

_____, dry, especially at night, and worse when lying down. **Hyos.**

_____, with expectoration of mucus. **Ferr.**

_____ frequent eructations. **Ambr. gr.**

_____ oppression of chest. **Phos.**

_____, worse at night and by motion, dry. **Bell.**

_____ in the evening, at night, and after sleep. **Lach.**

_____ relieved when lying down. **Manganum.**

_____, suffocating—the throat seems full of phlegm, which does not yield to coughing. **Ipec.**

_____ sympathetic of heart disease. **Lach.**

_____, violent—almost causing vomiting. **Kali c.**

_____ racking—with purulent expectoration. **Ledum.**

_____, *with* circumscribed redness of cheeks and pain in the chest. **Sanguin.**

_____ disagreeable tension across the chest. **Rhus tox.**

_____ every—stitches in the hæmorrhoids. **Lach.**

_____ *expectoration*—bitter. **Puls.**

_____ bloody—coagulated pieces of hæmoptoe. **Puls.**

_____ frothy, rust-colored.

Phos., Rhus tox.

_____ mucus. **Phos., Silic.,**

Sulph.

_____ difficult. **Phos., Puls.**

Cough, with expectoration—gray, greenish, sometimes purulent, offensive, and of somewhat sour taste. Carb. an.

_____ salty taste; worse from 4 to 6 P.M. **Lycopod.**

_____ granular—during the day or evening, none night or morning. **China.**

_____ green mucus, nearly like matter. **Psorium.**

_____ greenish and profuse. Stan.

_____ in daytime; worse at night.

Calc. c., Cham., Silic.

_____ the morning. Phos.

_____ jellylike. Laurocer.

_____ of a mouldy taste and smell.

Borax.

_____ bad odor; bad breath, even noticed by the patient. Sanguin.

_____ greasy taste. Silic.

_____ large quantities of mucus, which is frequently bloody. Iod.

_____ sweetish mucus. Calc. c.

_____ yellow mucus. Puls.

_____ purulent. Phos., Silic.

_____, greenish, salty pus.

Natr. c.

_____ streaked with blood. Phos.

_____ tenacious, purulent mucus.

Phos.

_____ yellow, thick, stringy, profuse mucus. Hydrast.

_____ viscid mucus, which may be drawn out in long strings; rattling; efforts to vomit. Kali bich.

_____ white and tough. Phos.

_____ yellow. Ignatia, Puls.

_____, bitter, copious mucus.

Puls.

_____, which she has to swallow. Caust., Drosera.

_____ or grayish, causing weakness in chest. Stan.

Cough, with expectoration—yellow, purulent, mucous, sour, offensive. Calc. c.

———— **headache.** Phos. acid.

————, as if it would fly to pieces. **Bry.**

———— hoarseness all the time. **Hep. s.**

———— and expectoration after a leucorrhœal discharge. **Conium.**

———— **pain**, as if it would tear something out of the chest. **Rhus tox.**

———— in the. **Sanguin.**

———— left pectoral region and swelling of the right ovary. **Apis.**

———— whole chest, or in the larynx and sternum. **China.**

———— panting. **Phos.**

———— rattling of mucus in chest. Calc. c.

———— sensation as if the stomach would turn unto vomiting. **Puls.**

———— **stitches** in the chest. **Borax, Puls.**

———— sternum; is obliged to hold the chest with the hand. **Bry.**

———— taste of blood on waking. **Ham.**

———— whistling, wheezing, rattling, suffocation, worse during inspiration. **Aralia.**

————, worse at night and when lying with the head low. **Sanguin.**

———— **worse** after drinking. **Bry.**

———— at night. **Nitr. acid, Puls., Sepia.**

———— from 3 to 4 A.M. **Kali c.**

———— taking sweet things. **Zinc.**

———— in the morning and evening. **Phos. acid.**

———— when lying down. **Conium, Puls., Sepia.**

————, relieved by sitting up. **Hyos.**

Dulness—slight—on the right lower portion of the lungs posteriorly, with diminished respiratory murmurs, and fine vesicular râles. **Phos.**

Dyspnœa. (See Asthma; Breathing; Oppression; Constriction; Cough.) **Apocyn. can., Ars., Asafœt., Bell., Cact. gr., Carb. veg., China, Colocynth., Hep. s., Hyos., Ipec., Kali bich., Lilium, Lycopod., Magn. m., Magn. s., Natr. m., Niccol., Nitr. acid, Phos., Prunus spi., Sanguin., Viola odor.**

Dyspnœa, about midnight, she must sit up and hawk for hours.
Tart. emet.

- _____ after eating. **Nux m.**
- _____ and vertigo when lying on the back. **Puls.**
- _____ as if the chest were constricted by cramps. **Lycopod.**
- _____ though the lungs would not expand sufficiently.

Asafoet., **Bry.**, **Crot. tig.**, **Iod.**

_____ at night—with palpitation, especially when lying on the left side. **Puls.**

_____ can lie only on the right side with trunk raised; the least motion produces suffocation, anxiety, and palpitation. **Spigel.**

_____ constant. **Lobelia.**

_____ early in the morning. **Kali c.**

_____ *from* ascending a height, going up stairs, etc. **Calc. c.**
 _____, she gets

exhausted. **Iod.**

_____ choking in the throat, with inability to cough.

Coccul.

_____ every movement. **Stan.**

_____ mucus accumulated. **Dulc.**

_____ retrocession of an eruption. **Amm. c.**

_____ the least exertion. **Lycopod.**

_____ walking. **Natr. s.**

_____ has to lie with the head high. **Ars.**, **Nux v.**, **Puls.**

_____ hysterical. **Valerian.**

_____ in any position, causing anxiety. **Ars.**

_____ the evening. **Stan.**

_____ oppression, as if some one pressed with the hand upon the chest. **Ferr.**

_____ in chest and epigastrium. **Apocyn. can.**

_____ originating in the pit of stomach. **Nux m.**

_____, tightness of the lower part of thorax.

Ham.

_____, with painful sensitiveness of the third dorsal vertebra. **Chin. Sulph.**

_____ relieved by bending head and chest forward. **Ranuncul. bulb.**

_____ she is obliged to take short inspirations. **Coff.**

_____ sudden attacks of. **Cupr.**

_____ when walking against the wind.

Nux m.

Dyspnœa, suffocative attacks, compelling her to sit up in bed. Hep. s.

_____, with fainting. Cact. gr.

_____, the throat feels swollen. **Kalmia**.

_____, tightness across the chest and cough. **Phos.**

_____, wants the doors and windows open. Sulph.

_____, when in the fresh air. Psorium.

_____, lying on the back. Puls.

_____ down. Stan.

_____ walking fast. Ars., Sepia.

_____, *with* cough, dry and short. Ars. iod.

_____ ; in order to expectorate must sit up in bed, when she experiences great pain, with a constrictive sensation under the sternum. **Phos.**

_____ palpitation of the heart. Crot. tig., Graph., Plat.

_____, vertigo, sudden fiery redness of face. **Ferr.**

_____ pressure in chest when walking on level ground, but no oppression is felt when going up hill. Ranuncul. bulb.

_____ rapid respiration, especially when ascending or lying down, relieved by inhaling fresh air. Apis.

_____ sensation as if she could not get air enough in the air-cells. **Crot. tig.**

_____ the lungs were constricted, she can hardly speak. **Cact. gr.**

_____ would not expand. Acon.

_____ tenacious mucus in the chest. Sepia.

_____ wheezing, great weight and anxiety about the pericardia. Ipec.

Expansion of the—with great difficulty when taking an inspiration. Asafoet., Bry., Crot. tig., Iod.

Expectoration. (See Cough.)

Fulness in the—and stomach. **Castor.**

Heat in the—just below the sternum. Castor.

Heaviness in the. (See Dyspnœa.) **Crocus sat., Phos.** (as from a weight). Prunus spi.

Hæmorrhage. Acon., Ars., Arnica, Cact. gr., Carb. veg., China, **Ferr.**, Ipec., Millefol., Natr. m., Phos., Sepia, Sulph.

_____ with flying pains in the chest. **Ferr.**

Hæmorrhage, with heat in the chest. Sulph.

Movements in the. **Hyperic.**

Mucous râles in both lungs, but more noticeable in the lower lobes.

Phos.

Oppression of the—(see Dyspnœa.) Prunus spi.

_____ and weight in the upper part of chest.

Stan.

_____ from any external pressure. Lach.

_____ morning and evening. **Sepia.**

_____ suffocative—of the upper part of chest

(irritability in lower portion of the trachea). **Phos.**

_____ with spasmodic cough. **Phos.**

Pain in the—as if bruised. (See Cough.) Murex purp.

_____ of the breastbone. Sarsaparilla.

_____, sore, painful. Niccol.

_____ in the muscles. Magn. c.

_____ from weakness. **Phos. acid.**

_____ a small sore spot. Ranuncul. bulb.

_____, behind the ensiform cartilage, with a deadly feeling. Cupr.

_____ sternum. Lobelia.

_____ sense of excoriation. Rumex crisp.

_____ bruised—in region of short ribs, with pain in back, lassitude, ill-humor. Ranuncul. bulb.

_____ *burning* and stinging. Kali nitr.

_____ along the sternum. Terebinthina.

_____ as from living coals. Carb. veg.

_____ at night. Bell.

_____ ; cardiac region. Kali c., Puls.

_____ paroxysms of. Puls.

_____, pressing and itching. Magn. s.

_____, coughing. Magn. s.

_____ contractive—in the middle of the chest. Ol. an.

_____ cramplike—in the region of heart, causing palpitation and anxiety. Lach.

_____ of the muscles—neuralgia. Verat. vir.

_____ cutting—in the evening after lying down. Kali c.

_____ dull, pressive—left side, apparently about the heart. Lilium.

_____ flying—with hæmoptysis. Ferr.

Pain in the—in all external parts of thorax on moving it.
Laurocer.

————— **left side**, from the nipple to the armpit, tension. **Lobelia.**

—————, region of heart, with enlargement of right ovary. **Apis.**

—————, sharp, with fluttering of the heart.
Lilium.

—————, sticking, pressure on deep breathing.

Kali c.

————— right pectoral region. **Borax.**

————— stitching—with every cough or deep inspiration.
Borax.

————— worse from deep breath or coughing.
Puls.

————— **stitches.** **Kali c., Merc. viv., Merc. cor., Ranuncul. bulb.**

—————, and soreness, with hoarseness. **Nitr. acid.**

————— at a full inspiration. **Bry., Ranuncul. bulb.**

————— below the breasts. **Hyperic.**

————— heart. **Crocus sat.**

————— beneath the left shoulder, high up in the chest—violent; perceived even in the throat. **Theridion.**

————— right ribs. **Chelidon.**

————— fine—in left lung, while sitting and writing. **Rumex crisp.**

————— from left to right, but is felt in both sides at the same time. **Ranuncul. bulb.**

————— in the anterior and upper portion of the—extending through to the back. **Merc. sol.**

————— left side and scapula when breathing or coughing. **Sepia.**

————— region of the heart. **Laurocer.**

————— sides of—hindering respiration.

Acon.

————— only when lying down or coughing. **Puls.**

————— relieved when lying on the painful side.

Bry.

Pain in the—stitches, left side. Lachnanth., Lycopod., Natr. s.

_____ above the nipple, in a space of the size of a hand, worse during contact and motion. **Ranuncul. bulb.**

_____ middle—violent—fine—in front during inspiration, in the forenoon. **Ranuncul. bulb.**

_____ right side. **Borax.**

_____ on inspiration. **Kali c.**

_____ violent sticking in region of the fifth to the seventh rib, arresting the breathing, with stitches and pressure at the top of shoulder. **Ranuncul. bulb.**

_____ sternum—on inspiration, when bending forward or backward. **Chelidon.**

_____ upper. **Kali hydr.**

_____, when coughing has to hold the chest with the hands. **Bry.**

_____ violent, deep, when walking; from the sternum to the back. **Kali hydr.**

_____ *when* coughing, yawning, or breathing. **Bell., Borax, Bry.**

_____ or sneezing; right. **Merc. sol.**

_____ lying on the back, worse from emotion. **Bry.**

_____ particularly at night. **Puls.**

_____ tenderness—cannot bear percussion, not even auscultation. **Calc. c., China, Ranuncul. bulb.**

_____ tensive—with pressure in the middle of sternum. **Sabina.**

_____ under the clavicles; soreness. **Puls.**

_____ when talking especially. **Kali c.**

_____ with distress. **Viola odor.**

_____ hoarseness. **Kali hydr.**

_____ inspiring. **Calc. c., Ranuncul. bulb.**

_____ periodic cough. **Sanguin.**

Phthisis florida. Theridion.

_____, suppurative stage; chlorotic girls. **Puls.**

Pressure in the—and tightness across the lower part of—with fine stitches, which seemed to be felt in the outer part of the chest first, but then extend deep into the chest, now in the right, now in the

left side of chest; increased by moving, stooping, or deep inspiration. **Ranuncul. bulb.**

Pain in the—left side worse. **Sepia.**

—————, right—as from a plug. **Anacard.**

—————, external—makes her feel uncomfortable; she feels oppressed. **Lach.**

Rattling in the air-passages during respiration. **Ipec.**

————— of mucus in the lungs; cough worse in the morning. **Sulph.**

Rawness, soreness—in the middle of chest. **Sepia.**

Respiration. (See Breathing.)

Scraping in the—causing hawking. **Nux v.**

Sensation in the—as if the clothes were too tight. **Caustic.**

————— of a lump of ice in the right chest. **Sulph.**

————— of a hot stream from the breast to the liver. **Sanguin.**

————— emptiness in the chest. **Sepia.**

Shortness of breath. (See Dyspnœa; Breathing.)

Spasms—hysterical—of the. **Bell., Cauloph, Coccul., Mosch.**

—————, and larynx. **Coccul.**

Spasmodic, contractive sensation in—and throat. **Ipec.**

Suffocation. (See Asthma; Dyspnœa.)

Tightness. (See Dyspnœa.)

Tubercles in the lungs, with hectic fever. **Phos.**

Weakness of the—and in general; can hardly talk. **Stan.**

————— especially in the evening. **Sulph.**

————— when talking. **Calc. c.**

————— painful. **Phos. acid.**

————— with fatigue. **Carb. veg.**

Wheezing in the. (See Dyspnœa; Cough, etc.) **Murex purp.**

Heart.

(See Chest—Pain in the Region of the Heart.)

Affections of the. **Cact. gr., Digital., Sulph.**

—————, and chest, rheumatic. **Cimicifuga.**

————— diaphragm. **Cact. gr.**

————— the whole left side feels sore, with the eye perhaps in sympathy. **Spigel.**

—————, organic. **Ars.**

Affections of the—rheumatic. **Lach.**

_____, with affections of the chest. **Spigel.**

_____, with sympathetic cough. **Lach.**

Anxiety (see Mind and Disposition) about the heart, with nausea, and a sensation of hunger, somewhat relieved by eating, distressing her even in bed. **Phos.**

_____ and palpitation about the. **Acon., Plumb.**

_____ want of breath, when lying upon the left side. **Puls.**

Bellows' sound of—with anæmic murmur of the arteries and veins. **Ferr.**

Congestion to the—it feels full to bursting. **Lilium.**

Constriction in the region of the. **Kali c.**

_____ of the—sensation of. **Cact. gr.**

Fluttering of the—with a faint, weak feeling, worse on lying down. **Natr. m.**

_____ and pressure, distressing and painful. **Lilium.**

Inflammation—rheumatic. **Lach., Spigel.**

Intermission in the beating of the—its actions are tumultuous or weak. **Kali c.**

_____ irregular—worse lying on left side. **Natr. m.**

Pain in the region of the. **Calc. c.**

_____, and painful numbness and lameness of left arm. **Rhus tox.**

_____, burning. **Kali c.**

_____, stitches. **Caustic.**

_____, as if the heart were alternately squeezed and relaxed, with inability to walk straight. **Lilium.**

_____ below the—stitches. **Crocus sat.**

Palpitation of the. **Apocyn. can., Ars., Baryt. c., Brom., Carb. veg., Colocynth., Ferr., Hep. s., Hydrast., Hyper., Kali c., Kalmia, Lach., L. V. Deflor., Laurocer., Magn. c., Merc. viv., Murex purp., Natr. m., Nux m., Nux v., Plat., Sanguin., Sulph.**

_____, *after* a meal. **Bufo, Aurum, Lycopod., Puls. (dinner), Sepia (dinner).**

_____ stool, with burning in anus and oppressive anxiety. **Caustic.**

_____ tremulous weakness.

Ars.

*Palpitation of the—after—*emotion of mind. Sepia.

————— overexertion, especially during pregnancy. **Aurum.**

—————, *at* night. Cact. gr.

—————, day and night. Cact. gr.

—————, face suddenly becomes fiery red, with vertigo, singing in the ears, and dyspnœa. **Ferr.**

—————, *from* the least exertion, when going upstairs, etc. **Natr. m.**

————— physical exertion, as if the heart were ascending into the throat, with rumbling in the right abdomen.

Podoph.

————— talking. Puls.

—————, in debilitated persons, especially when lying on the left side, when walking, and at night, with great melancholy. Cact. gr.

—————, caused by loss of blood. Sepia.

————— the morning. Carb. an.

—————, irregular. **Ars.**

—————, violent. Lachnanth., **Phos.**

————— attacks of. **Puls.**

—————, so that the walls of the chest are raised. Spigel.

—————, shaking the body. **Natr. m.**

—————, when sitting still. **Magn. m.,**
Rhus tox.

—————, *when* ascending. Sulph.

————— awaking. **Alum.**

————— lying on the back. Kali nitr.

————— left side. Cact. gr.,
Natr. m.

————— anxiety,
want of breath. **Puls.**

————— walking. Cact. gr. Nitr. acid,
Sulph.

—————, *with* anguish. **Acon., Ars., Calc. c.,**
Nitr. acid, Plumb., Spigel.

————— and vanishing of sight.
Puls.

Palpitation of the—with anguish, irregular, violent, at night; she thinks she hears it. **Ars.**

_____ anxiety. **Acon.**, Baryt. c., **Calc. c.**, Mosch., Puls., Viola odor.

_____ and cramplike pain in the region of the heart. **Lach.**

_____ fainting. **Lach.**

_____ short, dry cough.

Plat.

_____ attacks of fainting, followed by sleeping. **Nux m.**

_____ chlorosis or anæmia. **Puls.**

_____ clicking from the slightest exertion. **Lach.**

_____ diarrhoea. Tart. emet.

_____ great debility on going upstairs.

Crocus sat.

_____ sinking at the stomach, violent and long-lasting. **Hydrast.**

_____ nightmare, during sleep. **Natr. c.**

_____ numbness of left arm. **Lach.**,

Rhus tox.

_____ oppression of chest. **Crot. tig.**,

Graph., Plat.

_____ pain below the breasts. **Sulph.**

_____ reverberating in the head. **Bell.**

_____ rheumatic affections of chest and

heart. **Cimicifuga.**

_____ thoughts of committing suicide.

Aurum.

_____ trembling. **Plat.**

_____ of limbs. **Puls.**

_____, *worse* after eating. **Lycopod.**

_____ when lying on the back. **Ars.**

Pressure in the region of the heart. **Asafoet**

_____ and heaviness, every evening. **Puls.**

_____ at the—like a load weighing upon it, which has settled all over her and enveloped her head, like a heavy black cloud. **Cimicifuga.**

Purring of the—as of a cat. **Spigel.**

Sensation as if the circulation stood still. *Lycopod.*

_____ drops of (cold) water were falling from the heart.

Cannab. sat.

Shocks in the region of the heart, from above downward. *Magn. s.*

_____, sudden. *Mangan.*

Trembling of the. *Bell.*

_____, with great debility. *Lachnanth.*

_____ pulsation of the. *Calc. c., Spigel.*

Back.

A. BACK IN GENERAL.

Bending backward like an arch (convulsions). *Cicuta vir.*

Chilliness along the. *Berber., Camph., Lilium, Puls.*

_____ as if cold water were pouring down. *Puls.*

_____ beginning in the small of back. *Lach.*

_____, cold feet, red, hot cheeks; with retarded menses in young women. *Puls.*

_____ over the whole—with hot face, but without redness of face or thirst. *Ledum.*

Cold water poured down the back—sensation of. *Puls.*

Coldness—sensation—between the shoulders, followed by general coldness, and convulsive twitching of the right side, and difficulty of breathing. *Sepia.*

Creepings in the—gentle—as if a soft air were blowing through it. *Secal. cor.*

Formication in the. (See Tingling.)

Heat—in the—burning, like prickly heat. *Apis.*

_____ flashes of—as if sweat would break out, with pain in left ilio-sacral articulation. *Apis.*

_____ with stool. *Podoph.*

_____ sensation of. *Phos.*

Itching of the—and neck. *Antim. crud.*

_____ while undressing. *Natr. s.*

Pain in the—aching—down the left side—into the hip. *Kali bich.*

_____ dull—particularly in the lower part.

Erigeron.

_____ soreness. *Eupat. perfol.*

Pain in the—across the shoulders and spine, forcing her to stoop, preventing walking erect. **Cannab. ind.**

_____, sharp, cutting. Glon.

_____ and chilliness of—from suppressed menses. **Puls.**

_____ left scapula, seemingly from the left mamma.

Lilium.

_____ limbs. **Eupat. perfol.**

_____ shoulders, as if from a sprain. **Rhus tox.**

_____ as if beaten and lame. **Ruta.**

_____ broken, impeding all motion. **Phos., Plat.**

_____ from weakness, worse sitting and leaning against something. **Zingiber.**

_____ **at night** especially. **Argt. nitr., Helon.**

_____ 3 A.M. stitching—awakes from—has to walk about to get relief. **Kali c.**

_____ worse when lying. **Kreosot.**

_____ between the shoulders, in the morning. **Podoph.**

_____ bruised. **Drosera** (mornings), **Merc., Ruta.**

_____ of the muscles of—and loins. **Cham.**

_____ **burning.** **Glon., Nux v.**

_____ and drawing—in the middle of. **Sulph.**

_____ heat—in the dorsal region, mostly between the lower half of the scapulæ; while sitting reading at night. **Helon.**

_____ from the small of back to between the scapulæ. **Thuja.**

_____ in the middle of day, as if in the posterior wall of stomach. **Lobelia.**

_____ one spot, size of the palm of a hand, below the right scapula, worse in the evening, from motion, exertion, moving the right arm; deep inspiration; better from pressure. **Ruta.**

_____ over only a small place over the lower margin of the shoulderblade, worse or caused by long-continued needlework or writing; muscular. **Ranuncul. bulb.**

_____ while lying quietly upon it. **Ars.**

_____ cannot move. **Petrol.**

_____ constant—worse of those parts she has to lie on.

Ferr.

_____ contracting. **Graph.**

_____ cramping, violent. **Bell., Euphrasia, Hellebor.**

- Pain** in the—cutting or dull—below the scapulæ. Asafœt.
 ————— violent. Eupat. purp.
 ————— drawing. Cham., Colocynth. (region of right scapula).
 ————— tearing—and thighs. China.
 ————— from the small of the back to the shoulders. Ars.
 ————— sacrum to back and neck, after overlifting; feeling as if wrenched. Calc. c.
 ————— gnawing. Alum.
 ————— in one spot—when touched. Stram.
 ————— must sit up to turn over in bed. **Nux. v.**
 ————— neuralgic—especially left side. Nitr. acid.
 ————— and hip, from below upwards. Eupat. purp.
 ————— over the whole—down to the loins. Cinnab.
 ————— especially in the great muscles; shifting pains; worse from a deep inspiration. Sanguin.
 ————— relieved by lying on something hard. Natr. m.
 ————— bathing. Sepia.
 ————— sometimes by bending forward, at other times by bending backward. Plumb.
 ————— **rheumatic**—and extremities—begin in left side. Elaps.
 ————— neck. Colchic.
 ————— drawing, tearing. Carb. veg.
 —————, muscular, with a feeling of stiffness and contraction. **Cimicifuga.**
 ————— shoulders, and arms; worse at night. Sanguin.
 ————— scapular muscles; preventing motion. Mezer.
 ————— stitches. Hep. s.
 ————— right side—near the spine, on a small spot; morning on rising; worse from pressure. Lithium c.
 ————— with heaviness of occiput and pressure toward left ear. Chelidon.
 ————— under the shoulderblade. Podoph.
 ————— sharp. Merc. prot.
 ————— shooting—extending to the stomach. Rhododen.

Pain in the—*stitches*. Caustic., Stann.

_____, and in the small of back. Plumb.

_____, especially when breathing. Spigel.

_____ from the least motion. Sarsaparilla.

_____ in the muscles. Asafoet.

_____ sudden—when turning. Nux v.

_____ upward the back; violent. Staph.

_____ tearing. Nux v.

_____, especially mornings. Canth.

_____ in the lowermost lumbar vertebra, extending to the iliac bones. Chelidon.

_____ *throbbing*. Baryt. c., Thuja.

_____ violent—as from a blow. Kali c.

_____ cannot straighten out. Psorium.

_____ extending into the thighs. Cham.

_____ in the middle of. Graph.

_____ with a weak and faint sensation. Baryt. c.

Perspiration of the, and axilla, very offensive and fetid, also of the soles of feet and around the genitals. **Sepia.**

_____ neck, at the least motion. China.

Stiffness of the. Carb. veg., Prunus spi.

_____, lameness, evening in bed. Kalmia.

_____ and paralytic feeling of the. Kali c.

_____ weakness—between the shoulders, extending to the neck. Agaric. m.

_____ painful—of the—especially when rising from a seat.

Caustic.

Tingling in the. Acon., Natr. c., Phos. acid.

_____ extending to fingers and toes. Secal. cor.

Ulcers—scrofulous—upon the. Cistus can.

B. SPINE.

(See Between the Shoulderblades; Small of Back; Sacrum.)

Affections of the—from sexual excesses. **Nux. v.**, Sabadilla (excessive weakness of legs).

Bruises and shocks in the. Conium.

Congestion of the—prostration; muscles feel bruised and will not obey the will. **Gels.**

Convulsive movements in the—and extremities. Curare.

Irritation of the—great. (See Sensitiveness of the.) Natr. m.,
Phos., Silic., Zizia.

_____ only when sitting. Zinc.

_____ paralytic symptoms, cold feet; consti-
pation. Silic.

_____ with great prostration of strength.
Zinc.

Myelitis, after taking cold during menses. Dulc.

Pain along the. Nux m.

_____ aching—and limbs. Agaric. m.

_____, worse while sitting, better
on rising, walking or lying down. Kobalt.

_____ in the centre of spine. Lachnanth., Silic.

_____ acute—after a fall. Argt. nitr.

_____ as if beaten, while sitting and walking; it
takes away the breath. Ruta.

_____, with lameness. Ruta.

_____ from a fall in the dorsal vertebræ. Ruta.

_____ bruised. Sabadilla.

_____, drawing—taking away the breath.
Ruta.

_____ burning—in spots. Phos.

_____ the vertebræ; left side especially.

Asafoet.

_____ four inches above the small of back.

Lachnanth.

_____ with crampy sensation; worse when
sitting. Zinc.

_____ constant—sometimes worse in lumbar region,
with great heat and burning. Kalmia.

_____ cramping—spinal neuralgia. Cimicifuga.

_____ down through the sacrum, legs and feet, worse
while sitting. Kobalt.

_____ drawing. Stram.

_____, lancinating. Cina.

_____, tensive—at the points of the spi-
nous processes of the upper dorsal vertebræ. Cimicifuga.

_____, throbbing, burning. Bell.

_____ extending to the shoulders and head. Gels.

_____ in dorsal vertebræ, as if the back would break.

Lilium.

Pain along the—interscapular and vertebral. Natr. chlor.

_____ in the last dorsal vertebræ. Zinc.

_____ lumbar vertebræ, indescribable uneasiness; dragging sensation from behind forward (like weak labor pains). **Sabina.**

_____ in the hips, down the thighs; difficult urination. Sarsaparilla.

_____ upper dorsal and cervical vertebræ. Stram.

_____ ; old contusions. Glon.

_____ sensitiveness. Secal. cor., **Silic.**

_____ shooting, burning, violent—deep in. Agaric. m.

_____, gnawing. Bell.

_____ sore. Merc. bi-iod.

_____ soreness—and neck. Natr. s.

_____ stabbing as if with a knife, from without inwards, in the vertebræ. **Bell.**

_____ streaking—up and down. Phytol.

_____ tearing. Berber.

_____, jerking—in the middle of. Cina.

_____ violent—worse from motion. Merc.

_____ when stooping. Agaric. m.

_____ with pain all over the body; sciatica. Petrol.

_____ as if the back would break. Liliūm.

_____ as though the lower lumbar vertebræ would separate, when bending forward. Chelidon.

Paralysis of the muscles of—up to the neck; also of the limbs; limbs oedematous but sensible. Cupr.

Sensation as if warm water was streaming upwards to—into the head. Ars.

_____ of ants creeping along the. **Agaric. m.**

Sensitiveness of the—(see Irritation of the) from the last cervical to the fifth dorsal vertebra, to touch. Tellurium.

_____ upper dorsal regions; soreness of all the muscles. Cimi-cifuga.

_____ great. Natr. m., **Silic.**

_____, pressure upon any affected portion, causes pain there as well as in chest, exciting irritation and cough; worse from exertion or strain upon the spine. Secal. cor.

Sensitiveness of the—great to touch; after concussions. **Hyperic.**

_____, worse in the morning.

Agaric. m.

_____ last cervical and first dorsal vertebræ to touch. **Chin. sulph.**

_____ dorsal and first lumbar vertebræ.

Bell.

_____ spinous processes of the dorsal vertebræ between the scapulæ to touch. **Phos.**

_____ third dorsal vertebra, with oppression of chest. **Chin. sulph.**

Softening of the. **Phos., Sulph.**

Stiffness of the—beginning in the region of the os coccygis. **Ars.**

Weakness of the. **Silic.**

C. SCAPULÆ.

Pain in the—burning—and tensive pain between the. **Zinc.**

_____ right. **Lachnanth.**

_____ constant—under the inner and lower angle of the right. **Chelidon.**

_____ drawing, tearing. **Acon.**

_____ dull—along the inner edge of the left—worse from breathing. **Sanguin.**

_____ gnawing. **Phos. acid.**

_____ in the morning. **Podoph.**

_____ left—along the inner edge, often extending a little below its inferior angle, or through the lower half of left side of the thorax. **Ranuncul. bulb.**

_____ pinching. **Castor.**

_____ right. **Chelidon.**

_____, and right chest, worse during inspiration.

Cimicifuga.

_____, worse when bending forward. **Lobelia.**

_____ sharp cutting across the. **Glon.**

_____ stitches. **Sulph.**

_____, beneath the right. **Chelidon.**

_____, in and between the shoulderblades.

Ranuncul. bulb.

Pain in the—stitches, in the left. Amm. m.
 ————— right — when sitting. Antim.
 crud.
 ————— with rawness in the right, during repose. Col-
 ocynth.
 ————— under the right. Podoph.

D. BETWEEN THE SCAPULÆ.

(See Spine.)

Coldness, as if from a piece of ice, followed by a chill. Lach-
 nanth.

—————, followed by general coldness and convulsive twitch-
 ing of right side, with difficult breathing. Sepia.

—————, not relieved by warm covering, and followed by
 itching. Amm. m.

Itching. Argt. m.

Pain—aching. Æscul. hipp.

—————, along the border—has to straighten to get relief.
 Bovista.

————— and under left scapula, extending into the left
 lung, worse on inspiration. Sepia.

—————, mostly below the scapulæ. Calc. phos.

—————, with tension. Nux v.

————— and back of neck. Eupat. perfol.

————— bruised. Acon., Amm. m.

————— **burning**. Glon., Phos.

—————, as from glowing coals. Lycopod.

————— constantly, and down the back. Sepia.

————— cutting. Hyperic.

————— crampy—during motion. Ipec.

————— dorsal. Conium.

—————, tenderness of the lower cervical and upper dorsal
 spinous processes; stiff neck. Secal. cor.

—————, three upper vertebræ, extending through the
 shoulderblades. Kalmia.

—————, while sitting and reading, at night. Helon.

————— drawing—and tension. Hep. s., Natr. c.

————— extending to the small of back. Dros.

Pain—drawing—obliges her to lie down. Ars.

————— pressure between the right—and spine. Bell.

————— during and after eating, with nausea and burning eructations. Rhus tox.

————— piercing—as from knives, while sitting in the evening, also in sacrum. Natr. s.

————— rheumatic. Lobelia.

—————, and shoulders; can hardly turn in bed. Cadladium

————— right. Podoph.

————— sticking—arresting the breathing. Puls.

————— stitching—and tension. Colchic.

————— **stitches**. Paris qua., Ranuncul. bulb.

—————, and tearing. Psorium.

—————, drawing—and through the scapulæ, extending into chest, when moving the arms. Camph.

—————, dull, from behind forward, in the afternoon while lying. Bry.

—————, with stiff neck. Nitr. acid.

————— tearing—and in the scapulæ. Berber.

—————, violent. Anacard., Psorium, Silic.

————— tensive. Magn. m.

—————, and burning in the. Zinc.

—————, pressing, burning—as from a stone. Nux v.

————— violent, rheumatic, neither relieved nor aggravated by motion or rest, only relieved by warmth, aggravated by cold. Rhus tox.

————— with pain in lumbar region and small of back. Cobalt.

————— worse by inspiration. Puls.

Pressure as from a stone. China, Lobelia, Nux v. (painful).

Sensation as if the vertebræ were gliding one over the other, when turning in bed. Sulph.

————— of numbness and stiffness—extending to the neck. Agaric. m.

E. SMALL OF THE BACK; LUMBAR REGION.

Coldness of the. Dulc.

Heaviness in the—as if from taking cold. Baryt. c.

Lameness. (See Stiffness.) Hyperic., Nitrum.

————— across the sacro-iliac articulation; walking fatigues,

because that part of the back gives out, even after a short distance.
Æscul. hipp.

Lameness, preceding leucorrhœa. **Conium.**

_____, with pulling pain. **Caustic.**

Numbness in the. **Berber.**

Pain in the—backache. Aloe, Amm. m., Baryt. c., **Borax**,
Calc. c., Calc. phos., Cannab. sat., Colocynth., Cyclam., Kali c.,
 Kali ferrocyan., **Kali nitr.**, Lach., L. V. Deflor., Magn. m., Man-
 gan., Murex purp., **Niccol.**, Nitr. acid, **Phos.**, Psorium, Secal. cor.

_____ **aching.** Cimicifuga, Cyclam., Hyperic., Mu-
 riat. acid.

_____, across the—tired feeling; knees ache.

Hydrast.

_____, after labor or abortion. **Kali c.**

_____, as if bruised or broken. **Graph.**

_____, dragging—with hot, dry skin, rest-
 lessness, and nervousness. **Cauloph.**

_____, dull—worse from motion. **Æscul.**

hipp.

_____ heavy—and great weakness in
 the. **Lilium.**

_____, heavy. **Kali c.**

_____, lameness. **Hyperic.**

_____, when sitting. **Caustic.**, Cobalt(worse).

_____ as after long stooping

and bending the back. **Rhus tox.**

_____ **across the**—on getting out of bed in the
 morning. **Silic.**

_____ **after** the least exertion. **Calc. phos.**

_____ heavy lifting, and taking cold at the
 same time. **Sulph.**

_____ sitting. **Puls.**

_____ washing; soreness, weakness, frequently
 with prolapsus uteri. **Podoph.**

_____ and coccyx—uneasiness, stiffness, in the even-
 ing. **Petrol.**

_____ hips. **Palladium.**

_____, as if from a bruise. **Magn. m.**

_____ lassitude—also of the legs, in the evening.

Colocynth.

Pain in the—and os coccyx; can hardly sit for a short time. Bell.

_____ particularly in the sacrum. Helon.

_____ sacrum. Sepia.

_____ weakness. (See Weakness.)

_____ **as** after continued stooping. Agaric. m.

_____ from a blow, on awaking. Acon., Nitrum.

_____ **as if** a hot iron were thrust through the lower vertebræ. Alum.

_____ from fatigue. Aurum.

_____ overlifting, worse at rest, at night, in the morning, and when rising from a seat. Staph.

_____ stooping too long. Puls.

_____ in a vice. Kali c.

_____ menses would appear. Coccul., Hydrast.

_____ sprained, on motion. Puls.

_____ the back were broken. Kali c., Phos., Magn. c. (right), Plat.

_____ or bruised, worse at 3 or 4 A.M. Nux v.

_____ would break, hindering motion. Bell., Ham.

_____, worse during rest, better from motion. Kreosot.

_____ **at night** especially. Amm. m., Argt. nitr., Cham., China, Magn. c., Nitrum.

_____, towards the front and downward. Argt. nitr.

_____, violent, sore; can only lay on her right side; better in morning after getting up. Natr. s.

_____ **bruised**. Acon., Ars., Cham., Clematis, Graph., Hep. s., Kali nitr., **Lamium alb.**, Magn. c., Magn. m., Magn. s., Natr. m., Natr. s., Nitrum, Nux v., **Rhus tox.**, Sabadilla.

_____, and both hips, with sensitiveness of the parts to touch. Magn. m.

_____ stiffness; rises from a seat with difficulty. Berber.

_____ thighs. Hep. s., Magn. s.

_____ of the bones. Coccul.

_____, irritating—not increased from motion. Cina.

- Pain in the—bruised**, on moving. Natr. s.
 _____, when at rest or in motion, also at night in bed; can neither lie on back or side. Amm. m.
 _____ lying on it. Bry.
 _____ quietly. **Rhus tox.**
 _____ pressing on it, or when bending backward especially. Plat.
 _____ sitting still. **Rhus tox.**
 _____ **burning**. Clematis, Kreosot.
 _____, with stitches—while sitting. Asar. europ.
 _____ pressure, relieved by motion.
 Nitrum.
 _____ worse by rest. **Rhododen.**
 _____ in rainy weather. **Rhododen.**
 _____ coming from the abdomen; can hardly get up and walk after sitting. **Æscul. hipp.**
 _____ constant. Kali hydr.
 _____, especially in sacrum and hips. **Æscul. hipp.**
 _____ contractive, spasmodic. Magn. m.
 _____ cramplike. Cimicifuga, Nitrum.
 _____, aggravated by the least motion.
 China.
 _____ **crick in the back**, worse when attempting to move, but relieved by continual motion. Agaric. m., **Rhus tox.**, Sepia.
 _____ cutting. Argt. nitr., Natr. m.
 _____, as though the small of the back were pressed in from both sides, with laborlike colic. Kali c.
 _____; cannot walk without assistance. Psorium.
 _____ down into the thighs. Lycopod.
 _____ through the hips, with heavy pressing down. Cimicifuga.
 _____ **drawing**. Cham., Coccul., Kali c.
 _____ downward. Bell.
 _____ into the thighs. Mosch.
 _____, during rest; stitches when moving, relieved by pressure. Dule.

Pain in the—drawing, extending through the pubis. **Sabina.**

_____ pressive—and loins, only when at rest during the day, passing off when walking. **Amm. c.**

_____ during menses. (See Part I.) **Caustic.**

_____ pregnancy, violent. **Kali c.**

_____ extending to the arms. **Rhododen.**

_____ groins and limbs. **Plat.**

_____ from every movement. **Caustic.**

_____ taking cold. **Nitr. acid.**

_____ weariness in the. **Laurocer.**

_____ gnawing. **Sulph.**

_____ in a small spot—burning—better from rubbing.

Phos., Phos. acid.

_____ the last lumbar vertebræ especially, worse when sitting, less when walking. **Zinc.**

_____ **morning**; cannot rise; felt chilly during the night, particularly when stirring or turning in bed.

Nux v.

_____ early (flatulent colic low down in the abdomen). **Nux v.**

_____ on waking, violent. **Nitrum.**

_____ **laborlike.** (See Back, in the different parts of the work.) **Puls.**

_____ aching—when standing or walking, better when lying on something hard. **Rhus tox.**

_____ and sacral region, with urging to urinate and ineffectual desire to stool. **Kreosot.**

_____ drawing, pressing down in the lumbar vertebræ. **Kreosot.**

_____ intermittent, with a thin acrid leucorrhœa, leaving a brown stain. **Lilium.**

_____ slight, with sensation of fulness in the pelvis, during the climacteric period. **Plumb.**

_____ laming—while sitting or standing. **Coff.**

_____ lancinating, tearing, as if the region were bruised, with a feeling of stiffness, which makes it difficult to rise or move. **Berber.**

_____ **lumbago.** **Cimicifuga, Nux m., Puls., Rhus tox., Sanguin.** (from lifting).

- Pain in the—lumbago**, alternating with headache. Aloe.
 _____, at night; goes off on rising. Ferr.
 _____ momentary. **Natr. c.**
 _____ neuralgic—of the ligaments; rheumatic irritation. **Cimicifuga.**
 _____ **paralytic**—obliging her to bend the back inward. Sabina.
 _____ rendering walking quite difficult, even impossible. **Coccul.**
 _____ **pressure.** Clematis, Hyperic., Spong.
 _____, and in the abdomen, as from a stone, with disposition of the lower limbs to go to sleep, and ineffectual desire to stool. **Puls.**
 _____ heaviness, as if one had received a blow, while sitting. **Rhus tox.**
 _____ tension, across the—and at times extending downward into the posterior portion of the pelvis, thighs, and even the calves, with a feeling of stiffness and lameness. Berber.
 _____, cramplike—and in the renal region. Caustic.
 _____, down into the rectum. Aloe.
 _____, when drawing a long breath. Carb. an.
 _____, with lacerations in the lumbar vertebræ, extending to the iliac bones. Chelidon.
 _____ **relieved** when belching. Sepia.
 _____ lying on something hard. **Natr. m., Rhus tox., Sepia.**
 _____ standing or walking, but severe when rising from a seat. Argt. nitr.
 _____ urinating (pregnancy). Lycopod.
 _____ walking; the same with general pain in back. Sepia.
 _____ running to the groins. Sabina.
 _____ sharp, drawing—across the—sensitive to every step. Carb. an.
 _____ soreness. **Natr. c.**
 _____ spasmodic—cannot rise. Silic.
 _____ unchanged by motion. Brom.
 _____ sticking—on breathing. **Merc. sol.**

Pain in the—sticking—or sticking pressing in one side or the other, now in a small spot when it is a single sticking, now in a large place when it is chiefly pressing; the pain extends around the side of the abdomen, or to the region of the hips, the bladder, and groins. **Berber.**

_____ stinging—with sensation of weakness. Merc. viv.

_____ **stitches.** Hyperic., **Kali hydr.**, Natr. m., Plumb., **Puls.**, Stan. (and limbs).

_____, tearing and burning. Magn. m.

_____, violent. Nux jugl.

_____, when rising from stooping especially.

Lycopod.

_____ sitting. Natr. c.

_____, walking, or stooping, relieved by pressure or lying down. Ruta.

_____, with bearing down or drawing in the lumbar vertebræ, especially when standing. **Conium.**

_____ tearing across the—with fulness of joints and legs. Ham.

_____ tensive—worse in evening; can neither rise nor bend backwards. **Baryta c.**

_____ throbbing. Natr. m.

_____ through the hips, down the thighs, with labor-like pains. **Nitr. acid.**

_____ tired. **Sepia.**

_____ violent. Nitr., Phos. acid.

_____, with great coldness. Amm. c.

_____ prolapsus uteri. **Nux v.**

_____ **when** attempting to rise. **Natr. m.**

_____ child nurses. **Silic.**

_____ riding in a carriage. Nux m.

_____ rising from sitting; disappeared when walking. Antim. crud., Sulph.

_____ stooping. Phos.

_____ sitting. **Prunus spi.**

_____ walking, in the afternoon. **Sepia.**

_____ ; she feels she must give up and lie down. Kali c.

_____ or standing. Berber., Podoph.

Pain in the—which makes walking and turning difficult. Bry.

- _____ **with** amenorrhœa. (See Part. III.)
- _____ constipation. Lach.
- _____ diarrhœa. Kali hydr.
- _____ difficulty to rise from a seat. Calc. c.
- _____ frequent and increased discharge of urine (and mucus), at night. Antim. crud.
- _____ uterine pains. Calc. phos.
- _____ weakness. Kali bich., Sepia.
- _____ of legs, as from a blow. Nux m.
- _____ **worse** at night, usually. Argt. nitr.
- _____ 3 or 4 A.M. **Nux v.**
- _____ rest. Nux m., **Rhododen.**, **Rhus tox.**
- _____ from motion. Bry., Psorium.
- _____ when lying in bed, which makes it almost impossible to turn. **Nux v.**
- _____ sitting. Ol. an., Rhododen.
- _____ or lying, mostly in the morning when awaking. Berber.
- _____ standing, relieved by walking.

Æscul. hipp.

- _____ in wet weather. Rhododen.
- Stiffness of the**—(see Lameness.) **Rhus tox.**
- _____ as if from overlifting. Prunus spi.
- _____ painful. Caustic., Laurocer., Lycopod. (night), Natr. m.

- _____ on motion. **Rhus tox.**
- _____, not allowing her to stand erect. Bry.
- _____ while lying, as if suppurating. Puls.

- Weakness of the**—and knees. Nux m.
- _____ loss of strength. **Ars.**
- _____ pain. Kali bich., Psorium, **Sepia.**
- _____ (heaviness of lower limbs) from sexual excesses. Phos. acid.

- _____ when walking or sitting. Graph.
- _____ with uterine diseases. **Sepia.**
- _____ with morning headache. Palladium.
- _____ lumbar region. Ruta.

F. SACRUM.

Coldness of the. Dule.

_____ as if touched with ice, on right side of pelvis;
returns after eating. Argt. m.

Furuncle in. Æthusa cyn.

Lame feeling in the. Silic.

Numbness of the—and coccyx. Plat.

Pain in the. Helon., Ignat., Podoph.

_____ **aching.** Phytol.

_____ across the—cannot walk; muscles will
not obey the will. Gels.

_____ and burning—on sitting down. Helon.

_____ down into the buttocks. Helon.

_____ knees. Æscul. hipp.

_____ throbbing. Silic.

_____ dull—and hips—especially in the lumbo-
sacral region; worse from stooping forward and walking. Æscul.
hipp.

_____ especially—and in the whole back.
Erigeron.

_____ in the evening, relieved by pressure.
Sepia.

_____ after confinement. Phos.

_____ and stiffness—also in the nape of neck, with
drawing and shooting in legs. Baryt. c.

_____ as after lying on a hard couch. Merc.

_____ if beaten. Arnica.

_____ bruised. Sabadilla, Verat. alb.

_____ and coccyx. Fluor. acid.

_____ **burning.** Ferr.

_____ sore—near the sacro-iliac symphysis.
Rumex crisp.

_____ in os sacrum especially; at 4 P.M.

Lachnanth.

_____ cannot lie on either side. Natr. s.

_____ cutting—and uterus. Calc. phos.

_____ dragging—and weakness, with prolapsus. Helon,

_____ dull, heavy, constant—and abdomen, extending
to the thighs, and legs. Sepia.

Pain in the—extending to the hips and thighs, to below the knee, with weakness and lassitude when moving, especially when going up stairs, as if the limbs would refuse to act before reaching the top. *Sepia*.

_____ to the pubis; drawing. *Sabina*.

_____ ; severe. *Laurocer*.

_____ from lifting. *Sanguin*.

_____ in the upper part of—and pelvis, worse at night. *Helon*.

_____ ischiatic bones when rising; severe. *Conium*.

_____ laborlike. (See the same in the different Parts.)

Bell., Lilium, Secal. cor.

_____ and pelvis. *Carb. an.*

_____ numb—extending down the legs. *Graph.*

_____ piercing as if from knives, in the middle of—and between the shoulderblades. *Natr. s.*

_____ pressive. *Ferr.*

_____ as from fatigue, in the evening. *Puls.*

_____, tensive—with feeling as if the bone would be forced asunder, worse when sitting or lying. *Berber.*

_____ pressure, heaviness, while sitting, better from motion. *Aloe.*

_____, sharp, frequent—on os sacrum and a little below; sweat on the coccyx. *Sepia.*

_____ soreness in a single spot, as if ulcerated; very sensitive to touch. *Colchic.*

_____ in the sacro-iliac symphysis. *Calc. phos.*

_____ stitch. *Lithium c.*

_____ **stitches**—extending to the loins. *Aloe.*

_____ long, deep—in the region of the insertion of gluteus maximus. *Conium.*

_____ pulsating—constant. *Berber.*

_____, sharp, deep—near coccyx—to the left.

Agnus cast.

_____ sudden—while walking in the open air. *Agaric. m.*

_____ tearing—and in the loins. *Magn. m.*

_____ violent—between sacrum and ilium; left; from the slightest motion. *Calc. phos.*

_____ tenderness—extreme—cannot bear the slightest

touch; cried if any attempt is made to touch the part; sits up in bed, leaning forward. Lobelia.

Pain in the—throbbing, aching. Silic.

———— violent—with sense of great weight in the genitals. Lobelia.

———— the slightest effort to move causes retching, and cold clammy sweat. Tart. emet.

———— **when** lying on the back; mornings. Ignat.

———— riding in a carriage. Nux m.

———— with sciatica. Tellurium.

———— sensation of crawling and stitching. Graph.

Weak feeling in—at night. Lilium c.

Weight in—sense of—and coccyx, better from standing, worse from sitting or with stool. Argt. nitr.

G. RENAL REGION.

Pain in the—aching—with tenderness. Helon.

———— and loins. Alum.

————, with constant desire to urinate. Canth.

———— and abdomen, so severe on urinating that not a single drop can pass without moaning and screaming. Canth.

———— burning—deep, left, extending to the right. Lachnanth.

———— catching—extending to the hip, bending her double. Oxalis.

———— cramplike, pressing—and in the small of back. Caustic.

———— dull. Benzoic acid.

———— lancinating, with a feeling of soreness as if bruised, worse on motion. Berber.

———— pressive—and tension, sometimes on one side only, sometimes on both. Berber.

———— pressure. Lycopod.

———— shooting—from the right—down the thighs to the knees. Ipec.

———— sharp—first in the left, then in the right—down the thighs, worse on motion. Kali bich.

Pain in the—soreness—slight—when bringing the muscles into action. Apocyn. can.

———— sticking, digging, or tearing—in one side or the other **Berber.**

————, from the—straight forward to the abdomen, at times with a numb, paralyzed, bruised sensation. **Berber.**

———— stinging. Amm. m.

———— stitches. Kali c.

———— dull, but penetrating—worse during inhalation. Cyclam.

———— sharp—on moving the arms. Tart. emet.

———— tearing—and loins. Magn. m.

———— violent—when lifting a weight, or when blowing the nose. Calc. phos.

———— with desire to urinate. Ferr.

Tenderness of the. Helon.

H. COCCYX.

Bubbling in the region of—above the anus. Valerian.

Itching at the tip of—intolerable—has to scratch until the parts become raw and sore. Bovista.

———— in the—violent—and its region, the part being moist with scurfy formations. **Graph.**

Numbness in the—(and sacrum) while sitting. **Plat.**

Oozing from the. Graph., Ledum (sore).

———— eruption. Merc. sol.

———— offensive. Nitr. acid.

———— scurfy eruption. Borax, **Graph.**

———— swelling; nodules. Hep. s.

Pain in the—aching—periodical. Fluoric acid, Rhus tox., Ruta, Silic.

———— **after** confinement. **Cicuta vir.**, Phos.

———— a fall or accident, with crepitation. Calc. phos.

————, violent, with inability to walk or to stoop. Hyperic.

———— riding. Silic.

———— and sacrum—continual. Lach.

Pain in the—and small of back; evening. Petrol.

————— as after a long ride. Silic.

————— from a blow or fall, extending to the sacrum.

Ruta.

————— if from a fall. Kali hydr.

————— ulcerated, hindering motion, followed by painful stiff neck. Phos.

————— **bruised**. Carb. an., Caustic., Cist. can.

—————, and sacrum. Fluoric acid., Ruta.

————— **burning**, bruised—preventing sitting, worse from touch. Cist. can.

—————, drawing—extending along the back, as if under the skin. Muriat. acid.

—————, pressing—worse when sitting; evening. Apis.

————— when touched. Carb. an.

————— **cramplike**—and in the small of back, can only sit a short time; cannot lie down well either; wakes and changes position often. Bell.

————— drawing, dull—in the evening. Graph.

—————, sacrum and thighs when sitting; after having been seated awhile, the drawing hinders standing erect. Thuja.

————— gnawing. Gummi gutti.

————— when at rest or in motion. Kali c.

————— **itching** stitch. Phos. acid.

————— when sitting. Drosera.

————— **lancinating**. Caustic.

————— and tearing—causing startings.

Canth.

————— pressure as if from a sharp point. Cannab. sat.

————— pushing at one time, at another pinching. Zinc.

————— shooting, darting, or drawing—and along the rectum and vagina, better when rising from a seat; followed by milky leucorrhœa. Kreosot.

————— sore—as from subcutaneous ulceration, worse when sitting or lying. Carb. an.

————— **stitches**—fine—and sternum. Phos. acid.

————— following itching. Amm. c.

————— sharp, deep—and its region—to the left, near sacrum and coccyx. Agnus cast.

Pain in the-tearing—better by pressing the hand against the abdomen. Merc.

————— jerking—especially after confinement.

Cicuta vir.

————— when sitting. Paris quad.

————— violent, sudden, tearing, stitching—and its region, as if the spine were bent back. Magn. c.

————— **when** rising from a seat, most violent—in the region of—no trouble when walking. Lach.

————— sitting down; feeling as if sitting on something sharp. Lach.

————— **while** sitting. Petrol.

————— urinating. Graph.

————— **worse** from walking, movements, sitting, lying, pressure, better from standing. Tarantula.

—————, touch, or rising after long sitting. Kali bich.

Sensation of pulling upwards from the tip of. Lilium.

Sweat on the—with sharp pressure in the sacrum and a little below. Sepia.

Weight in the—and lower sacrum, better when standing, worse from sitting or at stool. Argt. nitr.

Neck.

(See Back and Spine.)

Coldness of the—evenings. Spong.

Cracking of the—when moving it. Kali c., Petrol.

————— backward. Niccol., Sulph

————— forward. Niccol.

Eruption of the—clusters of red pimples around the—with violent itching. Lycopod.

————— herpes; furuncles. Petrol.

————— nape of—dry, scaly, without itching. Graph.

Glands—swelling of the. Antim. crud., Aurum, Helleb., Kali c., Kreosot., Lycopod., Magn. m., Natr. c., Puls., Rhus tox., Sarsaparilla (from abuse of mercury), Silic., Thuja.

————— and axillæ. Nitr. acid.

————— submaxillary. Calc. c.

Glands—swelling of the, inflammation—with pressing pain and stitches. Merc.

_____ (lymphatic glands). Amm. c.
 _____ painful. Bell., Capsic., Merc.
 _____ and indurated. Carb. an.
 _____ especially those near the nape.

Carb. veg.

_____ pains extending to the head.

Psorium.

_____ throat and axillæ. Staph.
 _____ painless. Carb. an., Ignat.
 _____ at the margin of the hair.

Calc. c.

_____ sides of. Graph.
 _____ with hardness or induration. Calc. c.,

Cupr., Iod., Merc. cor., Phytol. (right side), Sarsaparilla.

_____ also of the parotids.

Silic.

_____ suspicion of syphilis.

Argt. nitr.

_____ *of nape of*—swelling—and occiput. Baryt. c.
 _____ with cloudiness of the head.

Bell.

_____ *throat*—swelling, suppuration, scrofulous. Cistus can.

_____ pit—swelling and suppuration. Ipec.

Goitre. Calc. c., Podoph.

_____ becomes softened. Merc.

_____ in persons with black eyes, dark complexion, protruding eyes. Iod.

_____ blue eyes, light complexion; in the young. Brom.

_____ light complexion and living in valleys.

Spong.

_____ very hard. Iod.

_____, with pressing. Natr. c.

Itching of the—and back. Antim. crud.

_____ around the. Ailanth. glan.

Pain in the. Graph. (nape), Puls., Sanguin.

_____, aching. Cyclam.

_____, after taking cold. Bry.

Pain in the, and occiput, worse from moving the head. Ipec.
 _____ shoulders, when lying on right side. Ferr.
 _____, as if from dislocation, when turning the neck or
 bending the head. Lachnanth.

_____ in the atlas and dentoid vertebræ. Arum
 triph.

_____ it would break, hindering motion. Bell.
 _____ she had lain in an uncomfortable position
 at night. Puls., Rhus tox.

_____, bruised—and shoulders. Ruta.

_____, contractive—right side. Gels.

_____, cramplike—and scalp; headache. Hydrast.

_____ first in one, then in the other side.

Calc. phos.

_____, cramps. Bell.

_____, muscles of neck—on moving the head.

Cimicifuga.

_____, posterior muscles of the. Plat.

_____, drawing—in the nape of. Colocynth., Natr. c.,
 Puls.

_____, extending upwards.

Cannab. sat.

into the head, with nausea and water from the mouth. Carb. veg.

_____, rheumatic—extending
 to the left shoulder and then into the scapula, evening, when walk-
 ing in open air. Borax.

_____ left muscles—and pressure—violent—
 worse on motion. Colocynth.

_____ muscles — from draft of damp air.

Nux m.

_____ rheumatic—extending to right shoul-
 der. Acon.

_____ in the afternoon, could move
 only with difficulty. Puls.

_____, dull—nape of—with feeling of constriction. Li-
 lium.

_____, in fifth, sixth, seventh vertebræ—worse from
 moving the head, better from pressure. Camph.

_____, sterno-cleido-mastoid muscles—severe drawing
 —drawing the head to the left. Cauloph.

Pain in the, sterno-cleido-mastoid muscles—upper part—myalgic—also in the back and parotid glands. Gels.

_____ when stretched, by turning the head. Argt. m.

_____ third vertebræ. Fluoric acid.

_____ three upper vertebræ, extending through the shoulderblades, violent. Kali c.

_____, neuralgic—left side. Ars.

_____, pressive—drawing—nape of. Ambr.

_____ when bending the head backwards and when touching the neck. Bell.

_____, pressure, dull, intermittent—like from a heavy load—right side of—and left acromion. Anacard.

_____ in nape of—especially when in open air; has to bend head forward. Laurocer.

_____, rheumatic—and back. Colchic.

_____ ; drawing, tearing in the muscles. Carb. veg.

_____ shoulders and arms. Sanguin.

_____ with painful numbness, worse when lying on back. Spigel.

_____ stiffness and dulness of head after even a slight draft of air. Calc. phos.

_____, shooting—right side, posterior portion. Alum.

_____, sore—as if bruised. Ferr.

_____ in the glands, when coughing. Natr. m.

_____ muscles. Hydrast.

_____ vertebræ. Carbol. acid, Ham.

_____, spasmodic, drawing—muscles of neck—extending to the scapulæ, in the evening after lying down and in the morning; worse from stooping, using the arms, turning head to the left. Antim. crud.

_____, spasms—tonic—of muscles. Cicuta vir.

_____, sticking—in the nape of neck. Puls.

_____ between the scapulæ and back. Puls.

_____, **stiffness.** Agaric. m., Anacard., Arum triph., Baryt. c., Brom., Chelidon., Ferr., Fluor. acid, Helleb., Ignat., Kali bich., Kali nitr., Magn. c., Mezer., Natr. c., Natr. m., Nitr. acid, Phytol., Rhus tox., Selen.

_____, after sitting. Silic.

Pain in the—stiffness, and back. Æscul. hipp., Apis.
 _____, also with headache. Graph.
 _____, from cold. Dulc.
 _____; shooting pains through
 the chest; uvula elongated. Kali c.
 _____ between the shoulders. Agaric. m.
 _____ sacrum, with drawing and shoot-
 ing in the legs. Baryt. c.
 _____ throat—muscles. Spong.
 _____, as if bruised or sprained. Ars.
 _____, cannot move it. Caustic.
 _____, drawing—on one side—when walking
 in open air. Camph.
 _____, extending over the whole head, down
 the nose; the nostrils feel as if pinched together. Lachnanth.
 _____ to between the shoulders,
 then turning. Amm. m.
 _____, from cold air; pain from moving even
 the hands. Cimicifuga.
 _____, in the morning. Borax.
 _____ early, when in bed;
 with or without rheumatic pain. Rhododen.
 _____ when rising. Sulph.
 acid.
 _____, left side—and small of back. Lauro-
 cer.
 _____, moves the jaw with difficulty. Lach.
 _____, rheumatic—nape of. Cauloph.
 _____ cannot move the head;
 hold the head inclined to the side affected; chronic. Baryt. c.
 _____, right—of the muscles. Chelidon.
 _____ on moving the head. Bry.
 _____, soreness, and tearing on bending head
 backward. Psorinum.
 _____ in occiput, worse when lying
 Merc. prot.
 _____ teeth and gums—pains fly-
 ing about everywhere. Rhododen.
 _____ of muscles of neck and shoul-
 ders. Podoph.
 _____, tension. Zinc.

Pain in the—stiffness, tension, as if the muscles were too short, even at rest, mostly when stooping. Aurum.

_____, on stooping. Canth.

_____, painful — when moving.

Rhus tox.

_____, when moving it. Coccul., Colocynt.

_____, with cracks on moving it. Petrol.

_____ headache. Glon.

_____, intolerable pressing.

Arum triph.

_____ heaviness, from cold. Nux v.

_____ laming pain. Cyclam.

_____ pain on motion. Drosera, Rhus

tox.

_____ pressive pain in left side—in the cervical muscles. Puls.

_____ swollen tonsils. Phytol.

_____, worse when moving the neck; pains extending to the right shoulder. Acon.

_____, stinging. Baryt. c.

_____, stitches. Borax.

_____, and back part of head. Natr. m.

_____, nape of. Natr. s.

_____, rheumatic—in right side. Apis.

_____, tearing. Acon., Zinc.

_____, in the muscles. Canth., Carb. veg.

_____ sides of—alternating with tearing in cheek. Amm. m.

_____, jerking—right glands. Capsic.

_____, up on either side to the top of head.

Lach.

_____, tension—and scapulæ. Baryt. c.

_____ extending to the ears when moving the head. Plumb.

_____ of muscles. Cicuta vir.

_____, throbbing—in one of the vertebræ. Nitrum.

_____, when moving it. Coccul., Niccol.

Sensitiveness of the vertebræ to touch. (See Spine.) Arnica, Stram.

Skin of the—brown, greasy. Thuja.

Swelling and suppuration of the throat-pit. Ipec.

Swelling of the—and pain, left side. Lobelia.
 _____ stiffness of one side. Lycopod.
 _____, rheumatic. Merc.
 _____ throat, knotty lumps, distressing pressure
 on windpipe. Natr. s.
 _____ under the ramus of the lower jaw; left.
 Rhus. tox.
 Tired, weary feeling in nape of—from writing or exertion. Zinc.
 Tumors—fatty. Baryt. c.
 Twitching of the muscles. Agaric. m.
Weakness of the. Arnica, Plat.
 _____, with heaviness of head. Coccul.

Upper Extremities.

A. ARMS IN GENERAL.

Contraction and drawing up of the. Plumo.
Heaviness of the. Bell., Caustic., Nitr. acid, Puls.
 _____ and feet. Bell.
 _____ as if bruised. Crocus sat.
 _____ numbness. Puls.
 _____ languor. Natr. m.
 _____ legs. Graph.
 _____ tired feeling, rather aggravated by re-
 pose. Puls.
 Jerking of the. Cicuta vir., Lycopod.
 Loss of power in right forearm—sensation of—on motion, and a
 pain as if sprained, in wrist, when grasping anything. Rhus tox.
 Motions—irregular of the left—arms useless. Cimicifuga.
Numbness of the—left. Acon., Puls.
 _____ with palpitation of heart. Lach.
 _____ while holding anything or raising it. Puls.
Pain in the—and hands. Calc. c.
 _____, drawing, tearing. Caustic.
 _____ legs, shifting rapidly. Cauloph.
 _____, burning. Carb. veg.
 _____ drawing. Nux v.
 _____ paralyzed sensation, in left arm, at
 night. Rhus tox.
 _____ even while at rest, as if the humerus were beaten

in the middle; the pain extends to the thumb, so that she cannot use it. Puls.

Pain in the—lacerating. Iod., Silic.

———— lameness; falling asleep. Sepia.

————; rigidity. Cham.

———— left upper arm, as if muscles or tendons were unduly strained when the limb is carried by them far upwards or backwards, at 2 and 3 P.M. **Rhus tox.**

———— **paralytic.** Æscul. hipp. (right), **Colchic.**, **Colocynth.**

————, drawing. Plat.

————, pressive—with weakness of right upper arm. **Bell.**

———— pressive—in left upper arm, with paralytic weakness in the whole left arm. **Bell.**

———— tearing—in the anterior surface of left upper arm. **Bell.**

———— pressure—left. **Kalmia.**

———— **rheumatic**—and legs and back; pain begins on left side. Elaps.

———— shoulder. Calc. phos.

———— shooting, tearing. Acon.

———— sticking and drawing in left arm, extending from above downward and out of the tips of fingers. **Rhus tox.**

———— stinging—and in hip-joints. Sabina.

———— in the joints and inner parts. Kali c.

———— stitches, drawing, from the shoulders downwards.

Rhus tox.

———— tearing. Puls.

———— in forearm. Rhododen.

———— wrist and fingers. Carb. veg.

———— most violent while lying still. **Rhus tox.**

———— tension—in right forearm. **Colocynth.**

Paralysis of the right—and lower extremities. **Cannab. ind.**

Salt-rheum—covered with crusts. Petrol.

Sensation of sudden loss of strength in the—in the morning early.

Nux v.

Shocks through the—and legs—jerking. Cicuta vir., Secal. cor.

Sleep—going to—of the—and hands. Acon., Bufo, Secal. cor., Sepia.

———— and fingers. Lycopod.

*Sleep—going to—*of the—and legs. Carb. an., Carb veg., Graph.

_____ left. Kali c.

_____ with feeling of stiffness, when taking hold of anything. Cham.

Stiffness and loss of power of the forearms and fingers, on moving them. Rhus tox.

Thrilling through the—agreeable—and hands. Cannab. ind.

Trembling of the—and legs, from every exertion. Phos.

_____ from moderate exertion of them. Rhus tox.

Twitching in the—and shoulders. Lycopod.

_____, stretching sensation in the. Bell.

Weakness of the. Acon., Graph., Lycopod.

_____, with trembling of hands. Coff.

B. SHOULDERS.

Eruption upon the—and face—profuse, papulous. Kali hydr.

*Pain in the—*joints. Natr. c.

_____ and legs. Kali c.

_____ as if from dislocation. Sepia.

_____ drawing, extending to the wrist, in paroxysms. Puls.

_____ lancinating—pressing. Natr. c.

_____ pressing, heavy. Bell., Puls., Rhus tox.

_____ tearing and drawing. Acon., Bell., Sulph.

(night).

_____ elbow—during rest, not in motion. Lycopod.

_____, pressing. Bell.

_____, relieved by moving the arm or lying on the painful side. Puls.

_____ violent—extending to the elbows.

Castor.

_____ *rheumatic.* Phos.

_____ in the deltoid muscle; right. Ferr.,

Sanguin.

_____ left. Rhus tox.

_____ right. Lobelia, Lycopod., Sanguin.

_____ paralytic—upon which she

rests, sometimes extending below the elbow, and going off by turning to the other side. Rhododen.

Pain in the—shooting, stitching, pressure—on the top of left. Bell.

———— stitching—when lifting the arms. Ledum.

———— moving the arms; the same in the deltoid muscle. Puls.

———— tearing—that obliges her to move the arm. Puls.

Tremors of the—and legs. Lycopod.

C. AXILLA.

Induration of the gland. Carb. an.

Suppuration of the gland. Hep. s.

Swelling of the gland. **Lycopod.**, Phos., Silic.

———— painful when touched, and when not.

Rhus tox.

Sweat—fetid—in the. Lycopod., Petrol.

Tetter—humid—at the. Sepia.

D. ELBOW-JOINT.

Cracking in the—frequent. Kalmia.

Eruption in the bend of—and in the popliteal space. Hep. s.

Herpes on the—(scaling of). Sepia.

Jerking, tearing in the—and wrist joints, worse during rest.

Rhus tox.

Tensive pains in the tendons of the bends of the elbows on moving the arms. Puls.

E. WRISTS.

Coldness of the—and hands. Gels.

Pain in the—aching. L. V. Deflor.

———— and back of hands; as if bruised, during rest and motion. Ruta.

———— fingers, especially in left thumb. Calc. phos.

———— drawing, digging, in left, evenings when at rest.

Rhododen.

———— rheumatic. Cauloph.

Pain in the—right, as if sprained, worse at rest or in rough weather. *Rhododen.*

_____ stiffness. *Sepia.*

_____ as if from a sprain. *Puls., Rhus tox.*

Wrist-drop. **Plumb.**

F. HANDS.

Burning heat in the—and feet, especially at night. *Sanguin.*

_____ feet cold. *Acon.*

_____ palms of. *Hep. s.*

_____ and soles of feet. *Lachnanth.,*
Petrol.

_____ with dryness. *Gels.*

_____ nervous excitement. *Se-*
pia.

Coldness of the. *Ferr.*

_____ and feet. *Ignat., Kali c., Lach., Nux m.,*
Sepia, Sulph.

_____ constantly. **Merc. sol.**

_____ even in a warm room. *Amm. c.,*
Sepia.

_____ ; face and head hot. *Coccul.*

_____, with heaviness in the abdomen. *Au-*
rum.

_____ wrist. *Gels.*

_____ clammy, from the least excitement. *Lilium,*
Sepia.

_____ one is cold, while the other is hot. *Ipec.*

Crawling in the tips of—as if from something alive. *Secal. cor.*

Dry, cracked, chapped. *Graph., Hep. s. (with itching), Natr. c.,*
Sulph. (itching at night).

Heat of—and feet. *Puls.*

Numbness—sensation of—in both hands. (In the morning on
waking.) **Phos.**

Pain in the—fingers and arms. *Calc. c.*

_____ bones, and wrist, as if bruised. *Ruta.*

Perspiration of the. *Calc. c., Psorium (palms of).*

_____ and feet—excessive. *Fluor. acid.*

Rhagades—old—of the—bloody, with thick crusts, worse during
winter. *Petrol.*

Skin in the palms of the—peels off. *Sepia*.

Sleep—going to—of the—at one time, at another in feet; alternately. **Coccul.**

Swelling of the. *Cham.*

———— dropsical. *Apocyn. can.*

Tetter—moist. *Silic.*

Throwing about spasmodically of the—and feet. *Mosch.*

Trembling of the. *Agaric. m., Lach., Merc. sol., Natr. s., Phos., Sulph.*

———— and feet. *Psorium.*

———— so that the patient is unable to write. **Merc. viv.**

———— tongue. **Merc. viv.**

————; fingers go to sleep. *Natr. m.*

———— while eating. **Coccul.**

———— with uneasiness and absentmindedness.

Magn. c.

———— spasmodic weakness. *Caustic.*

———— weakness of the arms. **Coff.**

Twitching of the. *Natr. s.*

Weakness of the—paralytic sensation of. *Kalmia.*

———— they feel as a heavy load. **Kali nitr.**

G. FINGERS.

Burning and redness of the—as if frostbitten. **Agaric. m.**

Coldness of the—icy. *Carb. veg., L. V. Deflor.*

Contraction of the—flexed. *Merc. sol., Natr. c., Secal. cor.*

Inflammation of the metacarpal joints. **Cauloph.**

Nails—affections of the—especially if there are white spots on the nails. *Silic.*

———— deformities of. **Graph.**

Numbness—heaviness in the tips of the. *Phos., Secal. cor.*

Pain in the—arms and hands. *Calc. c.*

———— carpal and metacarpal joints, especially of left thumb. *Calc. phos.*

———— periosteum of the phalanges—on pressure. **Ledum.**

———— posterior joint of left middle—drawing as if in periosteum. **Bell.**

- Pain in the tips***—on pressure as if ulcerated. Sarsaparilla.
 ——— shooting and lancinating. Amm. m.
 ——— tearing—wrist and forearm. Carb. veg.
 ———, paralytic—in middle joint of right index. **Bell.**
 Panaritium—with violent beating and stitching pains. Sepia.
 ——— frequent. Silic.
 Pricking as from pins, when grasping anything. **Rhus tox.**
 Skin of the—becomes unusually dented, by the instrument with which she was working (shears, knives). **Bovista.**
 Stiffness—gouty—of the joints. Calc. c., Carb. an.
 Swelling of the. Cham., Nitr. acid.
Tingling in the—as if gone to sleep. Calc. c., **Rhus tox.**
 ——— also of the feet. Natr. m.
 ——— with trembling of hands.
 Natr. m.
 Tips of the—rough, cracked, fissured, with sticking cutting pain.
Petrol.
 Ulcers on the joints or tips of—painless. Sepia.

Lower Extremities.

A. LEGS IN GENERAL.

- Chilliness of the—sudden—creeping. Lac can.
 Coldness—intense—and painfulness of the—especially in the evening. **Ambr. gr.**
 ——— when in bed in the evening, when the feet get warm, the hands get cold. Sepia.
 Eruption upon the—herpetic. **Graph.**
 Hamstrings—painful contraction of the. Natr. m.
Heaviness of the. Apocyn. can., **Colocynth.**, Iod., Magn. m., Natr. c., Nitr. acid, Puls.
 ——— can scarcely drag them; when walking—staggering, has to sit down. **Alum.**
 ——— (weakness in small of back) from sexual excesses. **Phos. acid.**
 Jerking of the—and arms. **Cicuta vir.**, Lycopod.

Numbness of the and arms—they go to sleep. Carb. an., Carb. veg., Graph.

_____ rigidity—sensation of. **Plat.**

_____, feet go to sleep. Ignat., Nux v.

Pain in the—aching—in all the joints, especially at night. Carb. an.

_____ can't rest in any position. **Rhus tox.**

_____ and arms, shifting rapidly. Cauloph.

_____ joints—rheumatic, tearing, stinging—worse at nights, with perspiration, which affords no relief. **Merc. viv.**

_____ as if beaten; she desires to sit down, and when sitting she feels as if she must stand up. Sepia.

_____ the muscles were too short; left. Amm. m.

_____ bruised—as if they were rotten or carious. **Bell.**

_____ burning. Carb. veg.

_____ **cramps.** Calc. c.

_____ during pregnancy. Phos.

_____ especially in the soles of feet. Carb. veg.

_____ in flexor muscles, worse at night, better from external warmth. Cham.

_____ cramplike. Plat.

_____ drawing. Bry.

_____ as far as the knees, in evening, with increased chilliness. Puls.

_____ ; lame. Carb. veg.

_____ jerking, tearing, when lying in bed. Puls.

_____ lacerating—especially at night. Magn. s.

_____ neuralgic—in paroxysms. **Plumb.**

_____ nightly. Lach., Lycopod., Magn. s., Merc.

_____ rheumatic—and back; pains begin on the left side. Elaps.

_____ shooting, drawing—with pains and stiffness in sacrum and neck. Baryt. c.

_____ like lightning; in paroxysms. **Plumb.**

_____ stitches, tearing—and loins. Magn. m.

_____ **tearing.** Bry.

_____ drawing—especially at night and during rest, or on alternate days. Lycopod.

_____ especially worse at night. **Nitr. acid.**

Pain in the-tearing, pressing—in the middle of the inside of the—uninfluenced by motion or contact. **Bell.**

_____ reflex pain from the uterus. **Cham.**

_____ violent—in the joints, with fine shooting and gnawing along the shafts of the bones; pains gradually rise from the tarsal joints to the hips, obliging her while sitting to continually move and shift the feet, and become milder by walking. **Bell.**

_____ throbbing—and loins. **Colocynth.**

_____ with intense coldness, especially in the evening.

Ambr. gr.

Paralysis of the. (See Generalities.) **Cannab. ind.**

_____ and right arm. **Cannab. ind.**

_____ with severe periodical labor pains. **Hedeoma.**

Restlessness and uneasiness of the. **Mosch.**

_____ cannot lie still at night; has to change the position of feet all the time, or walk about to get relief. **Ars.**

_____ but a moment, with aching pain. **Rhus tox.**

Rigid feeling in the—and feet. **Caustic.**

Rigidity of the. **Mosch.**

Sensation as if warm water were flowing down the (leucorrhœa).

Borax.

Shocks through the—and arms, followed by jerking. **Cicuta vir.**

Sleep—going to—of the. (See Numbness.)

_____ left leg and arm at night. **Kali c.**

_____ when walking. **Sepia.**

Stiffness and tightness of the. **Conium.**

Sudden feeling of strength in the. **Lycopod.**

Swelling of the—dropsical. **Apocyn. can.**

_____, with chlorosis. **Ignat.**

_____ worse when sitting or standing, better when walking. **Sepia.**

Thrilling in the—agreeable—from the knee down, with a sensation as if a bird's claws were clasping the knees. **Cannab. ind.**

Tired feeling in the. (See Weakness of Legs.).

Tremors of the. **Lycopod., Merc. viv.**

_____, and arms. **Lycopod.**

_____, from any exertion. **Phos.**

Twitching of the—convulsive. **Ipec.**

Unsteadiness and vacillation of the. **Nux v.**

Varices of the. **Colocynth.**, Fluor. acid, **Ham.**, **Lycopod.**, **Puls.**

_____, ulcerated—which bleed easily, secrete a fetid pus, burn and itch much. **Sulph.**

_____, which feel sore and bruised. **Arnica.**

_____, with fidgetiness of the feet especially. **Zinc.**

Walking. (See Generalities.)

Weakness, weariness, fatigue of the. (See Debility in General, under Generalities.) **Amm. m.**, **Argt. nitr.**, **Asar. europ.**, **Castor.**, **Graph.**, **Kreosot.**, **Lycopod.**, **Magn. m.**, **Rhus tox.**, **Sepia.**

_____, after slight exercise. **Gels.**

_____, and arms. **Graph.**

_____, in the thighs especially. **Amm. c.**

_____, they are not able to support the body.

Stan.

_____, when sitting. **Alum.**

_____ while walking in open air; better after sitting awhile. **Rhus tox.**

_____, with severe periodical laborlike pains.

Hedeoma.

_____ trembling. **Argt. nitr.**

B. HIPS.

Pain in the—and back. **Palladium.**

_____ sacrum, down the thighs. **Colocynth.**

_____ thighs, extending to near the knees. **Sepia.**

_____ as if dislocated. **Caustic.**, **Puls.**

_____ bruised. **Ruta.**

_____ and small of back. **Magn. m.**

_____ as from a fall or contusion. **Ruta.**

_____ crampy—as though the parts were screwed in a vice; lies upon the affected side with knee bent up. **Colocynth.**

_____ dragging from the—to the groins, as if everything would be pressed out. **Oxalis.**

_____ drawing, twitching, dull, throbbing—left—and in right loin. **Colocynth.**

_____ jerking—extending to the knee. **Puls.**

_____ left. **Phos.**

Pain in the—pressive—in both, on every step, and a paralyzed sensation in the anterior muscles of the thighs. **Rhus tox.**

_____ pressure—worse from motion. **Ledum.**

_____ pulsating—and knee, worse at night. **Merc.**

_____ stinging—and in both arms. **Sabina.**

_____ stitches—left—when sitting. **Carb. an.**

_____ right—when walking; has to stop, with some relief from sitting. **Colocynth.**

_____ tearing—and knee—worse at night. **Merc.**

_____ right. **Lachnanth.**

_____ twitching. **Magn. m.**

_____ thighs and back, with laborlike pains, as if everything would issue from vulva. **Nitr. acid.**

_____ violent. **Natr. s.**

_____ when lying upon it, and when lying upon the back, the small of the back hurts. **Rhus tox.**

_____ worse from rising, but better from slow walking.

Sepia.

Tension in the left joint while sitting. **Rhus tox.**

C. THIGHS.

Boils. **Sepia.**

Erythema of the inner surface of the. **Cubeb.**

Excoriation of the—inner side. (See Excoriation, and Lower Extremities of, Part I and VI.)

_____ and nates. **Graph.**

Moisture between the. **Baryt. c.**

Pain in the inner thigh—biting. (See Extremities of, Part I and VI.) **Antim. crud.**

_____ outer thigh—neuralgic. **Phytol.**

_____, bruised. **Ruta.**

_____ and small of back. **Magn. s.**

_____ in the middle of the anterior surface of the thighs. **Sabina.**

_____, burning. **Carb. an.**

_____, along the inner side. **Caustic., Sarsaparilla.**

_____, cramps—and calves, every night. **Ambr. gr.**

_____ uterus, preceding leucorrhœa. **Magn. m.**

Pain in the, cramplike—inner side—throughout. **Colocynth.**

_____ in the posterior surface. **Cyclam.**

_____, dragging. **Ferr.**

_____, and back. **Mosch.**

_____, drawing. **Nux v., Rhus tox., Sepia.**

_____, at night, and legs. **Puls.**

_____ in the muscles, that obliged her to move; she does not know what to do, together with sleeplessness, tossing about in bed, even when there is no pain, and coldness all over. **Puls.**

_____, left—inner side, afternoon. **Colocynth.**

_____, right—down to the knee. **Colocynth.**

_____, exterior surface, right, just above the knee, shooting, cutting, only when sitting. **Bell.**

_____, when sitting down.

Amm. m.

_____, jerking. **Rhus tox.**

_____, lacerating, shooting. **Amm. m.**

_____, pressure. **Mosch.**

_____, pulling—as if the muscles and tendons were too short, with a pulling downward sensation close above the genitals. **Merc.**

_____, smarting. **Curare.**

_____, tearing. **Rhus tox.**

_____, tightness, as if too tightly wrapped. **Plat.**

_____, when walking—right—as if psoas magnus muscle were too short. **Colocynth.**

Perspiration upon the—cold and clammy—every night. **Merc.**

Restless, tense feeling—must move the legs for relief. **Magn. m.**

Weakness in the—especially. **Amm. c.**

_____ great. **Murex purp.**

_____ wavering gait. **Muriat. acid.**

_____ with trembling of the knees. **Puls.**

D. KNEES.

Coldness in the—constantly, at night in bed. **Phos.**

Cracking in the. **Puls., Sepia.**

Giving way of the—while walking. **Crocus sat.**

Heaviness in hollow of—in calves, can hardly move the feet along. *Rhus tox.*

Humid places in the bends of knees. *Sepia.*

Inflammation of the. *Puls.*

Stitching in the knee-joints. *Psorium.*

Pain in the—as from fatigue. *Conium.*

———— drawing. *Rhus tox.*

———— jerking, tearing—when sitting. *Puls.*

———— tearing and drawing. *Puls., Rhus tox.* (Worse during rest.)

———— violent. *Calc. phos.*

———— with stiffness. *Bry.*

Stiffness of the—(painless) and feet. *Rhus tox.*

Swelling of the. *Puls., Ranuncul. bulb., Sepia.*

Tension of the—as if it were too short, when rising from a seat. *Rhus tox.*

Trembling of the—with great weariness of the thighs. *Puls.*

Weakness of the. *Calc., Nux m., Puls.*

————, as if she would sink. *Sulph.*

————, she sinks down; tottering walk; inclined to fall on one side. *Coccul.*

E. CALVES.

Affections of the. *Alum.*

Boils on the. *Silic.*

Pain in the—cramps. *Ferr., Magn. m., Natr. c., Secal. cor.*

————, and in the whole leg. *Calc. c., Cupr. acet.*

———— soles, especially at night. *Sulph.*

————, especially at night. *Cham., Cholos. terrap., Magn. m., Sepia, Sulph.*

———— tearing, stitching—down to the ankles. *Bry.*

———— tensive. *Puls.*

———— tingling, drawing—as if from fatigue. *Castor.*

Red spots. *Sarsaparilla.*

Tightness about the—as if from her garters; she has to loosen them, with the same sensation about the waist. *China.*

F. SHIN-BONE.

Coldness on the left. *Rhus tox.*

Gangrenous periostitis, with fever; the periosteum peeled off from a large area upwards, as far as the knee-joint; the bone is rough.

Phos.

Pain in the—aching. *Lach.*

————— and soles especially, as after too much exercise in walking, with a peculiar restlessness in legs; has to change position frequently; passing off after rising. *Psorium.*

————— bruised—always sore to touch. *Phos.*

————— worse at night. *Merc.*

————— tingling—at night, while the feet are crossed; she is constantly obliged to move the legs back and forth, preventing sleep. ***Rhus tox.***

G. ANKLES.

Pain in the. *Rhus tox.*

—————, as from a sprain or false step. ***Ledum.***

—————, tearing, extending to the heel, sole, and great toe.

Puls.

Swelling of the—and knees. *Ranuncul. bulb.*

————— when sitting too long, and especially when travelling. *Rhus tox.*

Weakness of the. *Silic.*

H. FEET.

Affections of the. *Graph.*

————— from cold. *Baryt. c., Silic.*

————— getting wet. ***Puls., Rhus tox., Sepia.***

————— soles of the. *Cupr.*

Burning of the. *Magn. m., Puls., Sulph.*

————— and hands. *Sanguin.*

————— swelling. *Graph.*

————— at night. *Sepia.*

————— bones. *Ruta.*

————— compelling her to put them from under the cover. ***Sulph.***

Burning of the, disagreeable—when walking. **Natr. m.**

_____ *soles of the*. Calc. c., Magn. m. (evening).

Sulph.

_____ and palms of hands. Lachnanth., Petrol.

_____, compelling her to put them from under the cover. **Cham.**

_____ with itching after getting warm in bed. **Puls.**

_____ and redness of the toes as if frostbitten. **Agaric m.**

Coldness of the. **Acon.**, **Caustic.**, Ferr., Hyos., Lycopod., Natr. c., Natr. m., Phos., Rhus tox., Sarsaparilla, Sulph.

_____ alternate—one foot is hot, the other cold. Lycopod.

_____ and dampness, as if from damp stockings.

Calc. c., Sepia.

_____ hands. Ignat., Kali c., Lach., Nux m., Plumb., Rhus tox., Sepia, Sulph.

_____ ; they seem dead. **Puls.**

_____ constantly. **Merc. sol.**

_____ even in a warm room. **Amm. c.**

_____, face and head hot. **Coccul.**

_____ with headache, especially towards evening, and in the morning. **Sepia.**

_____, heaviness in abdomen. **Aurum.**

_____ heat in the hands. **Acon.**

_____ soles. **Sulph.**

_____ chilliness along the back, red, hot cheeks, with retarded menses in young women. **Puls.**

_____ icy—worse with headache. **Sulph.**

_____ in bed. **Amm. m.**, **Calc. c.**

_____ sensation of—though they are not cold. **Sulph.**

_____ with numbness. **Conium**, **Natr. m.**

Contractions in the hollow of the soles of the. **Caustic.**, Rhus tox.

Corns and nodosities of the feet and toes. **Antim. crud.**, Rhus tox.

Crawling in the—in the morning, while lying in bed. Rhus tox.

Fidgetiness of the—and lower extremities; she has to move them constantly; varices. **Zinc.**

Heaviness of the. Apocyn. can., Natr. c.

_____ and arms. Bell.

_____ tension, while sitting; but only weariness while walking. **Rhus tox.**

Inflammation of the—of the small articular joints. Cauloph.

Languor of the—great. Natr. s.

Nails become deformed, or brittle, and crumble. **Graph.**

Numb and weary sensation while sitting. Plat.

Pain in the—cramps. **Caustic.**

_____ and legs. Calc. c.

_____ during the night. Lachnanth.

_____ in the soles. Carb. veg.

_____ drawing, like a paralysis in the whole foot, while sitting. **Rhus tox.**

_____ frostbite. Agaric. m., Petrol., Puls.

_____ heels—boring—towards evening. **Puls.**, **Rhus tox.**

_____, sharp. **Rhus tox.**

_____ in the morning on rising, as if sprained or wrenched. **Rhus tox.**

_____ pricking—in the soles. Natr. c.

_____ smarting—between the toes. Natr. c.

_____ stitches—in the soles. Borax.

_____ as if walking on needles, in the evening. **Rhus tox.**

_____ tearing. **Rhus tox.**

_____ tendo Achillis—tension, as if too short, when walking. **Sepia.**

_____ when walking. Ambr. gr.

_____ in the soles. Ledum, Lycopod.

_____ ball of great toe, it is soft, thick, and painful on stepping. **Ledum.**

Paralyzed feeling in the. Phos.

Perspiration of the. Magn. m.

_____ acrid. Iod.

_____ and hands—excessive. Fluor. acid.

_____ offensive. **Baryt. c.**, Calc. c., Lycopod., Plumb., **Sepia**, Silic.

_____ with rawness between the toes. Silic.

_____ **soles of**—axilla and around the genitals; fetid. **Sepia.**

Perspiration of the soles of—causing soreness of the toes and balls of the feet, with sticking pains, as if she were walking on pins. **Nitr. acid.**

_____ they become sore and raw.
Calc. c.

_____ burn when walking.

Lycopod.

Rigid feeling in the joints of the—and legs. **Caustic.**

Sensation in the—and toes, as if too large, swollen and stiff. **Apis.**

Sleep—sensation as if feet and finger had gone to. **Natr. c.**

_____ feet and hand go alternately to. **Coccul.**

_____ while sitting, the soles of feet go to. **Coccul.**

Swelling of the. **Apocyn. can., Iod., Lycopod., Magn. c., Puls., Rhus tox., Sarsaparilla, Silic.**

_____ and burning. **Graph.**

_____ sensation as if falling asleep. **Sepia.**

_____ around the ankles. **Lycopod.**

_____ hot. **Bry.**

_____ of the top or instep. **Puls.**

_____, with bruised pain on stretching out the foot; the foot feels tense on stepping on it, and on touch it pains, like a suppurating abscess. **Bry.**

_____ on walking. **Phos.**

_____ redness, inflammation, with stitching pain when standing. **Puls.**

_____ varicose veins. **Puls.**

_____ **soles of the.** **Lycopod., Puls.**

Throwing about spasmodically feet and hands. **Mosch.**

Trembling of the—and hands. **Merc. viv.**

Ulcers on the joints or tips of toes—painless. **Sepia.**

Uneasiness in the feet. **Rhus tox.**

Weakness of the—with trembling of the whole body. **Magn. s.**

_____ weariness, can hardly go up stairs. **Rhus tox**

Sleep.

After—aggravation or appearance of symptoms. **Lach.**

_____ unrefreshed feeling in the morning, although she slept quite well. **Natr. m.**

Awakens at 2 A.M. suddenly, and frightened. **Nitr. acid.**

_____ or between 2 or 3 A.M. **Nux v.**

Awakens at 2 A.M. with a start, nausea and headache. Kali bich.

_____ 3 A.M. Calc. c., Kali c.

_____ cannot go to sleep again. Sepia, Thuja.

_____ for two hours, on account of heat in head. **Borax.**

_____ 3 or 4 A.M.; cannot go to sleep again, gets restless; has to rise in order to get relief. **Nux v.**

_____ falls to sleep again, sometimes not until 5 A.M., and awakens again late in the morning, feeling unrefreshed and heavy. **Nux v.**

_____ cannot go to sleep again. Lach., Puls.

_____ distressed and unhappy, as if from loss of breath. Lach.

_____ from a beating through the chest; with old maids. Puls.

_____ **often.** Puls., Sepia, Sulph.

_____ during the night, with great excitement. Coecus cacti.

_____ from feeling too hot. Phos., **Puls.**, Sepia.

_____ suddenly after midnight, as from a dream, with want of breath, like the nightmare. Cinnab.

_____ **with** palpitation of heart; restless sleep. Alum.

_____ so excessive weakness that it puts her out of breath to dress. Stann.

_____ screaming. Hyos., Sepia, Sulph.

Comatose sleep. Kali hydr.

Difficulty in getting to sleep, and the later she retires the greater the difficulty. Amm. c.

_____ before midnight. **Phos.**, **Puls.**

_____ ; goes to sleep late. **Nux v.**, **Puls.**

_____, her mind turning at the same thought all the time. **Calc. c.**, **Rhus tox.**

_____, owing to constant thinking, which she cannot control. Gels., Sepia.

_____ many thoughts revolving in her mind. Calc. c., Nux v.

_____ the restlessness of the body. Carb. veg.

Difficulty in getting to sleep, starting when falling asleep.
Lycopod.

_____ when getting awake. Silic.

Dreams about business and household affairs. **Bry.**, **Rhus tox.**

_____ and exclamations. Silic.

_____ **anxious**. **Acon.**, **Ars.**, **Bell.**, **Calc. c.**, **China**, **Lycopod.**, **Natr. c.**, **Rhus tox.**, **Silic.**, **Sulph.**

_____ about robbers. **Ars.**, **Lach.**, **Merc.**, **Psorium**, **Silic.**

_____ being in the room, must have the house searched to be satisfied. **Natr. m.**

_____, murders, with inability to move or cry out. **Castor.**

_____ and heat. **Sepia.**

_____ **frightful**. **Ambr. gr.**, **Aurum**, **Cimicifuga**, **Conium**, **Magn. m.**, **Natr. m.**, **Nux v.**, **Rhus tox.**, **Puls.**, **Stram.**

_____ disturbing sleep. **Natr. m.**, **Natr. s.**, **Plat.**

_____, vivid. **Natr. m.**

_____ **of corpses and dead persons**. **Ars.**, **Kali c.**, **Silic.**, **Thuja.**

_____ quarrels, murders, dead bodies, journeys.
Brom.

_____ vivid. **Ambr. gr.**, **Lami. alb.**, **Puls.**

_____ with sense of suffocation. **Hep. s.**, **Kali c.**, **Nux v.**, **Puls.**, **Ptelea.**

_____ **busy**, troubled—awaken her; moaning and groaning during sleep. **Nux v.**

_____ confused. **Puls.**, **Sepia.**

_____ full of. **Nux v.**, **Puls.**

_____ before getting fairly asleep. **Bell.**

_____ restless sleep. **Ambr. gr.**, **Nux jugl.**, **Rhus tox.**

_____ happy—awakens singing, and is very happy. **Sulph.**

_____ heavy, fatiguing, tiresome. **Ars.**

_____ **of ghosts**. **Ars.**, **Carb. veg.**, **Dros.**, **Puls.**, **Silic.**, **Sulph**

_____ **vexatious**. **Ambr. gr.**, **Bry.**

_____ full of disquiet and anxiety. **Caustic.**

_____ **vivid**, fanciful, fantastic. **Calc. c.**, **Cham.**, **Coccus cacti**, **Kali c.**, **Kali nitr.**, **Sulph.**

_____, painful—during a light sleep. **Natr. m.**

Dreams, voluptuous. Cicut. vir., Coff., Cobalt., Natr. c.

_____ anxious. Kali c.

_____ at night. Petrol.

_____, with sexual excitement.

Nux v.

_____ with emissions. **Phos. acid.**

_____ violent weeping. Silic.

Drowsiness. (See Sleepiness.)

Half awake during sleep. (See Somnolency.)

Nightmare as soon as she falls asleep. Cyclam.

_____ caused by late and heavy suppers. Bry., Puls.

_____, with palpitation of heart. Cyclam.

_____ and heat. **Acon.**

Sleep, deep and heavy. Hyos., **Kali nitr.**

_____, weakening, unrefreshing. Sulph.

_____, with delirium; coma vigil. Hyos.

_____ **disturbed** and unrefreshing. Ambr. gr., Amm. c., Bell.,
Conium, Kali bich., Lycopod., Natr. c., Nitr. acid, **Nux v.**, Podoph.,
Puls., Ranuncul. bulb., Sepia, Sulph.

_____; falls to sleep late at night;
gets only quiet and profound towards morning, and is most sound
just when the time is come to get up; she awakens dull and inert.
Puls.

_____ by dreams. Rhus tox.

_____ thirst. Bry.

_____ in short naps at night. Sulph.

_____ **light**—frequent awaking; feels weak after it. Sulph.

_____ poor. Magn. m.

_____ **restless.** (See Sleep, Disturbed.) **Bapt.**, **Bell.**, Ignat.,
Ipec., **Kali hydr.**, **Kali nitr.**, Magn. m., Phos., Sabina, **Rhus tox.**,
Plumb., **Puls.**, Sepia.

_____ after midnight; she tossed about uneasily, on
account of a distressing sensation, as if the whole body were burning,
without thirst, anxious dreams. **Rhus tox.**

_____, awaking with palpitation of heart. **Alum.**

_____ from intolerable sensation of heat, is obliged to
throw off the covers, with internal warmth of hands, without per-
spiration. **Puls.**

_____, full of dreams. **Ambr. gr.**, Nux jugl., Rhus
tox.

Sleep, restless, has to change position often, because the side on which she lies becomes painfully sore. Hep. s.

_____, especially so at night (frequently with vomiting, colic, after suppressed menstruation). Niccol.

_____ in forepart of night. Podoph.

_____, unable to find any easy position. Caustic., Lycopod.

_____, from pain.

Rhus tox.

_____, with tossing about. Acon., Ars., Caustic., Cham., Puls., Rhus tox.

_____ in great anguish. Ars.

_____, *with groaning*, moaning, restlessness. Ipec., Podoph.

_____ ; is awakened by busy, troubled dreams. Nux v.

_____, talking, weeping. Carb. veg., Cham.

_____ jerking of the body. Zinc.

_____ screaming. Apis, Lycopod., Stram.

_____ singing. Crocus.

_____ sobbing. Aurum, Kali hydr., Stan.

_____ talking loud. Puls., Sepia, Silic., Sulph.

_____ the arms over the head ; usually lying on the back.

Puls.

_____ and legs drawn up. Plat.

_____ weeping. Kali hydr.

Sleepiness all the time. Aletr. f., Hyos., Phos., Phos. acid.

_____, but less in the afternoon. Pallad.

_____ and laziness. Chelidon.

_____, but cannot go to sleep. Bell.

_____, with slow pulse. Opi.

_____ during eating. Kali c.

_____, irresistible. Nux m.

_____, *drowsiness, in daytime.* Agaric. m., Ant. crud., Amm. c., Apis, Argt. nitr., Arnica, Aurum, Borax, Bry., Cannab. ind., Carb. veg., Chin. sulph., Cinnab., Crocus sat., Kali c., L. V. Deflor., Laurocer., Mosch., Nitr. acid, Nitrum, Phos., Psorium, Puls. (afternoon), Sepia (early in the evening). Plumb., Silic.

Sleepiness, drowsiness, in daytime, after eating. Bufo, Puls.

_____ dinner. Aurum, Cinnab., Graph., Phos.

_____ and early in evening. Bovista.

_____, adverse to do anything. Sepia.

_____ and restless at night. Bell., Graph.

_____, with much perspiration. Opi.

_____ *sleeplessness at night.* Agaric. m., Alum., Ambr. gr., Borax, Cannab. sat., Caustic., Conium, Graph., Lach., Mezer., Natr. c., Natr. m., Phos., Sulph.

_____, on account of mental activity. Lycopod.

_____ before dinner even. Phos.

_____, constant. Aletr. f., Hyperic.

_____ in the forenoon especially. Podoph., Sepia.

_____, morning, with heaviness in head. Kali nitr.

_____, irresistible. Agaric. m., Nux m.

_____ she falls asleep as soon as she sits down. Sepia.

_____, towards evening. Ant. crud.

_____, when reading. Brom.

_____, with violent yawning. Hep. s.

_____ when reading especially. Natr. s.

_____, with violent yawning and stretching; low-spirited, with anguish. Daphne.

Sleepiness, in the evening; full of unrest, tossing, nervousness; orgasm of blood; pains of various kinds. Sulph.

_____, great—with yawning, two hours before bedtime; in the bed she immediately fell asleep; awake after midnight for a long time, then slept till late in the morning, with vivid dreams, full of the events of the previous day; in the morning she did not wish to rise. **Nux v.**

_____ without weariness, can scarcely keep awake. **Puls.**

_____ ***morning.*** Podoph.

_____ somnolency. (See Somnolency.)

_____ ***while*** eating. Phos.

_____, ***with*** all complaints; disposition to faint. Nux m.

_____ dragging pain in head. Laurocer.

_____ much yawning and stretching. Mezer.

_____ sleeplessness. Bell., Chelidon.

Sleeplessness; wakefulness. Coff., Hyos., Plumb., Podoph., Silic.

_____ ***after*** midnight. Hep. s., Silic.

_____ 2 A.M., awakens suddenly and frightened. Nitr. acid.

_____ 3 A.M. Ars., Calc. c.

_____ ***all night.*** Caustic., Merc. cor.

_____ ; she tries lying on one or the other side, yet was unable to get quiet. **Hyos.**

_____, with constant tossing about. **Ars.**

_____ drowsiness in daytime. (See Sleepiness in Daytime and Sleeplessness at Night.)

_____, because she cannot get herself together; the head feels as though it was scattered about, and she tosses in bed to get the pieces together. Bapt.

_____ four nights in succession; she could not remain in bed. **Rhus tox.**

_____ ***before midnight.*** Amm. m., Merc. viv., Phos., Ranuncul. bulb.

_____ and in the evening, on account of an anxious sensation of heat. **Puls.**

_____, in the early part of the night, awaking late in the morning, with horrible taste in the mouth. **Puls.**

Sleeplessness before midnight prevented by a fixed idea.
Puls.

_____ ; during slumbering she is continually busy with what she had read the previous evening. **Bry.**

_____ *from* great anguish. **Ars., Kali hydr.**

_____ grief, dejection. **Ignat., Natr. m.**

_____ imaginary strange objects in her room or over her bed. **Cimicifuga.**

_____ many ideas crowding her mind. **Calc. c., Nux v.**

_____ mental activity. **Coccul., Hyos.**

_____ nervous weakness. **Cauloph.**

_____ over-excitability of mind and body. **Coff.**

_____ over-wakefulness. **Niccol.**

_____ pulsation in pit of stomach. **Cact. gr.**

_____ retiring too late. **Amm. c.**

_____ rheumatic pains. **Cauloph.**

_____ *for a long time.* **Hyos., Puls., Rhus tox.**

_____, lively, wide awake. **Lach.**

_____ in the evening, wide awake ; ideas throng ; the fancy is brilliant ; don't want to go to bed. **Puls.**

_____ of lying-in women. **Coff.**

_____, sleeps but little. **Podoph.**

_____ until 4 A.M. **Amm. c.**

_____, *with* drowsiness. **Cham.**

_____ loud and improper talk. **Nux m.**

_____ sleepiness. **Bell., Chelidon.**

_____ spasmodic yawning. **Rhus tox.**

_____ *without cause.* **Cact. gr.**

Somnambulistic rising and sitting about in the room.
Natr. m., Zinc.

Somnolency. **Bell., Secal. cor.**

Starting—awaken—from sleep. **Sulph.**

_____, at 2 A.M., with nausea and headache. **Kali bich.**

_____ *when asleep.* **Acon., Ignat., Ipec., Kali c.**

_____, as if in fright. **Bell., Hyos., Puls.**

_____, at 2 A.M. **Nitr.**
acid.

_____, with otherwise quiet

sleep, as if she were falling deep down, which causes her to shudder violently. **Bell.**

Starting when asleep at the least noise. **Borax.**

————— *falling asleep.* **Ars., Bell., Bry., Lycopod.**

—————, followed by headache. **Chelidon.**

—————, of single parts or of the whole body. **Ars.**

Yawning—much. **Silic.**

Skin.

(See also the different localities affected all through this work.)

Abscess at the root of the nose, near the inner canthus, as if a lachrymal fistula would form. **Puls.**

Black pores. (See Eruption.)

Blotches. (See Eruption.)

Boils. (See Eruption.)

Burning of the. **Phos.**

————— and itching of the. **Curare, Euphrasia.**

—————, intense **Croton tig.**

Coldness of the. (See Fever.)

Color of the. (See Face.) Yellowish. **China, Merc., Plumb.**

Cracking of the—exuding serum. **Apocyn. can.**

Creeping, crawling under the skin. **Secal. cor.**

Dropsy—general—with great debility. **Ars.**

————— of every kind, with sinking sensation at pit of stomach. **Apocyn. can.**

————— with thirst. **Apis.**

Dryness and flabbiness of the. **Calc. c.**

————— heat of the. (See Fever.)

————— itching of the. **Kali c.**

————— paleness of the—with liver spots. **Plumb.**

Ecchymosis. (See Eruption.)

Erosions—syphilitic. (See Eruption.)

Eruptions of the. (Compare also the different parts of the body where eruptions may appear.) **Sulph.**

—————, black pores on face and nose. **Sabina.**

Eruptions of the, blisters, small, deep, transparent, dark, blue, little elevated. **Ranuncul. bulb.**

_____, blotches, as from nettles. **Sarsaparilla.**

_____, itching—here and there; oozing of glutinous fluid. **Graph.**

_____, boils—tendency to small. **Arnica.**

_____, chronic, obstinate. **Ars. iod.**

_____, that corrode and spread.

Silic.

_____ dry. **Rhus tox.**

_____, scaly, branlike—with burning and itching, worse from scratching. **Ars.**

_____, during menses. **Graph.**

_____, ecchymosis here and there. **Arnica, Iach.,**

Secal. cor.

_____, erysipelatous—smooth. **Bell.**

_____ with vesicles containing yellow matter; with or without fever; itching, great swelling wherever it appears. **Rhus tox.**

_____, erythema—especially in the face. **Ars. iod.**

_____, from exposure to cold and dampness.

Dule.

_____, full of corrosive water in many parts of the body, itching. **Graph.**

_____ herpes on lips and around the mouth.

Sepia.

_____, circinatus. **Sepia, Sulph.**

_____, iris (ringworm). **Sepia.**

_____, red. **Sepia.**

_____, itch—dry. **Cupr.**

_____ like, on almost any part of the body.

Psorium.

_____, much inflammation at the base. **Sarsaparilla.**

_____, miliary—white. **Ars.**

_____, moist and scurfy. **Bovista.**

_____, nettlerash—with much itching and burning; the burning increases after scratching, also in warmth, and disappears in cold. **Dule.**

_____, *on the abdomen* (see *Abdomen*), itching. **Sulph.**

Eruptions of the, on the face. (See Face.) **Ars.**, **Au-**
rum, **Bell.**

_____, *cheeks* and *nose*, pustular,
which rapidly fill with pus and form a crust. **Bell.**

_____, itching pimples, becoming
humid after scratching. **Graph.**

_____, *mouth.* (See Face.) **Ars.**
_____, and its corners especi-
ally. **Graph.**

_____, painful. **Arnica.**
_____, petechiæ. **Berber.**, **Canth.**, **Secal. cor.**
_____, pimples—dry, red, only itching when ex-
posed to the heat. **Sarsaparilla.**

_____, itching, on the chin. **Sepia.**
_____, small—red—which run together,
emitting a yellowish sticky fluid. **Cicuta vir.**

_____, rash, as soon as she goes from a warm room
into the cold air. **Sarsaparilla.**

_____, fine—over her body, especially about
the bends of the elbows and knees; with prickling, tingling, itch-
ing; while in a warm room it remained out and she felt well; if
she passed into a cold room it would disappear, and she would have
the most severe rheumatic pains in and about these joints. **Sepia.**

_____, scabs—chalky—on head. **Mezer.**
_____, scrofulous. **Baryt. c.**, **Sulph.**
_____, *spots*—brown. **Petrol.**
_____, on chest. **Sepia.**
_____, like measles. **Coff.**
_____, liver. **Plumb.**
_____, on chest and back. **Sulph.**
_____, red, like bee-stings, here and
there. **Apis.**

_____, over the chest. **Sulph.**
_____, sore—become fungoid, dark red
to brownish. **Lach.**

_____, yellow. **Petrol.**
_____, on abdomen. **Phos.**
_____, chest. **Ars.**, **Lycopod.**,
Phos., **Sepia**, **Sulph.**

_____, forehead. **Cauloph.**,
Natr. c.

Eruptions of the, squamous. Fluor. acid.

_____, syphilitic erosions. Fluor. acid.

_____, *tetter*. **Rhus tox.**, Silic., **Sulph.**

_____, dry—on face. Niccol.

_____, humid, scaly, pustulous, on ears, eyelids, cheeks, lips, and fingers. Kreosot.

_____, with itching and burning.

Sepia.

_____, over the whole body. Ranuncul. bulb.

_____, with burning and pricking, especially at night. **Ars.**

_____ yellow scales. • Cupr.

_____, *vesicular*. **Ars.**, **Rhus tox.**, Sulph.

_____, on hands and all over the body, which itches excessively; better after rubbing, but leaving a burning pain. **Carbol. acid.**

_____, filled with lymph, painful to touch, on the face or ears especially. **Psorium.**

_____, on the lips. **Carb. an.**

_____, red—burning like fire. **Crot. tig.**

_____, worse from rubbing. **Rhus tox.**

Exostosis and nightly bone pains. Fluoric acid.

Formication. **Secal. cor.**

Gangrenous conditions. **Secal. cor**

Heat of the. (See Fever.)

Itching and burning of the. (See Burning.)

_____ all over the body. **Carb. an.**, Graph., **Rhus tox.**, **Sepia**, Silic.

_____ and burning, on becoming warm in bed, before midnight; worse from scratching; can't sleep on account of it; less during the day, and only after becoming heated from walking or rubbing; no appearance of eruptions. **Puls.**

_____, especially at night, when undressing, partially relieved by scratching. **Ignat.**

_____ relieved by scratching. **Ruta.**

_____ when rubbed, small papules and vesicles arise. **Psorium.**

_____ between the fingers. **Psorium.**

_____ in the bends of the elbows. **Sepia.**

Itching on various parts of the body. Carbol. acid, Graph., **Puls.**, Sepia.

—————, relieved by scratching, but soon returns. Agnus cast.

————— when in bed in the evening. **Puls.**

Jaundice with nausea and vomiting. Sanguin.

Perspiration. (See Fever.) Rhus tox.

————— and soreness of the (between the thighs). Baryt. c.

Polypus which bleeds easily. Phos.

Rhagades—deep, burning. Sarsaparilla.

————— from washing Sulph.

Sensation of the—as if perspiration would break out, with extreme lassitude. Crocus sat.

————— something was creeping under it. **Secal. cor.**

Soreness of the—over the whole body. Sepia.

Suppurations, more or less, with scrofulous diseases. **Hep. s.**

Swelling and induration of glands. (See Affections of Glands, under the head of Generalities, or the parts where such glands are located.)

Temperature. (See Fever.)

Tingling in the—wants to rub all the time. Curare.

Tubercles—mucous. Fluor. acid.

Ulcers—bleed very easy, even on the slightest touch. **Hep. s. Phos.**

————— deep, fistulous. Petrol., **Silic.**

————— herpetic—round, forming as crusts; red, granulated base, white hardness; reddish secretion. Sarsaparilla.

————— large, bleeding. **Merc. sol.**

————— obstinate—about the nail. Phos.

————— of nose externally, it oozes out a watery moisture. **Puls.**

————— surrounded with vesicles, itching violently, burning like fire. **Mezer.**

————— torpid, old. Euphrasia.

————— with aching pain—on the leg. **Silic.**

————— margins everted, like raw meat, and their basis covered with a caseous coat. **Merc. sol.**

Unhealthy—every little injury is followed by suppuration. Borax, Graph., **Hep. s.**, Sepia.

Wounds—although small—bleed much. **Phos.**

Wrinkles of the. **Ars.**

Fever.

(See also the different localities affected, all through this work.)

A. CHILLS AND CHILLINESS.

Chills and Chilliness. Amm. c., Argt. nitr., **Ars.**, Baryt. c., Cyclam., Puls.

———— all over, without shivering; feels cold in evening. **Puls.**

———— along the back. **Berber.**, **Nux v.**, **Puls.**

———— and limbs, in the morning; with painfulness of the skin, as if it had been frozen, and a sensation of falling asleep in the limbs like that caused by cold weather in the morning. **Nux v.**

———— with hot face, but without redness of face or thirst. **Ledum.**

———— alternating with heat, at short intervals. **Sanguin.**

———— before menses, with much yawning and stretching. **Puls.**

————, coldness all day, till 4 P.M., then suddenly gets very warm, with flushing of left side of face. **Lac can.**

———— followed by weakness. **Ars.**

————, shuddering, when walking in open air. **Ars.**

———— as often as she awakes. **Amm. m.**

———— at 4 P.M., without thirst. **Puls.**

———— *night.* **Sepia.**

———— with flushes of heat in daytime. **Lach.**

————, when in bed, every time she stirred; in the morning severe backache, cannot get up on account of it. **Nux v.**

———— 10 or 11 A.M., thirst; gastric symptoms; violent headache. **Natr. m.**

————, constant, with great desire for fresh air. **Cyclam.**

———— *even in the hot summer*, wants to be covered. **Merc. viv.** (without diminished temperature), **Puls.**

———— every day, at precisely the same hour. **Diadema.**

———— evening, with shivering, without thirst. **Phos.**

———— frequently and light. **Calc. c.**

———— from every motion. **Sepia**, **Silic.**

———— *in the evening.* **Puls.**, **Sepia**, **Rhus tox.**

———— before bedtime, even while walking. **Puls.**

Chills in the morning. Conium.

————— for four hours, with blue nails, followed by heat in the afternoon. **Nux v.**

————— open air. **Sepia.**

————— *internal*—in the evening, as from want of animal heat; with chlorosis, anæmia. **Natr. m.**

————— warm room, the whole day. **Sepia.**

————— with coldness, as if filled with ice; neither extra clothing nor sitting near the fire gives relief; sometimes with shivering. **L. V. Deflor.**

————— onesided—one foot cold the other warm. **Lycopod.**

————— over the abdomen, extending around even to the lower portion of the back. **Puls.**

————— predominating. **Plat., Puls.**

—————, shaking—with redness of face, relieved immediately in a warm room, or by a warm stove. **Ignat.**

—————; she cannot keep warm; want of animal heat. **Ledum.**

————— through and through, from the least exposure to cold air.

Calc. c.

————— wants more clothes on, or be near the fire. **Ars.**

————— with cough—commencing before the chill. **Rhus tox.**

————— great sensitiveness to open air. **Hep. s.**

————— nausea. **Bovista.**

————— without thirst. **Ars., Cyclam.**

Coldness. Ars., Curare, Secal. cor.

————— *inward*. **Calc. c.**

————— or coolness of the body, with hot head. **Arnica.**

————— burning heat in face, which comes out of the eyes like fire. **Cham.**

————— icy—of the body, lips pale; faintness (hysteria). **Valerian.**

————— of the extremities. **Opi., Secal cor.**

————— onesided. **Puls.**

————— paroxysms of—over the whole body, during menses.

Silic.

————— with blue hands. **Nux v.**

————— pain in bowels, followed by heat and warm perspiration. **Podoph.**

B. HEAT.

Heat all over the body, except the hands, which are cool, with pressive headache above the orbits, and anxious lamentations. **Puls.**

—— and dryness of skin. **Dulc.**, **Leptand.**

——, fear, restlessness, vertigo when rising or sitting up in bed. **Acon.**

——, with restlessness and nervousness, aching or dragging pains in small of back. **Cauloph.**

—— anxious (cold forehead). **Puls.**, **Sepia.**

—— dry in evening, with distended veins and burning hands, that seek out cool places. **Puls.**

—— externally applied is intolerable; veins enlarged. **Puls.**

—— redness—external—without internal heat. **Ignat.**

—— of face; great thirst for large quantities of water. **Bry.**

—— the body, especially of head and face, which is covered with sweat. **Bell.**

—— sweat at night, with ravenous hunger, that could not be appeased (followed by chilliness). **Phos.**

—— *at night*—great. **Colchic.**

—— in bed—burning, with uneasiness. **Puls.**

—— without thirst. **Phos.**, **Puls.**

—— 2 A.M. **Ars.**

—— burning. **Ars.**

—— and chills, alternating at short intervals. **Sanguin.**

—— within and without. **Bell.**

—— during which she wishes to be covered; she licks the lips and does not drink, moans and groans. **Puls.**

—— *flashes of*. **Amyl. nitr.**, **Calc. phos.**, **Carb. veg.**, **Sanguin.**, **Sepia**, **Sulph.**, **Terebinthina** (sweat).

—— after slight exercise. **Sepia.**

—— as if hot water were poured on one, with redness of face, sweat of the whole body, and anxiety without thirst, yet without dryness of throat. **Sepia.**

—— during the climacteric period. **Sanguin.**

—— evenings. **Sepia.**

—— in daytime, with chilliness at night. **Lach.**

—— flying from the head to the stomach. **Sanguin.**

Heat, flashes of, followed by perspiration, during climaxis. Jaborandi.

———— over the whole body, producing great discomfort and anxiety. **Puls.**

———— to face, leaving behind them circumscribed red spots on the cheeks, similar to hectic. **Sanguin.**

———— and head. **L. V. Deflor.**

———— with cold feet; heat at top of head. **Sulph.**

———— slight perspiration, and a feeling of weakness and fainting. **Sulph.**

———— followed by shivering. **Puls.**

———— hectic—with dry hawking cough, and great prostration. **Plumb.**

———— in the afternoon; with burning hands and thirst, first for water, afterwards for beer; chills in the forenoon. **Nux v.**

————. **Sepia.**

• ——— evening; 6 P.M., warmth of the body, with internal and external heat of head and shivering over the body, without thirst; stretching, drawing weakness in the limbs, and headache like a dulness and compression in the side of the occiput, together with violent cough, very short breath, pain in the throat as if the tonsils were swollen; slight perspiration over the whole body towards evening. **Rhus tox.**

———— over the whole body, with the veins greatly enlarged. **China.**

———— without thirst; in the afternoon.

Ignat.

———— sudden—all over the body, with trickling perspiration all over the face. **Psorium.**

———— too much animal. **Sulph.**

———— **toward evening**, with burning heat in head and face, redness of cheeks, and outpressing headache. **Acon.**

———— **without thirst**. **Apis, Ignat., Puls.** (provided it is only a sensation of heat, with no real heat; if the heat is real then there is thirst). **Rhus tox.**

———— **with thirst** about 2 P.M., followed about 4 P.M. by chill, without thirst, with coldness of face and hands, anxiety, and oppression of chest; afterwards lying-down and drawing pains in the back, extending to the occiput, and thence into the temples and crown of the head; three hours afterwards heat of the body without chill; skin burning hot; sweat only in the face, trickling down;

sleepiness without sleep; restlessness; sweat of the whole body night and morning. **Puls.**

C. PERSPIRATION.

Perspiration (see Organs affected) *after* the least exertion or motion. Agaric. m., **Calc. c.**, **China**, Hep. s., **Merc. sol.**, **Phos.**, Psorium, Sulph.

_____ awaking from a sleep with dry heat. Sambucus (opposite Phosph.).

_____ *at night*. Amm. c., Conium, Ferr., Kali c., **Merc.**, Nitr. acid.

_____ and during sleep, sour, especially about neck and head. **Cham.**

_____ in the morning; often with coldness of face. Lycopod.

_____ ; very weakening.

China.

_____ debilitating. Silic.

_____ fatty, oily. **Merc. sol.**

_____ of head and upper part of body.

Calc. c.

_____ offensive. **Carb. an.**

_____ profuse. **Merc. sol.**, Sepia, Silic.

_____ *cold*. **Ars.**, Cact. gr.

_____ all over the body; great weakness of pulse, can hardly be counted. **Verat. alb.**

_____ and clammy. **Ars.**, Phos. acid, **Secal. cor.**, **Verat. alb.**

_____ usually; easy; especially about the legs, affording no relief. **Merc. sol.**

_____ of the breast, back, and thighs at night. Sepia.

_____ face. **Ars.**

_____ forehead. L. V. Deflor., **Verat. alb.**

_____ (temples, chest, hands), profuse. **Merc. corr.**

_____ *day and night*, though more at night. **Merc. sol.**

Perspiration during sleep. Cham., China, Merc. viv., Sepia.

_____ in the morning. Chelidon.
_____, disappearing
after waking. Puls.

_____ only, which disappeared by awa-
kening, but set in at once again as soon as she commenced to sleep
again. Phos. (opposite Sambucus).

_____ fetid, offensive, between the menstrual periods
(sudor hystericus); especially in the axilla and soles of the feet.
Sepia.

_____ from the least exercise. Psorium, Sepia.

_____ **in the axilla**, fetid. Lycopod., Petrol., Sepia.

_____ **morning** after walking. Sulph.

_____ profuse. **Calc. c.**, Chelidon.,
Nitr. acid, Phos. (with anxiety), Phos. acid, Puls., Rhus tox., Sepia.

_____ **of the** back. China, Nux v.

_____ cheek, upon which she lies. **China.**

_____ chest. Calc. c., Nitr. acid, Phos.

_____, back, and thighs. Sepia.

_____, face, with heat after eating or
drinking. Cham.

_____ sudden heat all over the body.
Psorium.

_____ feet. (See Lower Extremities.)

_____ forehead, profuse, sticky, standing out in
drops. **Cannab. ind.**

_____ head. Calc. c., Graph.

_____ and face. Puls.

_____ on the uncovered parts, while covered parts very
dry and hot. Thuja.

_____ one side—one hand, one foot, or one side of the
face. Baryta c., Nux v., Puls. (right).

_____ **profuse.** Phos., Phos. acid, **Stram.**, Puls.

_____, all over the body, on being covered.

China.

_____, offensive. Secal. cor.

_____ when walking. **Psorium**, Sepia.

_____, with consequent de-
bility. **Psorium.**

Perspiration, sensation of—as if it would break out at any time. Crocus sat.

———— **sour**. Cham., Bry., Rhus tox., Sepia.

———— when falling asleep. Amm. c., Ars.

———— with anguish, tremor, during pains. Natr. c.

Want of—absolute. Plumb.

D. PULSE.

Pulse feeble. Ars., Carb. veg., China, Muriat. acid, Puls.

———— felt in pit of stomach. Puls.

———— frequent and full. Bell.

————, quick at night, but slow during the day. Sepia.

———— in the morning, but slow in the evening. Ars., Kali c.

———— full and contracted, rising to over a hundred beats per minute. Acon.

———— **intermittent**. Kali c., Merc. cor., Mezereum, Natr. m., Nitr. acid., Secal. cor.

———— in force, full and weak. Natr. m., Nitr. acid.

————; intermits every third beat; worse when lying on left side. Natr. m.

———— fourth beat. Nitr. acid.

————, slow, thready. Digitalis.

————, sometimes trembling. Merc. cor.

———— low—as low as forty-six beats per minute. Cannab. ind.

———— quick, full, large, but soft. Gels.

————, very hard, bounding. Verat. vir.

————, very hard, small, sharp. Acon.

————, weak, irregular. Ars.

————, trembling. Tart. emet.

———— slow, with slow stertorous respiration. Opi.

———— small—and of the heart. Digitalis.

————, very rapid, contracted, frequently intermittent. Secal. cor.

————, irregular. Digitalis.

————, slow. Nux m.

Generalities.

- Affections** after loss of blood. **China**, Helon.
 _____ overeating. **Nux v.**
 _____ pleasant surprise or sudden emotion. **Coff.**
 _____, appearance of—at the menstrual period. **Castor.**
 _____ at *climaxis*. Calc. c., Crocus sat. (during), Graph.,
 Kreosot., **Lach.**, **Nux v.** (beginning), Psorin (near), Puls., Rhus tox.,
 Sanguin. (after), Sarracenia, **Sepia**, **Sulph.**, Terebinthina, Trill.
 _____, flushes of heat, hot vertex, metrorrhagia,
 fainting. **Lach.**
 _____, leucorrhœa. **Sanguin.**
 _____, pressure in head, nausea,
 loss of senses, swelling of feet, vertigo. **Glon.**
 _____, prolapsus, marked debility,
 profound mental gloom. **Helon.**
 _____, vertigo, metrorrhagia. **Ustilago.**
 _____, weak sight, anxious looks, pale, faint;
 flow returns every two weeks. **Trill.**
 _____, with constipation. **Sulph. acid.**
 _____ spitting of blood. **Sulph. acid.**
 _____ confined usually to one-half of the body. **Ignat.,**
Puls., **Silic.**, **Spigel.**, **Thuja**, **Valeriana.**
 _____ from change of temperature, from damp, cold air,
 getting wet, standing on damp ground, going into damp places, or
 sitting on a cold stone. **Dulc.**
 _____ from blistering. **Camph.**
 _____ bleeding, purging. **China.**
 _____ chloroform. **Hyos.**
 _____ disappointed love in young girls. **Calc. phos.,**
Phos. acid.
 _____ *drinking* coffee. (See Stomach.) **Cham.,**
Nux v.
 _____ ice-water. **Ars.**
 _____ lemonade. **Selen.**
 _____ liquors and alcohol. **Nux v.**
 _____ malt liquors, beer. **Kali bich.,**
Nux v.
 _____ narcotics. **Nux v.**
 _____ vinegar. **Antim. crud.**

Affections from drinking wine, brandy, whisky. **Nux v.**

_____ ***eating*** buckwheat. (See Stomach.) **Puls.**

_____ cheese. **Colocynth.**

_____ fat, rich food. **Puls.**

_____ honey. **Natrum.**

_____ ice-cream. **Ars.**

_____ onions. **Thuja.**

_____ oysters. **Lycopod.**

_____ salt. **Phos.**

_____ sausage. **Bell.**

_____ sweet things. **Ignat.**

_____ turnips. **Bry.**

_____ coition—excessive. **Agaric. m., Nux v., Phos.**

acid.

_____ ***fright*** or fear. **Acon., Gels., Ignat., Lycopod.,**

Merc., Opi., Rhus tox.

_____ getting the feet wet. **Puls., Silic.**

_____ wet after being heated. **Rhus tox.**

_____ ***grief.*** **Caustic., Gels., Ignat., Phos. acid.**

_____, unfortunate love, with great emaciation,
sleeplessness, night-sweat. **Phos. acid.**

_____ hearing bad news. **Apis, Gels.**

_____ high living. **Nux v.**

_____ iodine—iodate of potassium. **Hep. s., Phos.**

_____ loss of sleep. **Nux v.**

_____ ***masturbation.*** **Calc. c., Canth., China,**
Gels., Nux v., Phos., Phos. acid, Zinc.

_____ mental excitement. **Pallad.**

_____ exertion. **Nux v.**

_____ mercury—abuse of. **Aurum, Nitr. acid, Sarsa-**
parilla.

_____ nitrate of silver. **Natr. m.**

_____ putrid diseases. **Ars., Carbol. acid, Kreosot.**

_____ quinine. **Ipec., Natr. m., Puls.**

_____ sedentary life. **Nux v.**

_____ strains, bruises, falls, or any other traumatic
cause. **Arnica, Rhus tox.**

_____ suppressed foot-sweat. **Cupr., Silic.**

_____ tea. **Puls., Thuja.**

_____ vaccination. **Silic.**

_____ vexation. **Colocynth., Rhus tox., Staphis.**

Affections from wounded pride, non-approval of others. **Pal-**
lad., Verat. alb.

_____, mercurio-syphilitic. **Nitr. acid,** Sarsaparilla.

_____ of body and mind, appearing alternately. **Plat.**

_____ spring season. Sarsaparilla.

_____ the genito-urinary organs. **Sepia.**

_____ glands—swelling, induration. **Baryt. c., Brom.,**
Calc. c., Carb. an., Conium.

_____ *left side*, or commencing there. **Baryt. c.,**
Lach.

_____ of abdomen and right
side of back. **Fluor. acid.**

_____ *right side* mostly. **Rhododen.**

_____ worse than on the left.

Amm. c.

_____ stonecutters. **Silic.**

_____, one-sided. **Coccul.**

_____, painful—of the whole nervous system. **Crocus sat.**

_____, *paralytic*—weakness of muscles; they refuse to
obey the will; feels utterly powerless and helpless. **Gels.**

_____ of extremities, wasting. **Plumb., Sepia.**

_____ rheumatic. **Rhus tox.**

_____, sycotic. **Thuja.**

_____ that have been formerly subjected to the external
application of nitrate of silver. **Natr. m.**

_____ with marked periodicity. **China.**

Aggravation or appearance of symptoms in general.
(For aggravation of symptoms in certain locations, see the part of
the body it pertains to.)

_____ *after* dinner. **Nux v., Valerian, Zinc.**

_____ drinking. **China.**

_____ even a small quantity of wine.

Zinc.

_____ eating. **Ars., Ignat., Nux v., Puls., Sepia.**

_____ fruit, ice-cream, fat meat, or pastry.

Ars., Puls.

_____ oysters. **Lycopod.**

_____ labor. **Bell.**

_____ midnight. **Rhus tox.**

_____ sexual intercourse. **Agaric. m., Calc. c.,**

Kali c., Sepia.

Aggravation after sleep, especially after a siesta. **Lach.**

_____ vexation. **Kali c.**

_____ **at midnight.** **Bell., Ferr.**

_____, from 12 to 1 A.M. **Ars.**

_____ **night.** (See Evening.) **Acon., Amm. m.,**
Bell., Bufo, Cham., China, Graph., Hep. s., Magn. c., Magn. m.,
Merc., Nitr. acid, Puls., Rhus tox., Silic., Sulph.

_____ before falling asleep and from the
 heat of the bed. **Merc.**

_____, from 1 to 3 A.M. **Ars., Kali c.**

_____ when going to bed. **Merc. sol.**

_____ new or full moon. **Silic**

_____ **before** a rain or thunderstorm. **Rhododen.,**
Rhus tox.

_____ menses. (See Part I.) **Cupr.**

_____ **during** and after menses (see Part I), in the
 morning. **Amm. m.**

_____ changeable weather. **Phos.**

_____ eating. **Sepia.**

_____ perspiration. **Cham., China, Merc.**

_____ pregnancy. **Bell., Cham., Crocus sat.,**
Puls., Sabina, Sepia.

_____ rainy weather. **Amm. c., Erigeron,**
Rhus tox.

_____ rough weather. **Rhododendron.**

_____ sleep. **Ambr. gr., Cham., Hep s.**

_____ the increase of the moon. **Silic.**

_____ thunderstorm. **Phos., Rhododen.**

_____ **from** anger. **Cham., Bry.**

_____ becoming cold. **Graph.**

_____ being overheated. **Kali c.**

_____ change of temperature. **Ars., Carb. veg.,**
Puls., Ranuncul. bulb.

_____ changing position. **Ferr., Puls.**

_____ coffee. **Cham., Ignatia.**

_____ cold air. **Calc. c., Hep. s., Nux m., Rhus**
tox.

_____ cold food. **Nux m.**

_____ water. **Rhus tox.**

_____ weather. **Rhus tox.**

_____ coughing. **Ipec.**

Aggravation from draft of air. **Bell.**

_____, even the least. **China.**
 _____ eating veal. **Ipec., Nitrum.**
 _____ eructations. **Cham.**
 _____ exercise. (See Motion; Walking.)
 _____ external pressure. **Bell., Bry., Cham.,**
Colchic., Hep. s., Hyos., Lach., Lycopod., Nux v., Ranuncul. bulb.,
Sabina, Sepia, Spigel., Staphis., Sulph.

_____, even the slightest.
Bell., China, Nux v.

_____ on the opposite and
 painless side. **Bry., Ignat., Puls.**

_____ fat food. **Ferr., Puls.**
 _____ feather covers. **Sulph.**
 _____ getting wet in the cold air. **Rhus tox.**
 _____ while perspiring. **Rhus tox.**
 _____ heat, applied to any part of the body.

Secal. cor.

_____ indigestible substances. **Ipec.**
 _____ jealousy. **Hyos., Lach.**
 _____ laughing. **Phos.**
 _____ least annoyance. **Rhus tox.**
 _____ jar in bed or chair. **Bell.**
 _____ light and noise. **Bell.**
 _____ looking at shining objects. **Bell.**
 _____ lying on the back. **Nux v., Phos., Sepia.**
 _____ painful side. **Calad., Hep. s.,**

Iod., Nux m., Ruta, Silic.

_____, left. **Hep. s.,**
Lycopod.

_____, right. **Kali c.**
 _____ painless side. **Cham., Colo-**
cynth., Puls.

_____, with the head
 low. **Puls.**

_____ right side. **Merc.**
 _____ left side. **Phos., Puls.**
 _____ side. **Acon., Anacard., Bry.,**
Calc. c., Carb. an., Kali c., Lycopod., Puls., Ranuncul. bulb., Stan.
 _____ with the head low. **Puls.**

Aggravation from mental affections. Colocynth., Hyos., Ignat., Nux v., Pallad., Phos. acid, Puls., Staph.

_____ motion or moving. (See Walking.) Bell., Bry., Ledum, Nux v., Silic.

_____ open air. Amm. c., Coccul., Elaps, Nux m., Nux v., Silic.

_____ riding. Coccul., Lilium, Nux m., Sepia (horseback).

_____ rising. **Acon.**, Bell.

_____ scratching, rubbing. Anacard.

_____ singing. **Phos.**,

_____ smelling tobacco. Ignat.

_____ standing. Pallad., **Sulph.**

_____, relieved by walking. Æscul.

hipp.

_____ strong odor. **Ignat.**, Lycopod., Phos.

_____ suppression of menses. Graph.

_____ perspiration. Bell.

_____ sweet things causes burning. Sanguin.

_____ taking cold. Hyos.

_____ talking. China, **Phos.**, Sulph.

_____ uncovering. Sepia

_____ warm food or drink. Bry., **Phos.**, Puls.

_____ warmth. Brv., Cham., Chelidon., Ledum,

Pallad., Secal. cor., Sulph.

_____ of the bed. **Merc.**, **Sulph.**

_____ wet applications, wet poultices. Antim. crud., Calc. c., Clematis, Rhus tox., Sulph.

_____ *in* dry weather. Sepia.

_____ *the evening*. Ambr. gr., Antim. crud., Bell., Capsic., Caustic., Colchic., Cyclam., Dule., Euphrasia, Helleb., Hyos., Ignat., Lach., Lycopod., Mezer., Nitrum, Nitr. acid, Phos., Plat., **Puls.**, Sepia, Strontiana, Sulph. acid, Valerian, Zinc.

_____, at 3 P.M. Bell., Thuja.

_____ 9 P.M. Bry.

_____, before midnight. Phos.

_____, from 4 to 8 P.M. Hellebor.,

Lycopod.

_____, towards sunset and after.

Puls.

_____ *morning*. Amm. m., Aurum, Bell.,

Bufo, Calc. c., Carb. veg., Chelidon., Crocus sat., Natr. m., Nitrum, Nux v., Phos., Rhododen., Rhus tox., Scill.

Aggravation in the morning after rising from bed. Amm. m., Rhus tox.

_____, relieved after moving about. **Puls.**

_____, at 3 A.M. **Kali c.**, Thuja.

_____, before breakfast. Calc. c., Crocus sat., Iod., Staph.

_____, from 1 to 3 A.M. **Ars.**, Kali c.

_____ 2 to 4 A.M. Podoph.

_____ 3 to 4 A.M. **Nux v.**

_____ 8 to 9 A.M. Nux v.

_____ 9 to 10 A.M. **Natr. m.**

_____ fasting. Crocus sat.

_____ on awaking. Amm. m., Nux v., Phos.

_____ rising from bed. Ignat., Nux v.

_____ until 12 m. Kali bich.

_____ **summer.** Bry., Kali bich., Sepia.

_____ **winter**, fall, spring. Rhus tox.

_____ windy weather. Nux m., Psorium.

_____, although she may not be exposed to it. **Rhododen.**

_____ **on** alternate days. Alum., **Ars.**, **China**, Ipec.

_____ at precisely the same hour.

Diadema.

_____ awaking. Ambr. gr., Ars., Caustic., Hep. s., Lach., Nitr. acid, Phos., Puls., Sepia, Sulph.

_____ expiration. Sepia.

_____ **when** at rest. Aurum, **Ars.**, Capsic., Cyclam., Dulc., Ferr., Kali hydr., Magn. c., Plat., **Puls.**, Rhododen., **Rhus tox.**, Sepia, Sulph.

_____ beginning to move or to walk. Capsic., Conium, Ferr., **Lycopod.**, **Puls.**, **Rhus tox.**

_____ changing position. Puls.

_____ entering a warm, close room from the open air. **Puls.**

_____ exhaling. Puls.

Aggravation when getting warm in bed. **Ledum, Merc., Sulph.**

_____ in a warm room. **Apis, Crocus sat., Iod., Puls., Sabina.**

_____ lying down. (See Rest.) **Ignat., Lachnanth., Lycopod., Puls., Sepia.**

_____ in a warm place. **Ambr. gr.**
 _____ upon one or the other side.
Puls.

_____ rising after being long seated. **Puls.**

_____ from a bed or chair. **Rhus tox.**

_____ scratching. **Sepia.**

_____ singing. **Carb. veg., Phos.**

_____ sitting. **Alum., Conium, Cyclam., Dule., Magn. m., Natr. c., Plat., Puls., Rhus tox., Sepia, Tart. emet.**

_____ down after long exercise. **Puls.**

_____ standing. **Æscul. hipp., Conium, Cyclam., Sepia, Sulph., Valerian.**

_____ stooping. **Amm. c., Elaps.**

_____ vomiting. **Ipec.**

_____ walking. (See Motion.) **Ars., Elaps., Merc. viv.**

_____ for a long time. **Rhus tox.**

Amelioration after eating. **Anacard., Crocus sat., Ignat Iod., Lach., Natr. c., Zinc.**

_____ or drinking; cold food. **Bry., Phos., Puls., Sulph.**

_____ warm food. **Ars., Lycopod., Nux v., Rhus tox.**

_____ breakfast. **Calc. c., Crocus sat., Iod., Staph.**

_____ fruit. **Lach.**

_____ meat. **Verat. alb.**

_____ salty things. **Verat. alb.**

_____ **drinking** tea. **Ferr.**

_____ milk. **Verat. alb.**

_____ **before** breakfast. **Cham., Conium, Natr. m.**

_____ **from** belching. (See from Eructation.)

_____ being rubbed. **Calc. c., Canth., Natr. c., Phos., Plumb.**

Amelioration from being rubbed and scratched. Asafoet., Calc. c., Cyclam., Muriat. acid, Natr. c., Phos.

_____ change of position. Ignat., **Rhus tox.**

_____ cold external applications. Puls.

_____ dry weather. Amm. c., Dulc.

_____ clear weather. **Rhus tox.**

_____ warm weather. Bry., Nux m.

_____ eructation. **Argt. nitr.**, Carb. veg., Graph., Ignat., Kali c., Lycopod., **Nitr. acid**, Tart. emet.

_____ fasting. Cham.

_____ getting cold. Iod., Lycopod., Puls.

_____ lying down. Bry., Nux v.

_____ on the back. Acon., Anacard., Bry., Calc., **Puls.**

_____ on the left side. Pallad.

_____ right side. Phos., Puls.

_____ side. Nux v.

_____ painful side. Bry., **Puls.**

_____ stomach. Amm. c.

_____, in the early months of pregnancy. **Podoph.**

_____ motion. (See Walking.) Aurum, Cyclam., Dulc., Ferr., Kali hydr., Lycopod., Magn. m., Natr. c., Plat.

_____ moderate. Conium, **Puls.**

_____ of the affected part. Dulc., Ferr., **Puls.**, **Rhus tox.**

_____ passing wind per anum. Nux v.

_____ pressure. Amm. c., Conium, Magn. m., Natr. c.

_____ sitting. Acon., Bry., Colchic., Nux v.

_____ standing. Bell.

_____ stooping or leaning forward. Colchic., Hyos.

_____ stretching out the limbs. **Rhus tox.**, Secal. cor.

_____ sweet things; it lessened burning. **Bell.**

_____ uncovering. Lycopod.

_____ walking. (See Motion.) Alum., Aurum, Conium, Cyclam., Dulc., Ferr., Lachnanth., Lycopod., Magn. c., Magn. m., Puls., **Rhus tox.**, Valerian.

Amelioration from walking in the open air. Alum., Ambr. gr., Puls.

_____ quietly about. Puls.

_____, worse when standing. Æscul.

hipp.

_____ warmth. Amm. c., Ars., Calc. c., Camph., Caustic., Hep. s., Kali c., Mosch., Nux v., Rhus tox., Stront.

_____ of air. Ars. Aurum, Camph., Caustic., Dulc., Helleb., Kali c., Nux m., Nux v., Rhus tox., Sabad., Stront.

_____ coverings. Hep. s., Rhus tox., Scill., Stront.

_____ when in the open air. Hep. s.

_____ the stove. Ignat.

_____ wetting the affected part. Asar. europ., Puls.

_____ *in* a room. Amm. c., Coccul., Nux m., Nux v., Silic.

_____ evening from 3 to 9 P.M. Lycopod.

_____ darkness. Calc. c., Conium, Euphras., Graph., Phos.

_____ morning. Merc. viv.

_____ open air. Alum., Crocus sat., Lycopod., Magn. c., Puls., Sabina.

_____ *when* at rest. Bell., Bry., Ledum, Merc., Nux v.

_____ getting into perspiration. Cupr., Natr. m.

_____ in a cold place. Puls.

_____ lying with limbs drawn up. Calc. c., Sepia.

_____ resting, after long-continued exercise (paralysis and languor). Rhus tox.

_____ riding in a carriage. Nitr. acid.

_____ rising from a seat. Dulc.

Anæmia. (See Chlorosis, under Constitutional Peculiarities.)

Anæsthesia. Plumb.

Arthralgia. (See Gout.) Plumb.

Aversion to all exercise (see Debility), must lie down. Pallad.

_____ light. (See Eyes.) Bell., Conium, Elaps.

_____ water, cannot bear to touch it. Amm. c.

Aversion to washing. Spigel.

Bleeding. (See Hæmorrhage.)

Bones—affections of the—inflammation, caries, etc.; they are tender to the touch. Silic.

Cataleptic attacks—very violent. Cicuta vir.

————— with rigor of the body, loud lamentation, grinding of teeth. Acon.

Change of symptoms—frequent—is very well one hour and miserable the next. Puls.

Chlorosis. (See Anæmia, under Constitutional Peculiarities.)

Chorea. Asafœt.

————— every seventh day, with great hilarity. Crocus sat.

————— from suppressed menses. Cimicifuga.

—————, hysterical. Valerian.

————— like, strange movements of head, arms, and feet. Cu-
rare.

Circulation stands still—sensation as if the. Lycopod.

Climacteric period. (See Affections of.)

Cold—taking. (See Liability to.)

Complaints. (See Affections.)

Congestion of any part of the body, with marked periodicity.

China.

Constitutional Peculiarities:

Anæmic woman. Acid. lact., Ars., Calc. c., Carb. veg., China, Ferr., Ham., Helon., Kali c., Natr. m., Phos., Plumb., Puls., Sepia, Spigel., Trill., Ustilago.

————— bloated abdomen, narrow chest, flabby, poorly developed muscles; bones containing too little phosphate of lime. Calc. c.

————— from loss of vital fluids. China, Ham., Helon.

—————, pale, delicate, feeling cold all over, want of animal heat. Ledum.

————— with intermittent pulse. Kali c.

————— pale face and lips. Ferr.

Cachectic woman. Ars., Iod., Secal. cor., Sepia.

————— with tender sensitive skin, and slender waist. Sepia.

Chlorotic woman. Calc. c., Conium, Cupr., Cyclam., Ferr., Helon., Natr. m., Phos., Phos. acid, Silic.

Chlorotic woman, young girls, with dirty skin, palpitation of heart, oppression and anxiety in chest. **Natr. m.**

_____ longing for indigestible substances. **Alum.**

_____ ; those especially who eat much sugar. **Cupr.**

_____ with amenorrhœa. **Phos.**

_____ œdema of the lower extremities. **Ig-nat.**

Climacteric period. (See Affections.)

Corpulency. **Amm. m.**, **Antim. crud.**, **Calc. c.**, **Graph.**, **Kali bich.**

_____ in bloated, lazy, sluggish, indolent woman. **Amm. m.**

_____ leucophlegmatic woman. **Calc. c.**

_____ light-haired woman. **Kali bich.**

_____ old, flabby woman. **Kali c.**

_____ young girls. **Calc. c.**

_____ inclination to. **Graph.**

Delicate woman of lax fibre. **Aletr. f.**, **Aloe**, **Amm. c.**, **Ars.**, **Caustic.**, **China**, **Ferr.**, **Helon.**, **Iod.**, **Lycopod.**, **Natr. chlor.**, **Puls**

_____ with glandular affections. **Carb. an.**

_____ sensitive, fine, and delicate skin. **Sepia.**

Disposition to hæmorrhages. (See Part II and V.) **Calc. c.**, **Ferr.**, **Trill.**

_____ miscarriage or abortion. (See Part IV.)

Dry-skinned women, who do not perspire easily. **Nux m.**

Dwarfish woman. **Argt. nitr.**, **Baryt. c.**, **Iod.**, **Secal cor.**

Gouty woman. **Antim. crud.**, **Colchic.**, **Ledum**, **Sabina.**

_____, she cannot bear a heated room ; better in cool air. **Sabina.**

Hair black and eyes also. **Nitr. acid.**

_____ **dark.** **Acon.**, **Bry.**, **Iod.**, **Kali c.**, **Nitr. acid.**, **Nux v.**, **Plat.**, **Sepia.**

_____ and blue eyes. **Iod.**

_____, firm rigid muscles. **Bry.**, **Kali c.**

_____, lean woman. **Nitr. acid.**

_____ and tall woman. **Canth.**, **Phos.**

_____ jealous girls ; with frivolous levity ; awkward ; busy but accomplish nothing. **Apis.**

_____ ; weakly woman. **Sepia.**

Hair light. Bell., Brom., Calc. c., Coccul., Cyclam., Kali bich., Merc., **Puls.**, Silic.

_____ and blue eyes. Bell., Brom., **Puls.**

_____, fair skin, with chest diseases. Brom.

_____ firm, rigid muscles, full habit. Bell., Kali bich.

_____ leucophlegmatic. Cyclam.

_____ lively disposition. Coccul.

_____ with corpulency. Kali bich.

Heart diseases—woman with. **Cact. gr.**, **Lach.**

High livers. **Nux v.**

Hysterical woman. Alum., Ambr. gr., **Asafoet.**, Aurum, **Caustic.**, Cham., **Cimicifuga**, **Coccul.**, **Conium**, Gels., Guarea, **Hyos.**, **Ignat.**, Liliuim, Magn. c., **Natr. m.**, **Plat.**, **Valerian.**

_____ disposed to fainting spells. **Nux m.**

_____ during climaxis, if they were never married, or had no children, formerly suffering from profuse menses. Calc. c.

Lean woman. Alum., Ambr. gr., Iod., Nitr. acid, Phos., Secal. cor., Sulph., Ustilago, Xanthoxyl.

_____ and delicate. Iod.

_____ scrawny, feeble, cachectic. **Argt. nitr.**, Baryta c., Iod., **Secal. cor.**

_____ tall. Canth., **Phos.**, Ustilago.

_____, dark hair, fair skin. **Phos.**

_____, fair complexion. Ustilago.

_____, who walk stooping. **Sulph.**

_____ with dark hair. Nitr. acid.

Leucophlegmatic woman. Calc. c., Cyclam., Gossypium, Graph., Secal. cor.

_____ with light hair. **Cyclam.**

_____ white clear skin. Ustilago.

Lymphatic woman. Amm. c., Puls., Sulph., Ustilago.

_____, clear, white skin. Ustilago.

_____ who suffer from the first of menstrual colic. Castor.

_____ with nervous temperament. **Ars.**

_____ ; relaxed body.

Aloe.

Middle-aged woman. Calc. phos., Lycopod.

Miserly, stingy, too careful woman. Cyclam., Puls.

Lymphatic, irritable woman. Aloe, Senecio, Xanthox.

Nervous woman. Ambr. gr., Amm. m., Arnica, Asafoet., Borax, Gels.

—————, relaxed, phlegmatic. Aloe.

—————, sanguine temperament. Amm. c., Arnica, Coff., Ignat.

Old maids. Conium.

—— women. Ars., Merc., Natr. m.

———— flat and flabby. **Kali c.**

Persons who get sick soon, and soon get well again. Sulph.

Phlegmatic, slow woman. **Aloe, Puls.**

Phthisical woman. Caustic., **Phos.**, Sulph.

Plethoric woman. Acon., Arnica, **Bell.**, Bry., **Calc. c.**, **Ferr.**, Nux v., **Sabina**, Verat. vir.

—————, delicate skin, fair hair, blue eyes. **Bell.**

————— with profuse menses. **Sabina.**

Rheumatic woman. **Calc. phos.**, **Bry.**, **Cimicifuga**, Ledum, Phytol., Rhododen., **Rhus tox.**, Spigel.

Sanguine temperament. **Acon.**, **Bell.**

————— nervous. Coff., Ignat., Verat. alb.

Scrofulous woman. Asafoet., Aurum, Baryt. c., Brom., **Calc. c.**, **Carb. an.**, **Caustic.**, Conium, **Ferr. iod.**, **Hep. s.**, **Iod.**, Natr. m., **Psorium**, **Silic.**, **Sulph.**, **Theridion.**

————— with glandular swelling. **Carb. an.**, **Caustic.**

————— tendency to diseases of chest or digestive organs. **Caustic.**

Sedentary life. **Acon.**, **Nux v.**, Ranuncul. bulb.

Sensitive temperament. **Arnica**, **Borax.**

Sterile (apparently) **woman**, (see Sterility, under Uterus, in the different Parts), with rheumatic affections. Phytol.

Sycotic affections. Cinnab., **Nitr. acid**, **Sabina**, **Thuja.**

Syphilitic affections. Aurum, **Kali hydr.**, **Merc.**, **Nitr. acid.**

Widowhood before the climaxis. **Apis.**

————— of young women who have borne no children.

Argt. nitr.

Withered, dried-up women. (See Dwarfish Women.)

Yielding disposition. **Puls.**, **Silic.**

Young girls. **Acon.**, Apocyn. can., **Calc. phos.**, **Digital.**, **Kali c.**, **Natr. m.**, **Podoph.**, **Puls.**, **Sepia.**

Young Girls, chlorotic—especially those who eat much sugar
Cupr.

_____ lively, romantic, falling in love easily. **Ignat.**

_____, of full habit. **Bell.**

_____ sedentary habit. **Acon.**

_____ with tardy development. **Baryt. c.**

Contact causing pain. (See Pain.)

Convulsions, spasms. (See Movements; jerking.) **Plumb.,**
Secal. cor.

_____ affecting especially the left side; unconsciousness.

Apis.

_____ right side; consciousness.

Natr. m.

_____ and fainting attacks. **Millefol.**

_____ at full moon. **Natr. m.**

_____, bloated red face, profuse perspiration. **Opi.**

_____ **epileptic.** **Bell.,** Bufo, **Calc. c., Cupr.,** Curare,
Hyos., Ignat., Lycopod, Plumb., Secal. cor., Silic., Sulph.

_____ after fright, emotions. **Hyos., Ignat.,**

Lycopod.

_____ after suppressed exanthema, or ulcers.

Ars., Caustic, Cupr., Sulph. c.

_____ at night. **Calc. c., Caustic, Silic.**

_____ the time of menses. **Cimicifuga.**

_____ in the morning. **Calc. c., Lycopod.**

_____ during the term of puberty; the attack
ceases after drinking water; (this later symptom is opposite to **Calc.**
c.) Caustic.

_____ very violent. **Cicuta vir.**

_____ with consciousness. **Cina.**

_____ violent beating of the limbs, after
suppressed menses. **Puls.**

_____ from mental agitation. **Ignat.**

_____ opening the clothes she wears. **Lach.**

_____ the slightest touch with the hand. **Nux v.**

_____ thought of drinking or the sound of water.

Canth.

_____ **hysterical.** (See Hysteria.) **Asafoet., Bell.,**
Calc. c., Caustic, Cham., Cicuta vir., Cimicifuga, Coccul., Ferr.
iod., Gels., Guarea, Ignat., Magn. c., Magn. m., Millefol., Mosch.,
Nux m., Secal. cor., Valerian.

Convulsions, hysterical, at the climax. **Calc. c.**

_____ time of menses. **Cimicifuga.**

_____ coming out of it with a feeling of great happiness. **Sulph.**

_____ epileptic — with much jerking and twitching, but not regular in appearance. **Hyos.**

_____, followed by discharge of large quantities of colorless urine. **Sulph.**

_____ in the abdomen. **Mosch.**

_____, many a day. **Calc. c.**

_____ and night with great sleeplessness. **Magn. m.**

_____ with choking, constriction in upper part of fauces. **Coccul.**

_____ congestion to head, eyes, and face. **Bell.**

_____ difficulty in swallowing, terminating with deep sighing. **Ignat.**

_____ laughing and weeping. **Alum.**

_____, throwing herself about violently. **Aurum.**

_____ wild shrieks. **Plat.**

_____ of pregnant women. **Cicuta vir.**

_____ spasmodic distortion of limbs. **Cicuta vir.**

_____, hiccough, screaming, redness of face; trismus. **Cicuta vir.**

_____ tetanus. **Guarea.**

_____ with rigidity of limbs. **Bell.**

_____ sensation as if something rose from the uterus to the stomach, with nervous agitation. **Bufo.**

Convulsive movements. (See Movements.)

_____ momentary extension of the limbs on awaking out of sleep. **Bell.**

Debility in general, weakness, prostration, fatigue, exhaustion, languor. (See Fainting, trembling.) **Agnus cast., Alum., Apis, Aralia, Ars., Aurum, Bapt., Bovista, Cact. gr., Calc. c., Ferr., Gels., Helon., Kali c., Kali ferr., Kreosot., Leptand., Lili-um, Lycopod., Merc. viv., Merc. corr., Merc. sol., Muriat. acid, Natr. m., Nux jugl., Phos., Phos. acid, Plumb., Psorium, Ra-nuncul. bulb., Robinia, Sepia, Stann., Terebinthina, Trill.**

Debility after a stool. **Ars.**, **Borax**, **Conium**, **Merc. sol.**, **Nitr. acid.**

_____ diarrhoetic. **Phos.**, **Podoph.**

_____ all pain has ceased. **Brom.**

_____ an embrace; especially weakness of sight.

Kali c.

_____ eating. **Ars.**, **Chelidon.**

_____ with great fulness in stomach. **Nitr. acid.**

_____ leucorrhœa. (See Part VI.) **Conium.**

_____ menses. (See Part I.) **Carb. an.**

_____ riding in a wagon. **Psorium.**

_____ walking. **Chelidon.**, **Sac lac.**

_____ a short distance. **Cannab. ind.**

_____ work. **Apis.**

_____ no matter how little. **Psorium.**

_____ ***all over the body.*** **Graph.**, **Phos.**, **Stan.**

_____ but especially in arms and legs, with staggering when attempting to walk, and weakness and daz-
zling of the eyes. **Conium.**

_____ and apathy in the morning. **Phos. acid.**

_____ trembling through the whole system. **Gels.**

_____ as if it were impossible to make any exertion. **Coccul.**

_____ attacks of paralytic—with pain in back. **Coccul.**

_____, but still patient thinks herself able to do something, but as soon as she tries she finds that she cannot do it. **Ars.**

_____ can hardly breathe or speak. **Nitr. acid**, **Stan.**

_____ keep up, almost paralytic, has to lie down often. **Ferr.**

_____ talk loud. **Alum.**, **Calc. c.** (in chest espe-
cially), **Coccul.**, **Natr. m.**, **Stann.** (in chest especially).

_____, soon falls into a deep sleep. **Cannab. ind.**

_____ causing her to sink down constantly. **Lach.**

_____, but cannot get up very well. **Stan.**

_____ walk stooped; has difficulty to walk erect. **Sulph.**

_____ cerebral exhaustion, mental and physical depression, from anæmia of the brain. **Zinc.**

_____ chronic. **Guarea.**

Debility, complains only of. **Phos.**

———— *excessive*. Canth., Carbol. acid, Phos., Plumb., Secal. cor., Senega., Stan.

———— attended the pain in the stomach. Podoph.

————, continual, can scarcely walk without sinking down. **Ars.**

———— in the morning, during menses. **Sepia.**

———— unable to do, or to undertake anything.

China.

————, with depression of mind, and without the slightest effort to attend to ordinary business. **Phos.**

———— *from* excessive cold or warm weather. Lach.

———— frequent awaking when asleep; light sleep.

Sulph.

———— heavy deep sleep. **Sulph.**

———— loss of fluids or onanism. Aletr. f., China,

Phos. acid.

———— sleep. Glon.

———— protracted illness. Aletr. f.

———— talking. Sulph.

———— the least exertion. Ars., Calc. c., Carb. veg.,

Natr. m., Psorium, Sepia.

————, has to lie down. Nux m.

————, with trembling. Gels.,

Merc. viv.

———— walking; feels utterly exhausted. **Phos.**

———— in the open air. **Rhus tox.**

———— want of proper nutrition. Aletr. f.

———— warm, hot weather. **Bry.**, Lach.

————, insensibility, lying there like dead. **Cicuta vir.**

———— *in all the limbs*. (See Extremities.) **Ars.**, **Bry.**,

Conium., Graph., Magn. m., Merc. sol., Phos., Puls., **Rhus tox.**

———— *chest* especially, can hardly talk. Alum., Stan.

———— *lower extremities*. Alum., Amm. m., **Ars.**,

Gels., Kreosot.

———— as after a long journey.

Argt. nitr.

———— the joints. Bovista, Psorium.

———— morning, and the longer she lies the weaker she gets, and the more she wishes to lie, and she desires to fall asleep again. **Puls.**

Debility in the morning, when awaking, with pain under left clavicle. Sanguin.

_____ women, who always resort to the smelling-bottle.

Amm. c.

_____ **nervous.** Aralia, China, Natr. chlor., Stan., Zinc.

_____ causing sleeplessness. **Cauloph.**

_____, the mind feels oppressed, the body faint.

Phos. acid.

_____, with cold clammy sweat, or profuse perspiration. Phos. acid.

_____ trembling of all limbs from the least exertion. **Phos.**

_____ **of body and mind**, great. **Lach.**

_____, constant inclination to lie down. Baryt. c.

_____ in the morning on rising. **Lach.**

_____, languor, with constant disposition to lie down. Baryt.,

Nitr. acid, Puls. (or sit down), Rhus tox.

_____ uneasiness of the whole body. Ratanhia.

_____, paroxysms of—with flashes of heat, perspiration, and fainting. **Sulph.**

_____, sensation of being bruised. **Arnica.**

_____ comfortable languor, and disposition to sleep. **Cauloph.**

_____, she is almost constantly obliged to lie down. **Nitr. acid.**

_____ sudden paroxysms of—trembling. **Lycopod.**

_____ and great failing of strength.

Acon.

_____ tremulous—without actual trembling. **Sulph. acid.**

_____ unto fainting. Baryt. c.

_____ ; very sensitive to impressions. **Staphis.**

_____ **when exercising.** **Calc. c.**, Carb. an.

_____, **going up stairs**, is hardly able to do so, it puts her out of breath ; she has to stop or to sit down and rest. **Ars.**, **Calc. c.**, Calc. phos.

_____, with palpitation of heart. **Crocus sat.**

_____, with painful weight in limbs

Calc. c.

Debility when lifting. Lach.

_____ **talking.** Alum. Calc. c., Stan.

_____, faint, weak voice. Natr. m.

_____ **rising in the morning.** Phos.

_____, increases during forenoon; while walking has to drag herself about. Bry.

_____, with depression of spirits. Caustic.

_____ **with** a fierce red face. Ferr.

_____ aversion to labor. Aloe.

_____ complains of great weariness. Phos.

_____ drowsiness—great. Apocyn. can.

_____ emaciation of the whole body. Canth., Merc.

viv.

_____ excessive weakness and exhaustion of the limbs, has to lie down. Ars.

_____ **fainting.** Bell.

_____ feeling of. Æscul. hipp., Berber., Bufo.

_____ in the morning. Conium.

_____ preventing rising till late. Carb. veg.

_____ when raising the head from the pillow. Acon., Bry., Apocyn. can.

_____ faintness after going down stairs, although she could go up stairs well enough. Stan.

_____ ; mind feels oppressed; irritation of nerves. Phos. acid.

_____ general miserable condition. Podoph.

_____ heat in face and hot forehead. Natrum.

_____ irritability. Argt. nitr., China.

_____ lowspiritedness. Caustic. (mornings), Erigeron.

_____ oppressed sensation all day; fearfulness. Phos.

_____ sensation as if sweat would break out. Crocus sat.

_____ soreness and lameness of the whole body, especially of the thighs. Amm. c.

_____ spinal irritation. Silic., Zinc.

_____ the appearance of pain. Ars., Cham.

_____ tired feeling from mental labor. Puls.

Debility, with tired, weary sensation, whether doing anything or not, gradually increasing to complete exhaustion, and inability to stand or sit; falls constantly to the right side. L. V. Deflor.

_____ **trembling all over.** Agaric. m., **Argt. nitr.**, **Canth.**, Caustic., **Gels.**, Graph., Lycopod., Magn. s., **Phos.**, Sulph. acid.

_____ ; heaviness o. limbs.
Nitr. acid.

_____ ; languor and weakness
of feet. **Argt. nitr.**

_____ ; sensation in the head
as if it were in a vice. **Argt. nitr.**, Magn. s.

_____ from the least exertion. **Merc. viv.**

_____ of the heart. **Lachnanth.**

_____ ; very sensitive to a current of air.
Caustic.

_____ ; violent pain in stomach. **Calc.**
phos.

_____ ; weariness—extreme. **Lycopod.**
_____ on waking in
the morning. **Ambr. gr.**

_____ worse while sitting, relieved by walking; a decided stiffness on rising from a rest. **Rhus tox.**

Desires exceeding her need; she eats too much, walks too much, etc. **Ars.**

_____ for open air—great. **Lycopod.**, **Puls.**

Discomfort over the whole body in the morning, after rising, disappearing on moving about. **Puls.**

Dropsy. (See Skin.)

Emaciation. Amm. c., **Ars.**, **Calc. c.**, **Canth.**, **Ferr.**, **Iod.**, L. V. Deflor., **Natr. m.**, **Phos.**, **Plumb.**

_____ after labor or abortion. **Kali c.**

_____, great—the skin becomes shrivelled or it lies in folds. **Sarsaparilla.**

_____, sleeplessness, morning sweat, from grief and unhappy love. **Phos. acid.**

_____, swollen abdomen, and good appetite. **Calc. c.**

_____, with canine hunger. **Iod.**

_____ great debility. **Canth.**, **Merc. viv.**

_____ loss of appetite. **Ars.**, **Kali hydr.**

Excitability—over—(see Sensitiveness) of all the senses. Bell., Coff., Phos.

Exercise—ability to—increased, without fatigue. Fluoric acid.

Extremities. (See Pains; Convulsions; Jerking, Twitching, Movements; compare also the Upper and Lower Extremities.)

———— **coldness.** Acon.

———— they look pale and wrinkled, as if they had been a long time in hot water. Secal. cor.

———— with numbness and insensibility. Secal. cor.

———— **contraction** of the fingers and toes, spasmodic, periodic, frequent, and so severe that the fingers could scarcely be extended by any force; these contractions are painful. Cupr. acet.

———— hands, feet, fingers, toes, which the strongest man cannot prevent. Secal. cor.

———— fuzzy feeling. Secal. cor.

———— gangrene of fingers and toes. Secal. cor.

———— heaviness and weariness. Bry.

———— **jerking.** (See Twitching and Movements of Limbs.)

Lycopod., Merc. sol.

———— and distortion. Cicuta vir., Cina.

———— single jerks on falling asleep. Ignat.

———— when touched. Kali c.

———— nodes—painful, hard (and calcareous concretions on the joints.) Acidum benzoic, Calc. c., Caustic, Ledum, Lycopod.

———— numbness. (See Sleep-going of the Extremities.)

Nux m., Oxalic acid.

———— of fingers and toes. Secal. cor.

———— **pain.** Plumb., Rhododendron.

———— aching—in the bones, with soreness of the flesh. Eupat. perfol.

———— and jerking here and there. Merc. sol.

———— bruised. Arnica, Laurocer., Rhus tox., Ruta, Silicea.

———— in the morning, in the joints. Phos. acid.

———— paralytic. Bry.

———— cramps. Cupr. acet., Cupr. m.

———— and in the chest. Secal. cor.

———— stomach, with violent nausea and vomiting. Cupr. m.

Extremities, pain, drawing. Hep. s., Sulph.

_____ and tension—violent, with shuddering and chilliness, though the skin is not cold. Cupr. acet.

_____ while lying down. **Rhus tox.**

_____ especially in the joints, obliging her to stretch the body, with heat of the whole body, without thirst; in the morning in bed. **Puls.**

_____ in the evening and night especially. **Plumb.**

_____ muscular part of the thighs especially. **Plumb.**

_____ periosteum of the long bones, especially the tibiæ, worse at night and in bed; at this time the least touch is intolerable. Mezer.

_____ lancinating. **Plumb.**

_____ neuralgic. **Plumb.**

_____ paralytic, during motion, as if the joints were bruised. **Arnica.**

_____ in all the joints, especially after exertion. **Sabina.**

_____ tearing (drawing). **Acon.**

_____ the longer she lies in bed in the morning, especially in the joints, as if beaten or bruised, relieved after rising. **Nux v.**

_____ worse in paroxysms, and so violent that she cries out. **Plumb.**

_____ **paralysis.** **Plumb.**

_____ of the lower extremities and right arm.

Cannab. ind.

_____ **sleep-going.** (See Numbness.) Graph., **Secal. cor.**

_____ in alternation, at one time the hands, at another the feet. **Coccul.**

_____ upon which she lies, with crawling on awaking. **Puls., Rhus tox.**

_____ when lying. **Sulph.**

_____ **stiffness** and paralyzed feeling during and after walking, with a sensation of a hundredweight at the nape of neck. **Rhus tox.**

_____ especially before a storm or damp weather. **Rhus tox.**

_____ lameness; she can hardly rise from her seat, with loss of power. **Coccul.**

Extremities, stiffness of all the joints. Lycopod.

_____, especially on rising from a seat. **Rhus tox.**

_____ on first moving the limbs after rest. **Rhus tox.**

_____ **swelling** of the elbow-joint above and below, and of the soles of the feet. Bry.

_____ hands and legs up to the knees. Ferr.

_____ joints after slight fatigue. **Cimicifuga.**

_____ **trembling.** Cicuta vir., Hyos., Lycopod., Merc., Mezereum, Plumbum, Secal. cor.

_____ after exciting them. **Rhus tox.**

_____ especially of hands and feet; is unable to write. **Merc.**

_____ from the least exertion, with nervous debility. **Phos.**

_____ scarcely able to walk. Cimicifuga.

_____ sensation like a— even while at rest. **Rhus tox.**

_____ with chilliness, which does not even disappear in a warm room. Coccul.

_____ tremulous, anxious sensation. Puls.

_____ motion. Opi.

_____ **twitching.** Bell., Cina, Hyos.

_____ day and night. Silic.

_____ during sleep. Sepia.

_____ **weakness.** Ars., Bry., Cicuta vir., Conium, Graph., Magn. m., Merc. sol., Natr. c., Phos., Puls.

_____ excessive; has to lie down. **Ars.**

_____ low-spirited. Sabina.

_____ mostly during rest. **Rhus tox.**

_____ when in the open air. Nux v.

Fainting, faint. (See Debility.) Bovista, Bufo, Calc. phos., Cyclam., Lach., Mosch., Plumb.

_____ after getting wet. Sepia.

_____ riding. Sepia.

_____ she had excited herself by continual violent scolding. Mosch.

_____ all day. **Sepia.**

Fainting and prostration when raising the head from the pillow. Apocyn. can., Bry.

—, with paleness of cheeks, which were red when lying down.

Acon.

— sick feeling in the morning. **Conium.**

—, attacks of—and convulsions. **Millefol.**

— frequently during the day. **Sulph.**

—, feeling of—early in the morning. **Ars.**

— with hunger, at 11 A.M. **Sulph.**

— from the least exertion. **Sepia.**

—, ringing in the ears, loss of sight, with heaviness in head. **China.**

—, sudden—with profuse sweats, disturbed consciousness, without being able to stir or to speak. **Sepia.**

— when at the table; nausea, trembling, relieved by eructation. **Magn. m.**

— rising up in bed in the morning. **Bry.**

—, with attacks of suffocation. **Cact. gr.**

— consciousness. **Glon.**

— heat and coldness. **Sepia.**

— loss of sight and coldness. **Calc. c.**

— palpitation of heart, followed by sleep.

Natr. m.

— sensation of emptiness in the abdomen after stool. **Podoph.**

— vertigo. **Aletr. f.**

—, without nausea. **Sulph.**

Fatigued—easily. (See Debility.)

Gait—(See Walking) staggering, falling forward. **Sarsaparilla.**

— stooped. **Sulph.**

— unsteady. **Alum., Coccul., Glon., Nux v.**

Glands. (See the part of their location.)

Gout. (See Pains.) **Colchic., Plumb., Sabina.**

Heat. (See Fever; Want of Heat.)

Hæmorrhage (See the organ it emanates from) from all the organs. **Diadema.**

— from all parts of the body, stomach, nose, ears, etc.; blood fluid, difficult to coagulate; sensation of suffocation; almost loss of voice; skin deeply jaundiced. **Phos.**

— overexertion. **Millefol.**

Hæmorrhage, passive, from any mucous membrane. Trill.

_____, small wounds. **Phos.**

Heaviness in the whole body. **Phos.**, Ranuncul. bulb.

Hysteria. (See Convulsions; Mind and Disposition.) **Asafoet.**,
Calc. c., **Cimicifuga**, **Conium**, **Gels.**, **Lilium**, **L. V. Deflor.**, **Magn.**
c., **Magn. m.**, **Mosch.**, **Nux m.**, **Plat.**, **Sabina**, **Valeriana**.

_____ at climax. **Calc. c.**, Theridion.

_____ time of menses. **Cimicifuga**.

_____ during puberty. Theridion.

_____ from suppression of—or too free indulgence in sexual
intercourse. **Conium**.

_____ if she becomes pregnant, is almost sure to abort in
the third month. **Sabina**.

_____, maniacal lasciviousness. **Cimicifuga**.

_____, with uterine disease. **Magn. m.**

Inability to lie on the right side on account of a sensation as if
something were rolling over on that side. **Lach.**

Inflammation—mercurio-syphilitic. **Nitr. acid.**

Itching of the whole body. (See Skin.)

Jerking of limbs. (See Twitching, Movements, Extremities.)

_____ muscles. **Cicuta vir.**

_____ the whole body—spasmodic. **Sulph.**

_____ or of the head; or the extremities,
sleeping or waking. **Lycopod.**

_____ when asleep. **Zinc.**

Joints—(See Pain) weakness of the. **Bovista**, **Psorium**.

Lameness. (See Stiffness; Extremities.)

Languor. (See Debility.)

Lassitude. (See Debility.)

Liability—great—to strain a part by lifting. **Calc. c.**

_____ **take cold**. **Calc. c.**, **Hep. ~** **Kali c.**,
Phos., **Sulph.**

_____ ; dread of the open air.
Graph.

_____ from every draft of air,
especially when uncovering the head. **Bell.**

_____ ; sensitiveness to cold air.

Agaric. m., **Amm. c.**, **Anacard.**, **Carb. an.**, **Caustic.**, **Hep. s.**, **Nux**
m., **Rumex crisp.**, **Sepia**.

_____ moist, cold
air. **Calc. c.**, **Dulc.**, **Nux m.**

Liability—great—to take cold; the least exposure to cold air chills her through and through. **Calc. c.,**

_____, which aggravates the leucorrhœa. **Nitr. acid.**

Loss of muscular power. **Gels.**

Lying on the abdomen during early period of pregnancy for comfort and relief. **Podoph.**

_____ back. **Sanguin., Sulph.**

_____ with knees bent up. **Merc. cor.**

_____ left side causes anxiety. **Phos.**

_____ right constantly. **Phos.**

Nerves—excessive sensibility of—the scratching sound of linen, silk, paper, becomes unbearable. **Asarum europ., Borax.**

Numbness—sensation of—here and there. **Plat.**

Movements and motions are all convulsive. (See Convulsions.) **Bell., Cicuta vir.**

_____, sudden, transient, with shivering. **Curare.**

_____, slight—painful perception of—thus the motion of rocking makes her dizzy; it seems gigantic. **Coff.**

_____, strange—like chorea, of head and limbs. **Curare.**

_____ violent, convulsive. **Secal. cor.**

_____ several times a day; during the intervals the fingers are numb and often contracted. **Secal. cor**

Muscles very lax and flabby. **Phos.**

_____ and loss of muscular power. **Gels.**

Odor—disagreeable and constant—of the body. **Hep. s.**

_____ filthy—of the body all the time. **Pso-rium.**

Pains and soreness (See Pains in the different organs; and extremities) all over the body. **Arnica, China.**

_____ of all the parts on which she lies. **Nux m., Ruta.**

_____, as from a blow here and there (in small spots, especially on the head). **Plat.**

_____, **bone.** **Eupat. perfol., Berber., Merc. viv., Sabadilla.**

_____ as if every part would fall asunder; feels as if broken from head to foot. **Theridion.**

_____, in the periosteum of the long bones, scraping. **Phos. acid.**

Pains, bone, in the periosteum ; they are mostly confined to small spots, and reappear at changes of weather. **Rhododendron**.

_____, the bones feel sensitive to touch. **Mangan**.

_____, violent. **Kali hydr**.

_____, **bruised**—in the hips, arms, thighs, and nape of neck, as if caused by too rapid growth. **Phos. acid**.

_____; the whole body feels painful. **Arnica**, **Gels.**, **Magn. m.**, **Rhus tox**.

_____ of the body, in all the parts on which she lies, even in bed. **Ruta**.

_____, **burning**. **Acon.**, **Ars.**, **Carb. veg**.

_____, contractive, violent—through the whole body. **Nux v**.

_____, darting, tearing—from the slightest contact. **China**.

_____, gouty—in the joints. **Antim. crud.**, **Colchic.**, **Ledum**, **Plumb.**, **Sabina**, **Sarsaparilla**.

_____ in the joints, are worse in the open air. **Rhus tox**.

_____ trunk and limbs. **Plumb**.

_____, **neuralgic**—in the different parts of the body, of short extension. **Sac lac**.

_____ shifting about. **Plumb.**, **Puls**.

_____, coming and going. **Gössyp**.

_____ with decided periodicity, worse from touching the affected part. **China**.

_____, **rheumatic**. **Calc. phos.**, **Cauloph.**, **Cimicifuga**, **Rhododen.**, **Rhus tox.**, **Sarsaparilla**.

_____, alternating with gastric or pulmonary affections. **Kali bich**.

_____, causing sleeplessness. **Cauloph**.

_____, driving her out of bed at night, compelling her to walk. **Ars.**, **Cham**.

_____, in back and extremities. **Elaps**.

_____ joints. **Agnus cast.**, **Ledum**, **Mangan**.

_____ from every cold she takes. **Calc. phos**.

_____ or muscles, worse from motion. **Bry**.

_____, periodical—wandering from part to part, better in the warm room. **Kali bich**.

_____ cold air. **Puls**.

_____, tearing, stinging, especially in the limbs;

worse at night, with profuse perspiration, which affords no relief. Merc. viv.

Pains, rheumatic, with swelling and inflammation of joints. Agnus cast.

———, **sensitiveness** of the affected part to contact, and sensitiveness to contact in general. Acon., **China**, Hep. s., Mangan.

———, **shifting**. Kali bich., Plumb., Puls.

——— shooting through the body. Plumb.

———, soreness—as if beaten. **Arnica**, **Rhus tox.**

——— in every muscle, which passes off during exercise. **Rhus tox.**

———, stinging—burning. **Acon.**, **Apis.**

——— fine. **Acon.**

———, sudden transmission of internal—to the extremities.

Phytol.

——— suddenly appear and disappear. **Bell.**, **Nitr. acid.**

———, **tearing**. **Acon.**

———, darting—from the slightest contact. **China.**

———, in the joints. Amm. c., Lachnanth.

———, which increase gradually to the highest point, and then as gradually disappear. **Stan.**, **Plat.** (Remaining at the highest point for quite awhile, and then declines, particularly with Stannum.)

Paralysis. (See Affection ; Extremities.) **Plumb.**

——— motor—and complete relaxation of the whole muscular system. **Gels.**

Periodicity of diseases. **China.**

Pulsation of the veins. Asafoet.

——— through the whole body, violent. **Graph.**

——— from above downward.

Glon.

Restlessness ; **Secal. cor.**, Sepia.

——— she cannot lie long in any position at night, but must turn about to obtain relief; the relief lasts but a short time, when she must change again. **Rhus tox.**

——— could not sit still on account of internal uneasiness, but was obliged to turn in every direction on the chair, and move all her limbs. **Rhus tox.**

——— uneasiness in the limbs, evenings when in bed, that she could find no place where to lie easily. **Kali c.**

Rheumatic symptoms. (See Pain.)

Rigidity of the body. **Cina.**

Rigidity of the body, like a statue, with speechlessness. *Sepia*.
Rigors over the whole body from below upwards. *Sarsaparilla*.

Sensation as if the circulation would stand still. *Lycopod*.

———— of an inexpressible feeling of some internal insupportable illness. *Merc*.

Sensitiveness—over—of all senses. (See Excitability). *Bell.*, *Nux v*.

———— the nerves. *Bell.*, *China*.

———— parts. *Canth*.

———— she cannot bear to hear a person walk across the room. *Sanguin*.

———— the scratching of linen, silk, paper, is intolerable. *Asarum europ.*, *Borax*.

———— the skin of the whole body. *China*, *Plumb*.

———— to open air. (See Liability.) *Rumex crisp.*, *Sepia*.

———— pressure, as if bruised, to parts affected by cramplike pain. *Plat*.

Sensibility—everything makes too strong an impression upon her, so that even the slightest touch of the hand may bring on a spasm. *Kali c.*, *Nux v*.

Shocks through the whole body on waking. *Magn. m*.

————, or through the head or extremities only. *Cicuta vir*.

Shuddering—nervous. *Cimicifuga*.

———— without chill—during the day. *Sepia*.

Sitting down with difficulty; she must drop down suddenly, but she can get up very well. *Stan*.

Sleep going up the extremities. (See Extremities.)

Somnambulism in young girls. *Acon.*, *Phos*.

Somnambulistic rising and sitting about in the room. *Natr. m*.

Spasms. (See Convulsions.)

Starting and trembling after every event or noise. *Borax*.
Nitr. acid.

———— when even slightly touched. *Kali c*.

———— going to sleep. (See Sleep.) *Bry.*, *Lycopod*.

Stiffness in all the limbs, or joints. (See Extremities.)

Stretching the limbs—inclination to. *Amm. c.*, *Puls*.

———— with pain in the limbs,

and heat in the whole body, without thirst, in the evening in bed.
Puls.

Stretching, yawning. **Nux jugl.**

_____, violent—with low-spiritedness and anguish. **Daphne.**

Suppurations more or less in diseases of scrofulous persons.
Hep. s.

Swelling—œdematous—(see Dropsy; Skin; Extremities) of the whole body. **Ferr.**

_____ of the joints, after slight fatigue. **Cimicifuga.**

_____ lymphatic—with suppuration and boring pains. **Carb. veg.**

Sycosis. **Cinnab., Nitr. acid, Sabina, Thuja.**

Tingling, thrilling through the body from above downward, with a peculiar feeling of warmth. **Glon.**

Tired feeling and fatigue (see Debility) in the limbs and joints, as from a long journey (**Argt. nitr.**), or from great exhaustion caused by hæmorrhage or profuse loss of semen. **China.**

Trembling and palpitation of heart. **Plat.**

_____ starting from any event or noise. **Borax, Nitr. acid.**

_____ weakness all over. (See Debility.) **Caustic., Gels.**

_____ from the least exertion. **Merc. viv.**

_____ anguish, sweat, during pain. **Kali c.**

_____, with nausea. **Nitr. acid.**

_____ of the limbs. (See Extremities.)

_____ whole body, with languid weakness of the feet. **Argt. nitr., Magn. s.**

Tremors all over. **Cimicifuga, Secal. cor.**

Tremulous sensation and weakness without actual trembling. **Sulph. acid.**

_____ through the whole body. **Argt. nitr., Graph.**

_____, with fearfulness and palpitation of heart. **Valerian.**

_____ (See Jerking; Extremities.)

Twitching of muscles. **Bufo, Hyos.**

_____ the right side—convulsive—with general coldness, commencing with coldness between the shoulders. **Sepia.**

_____ through the whole body. **Hyos., Lycopod.**

Uneasiness in the body. Baryt. c., **Plumb.**

———— as soon as she closes her eyes in the evening. Magn. m.

Veins—pain in the—with bearing down in uterus and frequent discharge of coagulated blood. **Cham.**

———— pulsation of—congestion of portal circulation; oversensitiveness. **Asafoet.**

———— superficial—fulness of the. Podoph.

Vitality—want of. (See Want of.)

Walking (see Gait) at first is difficult, but as soon as she proceeds she walks better and better. **Rhus tox.**

———— fatigues her very much. **Phos.**

———— stooped, on account of debility. **Sulph.**

———— too much; desires exceeding her need; eats too much.

Ars.

———— unsteady; her muscles do not obey her will (pregnancy). **Gels.**

———— with difficulty from pain and weakness in sacro-iliac region. **Æscul. hipp.**

Want of vital heat. Alum., Ledum, Sepia.

———— even during exercise. **Silic.**

Wants to be fanned all the time, harder and harder. Carb. veg.

Warmth—peculiar—from above downward, with pulsating, tingling thrills. Glon.

Weakness and weariness. (See Debility.)

Wounds—small—bleed profusely. **Phos.**

Date ~~Issued~~ Due

[illegible]

RX 463

879 E

